FCC 312	EEDEDAL COMMUNIC		Page 1: Location							
Schedule B	FEDERAL COMMUNIC									
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS										
	Technical and Ope	erational Description) ne of the blocks below)								
	n of new Domestic Amendment to a Pending Ave-Only Station	Application Modification of Li	cense/Registration							
B1. Location of Earth Station Site. If ten	nporary-fixed, mobile, or VSAT remote facility	y, specify area of operation and p	point of contact. If VSAT hub station, give its location							
For V	SAT networks attach individual Schedule B, I	Page 1 sheets for each hub station	n and each remote station. Individually provide the							
	tion, Points of Communications, and Destination									
B1a. Station Call Sign B1b. Site identifies USHI01		phone Number) 929-8069	B1j. Geographic Coordinates N/S, B1k. Lat./Lon. Deg Min Sec E/W Coordinates are:							
B1d. Mailing Street Address of Station or Area of O		7 323 0003								
-			Lat. <u>19°</u> <u>00°</u> <u>50.3"</u> N							
93-1704 South Point Road	Joanne Greet		Lon. <u>155°</u> <u>39'</u> <u>46.6"</u> W							
B1f. City B1g. Cour	nty	B1h. State B1i. Zip Code	B11. Site Elevation (AMSL)							
Naalehu Ka	'u	HI 96772-0842	2 378.0 meters							
B2. Points of Communications: List t	he names and orbit locations of all satellites wi	ith which this earth station will c	communicate. The entry "ALSAT" is sufficient to							
			n-U.S. licensed satellites must be listed individually.							
Satellite Name and Orbit Location	Satellite Name and Orbit	Location	Satellite Name and Orbit Location							
Galileo Constellation (GFOC5 & GFO	C6) MEO									
Orbits										
	ns using non-U.S. licensed satellites. For eac									
Satellite Name	ervices will be provided by this earth station vis	a each non-O.S. license satellite	system. Use additional sheets as needed.							
Galileo – GFOC5 (MSATNAV-2)	ESA (Non US Spacecraft)									
Galileo – GFOC6 (MSATNAV-2)	ESA (Non US Spacecraft)									

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
USHI01	HI-13M	1	Datron	1453	13.0	46.9 dBi at 2.245 GHz 45.9 dBi at 2.067 GHz

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

(a) Antenna ID**	(b) Antenna Structure Registration No.	Maximum Ar (c) Above Ground Level (meters)	(d) Above Mean Sea Level (meters)	(e) Building Height Above Ground Level (meters)***	(f) Maximum Antenna Height Above Rooftop (meters)***	(g) Total Input Power at antenna flange (Watts)	(h) Total EIRP for all carriers (dBW)
HI-13M		20.0	398.0			200.0	68.9
I							

Notes:

- * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.
- ** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.
- *** Attach sketch of site or exemption, See 47 CFR Part 17.

Page 3: Coordination

APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) Range of Satellite Arc Eastern Limit**	(d) Range of Satellite Arc Western Limit**	(e) Antenna Elevation Angle Eastern Limit	(f) Antenna Elevation Angle Western Limit	(g) Earth Station Azimuth Angle Eastern Limit	(h) Earth Station Azimuth Angle Western Limit	(i) Maximum EIRP Density toward the Horizon (dBW/4kHz)
HI-13M	2215.818	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2221.956	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2225.025	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2040.399	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6
HI-13M	2046.051	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6
HI-13M	2048.887	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6
		0.0 11.12.	00010 11121	0.0	0.0			
L								

Notes:

^{*} Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

^{**} If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FOR Example 212 Shall Br. (Table 1 Language 1 Language

FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

Diri ar treature	or Operation (Fun particula	is are re	quired for ec	ten ini carrier)	· ese additiona	pages as nee-	404
(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services
HI-13M	2215.818	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone
HI-13M	2221.956	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone
HI-13M	2225.025	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone (EMERGENCY USE ONLY)
HI-13M	2040.399	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones
HI-13M	2046.051	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones
HI-13M	2048.887	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones (EMERGENCY USE ONLY)
						_	

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

^{**} Indicate whether the earth station transmits or receives in each frequency band.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

com	e proposed antenna(s) operate in the Fixed Satellite Serv ply with the antenna gain patterns specified in Section 2 surements? If NO, provide as an exhibit, a technical ana		YES	□ NO	N/A					
	e proposed antenna(s) do not operate in the Fixed Satelli									
) with non-geostationary satellites, do(es) the proposed	ns specified in	\boxtimes	YES	NO					
	on 25.209(a2) and (b) as demonstrated by the manufactu			1						
B10. Is t	he facility operated by remote control? If YES, provide	the location and telephor	ne number of the contro	of point.		YES	□ NO			
	Remote Control Point Location:									
	B10a. Street Address									
	417 Caredean Drive Suite A									
	B10b. City	B10c. County		B10.d. State/Country		B10e. Zip Code				
	Horsham	Montgomery		PA		19044				
	B10f. Telephone Number		B10g. Call Sign of Con	trol Station (if appropriate)						
	215-328-9130									
B11. Is 1	requency coordination required? If YES, attach a frequency	ency coordination report	as an exhibit.			**************************************				
					\boxtimes	YES				
D10 I	1' ' ' ' 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 16 17 19 19 19 19 19 19 19 19 19 19 19 19 19	1.4 6.1 .	/· \							
	coordination with another country required? If YES, attack	VEC	M NO							
an	l plot of coordination contours as an exhibit.	Ш	YES	\bowtie NO						
D12 EA	B13. FAA Notification - (See 47 CFT Part 17and 47 CFT Part 25.113(c))									
			YES	\bowtie NO						
	Where FAA notification is required, have you attached a copy of a completed FCC Form 854 YES NO and/or the FAA's study regarding the potential hazard of the structure to aviation?									
FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION										
FAILURE TO COME LE WITH 77 CETTARIS 17 AND 25 WILL RESULT IN THE RETURN OF THIS ATTLICATION										