FCC 312			Page 1: Location								
Schedule B	FEDERAL COMMUNICATION OF THE PROPERTY OF THE P	ATIONS COMMISSION	N .								
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS											
Technical and Operational Description)											
	(Place an "X" in one	of the blocks below)									
License of New Station Registration of new Domestic Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification Receive-Only Station											
B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station.											
	r (HUB, REMOTE1, etc.)  B1c. Teleph		B1j. Geographic Coordinates N/S, B1k. Lat./Lon.								
USHI01		929-8069	Deg Min Sec E/W  Coordinates are:								
B1d. Mailing Street Address of Station or Area of Op			1								
00.4704.0	Joanne Greet		Lat. <u>19°</u> <u>00'</u> <u>50.3"</u> N								
93-1704 South Point Road	Joanne Greet		Lon. <u>155°</u> <u>39</u> <u>46.6"</u> W NAD-83								
B1f. City B1g. Coun		B1h. State B1i. Zip Code	B11. Site Elevation (AMSL)								
Naalehu Ka'	'u	HI 96772-0842	2 378.0 meters								
			communicate. The entry "ALSAT" is sufficient to on-U.S. licensed satellites must be listed individually.								
Satellite Name and Orbit Location	Satellite Name and Orbit L	ocation	Satellite Name and Orbit Location								
Galileo Constellation (GSAT208 & GS/Orbits	AT209) MEO										
destination point(s) (countries) where the se	ns using non-U.S. licensed satellites. For each ervices will be provided by this earth station via										
Satellite Name	List of Destination Points										
Galileo – GSAT208 (MSATNAV-2)	ESA (Non US Spacecraft)										
Galileo – GSAT209 (MSATNAV-2)	ESA (Non US Spacecraft)										

## FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
USHI01	HI-13M	1	Datron	1453	13.0	46.9 dBi at 2.245 GHz 45.9 dBi at 2.067 GHz

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

(a) Antenna ID**	(b) Antenna Structure Registration No.	Maximum An (c) Above Ground Level (meters)	(d) Above Mean Sea Level (meters)	(e) Building Height Above Ground Level (meters)***	(f) Maximum Antenna Height Above Rooftop (meters)***	(g) Total Input Power at antenna flange (Watts)	(h) Total EIRP for all carriers (dBW)
HI-13M		20.0	398.0			200.0	68.9

Notes

- \* If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.
- \*\* Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.
- \*\*\* Attach sketch of site or exemption, See 47 CFR Part 17.

**Page 3: Coordination** 

## APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) Range of Satellite Arc Eastern Limit**	(d) Range of Satellite Arc Western Limit**	(e) Antenna Elevation Angle Eastern Limit	(f) Antenna Elevation Angle Western Limit	(g) Earth Station Azimuth Angle Eastern Limit	(h) Earth Station Azimuth Angle Western Limit	(i) Maximum EIRP Density toward the Horizon (dBW/4kHz)
HI-13M	2215.818	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2225.025	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2234.232	0.0° W.L.	360.0° W.L.	5.0°	5.0°			
HI-13M	2040.399	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6
HI-13M	2048.887	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6
HI-13M	2057.355	0.0° W.L.	360.0° W.L.	5.0°	5.0°			9.6

Notes:

<sup>\*</sup> Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

\*\* If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

## FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FOR From 212 Schools By (Tanksis)

FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

2. V 1 W1 V1 C W1 W1 D O I	Operation (Fun particul	uib uit it	quired for e	acii i iii cui i ici )	. esc additiona	Pages as nee	
(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services
HI-13M	2215.818	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone
HI-13M	2225.025	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone
HI-13M	2234.232	R	L, R	510KG2D			20 kbps data is PSK modulated into a 255 kHz subcarrier with 100 kHz tone (EMERGENCY USE ONLY)
HI-13M	2040.399	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones
HI-13M	2048.887	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones
HI-13M	2057.355	Т	L, R	200KG2D	68.0	51.0	2 kbps data PSK modulated onto an 8 kHz subcarrier with 100 kHz major ranging tones (EMERGENCY USE ONLY)

Notes: \* Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

<sup>\*\*</sup> Indicate whether the earth station transmits or receives in each frequency band.

## FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

com	e proposed antenna(s) operate in the Fixed Satellite Servaply with the antenna gain patterns specified in Section 2: surements? If NO, provide as an exhibit, a technical ana		YES	□ NO	N/A					
	e proposed antenna(s) do not operate in the Fixed Satelli									
	) with <b>non-geostationary</b> satellites, do(es) the proposed			ns specified in	$\bowtie$	YES	NO			
	ion 25.209(a2) and (b) as demonstrated by the manufactu			1 ' 4						
B10. IS	he facility operated by remote control? If YES, provide	the location and telephor	ne number of the contro	oi point.		YES	□ NO			
	Remote Control Point Location:									
	B10a. Street Address									
	417 Caredean Drive Suite A									
	B10b. City	B10c. County		B10.d. State/Country		B10e. Zip Code				
	Horsham	Montgomery		PA		19044				
	B10f. Telephone Number		B10g. Call Sign of Con	trol Station (if appropriate)						
	215-328-9130									
B11. Is 1	requency coordination required? If YES, attach a freque	ency coordination report	as an exhibit.			TIPO				
					$\bowtie$	YES	∐ NO			
D10 I	11 12 14 4 1 10 10 10 10 10	1.1 6.1	· )							
	coordination with another country required? If YES, attack	VEC	M NO							
an	d plot of coordination contours as an exhibit.		YES	$\bowtie$ NO						
D12 EA	B13. FAA Notification - (See 47 CFT Part 17and 47 CFT Part 25.113(c))									
			YES	$\bowtie$ NO						
	Where FAA notification is required, have you attached a copy of a completed FCC Form 854 YES NO and/or the FAA's study regarding the potential hazard of the structure to aviation?									
FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION										
FAILURE TO COMIFET WITH 47 CFT FARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION										