

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Intelsat License LLC
FILLMORE, CA
(E4132)
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
December 24, 2015

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 11/30/2015.

Company

ABC Holding Company Inc.
AirSites2000, LLC
American Tower, LLC
Anaheim City, of
BNS Electronics, Inc.
CCO SoCal I, LLC
California, State of
Calvary Chapel of Costa Mesa
City of Los Angeles Dept Water & Power
City of Montebello
Coast Community College District
Communication Services, Inc.
Conterra Ultra Broadband, LLC
DM Ventures, Inc. dba Warp2Biz
Encina Communications Company
Entravision Holdings, LLC
Exxon Communications Company
Frazier Mountain Internet Service, Inc.
Freeport-McMoRan Oil & Gas LLC
Fresno MSA Limited Partnership
Frontier Communications of the Southwest
GTE Mobilnet of California LTD Partnersh
GTE Mobilnet of Santa Barbara LTD Ptnsh
Glendale, City of
Global Telecom & Technology Americas, In
GovNET Licenses LLC
ION Media Los Angeles License, Inc.
KTLA, LLC
Kern Ed Telecom Consortium
Kern, County of
LDM Engineering
LOS ANGELES UNIFIED SCHOOL DISTRICT
Los Angeles City Info Technology Agency
Los Angeles County Dept of Public Works
Los Angeles County FCC Licensing Section
Los Angeles County Metro Transit Auth
Los Angeles SMSA Ltd. Partnership
MHO Networks
MOBILE RELAY ASSOCIATES INC
Metropolitan Water Dist of So California

NRJ TV LA License Co, LLC
New Cingular Wireless PCS LLC - AZ
New Cingular Wireless PCS - Los Angeles
New Cingular Wireless PCS LLC - N CAL
Nextel License Holdings 4 Inc.
Nextel of California Inc.
Nextweb Inc
Northrop Grumman Systems Corp.
Olympic Wireless, LLC
Orange, County of, CA
Pacific Bell Tel Com dba AT&T California
Regents of the University of California
Riverside, County of
San Bernardino County of California
Santa Barbara Cellular Systems, Ltd.
Santa Barbara, County of
Skyriver Communications
Southern California Edison Company
Southern California Gas Company
Southern California Regional Rail Auth.
Sparkplug Southwest, LLC
T-Mobile License LLC
TV MICROWAVES CO
Turn Wireless, LLC
Ultimate Internet Access, Inc
Union Pacific Railroad Company
Ventura, County of
Verizon California Inc.
Verizon Wireless (VAW) LLC (Southern CA)
Verizon Wireless (VAW) LLC-N CA/NV
Verizon Wireless(VAW) LLC-AZ/CO/NM/NV/UT
Vintage Production California LLC
WWC License L.L.C. - S California
Western Technical Services

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 12/24/2015
Job Number: 151130COMSGE05

Administrative Information

Status ENGINEER PROPOSAL
Call Sign E4132
Licensee Code INTELS
Licensee Name Intelsat License LLC

Site Information

FILLMORE, CA
Venue Name
Latitude (NAD 83) 34° 24' 22.0" N
Longitude (NAD 83) 118° 53' 37.4" W
Climate Zone A
Rain Zone 4
Ground Elevation (AMSL) 313.94 m / 1030.0 ft

Link Information

Satellite Type Geostationary
Mode TO - Transmit-Only
Modulation Analog and Digital
Satellite Arc 45.6° W to 192.2° West Longitude
Azimuth Range 99.6° to 260.4°
Corresponding Elevation Angles 5.1° / 5.0°
Antenna Centerline (AGL) 8.23 m / 27.0 ft

Antenna Information

Transmit - FCC32
Manufacturer Scientific-Atlanta
Model 3311
Gain / Diameter 53.8 dBi / 10.0 m
3-dB / 15-dB Beamwidth 0.40° / 0.60°

Max Available RF Power (dBW/4 kHz) 10.9
(dBW/MHz) 34.9

Maximum EIRP (dBW/4 kHz) 64.7
(dBW/MHz) 88.7
(dBW) 88.0

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 6.1 GHz
Emission / Frequency Range (MHz) 850KFXD - 1M20FXD / 6422.0 - 6424.5

Max Great Circle Coordination Distance 543.9 km / 337.9 mi
Precipitation Scatter Contour Radius 396.3 km / 246.2 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

FILLMORE, CA

Licensee Name Intelsat License LLC
Latitude (NAD 83) 34° 24' 22.0" N
Longitude (NAD 83) 118° 53' 37.4" W
Ground Elevation (AMSL) 313.94 m / 1030.0 ft
Antenna Centerline (AGL) 8.23 m / 27.0 ft
Antenna Model Scientific-Atlanta 10 meter
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	9.41	99.59	-10.00	100.00
5	9.28	94.62	-10.00	100.00
10	10.39	89.63	-10.00	100.00
15	10.81	84.65	-10.00	100.00
20	11.67	79.70	-10.00	100.00
25	12.11	74.75	-10.00	100.00
30	11.51	69.76	-10.00	100.00
35	10.87	64.77	-10.00	100.00
40	11.36	59.83	-10.00	100.00
45	12.04	54.93	-10.00	100.00
50	12.00	49.98	-10.00	100.00
55	11.61	45.01	-9.33	100.00
60	10.79	39.97	-8.04	100.00
65	9.78	34.91	-6.57	100.00
70	9.99	30.00	-4.93	100.00
75	9.18	24.95	-2.93	100.00
80	8.81	19.97	-0.51	100.00
85	8.14	14.94	2.64	105.61
90	7.27	9.88	7.14	132.90
95	5.88	4.70	15.20	194.78
100	6.25	0.44	40.98	531.89
105	6.17	3.67	17.90	205.45
110	4.75	8.51	8.76	172.71
115	2.86	13.60	3.66	183.84
120	2.00	18.02	0.61	188.68
125	1.86	21.93	-1.52	182.13
130	2.45	25.27	-3.06	157.83
135	2.61	28.73	-4.46	147.69
140	2.66	32.11	-5.67	141.67
145	2.81	35.20	-6.66	134.75
150	2.62	38.28	-7.57	134.91
155	3.21	40.44	-8.17	123.08
160	2.93	42.90	-8.81	125.83
165	3.48	44.21	-9.14	114.83
170	3.26	45.71	-9.50	117.38
175	3.12	46.63	-9.72	118.99
180	2.52	47.50	-9.92	129.29
185	2.35	47.40	-9.89	132.75

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


FILLMORE, CA

Licensee Name Intelsat License LLC
Latitude (NAD 83) 34° 24' 22.0" N
Longitude (NAD 83) 118° 53' 37.4" W
Ground Elevation (AMSL) 313.94 m / 1030.0 ft
Antenna Centerline (AGL) 8.23 m / 27.0 ft
Antenna Model Scientific-Atlanta 10 meter
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	2.28	46.64	-9.72	133.40
195	0.77	46.65	-9.72	182.25
200	0.45	45.00	-9.33	203.50
205	1.20	42.04	-8.59	168.69
210	0.96	39.53	-7.92	180.37
215	0.92	36.55	-7.07	186.12
220	0.00	33.92	-6.26	239.30
225	0.00	30.45	-5.09	244.97
230	0.00	26.83	-3.72	251.22
235	0.00	23.09	-2.08	259.79
240	0.00	19.24	-0.11	270.78
245	0.00	15.33	2.36	285.44
250	0.00	11.35	5.63	306.52
255	0.00	7.37	10.31	339.69
260	0.00	5.06	14.40	543.87
265	0.00	6.84	11.13	345.82
270	0.00	10.85	6.11	309.81
275	1.11	15.13	2.50	221.39
280	1.29	19.96	-0.51	203.55
285	2.94	24.70	-2.82	148.14
290	4.19	29.63	-4.79	119.31
295	4.00	34.63	-6.49	115.45
300	4.44	39.62	-7.95	104.00
305	3.70	44.64	-9.24	110.50
310	3.09	49.65	-10.00	118.53
315	2.77	54.65	-10.00	124.33
320	3.24	59.64	-10.00	115.70
325	3.81	64.63	-10.00	105.65
330	5.52	69.62	-10.00	100.00
335	7.47	74.63	-10.00	100.00
340	8.31	79.64	-10.00	100.00
345	8.76	84.63	-10.00	100.00
350	9.64	89.62	-10.00	100.00
355	9.46	94.61	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: December 24, 2015