Exhibit A

# FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for Intelsat License LLC HAGERSTOWN, MD Satellite Earth Station

Prepared By: COMSEARCH 19700 Janelia Farm Boulevard Ashburn, VA 20147 March 08, 2017

# TABLE OF CONTENTS

| 1. CONCLUSIONS                     | 3   |
|------------------------------------|-----|
| 2. SUMMARY OF RESULTS              | . 4 |
| 3. SUPPLEMENTAL SHOWING            |     |
| 4. EARTH STATION COORDINATION DATA | -   |
| 5. CERTIFICATION                   | 13  |

# **1. CONCLUSIONS**

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

# 2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

### **3. SUPPLEMENTAL SHOWING**

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 02/01/2017.

Company 256Q Networks AB Services LLC AT&T Communications of Virginia, LLC AT&T Corp. AT&T Wireless Services 3 LLC - PA AWC Networks Access MLP Operating LLC Adams County Department of Emergency Svc Affiniti PA, LLC Albermarle, County of, Virginia Allentown SMSA Limited Partnership Alltel Communications LLC - Western PA Alltel Communications LLC-E OH WV American Electric Power Service Corp Appalachia Engineering Services Argos Engineering, LLČ Atlantic Broadband (Penn), LLC Atlantic City Electric Company Atlantic, County of Augusta, County of **BLAIR COUNTY 911** Baltimore County of Maryland Baltimore Gas and Electric Company Beaver Springs Faith Baptist Church, Inc Bedford County of Believe Wireless, LLC Berks County Department of Emergency Ser Blue Ridge Carriers **Blueline Communications** CLEARFIELD, COUNTY OF CNG Transmission Corporation CROWN COMMUNICATION, INC. Calvert, County of Cambria, County of **Capital Communications of America** Caroline County, VA Carroll, County of Cellco Partnership - Bridgeville, PA/WV Cellco Partnership - Southern Virginia Cellco Partnership- PA Region

Cellco Partnership-WDC/Baltimore Cellco Prtnrshp - Phil. Tri-State Rgn Centre Communications Inc. Centre, County of Charles, County of Chester, County of City of Fredericksburg Citynet Clinton, County of Columbia Gas Transmission, LLC Columbia, County Commonwealth of Pennsylvania Commonwealth of Pennsylvania-Radio Proj. **Comprehensive Wireless LLC** Conterra Ultra Broadband, LLC Coralinks County of Burlington, Public Safety Cntr County of Camden County of Fayette County of Frederick County of Lycoming County of York DAUPHIN COUNTY EMERGENCY MANAGEMENT Delaware County (PA) Emergency Services **Delaware Division of Communications** Delmarva Broadcasting Company Delmarva Power and Light Company ECW Wireless, LLC Eastern MLG LLC Electric Railroad, LLC Enoch Pratt Free Library Exelon Generation Company, LLC FELHC, INC Federal Communication Commission Frederick County Fulton County of (PA) Fundamental Broadcasting LLC GETWIRELESS.NET GREAT SCOTT BROADCASTING Garden State Transmissions Gloucester, County of Greene, County of (PA) HUNTINGDON COUNTY, PA Hanover, County of Hardy Cellular Telephone Company Hardy County OEM/E911 Harrisonburg-Rockingham ECC Henrico Countv High Voltage Communications LLC (CFN) Indiana, County of JEFFERSON COUNTY OF PENNSYLVANIA Jackson County West Virginia Jefferson Microwave, LLC Juniata County Emergency Services King and Queen County Kryptick Technologies

Lancaster County-Wide Communications Limitless Mobile, LLC Loudoun. County of MGW Networks, LLC MVC Research. LLC Maryland Public Broadcasting Commission Maryland State Highway Administration Maryland, State of - Dept.of Info & Tech Montgomery County Of National Tower Company LLC New Cingular Wireless PCS LLC - NJ New Cingular Wireless PCS - Maryland New Cingular Wireless PCS LLC - DC New Cingular Wireless PCS LLC - VA New Cingular Wireless PCS LLC - WV,NC,SC New Cingular Wireless PCS LLC-DE/NH/RI New Cingular Wireless PCS, LLC - PA New Jersey Turnpike Authority-Pkwy Div New Jersey, State of -NJ Transit New Line Networks, LLC Norfolk Southern Railway Northumberland County DPS/911 OHIO POWER COMPANY Old Dominion LLC PA Communications PRESTON COUNTY OFFICE OF EMERGENCY MANAG **PSEG Services Corporation** Peco Energy Company Pennsylvania Turnpike Commission Peoples Natural Gas Company LLC Pepco Holdings Inc. Perry, County of Perseus Technology Holdings USA Inc. Pittsburgh SMSA Limited Partnership Prince George's County Prince William. County of Radio One Inc Rappahannock Electric Cooperative Rockbridge Reg. Pub Safety Comm Ctr Rural Broadband Network Services LLC SCS Networks SHENANDOAH VALLEY ELECTRIC COOPERATIVE SW Networks Shenandoah Personal Communications, LLC Somerset, County of South Central Task Force (SCTFNET) Southern Maryland Electric Cooperative I Spotsylvania, County of Sprintcom, Inc St. Mary's County of (MD) Stafford, County of State of Maryland, MIEMSS T-Mobile License LLC Texas Eastern Communications, LLC Thought Transmissions, LLC Torellco LLC

Transcontinental Gas Pipeline Corp. US Cellular Operating Company, LLC (WI) USCOC of Cumberland, Inc. USCOC of Virginia RSA #3, Inc. USOC of Pennsylvania RSA No 10 B2 Inc. Uniti Fiber PEG, LLC Verizon Maryland, Inc. Verizon Wireless (VAW) LLC - Maryland Verizon Wireless (VAW) LLC - W/B/V Mkts Verizon Wireless (VAW) LLC-Pennsylvania Verizon Wireless VAW LLC - West Virginia Verizon Wireless VAW LLC-Southern VA Virginia RSA 5 Limited Partnership Virginia Broadband, LLC Virginia Department of State Police Virginia Electric & Power Company WHEELING POWER COMPANY WV DHHR BPH, Office of EMS, Com. Div. Washington Gas Light Company Washington Suburban Sanitary Commission Washington, County of Webline Holdings LLC Westmoreland, County of Wicomico County Wireless Internetwork LLC World Class Wireless, LLC YAB Mobile iSignal xWave Engineering LLC

# 4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

### COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

|  |   | 1/2017<br>201COMSGE05  |  |  |
|--|---|--|--|--|
| Administrative Inform<br>Status<br>Call Sign<br>Licensee Code<br>Licensee Name   | ENG<br>TEM<br>INTE                            |  |  |  |
| Site Information<br>Venue Name<br>Latitude (NAD 83)<br>Longitude (NAD 83)<br>Climate Zone<br>Rain Zone<br>Ground Elevation (AMSL                 | 39° 3<br>77° 4<br>A<br>2                      | <b>GERSTOWN, MD</b><br>35' 54.0" N<br>45' 35.0" W<br>74 m / 570.0 ft                                   |  |  |
| Link Information<br>Satellite Type<br>Mode<br>Modulation<br>Satellite Arc<br>Azimuth Range<br>Corresponding Elevation<br>Antenna Centerline (AGL | - TO<br>Digit<br>6° W<br>101.9<br>Angles 5.3° | stationary<br>Transmit-Only<br>al<br>′ to 149° West Longitude<br>9° to 257.8°<br>/ 5.7°<br>m / 19.0 ft |  |  |
| Antenna Information<br>Manufacturer<br>Model<br>Gain / Diameter<br>3-dB / 15-dB Beamwidth  |   | <b>Transmit - FCC32</b><br>TIW (GD Satcom)<br>9 Meter<br>53.5 dBi / 9.0 m<br>0.36° / 0.67°             |  |  |
| Max Available RF Power   | (dBW/4 kHz)<br>(dBW/MHz)                      | 7.2<br>31.2  |  |  |
| Maximum EIRP   | (dBW/4 kHz)<br>(dBW/MHz)                      | 60.7<br>84.7   |  |  |
|  | Long Term<br>Short Term                       | -154.0 dBW/4 kHz 20%<br>-131.0 dBW/4 kHz 0.0025%   |  |  |
| Frequency Informatic<br>Emission / Frequency Range (   |   | <b>Transmit 6.1 GHz</b><br>850KFXD - 1M20FXD / 5853.0 and 6424.5                                       |  |  |
| Max Great Circle Coordination<br>Precipitation Scatter Contour F   |   | 507.1 km / 315.0 mi<br>431.6 km / 268.1 mi   |  |  |

### COMSEARCH

### Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

| Coordination Values               | HAGERSTOWN, MD              |
|-----------------------------------|-----------------------------|
| Licensee Name                     | Intelsat License LLC        |
| Latitude (NAD 83)                 | 39° 35' 54.0" N             |
| Longitude (NAD 83)                | 77° 45' 35.0" W             |
| Ground Elevation (AMSL)           | 173.74 m / 570.0 ft         |
| Antenna Centerline (AGL)          | 5.79 m / 19.0 ft            |
| Antenna Model                     | TIW 9 meter                 |
| Antenna Mode                      | Transmit 6.1 GHz            |
| Interference Objectives: Long Ter | m -154.0 dBW/4 kHz 20%      |
| Short Ter                         | rm -131.0 dBW/4 kHz 0.0025% |
| Max Available RF Power            | 7.2 (dBW/4 kHz)             |

|             | Transmit 6.1 GHz |                    |            |               |  |
|-------------|------------------|--------------------|------------|---------------|--|
|             | Horizon          | Antenna            | Horizon    | Coordination  |  |
| Azimuth (°) | Elevation (°)    | Discrimination (°) | Gain (dBi) | Distance (km) |  |
| 0           | 0.00             | 101.81             | -10.00     | 207.10        |  |
| 5           | 0.00             | 96.84              | -10.00     | 207.10        |  |
| 10          | 0.00             | 91.86              | -10.00     | 207.10        |  |
| 15          | 0.00             | 86.88              | -10.00     | 207.10        |  |
| 20          | 0.00             | 81.90              | -10.00     | 207.10        |  |
| 25          | 0.00             | 76.92              | -10.00     | 207.10        |  |
| 30          | 0.00             | 71.95              | -10.00     | 207.10        |  |
| 35          | 0.00             | 66.97              | -10.00     | 207.10        |  |
| 40          | 0.00             | 62.00              | -10.00     | 207.10        |  |
| 45          | 0.00             | 57.03              | -10.00     | 207.10        |  |
| 50          | 0.00             | 52.06              | -10.00     | 207.10        |  |
| 55          | 0.00             | 47.09              | -9.82      | 207.79        |  |
| 60          | 0.00             | 42.14              | -8.62      | 212.59        |  |
| 65          | 0.00             | 37.19              | -7.26      | 218.19        |  |
| 70          | 0.00             | 32.26              | -5.72      | 224.84        |  |
| 75          | 0.00             | 27.34              | -3.92      | 232.91        |  |
| 80          | 0.00             | 22.47              | -1.79      | 243.02        |  |
| 85          | 0.00             | 17.65              | 0.83       | 255.60        |  |
| 90          | 0.00             | 12.98              | 4.17       | 274.11        |  |
| 95          | 0.00             | 8.66               | 8.56       | 301.31        |  |
| 100         | 0.00             | 5.61               | 13.27      | 507.05        |  |
| 105         | 0.00             | 6.15               | 12.28      | 371.03        |  |
| 110         | 0.00             | 9.60               | 7.45       | 294.11        |  |
| 115         | 0.00             | 13.27              | 3.93       | 272.70        |  |
| 120         | 0.00             | 16.89              | 1.31       | 258.14        |  |
| 125         | 0.00             | 20.41              | -0.75      | 248.15        |  |
| 130         | 0.00             | 23.83              | -2.43      | 239.94        |  |
| 135         | 0.00             | 27.11              | -3.83      | 233.34        |  |
| 140         | 0.00             | 30.23              | -5.01      | 227.97        |  |
| 145         | 0.00             | 33.14              | -6.01      | 223.55        |  |
| 150         | 0.00             | 35.82              | -6.85      | 219.92        |  |
| 155         | 0.00             | 38.20              | -7.55      | 216.96        |  |
| 160         | 0.00             | 40.26              | -8.12      | 214.61        |  |
| 165         | 0.00             | 41.93              | -8.56      | 212.81        |  |
| 170         | 0.00             | 43.16              | -8.88      | 211.54        |  |
| 175         | 0.00             | 43.92              | -9.07      | 210.78        |  |
| 180         | 0.00             | 44.18              | -9.13      | 210.53        |  |
| 185         | 0.00             | 43.92              | -9.07      | 210.78        |  |

### COMSEARCH

### Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147 (703)726-5500 http://www.comsearch.com

| Coordination Values               | HAGERSTOWN, MD              |
|-----------------------------------|-----------------------------|
| Licensee Name                     | Intelsat License LLC        |
| Latitude (NAD 83)                 | 39° 35' 54.0" N             |
| Longitude (NAD 83)                | 77° 45' 35.0" W             |
| Ground Elevation (AMSL)           | 173.74 m / 570.0 ft         |
| Antenna Centerline (AGL)          | 5.79 m / 19.0 ft            |
| Antenna Model                     | TIW 9 meter                 |
| Antenna Mode                      | Transmit 6.1 GHz            |
| Interference Objectives: Long Ter | m -154.0 dBW/4 kHz 20%      |
| Short Te                          | rm -131.0 dBW/4 kHz 0.0025% |
| Max Available RF Power            | 7.2 (dBW/4 kHz)             |

|             | Transmit 6.1 GHz |                    |            |               |  |
|-------------|------------------|--------------------|------------|---------------|--|
|             | Horizon          | Antenna            | Horizon    | Coordination  |  |
| Azimuth (°) | Elevation (°)    | Discrimination (°) | Gain (dBi) | Distance (km) |  |
| 190         | 0.00             | 43.16              | -8.88      | 211.54        |  |
| 195         | 0.00             | 41.93              | -8.56      | 212.81        |  |
| 200         | 0.00             | 40.26              | -8.12      | 214.61        |  |
| 205         | 0.00             | 38.20              | -7.55      | 216.96        |  |
| 210         | 0.00             | 35.81              | -6.85      | 219.92        |  |
| 215         | 0.00             | 33.14              | -6.01      | 223.55        |  |
| 220         | 0.00             | 30.22              | -5.01      | 227.97        |  |
| 225         | 0.00             | 27.11              | -3.83      | 233.34        |  |
| 230         | 0.00             | 23.83              | -2.43      | 239.93        |  |
| 235         | 0.00             | 20.42              | -0.75      | 248.14        |  |
| 240         | 0.00             | 16.89              | 1.31       | 258.16        |  |
| 245         | 0.00             | 13.28              | 3.92       | 272.68        |  |
| 250         | 0.00             | 9.59               | 7.46       | 294.19        |  |
| 255         | 0.00             | 6.33               | 11.96      | 378.50        |  |
| 260         | 0.00             | 6.11               | 12.35      | 489.18        |  |
| 265         | 0.00             | 9.18               | 7.93       | 297.19        |  |
| 270         | 0.00             | 13.46              | 3.77       | 271.82        |  |
| 275         | 0.00             | 18.11              | 0.55       | 254.16        |  |
| 280         | 0.00             | 22.90              | -2.00      | 242.02        |  |
| 285         | 0.00             | 27.76              | -4.09      | 232.16        |  |
| 290         | 0.00             | 32.66              | -5.85      | 224.24        |  |
| 295         | 0.00             | 37.59              | -7.38      | 217.70        |  |
| 300         | 0.00             | 42.53              | -8.72      | 212.18        |  |
| 305         | 0.00             | 47.48              | -9.91      | 207.44        |  |
| 310         | 0.00             | 52.44              | -10.00     | 207.10        |  |
| 315         | 0.00             | 57.40              | -10.00     | 207.10        |  |
| 320         | 0.00             | 62.37              | -10.00     | 207.10        |  |
| 325         | 0.00             | 67.34              | -10.00     | 207.10        |  |
| 330         | 0.00             | 72.31              | -10.00     | 207.10        |  |
| 335         | 0.00             | 77.28              | -10.00     | 207.10        |  |
| 340         | 0.00             | 82.26              | -10.00     | 207.10        |  |
| 345         | 0.00             | 87.23              | -10.00     | 207.10        |  |
| 350         | 0.00             | 92.21              | -10.00     | 207.10        |  |
| 355         | 0.00             | 97.18              | -10.00     | 207.10        |  |

# 5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY:

Gary K. Edwards Senior Manager COMSEARCH 19700 Janelia Farm Boulevard Ashburn, VA 20147

DATED: March 08, 2017