FCC 312										Page 1: Location
Schedule B		FE	EDERAL COM	MUNICA	TIONS (COMMISSION	1			
A	APPLICA	ATION FOR	SATELLITE S	SPACE A	ND EAR	TH STATION	AUTHO	RIZAT	IONS	
			Technical a							
			(Place	an "X" in one o	of the blocks be	elow)				
License of New Station	•	of new Domestic e-Only Station	Amendment to	a Pending App	olication 🔀	Modification of L	icense/Regis	tration	Notification of M	Minor Modification
B1. Location of Earth Station	For V	SAT networks	nobile, or VSAT rea attach individual So communications, an	chedule B, P	age 1 sheets	s for each hub stat	ion and eac	h remote s		
B1a. Station Call Sign B1b. S E030342	Site identifier (HUB, REMOTE1, o	etc.)	B1c. Telephor	ne Number 501 - 9090			aphic Coordii - Min		B1k. Lat./Lon. Coordinates are:
B1d. Mailing Street Address of Station of			B1e. Name of Contac		301 - 3030	<u>'</u>	208.		200. E/ //	
	v- v _F -						Lat. 40	<u>0° 33'</u>	<u>54"</u> N	NAD-27
10288 South Jordan Gate	eway		Andre Finlinson					11° 54'	14.0" W	NAD-83
B1f. City	B1g. County				B1h. State	B1i. Zip Code		B11. Site I	Elevation (AMSL)	
South Jordan	Sal	lt Lake			UT	84095			131	9.8 meters
B2. Points of Communications			bit locations of all							
Satellite Name and Orbit Loca	tion		Satellite Name a	•	Satellite Name and Orbit Location					
Permitted List (ALSAT)										
B3. Destination points for com destination point(s) (countries) v										
Satellite Name		List of Destina	tion Points							
							·	·		

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
South Jordan	9.2 KU-BAN	1	RSI	KS	9.2	59.2 dBi at 12.0 GHz 60.2 dBi at 14.0 GHz

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

		Maximum An	tenna Height	(e) Building	(f) Maximum	(g) Total Input	
(a)	(b) Antenna Structure	(c) Above	(d) Above	Height Above	Antenna Height	Power at	(h) Total EIRP
Antenna	Registration No.	Ground Level	Mean Sea Level	Ground Level	Above Rooftop	antenna flange	for all carriers
ID**		(meters)	(meters)	(meters)***	(meters)***	(Watts)	(dBW)
9.2 KU-BAN		10.2	1329.8			302	85.0

Notes:

- * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.
- ** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.
- *** Attach sketch of site or exemption, See 47 CFR Part 17.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) Range of Satellite Arc Eastern Limit**	(d) Range of Satellite Arc Western Limit**	(e) Antenna Elevation Angle Eastern Limit	(f) Antenna Elevation Angle Western Limit	(g) Earth Station Azimuth Angle Eastern Limit	(h) Earth Station Azimuth Angle Western Limit	(i) Maximum EIRI Density toward the Horizon (dBW/4kH
9.2 KU-BAN	13750.0 – 14000.0	61.0° W.L.	109.0° W.L.	20.5°	43.0°	117.9°	175.5°	
+								

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

^{**} If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites,

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

B7.1 articulars of Operation (Fun particulars are required for each 1.1. carrier). Use additional pages as needed.										
(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services			
9.2 KU-BAN	13750.0 – 14000.0	Т	H,V	409KG7D	65.5	45.4	Digital Data			
	13750.0 – 14000.0	T	H,V	36M0G7D	85.0	45.5	Digital Data			
	13750.0 – 14000.0	Т	H,V	54M0G7W	72.1	30.8	Digital Data			
			,							
		1								

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

^{**} Indicate whether the earth station transmits or receives in each frequency band.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

con	the proposed antenna(s) operate in the Fixed Samply with the antenna gain patterns specified asurements? If NO, provide as an exhibit, a to	\boxtimes	YES	□ NO						
	he proposed antenna(s) do not operate in the F						_			
	S) with non-geostationary satellites, do(es) the			rns specified in		YES		N/A		
	tion 25.209(a2) and (b) as demonstrated by the	-		1						
B10. IS	the facility operated by remote control? If Y	e.s., provide the location and telepho	one number of the conti	or point.		YES	\boxtimes NO			
Remote Control Point Location:										
B10a. Street Address										
	B10b. City	B10c. County B10.d. State/Country				B10e. Zip Code				
	B10f. Telephone Number		R10g Call Sign of Cor	trol Station (if appropriate)				_		
	Bron. Telephone rumber									
			-					<u></u>		
B11. Is frequency coordination required? If YES, attach a frequency coordination report as an exhibit.							⊠ NO			
B12. Is	B12. Is coordination with another country required? If YES, attach the name of the country(ies)									
	nd plot of coordination contours as an exhibit.		YES	\bowtie NO						
V	AA Notification - (See 47 CFT Part 17and 4 Where FAA notification is required, hav		YES	⊠ NO						
and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION										