## **TECHNICAL APPENDIX**

# RBC Signals LLC 30-Day Special Temporary Authorization (STA)

- I. 400 MHz Yagi Radiation Hazard Report
- II. Draft FCC Form 312 Schedule B
- III. Nkom Email Authorization

\*Proprietary & Confidential\*

### I. Radiation Hazard Study

400 MHz Earth Station

This study analyzes the non-ionizing radiation levels for a 400 MHz Yagi tracking earth station. This report is developed in accordance with the prediction methods contained in OET Bulletin No. 65, Evaluating Compliance with FCC Guidelines for Human Exposure to Radio Frequency Electromagnetic Fields, Edition 97-01.

Bulletin No. 65 specifies that there are two separate tiers of exposure limits that are depending on the area of exposure and/or the status of the individuals who are subject to the exposure -- the General Population/Uncontrolled Environment and the Controlled Environment, where the general population cannot access.

The maximum level of non-ionizing radiation to which individuals may be exposed is limited to a power density level of 1.33 milliwatts per square centimeter (1.33 mW/cm²) averaged over any 6 minute period in a controlled environment, and the maximum level of non-ionizing radiation to which the general public is exposed is limited to a power density level of 0.27 milliwatt per square centimeter (0.27 mW/cm²) averaged over any 30 minute period in a uncontrolled environment.

In the normal range of transmit powers for satellite antennas, the power densities at or around the antenna surface are expected to exceed safe levels. The purpose of this study is to determine the power flux density levels for the earth station under study as compared with the MPE limits. This comparison is done in each of the following regions:

- 1. Far-field region
- 2. Near-field region
- 3. Transition region
- 4. The region between the antenna edge and the ground

#### **Input Parameters**

The following input parameters were used in the calculations:

<u>Parameters</u> :	<u>Value</u>	<u>Unit</u>	<u>Symbol</u>
Antenna Diameter	3.57	m	D
Antenna Transmit Gain	16.2	dBi	G
Transmit Frequency	400	MHz	f
Power Input to the Antenna	44.7	$\mathbf{W}$	$\boldsymbol{P}$

#### **Calculated Parameters:**

The following values were calculated using the above input parameters and the

corresponding formulas:

<u>Parameter</u>	<u>Value</u>	<u>Unit</u>	<u>Symbol</u>	Formula Programme 1
Antenna Surface Area	1.964	$m^2$	$\boldsymbol{A}$	$G\lambda 2/(4\pi)/\lambda$
Antenna Efficiency	0.95		η	$G\lambda^2/(\pi^2D^2)$
Gain Factor	41.7		g	$10^{G/10}$
Wavelength	0.75	m	λ	300/f

#### **Behavior of EM Fields as a Function of Distance**

The behavior of the characteristics of EM fields varies depending on the distance from the radiating antenna. These characteristics are analyzed in three primary regions: the near-field region, the far-field region and the transition region. Of interest also is the region between the antenna and ground.

For yagi antennas with circular cross sections, such as the antenna under study, the near-field, far-field and transition region distances are calculated as follows:

<u>Parameter</u>	<u>Value</u>	<u>Unit</u>	<u>Formula</u>
Near-Field Distance	4.25	m	$R_{nf}=D^2/(4\lambda)$
Distance to Far-Field	10.2	m	$R_{ff}=0.60D^2/(\lambda)$
Distance of Transition Region	4.25	m	$R_t = R_{nf} \\$

The distance in the transition region is between the near and far fields. Thus,  $R_{nf} \leq R_t \leq R_{ff}$ . However, the power density in the transition region will not exceed the power density in the near-field. Therefore, for purposes of the present analysis, the distance of the transition region can equate the distance to the near-field.

#### **Power Flux Density Calculations**

The power flux density is considered to be at a maximum through the entire length of the near-field. This region is contained within a cylindrical volume with a diameter, D, equal to the diameter of the antenna. In the transition region and the far-field, the power density decreases inversely with the square of the distance. The following equations are used to calculate power density in these regions.

<u>Parameter</u>	<u>Value</u>	<u>Unit</u>	<u>Symbol</u>	Formula Programme 1
Power Density in the Near-Field	8.65	$mW/cm^2$	$\mathbf{S}_{nf}$	$16.0  \eta  P/(\pi D^2)$
Power Density in the Far-Field	0.14	$mW/cm^2$	$\mathbf{S}_{f\!f}$	$GP/(4\pi Rff^2)$
Power Density in the Transition Region	8.65	mW/cm <sup>2</sup>	$\mathbf{S}_t$	$S_{nf} R_{nf}/(R_t)$

The power density between the antenna and ground, is calculated as follows:

<u>Parameter</u>	<u>Value</u>	<u>Unit</u>	<u>Symbol</u>	<u>Formula</u>
Power Density b/w Reflector and Ground	2.28	mW/cm <sup>2</sup>	$S_g$	P/A

The below table summarizes the calculated power flux density values for each region. In a controlled environment, the only regions that exceed FCC limitations are shown below.

These regions are only accessible by trained technicians who, as a matter of procedure, turn off transmit power before performing any work in these areas.

Power Density	<u>Value</u>	<u>Unit</u>	Controlled Environment
Far Field Calculation	0.14	$mW/cm^2$	Satisfies FCC MPE
Near Field Calculation	8.65	$mW/cm^2$	<b>Exceeds Limits</b>
Transition Region	8.65	$mW/cm^2$	<b>Exceeds Limits</b>
Region b/w Antenna & Ground	2.28	mW/cm <sup>2</sup>	<b>Exceeds Limits</b>

In conclusion, the results show that the antenna, in a controlled environment, may exist in the regions noted above and applicant will take the proper mitigation procedures to ensure it meets the guidelines specified in 47 C.F.R. § 1.1310.

The antenna will be installed at DS12 Access Road, Prudhoe Bay, Alaska 99734. Access to the antenna requires a 45 ft man-lift, which should safely restrict any public access. It should be noted that all spaces at least 7.5m away from the antenna satisfy the FCC MPE limits for the general population. The earth station will be marked with the standard radiation hazard warnings, as well as the area in the vicinity of the earth station to inform the general population, who might be working or otherwise present in or near the path of the main beam.

The applicant will ensure that the main beam of the antenna will be pointed at least one diameter away from any building, or other obstacles in those areas that exceed the MPE limits. Since one diameter removed from the center of the main beam the levels are down at least 20 dB, or by a factor of 100, public safety will be ensured.

Finally, the earth station's operational personnel will not have access to areas that exceed the MPE limits while the earth station is in operation. The transmitter will be turned off during periods of maintenance so that the MPE standard of 1.33 mW/cm² will be complied with for those regions in close proximity to the antenna, which could be occupied by operating personnel.

Approved by OMB 3060-0678

#### II. Draft FCC Form 312 Schedule B

Date & Time Filed: File Number: ---Callsign/Satellite ID:

#### APPLICATION FOR EARTH STATION AUTHORIZATIONS

FCC 312 MAIN FORM FOR OFFICIAL USE ONLY FCC Use Only

#### APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu: DRAFT FORM TO SUPPORT 30-DAY STA REQUEST (Tyvak)

1-8. Legal Name of Applicant

RBC Signals, LLC Name:

Phone Number: 404-803-7734

DBA

Name:

Fax Number:

Street:

Street:

2205 152nd Ave NE

E-Mail:

crichins@rbcsignals.com

City: Redmond State:

WA

**USA** Country:

Zipcode:

98052 -

Attention: Mr. Christopher Richins

9-16. Name of Contact Representative

Name: Carlos Nalda Phone Number:

5713325626

Company: LMI Advisors

2550 M Street NW

Fax Number: E-Mail:

cnalda@lmiadvisors.com

Suite 345

Attention: Mr. Carlos Nalda

City: Washington State: Zipcode:

20037-

DC

Country: **USA** 

a1. Earth Station

(N/A) a2. Space Station

Relationship:

Other

## **CLASSIFICATION OF FILING**

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only

o b1. Application for License of New Station

b2. Application for Registration of New Domestic Receive-Only Station (N/A) b3. Amendment to a Pending Application

one for 17a and only one for 17b.

(N/A) b4. Modification of License or Registration

(N/A) b5. Assignment of License or Registration

(N/A) b6. Transfer of Control of License or Registration

(N/A) b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United

States

b10. Other (Please specify)

b11. Application for Earth Station to Access a Non-U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States.

17c. Is a fee submitted with this application?

If Yes, complete and attach FCC Form 159.

If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).

O Governmental Entity O Noncommercial educational licensee

Other(please explain): DRAFT FORM

17d.

Fee Classification

18. If this filing is in reference to an

19. If this filing is an amendment to a pending application enter:

corporation organized under the laws of a foreign country?

voted by aliens or their representatives or by a foreign government or representative thereof or by any

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a

O Yes O No O N/A

foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

#### **BASIC QUALIFICATIONS**

Brisic Quilli icritions	
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes ● No
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Yes ● No
37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes O No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	○ Yes ◎ No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes O No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.	
41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	• Yes O No
42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	● Yes ○ No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be has coordinated or is in the process of coordinating the space station? Norway	issued, what administration
43. Description. (Summarize the nature of the application and the services to be provided). Draft Form to request to provide TT&C for CICERO spacecraft.	support 30-day STA
43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	<b>●</b> A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O <sub>B</sub>
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative	0 c

#### **CERTIFICATION**

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

description and technical analysis demonstrating this claim are attached.

30/2018	licensing.fcc.gov/ibfsweb/i	b.page.FetchForm?id_app_num=1	14146&form=P013_101.htm&i	mode=display
O Individual				
Unincorporated As	ssociation			
Partnership				
Corporation				
Governmental Enti	•			
Other (please speci	ify)			
LLC				
45. Name of Person Si Christopher Richir		46. Title of Per CEO	rson Signing	
47. Please supply any n	eed attachments.			
Attachment 1:	Attachm	ent 2:	Attachment 3:	
(U.S. Cod	STATEMENTS MADE ON T le, Title 18, Section 1001), AN ode, Title 47, Section 312(a)(1)	D/OR REVOCATION OF A	ANY STATION AUTHOR	RIZATION
	SATELLITE EAR	TH STATION AU	THORIZATIONS	
FCC	Form 312 - Schedule	B:(Technical and	Operational Descr	ription)
			1	1 /
	FOI	R OFFICIAL USE ON	ILY	
Location of Earth Statio	on Site			
E1: Site Identifier:	Deadhorse	E5. Call Sign:		
E2: Contact Name	Zachary Reich	E6. Phone Number:	415-622-5548	
E3. Street:	DS12 Access Road	E7. City:	Deadhorse	
E3. Succt.	DS12 Access Road	E8. County:		v ala
E4. State	A IZ	•	North Slope Borot 99734	ıgıı
	AK	E9. Zip Code	99734	
E10. Area of Operation		Deadhorse, AK		
E11. Latitude:	70 ° 12 ' 45.0 " N			
E12. Longitude:	148 ° 24 ' 29.0 " W			
E13. Lat/Lon Coordina	tes are:	O <sub>NAD-27</sub>	<b>●</b> NAD-83	$\circ_{N/A}$
E14. Site Elevation (Al	MSL):	15.0 meters		
do(es) the proposed ante	tenna(s) operate in the Fixed Satenna(s) comply with the antenna nufacturer's qualification measurgree spacing policy.	a gain patterns specified in Se	ection 25.209(a) and (b) as	o Yes o No No N/A
Fixed Satellite Service (	tenna(s) do not operate in the Fi (FSS) with non-geostationary sales specified in Section 25.209(a2) ents?	itellites, do(es) the proposed a	antenna(s) comply with	● Yes ONO N/A
E17. Is the facility opera	ated by remote control? If YES,	provide the location and tele	ephone number of the	• Yes • No
E18. Is frequency c as	oordination required? If \forall	ES, attach a frequency	coordination report	o Yes o No
	n with another country rec		he name of the	o yes ● No
	ot of coordination contour		1	100 - 110
FAA notification is	tion - (See 47 CFR Part s required, have you atta A's study regarding the	iched a copy of a comp	oleted FCC Form	O Ves O No

THE RETURN OF THIS APPLICATION.

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN

O Yes

#### POINTS OF COMMUNICATION

Satellite Name:OTHER   OTHER   If you selected OTHER, please enter the following:					
E21. Common Name: CICERO Cubesats E22. ITU Name: Tyvak-0082					
E23. Orbit Location: NGSO	E24. Country: Norway				

#### POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Deadhorse	
E26. Common Name:	E27. Country:USA

#### **ANTENNA**

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E.30.    E.31.		E41/42. Antenna GainTransmint and/or Recieve(dBi atGHz)
Deadhorse	YAGI-1		M2 Antenna Systems	400CP30A  3.5/   16.2 dB1 at 0.400		16.2 dBi at 0.400

E28. Antenna Id	Minor/Major(meters)	E35. Above Ground Level (meters)	Above Sea Level	E37. Building Height Above Ground Level (meters)	I	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
YAGI-1	0.025/3.57	15.0	0.0	0.0	44.7	0.0	32.7

#### **FREQUENCY**

E28. Antenna Id		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)			E49. Maximum ERIP Density per Carrier(dBW/4kHz)				
YAGI-1	401 401.3	R	Right Hand Circular			0.0				
E50. Mod	lulation and Serv	vices TT	&C Downlink							
YAGI-1   401 401.3   T   Right Hand Circular   16K5G1D   32.7   26.7										
E50. Mod	lulation and Serv	vices TT	&C Uplink							

#### FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)		E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	Angle Western	E60. Maximum EIRP Density toward the Horizon(dBW/4kHz)
YA(÷I_I	Non- Geostationary	401 401.3	0.0/ 0.0	0.0	5.0	360.0	5.0	0.0
II I	Non- Geostationary	401 401.3	0.0/ 0.0	0.0	5.0	360.0	5.0	26.7

## REMOTE CONTROL POINT LOCATION REMOTE CONTROL POINT LOCATION

E61. Call Sign		5. Phone Number 0-746-8744	
NOTE: Please enter the callsign of the controlling station, not the application is being filed.	e callsign for which this		
E62. Street Address 2205 152nd Street NE			
II -	E67. County King	E64/68. State/Country WA/ USA	E66. Zip Code 98052

#### FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 - 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the

required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember - You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.

#### III. Nkom Email Authorization

#### \*Tyvak Proprietary\*

From: "Målen Frode" <frode.maalen@nkom.no>

**Sent:** Fri, 21 Apr 2017 07:56:17 +0000 **To:** "BRMAIL, ITU" <BRMail@itu.int>

**Subject:** Submission of Advance Publication Information for Satellite Network Tyvak-0082

Attachments: Tyvak-0082-API.zip

Dear Sirs,

With reference to Radio Regulations Article 9, no. 9.1, we are pleased to forward information on a Norwegian satellite network: Tyvak-0082 for Advanced Publication of Information in the BR IFIC. The network are not subject to coordination, cf. Article 9, Sub-Section IA.

The Tyvak-0082 network is a n-GSO systems with 4 satellites in one orbital plane with 97,6° inclination. The validity is 20 years.

The technical data for the network has been prepared in accordance with Radio Regulations Appendix 4, Annex 2. Enclosed please find the filing in the zipped format, prepared in the SpaceCap program.

The operating agency for the networks is Orbital Networks A/S, Norway. In the API, clause A3a is given as 9999. Notification Form of the List of Recognized Operating Agencies (ROAs) for Orbital Networks AS will be sent in a separate e-mail.

We kindly ask BR to initiate the relevant procedures under Article 9 of the Radio Regulations with regard to this network.

If further clarification is necessary, we are pleased to be at your disposal.

This E-mail has been confirmed by fax transmission to BR today.

Best regards, Frode Målen Senior Engineer Section for Frequency Planning Norwegian Communications Authority Switchboard: + 47 22 82 46 00 Direct: + 47 22 82 46 04 Mobile: + 47 93 45 58 64

WWW.nkom.no
Norwegian
Communications
Authority

### SpacePub Submission

E_TSUM Requested by: RICKYP	Date: 19.04.20	017 10:20:01 AM	DB: TYVAK-0082-API.MD	B Plan Id.:	Notice type: NONGEO
A A1a Sat. Network TYVAK-0	1082	A1f1 Notifying adm. NOR	A1f3 Inter. sat. org.	BR1 Date of receipt 22.02.2	BR20 BR IFIC no.
BR6a/BR6b Id. no. 6		BR3a Provision referer	nce 9.1/IA	BR2 Adm. serial no.	

### Résumé / Summary / Resumen

Article 9, sous-section IA	/	Article 9, sub-section IA	/	Artículo 9, sub-sección IA
第9条第1A分节	/	Статья 9, подраздел IA	/	المادة 9، القسم الفرعي IA

B1a Beam designation	B2 Emi-Rcp	BR8 Action code	BR7a Group id.	BR9 Action code	BR47 Frequency band (MHz)		C4a Class of station	
UHFRX	R		12		401	-	401.3	EW
SBANDTX	E		10		2200	-	2202	ET, EW
UHFTX	E		9		401	-	401.3	ET
XBANDTX	E		11		8045	-	8059	EW

E_TSUM Requested by: RICK	YP <b>Date</b> : 19.04	1.2017 10:20:	01 AM <b>[</b>	DB: TYVAK-008	32-API.MDB		Plan Id.:		Notice type	e: NONGEO
A 1a Sat. Network TY		A1f1 Notify	ring adm. NOR	A1f3 Inter.	sat. org.	BR1 Date of red	ceipt 22.02.20	017	BR20 BR IFI	C no.
BR6a/BR6b Id. no.	6	BR3a I	Provision referen	ce 9.1/IA		BR2 Adm. seria	al no.			UHFRX R
A460 Outroitted on baball										
A1f2 Submitted on behalf	1400									
A4b1 No. of orbital planes		ef. body T					. —			
A4b3a No. of space stations si		emisphere	A4b3b	No. of space s	tations simult. trans.	on Southern Hemi	sphere			
Orbital A4b4a Inclination plane id. no. angle	n A4b4b No. of satellites in this plane	A4b4c Period	A4b4d Apogee	A4b4e Perig	ee A4b4f Min. altitude					
1 97.6	4	0-01:37	600e0	600e0	600					
	<u> </u>	1	•	•						
B1a/BR17 Beam design	anation IIHEDY	R1I	Steerable	B2 Emi-	Pon P	B3a1 Max. co	-nolar gain	2		
					Ttop It	Doa'r Max. CC	polar galir			
B2bis.a Transmit only when vis	sible from notified service		B2bis.b Min. E							
Co-polar ref. pattern	Coef. A C	oef. B	olar antenna patt	ern		Conolo	r rad. diag.			
ND-SPACE	Coel. A C	oei. b				Со-рога	i iau. ulay.			
						II.				
List of orbital planes										
B4a3a1 Angle alpha	B4a3a2 Angle be	ıta								
BR92 Attach. for missing angle										
Drioz / maon: for missing angle	alpha/beta									
BR7a/BR7b Group id.	12	DD4 I	Date of receipt 2	2 02 2017	C2c RR No. 4					
	12	DRII		.2.02.2017	C20 KK NO. 4	+.4				
BR14 Special Section		00-	A '   f   h		¬	a Niete e temanemate				
C4a Class of station	EW		Assigned freq. ba			a Noise temperatu				
C4b Nature of service	CR	C	6a Polarization t	ype CL		6b Polarization ang				
C11a2 Service area	NOR					C11a3 S	ervice area diag	ram		
A2b Period of valid. 20	A3a Op. agency 999	A3b Adm. res	p. A BR	16 Value of type	e C8b					
BR60 Regulatory deadline(s)	11.44/11.44.1									
C1 Freque	ency Range									
C1a Lower limit	C1b Upper limit									
401 MHz	401.3 MHz	2								
C7a		8a2/C8b2	C8c1	C8c2	C8c3	C8c4	C8e1	C8e2		C8f2
Design. of emission 1 16K5G1D	Max. peak pwr Max	c. pwr dens.	fin. peak pwr	Attch.	Min. pwr dens.	Attch.	C/N ratio 84	Attch.	E.i.r.p. on	the beam axis
1 1003015	22.0					<u> </u>	04			
404.04 MHz 403	1.08 MHz 401	.12 MHz	Carrier frequ	ency of the emis	ssions (16K5G1D) .2 MHz	401.24 MH				
, , ,						401.24 MH		1 1		
C10b1 Assoc. earth station id.	C10b2 C10c Type Geographic		0c2   C10d1/C1 try   Cls. / Na		C10d4 Bmwdth					
7 100001 001.117 01011011 101	, the coopian		,	gain						
ORBEX1	S 018E29 14 6	59N03 19 NO	OR 1 TW (	CR 16.2	25					
		п			Co-polar antenna pa				-	
C10b1 Assoc. earth station in		n Coef. A	\ (	Coef. B	Coef. C	Coef. D	Ph	ni1 Co	o-polar rad. diag.	4
ORBEX1	REC-580-6									
13C Remarks										
B1a/BR17 Beam design	Tration SRANDTY	R11	Steerable	B2 Fmi-	Ren E	B3a1 Max co	n-nolar gain	5		

Page / Página 2

E_TSUM Requested by: RICKYP		.04.2017 10:	:20:01 AM	DB: TYVAK-00	82-API.MDB		Plan Id.:		Notice type:	NONGEO
A A1a Sat. Network TYVAK	-0082	A1f1 N	Notifying adm. NOT	A1f3 Inter	. sat. org.	BR1 Date of re	eceipt 22.02.20	17	BR20 BR IFIC	no.
BR6a/BR6b Id. no.	6	BR	3a Provision refer	ence 9.1/IA		BR2 Adm. ser	ial no.			SBANDTX E
					•		•			
B2bis.a Transmit only when visible	from notified servi	ce area Y	B2bis.b Mir	n. Elev. Angle	10					
,		B3c1 (	Co-polar antenna p		<del></del>					
Co-polar ref. pattern Co	ef. A	Coef. B				Co-pol	ar rad. diag.			
ND-SPACE							_			
B4a3a1 Angle alpha	B4a3a2 Angle	beta								
BR92 Attach. for missing angle alp		1								
2.102 /		J								
DD7-/DD7- C	10		D4 Data of receipt	00 00 0017	00 - DD N -					
BR7a/BR7b Group id.	10	D	R1 Date of receipt	22.02.2017	C2c RR No.	4.4				
BR14 Special Section					_					
C4a Class of station		C	C3a Assigned freq		<u>_</u>					
C4b Nature of service	R CR		C6a Polarizatio	n type CL	C	6b Polarization ar	gle			
C8d1 Max. tot. peak pwr.	C80	d2 Contiguous ba	andwidth							
C11a2 Service area XVE	Ē					C11a3	Service area diag	ram		
A2b Period of valid. 20 A	3a Op. agency	99 <i>A3b</i> Adm	n. resp. A	R16 Value of type	e C8b					
	.44/11.44.1	<u> </u>		,						
C1 Frequency										
C1a Lower limit	C1b Upper lin	nit								
2200 MHz		MHz								
C7a	C8a1/C8b1	C8a2/C8b2	C8c1	C8c2	C8c3	C8c4	C8e1	C8e2	C	Bf1
	ax. peak pwr 🔝 🛚 1	Max. pwr dens.	Min. peak pwr	Attch.	Min. pwr dens.	Attch.	C/N ratio	Attch.	E.i.r.p. on th	e beam axis
1 1M50G1D	3	-58	-3		-64		80			3
			C7b Carrier fre	quency of the emis	ssions (1M50G1D)					
2201 MHz										
		10c1	C10c2 C10d1/		C10d4 C10a					
Assoc. earth station id.	ype Geograp	hical coord.	Ctry Cls. /		Bmwdth Noise					
ORBOPEX	T		1 TT	CR 40	1.6 temp	50				
			2 TW							
				C10d5a (	Co-polar antenna pa	ittern				
C10b1 Assoc. earth station id.	Co-polar ref. pat	tern Co	ef. A	Coef. B	Coef. C	Coef. D	Ph	i1 Co-	polar rad. diag.	
ORBOPEX	REC-580-6									
13C Remarks										
B1a/BR17 Beam designation	ion UHFTX		B1b Steerable	B2 Emi	-Rcp E	B3a1 Max.	co-polar gain	2		_
B2bis.a Transmit only when visible	from notified servi	ce area Y	B2bis.b Mir	n. Elev. Angle	10		_	_		
VIOLET			Co-polar antenna p							
Co-polar ref. pattern Co	ef. A	Coef. B	oo polar antenna p	augiii		Co-pol	ar rad. diag.			
ND-SPACE							3			
B4a3a1 Angle alpha	B4a3a2 Angle	beta								
BR92 Attach. for missing angle alp		]								
2. 102 / Maorin for micering drighe dip		J								

E_TSUM Requested by: RICH			:20:01 A		B: TYVAK-00	82-API.MC	В		Plan Id.:		Notice type: NONGEO
A A1a Sat. Network TY	/VAK-0082	A1f1	Notifying a	dm. NOR	A1f3 Inter	. sat. org.		BR1 Date of r	eceipt 22.02.2	017	BR20 BR IFIC no.
BR6a/BR6b Id. no.	6	BR	3a Provis	ion reference	9.1/IA			BR2 Adm. se	rial no.		UHFTX E
BR7a/BR7b Group id.	9	В	R1 Date o	of receipt 22	.02.2017	C2c	RR No. 4.4	4			
BR14 Special Section											
C4a Class of station	ET	(	•	ned freq. ban							
C4b Nature of service	CR		_	olarization typ	e CL		C6k	Polarization a	ngle		
C8d1 Max. tot. peak pwr.		C8d2 Contiguous ba	andwidth								
	NOR							C11a3	Service area diag	ıram	
A2b Period of valid. 20	A3a Op. agenc	y 999 <i>A3b</i> Adm	n. resp. A	BR16	Value of type	e C8b					
BR60 Regulatory deadline(s)	11.44/11.44.1										
	ency Range	and Provide									
C1a Lower limit 401 MHz	C1b Uppe	MHz									
С7а	C8a1/C8b1	C8a2/C8b2		Bc1	C8c2	C8d	<u> </u>	C8c4	C8e1	C8e2	C8f1
Design. of emission	Max. peak pwr	Max. pwr dens.		eak pwr	Attch.	Min. pwr	-	Attch.	C/N ratio	Attch.	E.i.r.p. on the beam axis
1 16K5G1D	3	-39.2		0.5			41.7		57		3
			C7b C	arrier frequer	ncy of the emis	ssions (16K	5G1D)				
401.04 MHz 40	1.08 MHz	402.12 MH			MHz 401			401.24	MHz		
C10b1	C10b2	C10c1	C10c2	C10d1/C10d		C10d4	C10d6			1	
Assoc. earth station id.	Type Geo	graphical coord.	Ctry	Cls. / Nat.	Max. iso. gain	Bmwdth	Noise temp.				
ORBOP	S 018E29	9 14 69N03 19	NOR	1 TT CR		5	150	)		<u> </u>	
					C10d5a (	Co-polar an	enna patt	ern			
C10b1 Assoc. earth station in		. pattern Co	oef. A	Co	ef. B	Coef.	С	Coef. D	Ph	ni1 Co-	polar rad. diag.
ORBOP	REC-580-6										
13C Remarks											
B1a/BR17 Beam design	gnation XBANDTX		B1b Stee	erable	B2 Emi	-Rcp E		B3a1 Max.	co-polar gain	8	
B2bis.a Transmit only when vis	sible from notified s	service area Y	B21	bis.b Min. Ele	ev. Angle	10					
			Co-polar a	ntenna patter	'n						
Co-polar ref. pattern	Coef. A	Coef. B						Co-po	lar rad. diag.		
ND-SPACE		nala hata									
B4a3a1 Angle alpha		ingle beta									
BR92 Attach. for missing angle	e alpna/beta										
DD7 /DD7/ 0 :1											
BR7a/BR7b Group id.	11	В	R1 Date c	of receipt 22	.02.2017	C2c	RR No. 4.4	4			
BR14 Special Section				]	. —						
C4a Class of station	EW	(	_	ned freq. ban		<b>=</b>	_				
C4b Nature of service	CR		_	olarization typ	e [CL		C6b	Polarization a	ngle		
C8d1 Max. tot. peak pwr.		C8d2 Contiguous ba	andwidth _		]						
C11a2 Service area	XVE							C11a3	Service area diag	ıram	
A2b Period of valid. 20	A3a Op. agenc	y 999 <i>A3b</i> Adm	n. resp. A	BR16	Value of type	e C8b					

	Date: 19.04						32-API.MDI	3		Plan I	-		Notice type:	
A A1a Sat. Network TYVAK-0082			Notifying ac			11f3 Inter.	sat. org.		BR1 Date of re		.2017		BR20 BR IFIC	no.
BR6a/BR6b Id. no. 6		BR	3a Provis	ion refere	ence 9.	1/IA			BR2 Adm. ser	ial no.				XBANDTX E
	. —													
BR60 Regulatory deadline(s) 11.44/11.44	.1 [													
C1 Frequency Range														
	Upper limit													
8045 MHz 8059	MHz													
C7a C8a1/C8l		3a2/C8b2	CE	Bc1	C	8c2	C8c	3	C8c4	C8e1	C8	e2	C8	3f1
Design. of emission Max. peak	owr Max.	. pwr dens.	Min. pe	ak pwr	At	tch.	Min. pwr	dens.	Attch.	C/N ratio	Atto	;h	E.i.r.p. on th	e beam axis
1 1M72G1D -3		-65.4		-3.5			_	65.9		90				3
			C7b C	arrier fred	uency o	f the emis	sions (1M72	2G1D)						
8046 MHz 8050 M	Hz 8054	MH			MHz									
C10b1 C10b2	C10c	.1	C10c2	C10d1/C	:10d2	C10d3	C10d4	C10d6						
Assoc. earth station id. Type	Geographica	-	Ctry	Cls. / N		Max. iso.	Bmwdth	Noise						
,,,,	3 4		- 7			gain		temp.						
ORBEX2 T				1 TW	CR	50	0.5	150	)					
						C10d5a C	co-polar ante	enna patte	ern					
C10b1 Assoc. earth station id. Co-pole	ar ref. pattern	Co	ef. A		Coef. B		Coef.		Coef. D		Phi1	Co-	polar rad. diag.	
ORBEX2 REC-580	)-6												-	
13C Remarks														
C9 Modulation characteristics							C7a D	esignatio	on of emission	16K5G1D				
C9a1 Type of modulation	P	SK												
C9a2a Lowest frequency														
C9a2b Highest frequency														
C9a2c Frequency deviation C9a3a Freq. deviation of the pre-emphasize	d cianal													
C9a3b Pre-emphasis characteristics	u signai													
C9a3c Type of multiplexing														
C9a4a Bit rate														
C9a4b Number of phases												-		
C9a5a Modulating signal attached (see atta	n. no.)													
C9a5b Amplitude modulation	,													
C9a6a Peak-to-peak freq. dev.														
C9a6b Sweep frequency			-							-	•		•	
C9a6c Energy dispersal waveform								·					·	
C9a7 Type of energy dispersal														
C9a8 Other types of modulation (see attch.	no.)													
C9a9 TV standard														
BR7a Group id.	9	, 12												

E_TSUM Requested by: RICKYP Date: 19.	.04.2017 10:20:01 AM	DB: TYVAK-0082-API.MDB	Plan Id.:	Notice type: NONGEO
A A1a Sat. Network TYVAK-0082	A1f1 Notifying adm.		BR1 Date of receipt 22.02.201	
<u> </u>				
<i>BR6a/BR6b</i> Id. no. 6	BR3a Provision r	eference 9.1/IA	BR2 Adm. serial no.	XBANDTX E
C9 Modulation characteristics		C7a Desig	nation of emission 1M50G1D	
C9a1 Type of modulation	PSK			
C9a2a Lowest frequency				
C9a2b Highest frequency				
C9a2c Frequency deviation				
C9a3a Freq. deviation of the pre-emphasized signal				
C9a3b Pre-emphasis characteristics				
C9a3c Type of multiplexing				
C9a4a Bit rate				
C9a4b Number of phases				
C9a5a Modulating signal attached (see attch. no.)				
C9a5b Amplitude modulation				
C9a6a Peak-to-peak freq. dev.				
C9a6b Sweep frequency				
C9a6c Energy dispersal waveform				
C9a7 Type of energy dispersal				
C9a8 Other types of modulation (see attch. no.)				
C9a9 TV standard				
BR7a Group id.	10			
C9 Modulation characteristics		C7a Desig	nation of emission 1M72G1D	
C9a1 Type of modulation	PSK			
C9a2a Lowest frequency				
C9a2b Highest frequency				
C9a2c Frequency deviation				
C9a3a Freq. deviation of the pre-emphasized signal				
C9a3b Pre-emphasis characteristics				
C9a3c Type of multiplexing				
C9a4a Bit rate				
C9a4b Number of phases				
C9a5a Modulating signal attached (see attch. no.)				
C9a5b Amplitude modulation				
C9a6a Peak-to-peak freq. dev.				
C9a6b Sweep frequency				
C9a6c Energy dispersal waveform				
C9a7 Type of energy dispersal				
C9a8 Other types of modulation (see attch. no.)				
C9a9 TV standard				
BR7a Group id.	11			
BR22 Administration remarks				
BR23 Radiocommunication Bureau comments				