FCC 312	EEDED AL COMMUNICAT		Page 1: Location							
Schedule B	FEDERAL COMMUNICAT									
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS										
Technical and Operational Description)										
(Place an "X" in one of the blocks below)										
License of New Station Registration of new Domestic Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification Receive-Only Station										
B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station.										
	(HUB, REMOTE1, etc.) B1c. Telephone		B1j. Geographic Coordinates N/S, Deg Min Sec E/W B1k. Lat./Lon. Coordinates are:							
B1d. Mailing Street Address of Station or Area of Oper		29-0009								
			Lat. <u>19°</u> <u>00'</u> <u>50.3"</u> N							
93-1704 South Point Road	Joanne Greet		Lon. <u>155°</u> <u>39'</u> <u>46.6"</u> W							
B1f. City B1g. County		B1h. State B1i. Zip Code	B11. Site Elevation (AMSL)							
Naalehu Ka'u	ı	HI 96772-0842	378.0 meters							
			ommunicate. The entry "ALSAT" is sufficient to n-U.S. licensed satellites must be listed individually.							
Satellite Name and Orbit Location	Satellite Name and Orbit Loc	cation	Satellite Name and Orbit Location							
KARI COMS-1 128.2 degrees east										
destination point(s) (countries) where the serv	s using non-U.S. licensed satellites. For each no vices will be provided by this earth station via ea									
	List of Destination Points									
COMS-1 (128.2E)	KARI - South Korean Aerospace Research	Institute								

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
USHI01	HI-13M	1	Datron	1453	13.0	46.9 dBi at 2.245 GHz 45.9 dBi at 2.067 GHz

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

(a) Antenna ID**	(b) Antenna Structure Registration No.	Maximum Ar (c) Above Ground Level (meters)	tenna Height (d) Above Mean Sea Level (meters)	(e) Building Height Above Ground Level (meters)***	(f) Maximum Antenna Height Above Rooftop (meters)***	(g) Total Input Power at antenna flange (Watts)	(h) Total EIRP for all carriers (dBW)
HI-13M		20.0	398.0	(meters)	(meters)	200.0	68.9

Notes:

- * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.
- ** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.
- *** Attach sketch of site or exemption, See 47 CFR Part 17.

Page 3: Coordination

APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) Range of Satellite Arc Eastern Limit**	(d) Range of Satellite Arc Western Limit**	(e) Antenna Elevation Angle Eastern Limit	(f) Antenna Elevation Angle Western Limit	(g) Earth Station Azimuth Angle Eastern Limit	(h) Earth Station Azimuth Angle Western Limit	(i) Maximum EIRP Density toward the Horizon (dBW/4kHz)
HI-13M	2271.600	0.0 W.L.	360.0 W.L.	5.0	5.0			

Notes:

^{*} Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

^{**} If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

	. 1 articulars of Operation (1 an particulars are required for each 1.1. earther). Ose additional pages as neceed.							
(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services	
HI-13M	2271.600	R	L, R	1M00G1D			500 Kbit data BPSK modulated	
			_,					

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

^{**} Indicate whether the earth station transmits or receives in each frequency band.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

B8. If the proposed antenna(s) operate in the comply with the antenna gain patterns sp measurements? If NO, provide as an ext		YES	□ NO	N/A						
B9. If the proposed antenna(s) do not operate										
(FSS) with non-geostationary satellites,	× Y	YES	NO							
	ted by the manufacturer's qualification measu		al maint							
B10. Is the facility operated by remote control	or. If 1ES, provide the location and telephon	ie number of the contro	от роши.	X Y	YES	□ NO				
Remote Control Point Location:										
B10a. Street Address										
417 Caredean Drive Sui	ite A									
B10b. City	B10c. County		B10.d. State/Country	I	B10e. Zip Code					
Horsham	Montgomery		PA		19044					
B10f. Telephone Number		B10g. Call Sign of Con	trol Station (if appropriate)							
215-328-9130										
B11. Is frequency coordination required? If	YES, attach a frequency coordination report a	as an exhibit.		<u> </u>						
				× Y	YES	∐ NO				
B12. Is coordination with another country required? If YES, attach the name of the country(ies)										
and plot of coordination contours as an		YES	\bowtie NO							
B13. FAA Notification - (See 47 CFT Part		VEC	M NO							
Where FAA notification is required, have you attached a copy of a completed FCC Form 854										
and/or the FAA's study regarding the potential hazard of the structure to aviation?										
FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION										