

APPLICATION FOR EARTH STATION SPECIAL TEMPORARY AUTHORITY

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu:  
AC BidCo E120106 STA Extension Request for Intelsat 37e at 18 WL Aug 2018

1. Applicant

Name: AC BidCo LLC Phone Number: 312-517-5566  
DBA Name: Fax Number:  
Street: 111 N Canal St., Suite 1500 E-Mail: melias@gogoair.com  
City: Chicago State: IL  
Country: USA Zipcode: 60606  
Attention: Marguerite Elias

60 days "Extension with condition"

File # 555-STA-20180807-02090  
Call Sign E120106 Grant Date 08/09/2018  
(or other identifier)  
Term Dates  
From: 08/11/2018 To: 10/10/2018  
Approved: *[Signature]*



<b>2. Contact</b>	
<b>Name:</b> Karis Hastings	<b>Phone Number:</b> 202-599-0975
<b>Company:</b> SatCom Law LLC	<b>Fax Number:</b>
<b>Street:</b> 1317 F Street, N.W. Suite 400	<b>E-Mail:</b> karis@satcomlaw.com
<b>City:</b> Washington	<b>State:</b> DC
<b>Country:</b> USA	<b>Zipcode:</b> 20004 -
<b>Attention:</b>	<b>Relationship:</b> Legal Counsel
(If your application is related to an application filed with the Commission, enter either the file number or the IB Submission ID of the related application. Please enter only one.)	
3. Reference File Number or Submission ID	
4a. Is a fee submitted with this application? <input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114). <input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee <input type="radio"/> Other (please explain):	
4b. Fee Classification CGB - Mobile Satellite Earth Stations	
5. Type Request <input type="radio"/> Use Prior to Grant <input type="radio"/> Change Station Location <input checked="" type="radio"/> Other	
6. Requested Use Prior Date 08/10/2018	
7. CityMobile	
8. Latitude (dd mm ss.s h) 0 0 0.0	

9. State	10. Longitude (dd mm ss.s h) 0 0 0.0
11. Please supply any need attachments. Attachment 1: Attachment 2: Attachment 3:	
12. Description. (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) AC BidCo LLC respectfully requests a 60 day extension of the special temporary authority granted in File No. SES-STA-20180525-00823 to allow ESAA terminals to communicate in the conventional and extended Ku-band frequencies with the U.S.-licensed Intelsat 37e satellite, call sign S2972, at 18 deg. W.L. Authority is sought pending submission of and	
13. By checking Yes, the undersigned certifies that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of &quot;party to the application&quot;; for these purposes. Yes <input checked="" type="radio"/> No <input type="radio"/>	
14. Name of Person Signing Marguerite Elias	15. Title of Person Signing Exec. Vice President and General Counsel
WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).	

**FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT**

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to [PRA@fcc.gov](mailto:PRA@fcc.gov). PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

**THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.**

## **12. Description**

AC BidCo LLC respectfully requests a 60 day extension of the special temporary authority granted in File No. SES-STA-20180525-00823 to allow ESAA terminals to communicate in the conventional and extended Ku-band frequencies with the U.S.-licensed Intelsat 37e satellite, call sign S2972, at 18 deg. W.L. Authority is sought pending submission of and action on a modification application being finalized to add Intelsat 37e as an authorized point of communications. AC BidCo incorporates by reference the supporting materials that were submitted in File No. SES-STA-20180525-00823.

Applicant: AC BidCo LLC  
Call Sign: E120106  
File No.: SES-STA-20180807-02090  
Special Temporary Authority (STA)



Extension with conditions  
File # SES-STA-20180807-02090  
Call Sign E120106 Grant Date 08/09/2018  
(or other identifier)  
Term Dates  
From: 08/11/2018 To: 10/10/2018  
Approved: [Signature]

AC BidCo LLC (“AC BidCo”) is granted extension of STA for 60 days beginning August 11, 2018 to operate up to 100 earth station aboard aircraft (ESAA) terminals (0.74 meter ThinKom, model 2KuAntenna) and up to 100 ESAA terminals (0.24 meter AeroSat model HR6400 antenna) to communicate with the U.S. licensed geostationary orbit (GSO) satellite Intelsat 37e (Call Sign S2972) located at orbital location 18° W to provide ESAA service in Europe and not in the U.S. airspace. Operations in the 14.0-14.5 GHz (Earth-to-space), 10.95-11.7 GHz (space-to-Earth), and 12.5-12.75 GHz (space-to-Earth) frequency bands are subject to the following conditions:

1. Operations are on an unprotected and non-harmful interference basis. AC BidCo must cease operations immediately upon notification of such interference and must immediately inform the Commission, in writing, of such an event.
2. Operation pursuant to this authorization must be in compliance with the terms of AC BidCo’s coordination agreements with the National Science Foundation and the National Aeronautics and Space Administration pertaining to operation of ESAAs in the Ku-Band.
3. Operation pursuant to this authorization outside the United States in the 14.0-14.5 GHz band must be in compliance with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz band.
4. The use of the band 10.7-11.7 GHz (space-to-Earth) in the fixed-satellite service by the geostationary satellite orbit shall be limited to international systems, i.e. other than domestic systems. See United States Table of Frequency Allocations 47 C.F.R. § 2.105, International Footnote NG52.
5. When operating in international airspace within line-of-sight of the territory of a foreign administration where Fixed Service networks have a primary allocation in the 14.0-14.5 GHz band, an ESAA must not operate in a manner that would produce predicted ground-level power flux density (pfd) in such territory in excess of the following values unless the foreign administration has imposed other conditions for protecting its FS stations:  $-132 + 0.5 \times \text{THETA}$  dB(W/(m<sup>2</sup> MHz)) for  $\text{THETA} \leq 40^\circ$ ;  $-112$  dB(W/(m<sup>2</sup> MHz)) for  $40^\circ < \text{THETA} \leq 90^\circ$ . Where: THETA is the angle of arrival of the radio-frequency wave in degrees above the horizontal, and the aforementioned limits relate to the pfd and angles of arrival that would be obtained under free space propagation conditions.
6. Operation pursuant to this authorization must conform to the terms of coordination agreements between the operator of SES-3 and operators of other Ku-band geostationary satellites within six angular degrees of SES-3. In the event that another GSO Fixed-Satellite

Service (FSS) space station commences operation in the 14.0-14.5 GHz band at a location within six degrees of this space station, ESAs operating pursuant to this temporary authority shall cease transmitting to that space station unless and until such operation has been coordinated with the new space station's operator or AC BidCo demonstrates that such operation will not cause harmful interference to the new co-frequency space station.

7. AC BidCo must operate in accordance with the off-axis EIRP spectral densities supplied to Intelsat in obtaining the satellite operator certification for Intelsat 37e. AC BidCo shall automatically cease emissions within 100 milliseconds if the ESAA transmitter exceeds the off-axis EIRP spectral-densities supplied to the target satellite operator and transmission shall not resume until AC BidCo conforms to the off-axis EIRP spectral densities supplied to the target satellite operator.

8. AC BidCo must take all necessary measures to ensure that the operation authorized does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR 1.1307(b) and 1.1310. Measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Requirements for restrictions can be determined by predictions based on calculations, modeling or by field measurements. The FCC's OET Bulletin 65 (available on-line at [ww.fcc.gov/oet/rfsafety](http://www.fcc.gov/oet/rfsafety)) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.

9. The licensee shall ensure installation of terminals on aircraft by qualified installers who have an understanding of the antenna's radiation environment and the measures best suited to maximize protection of the general public and persons operating the aircraft and equipment. A terminal exhibiting radiation exposure levels exceeding 1.0 mW/cm<sup>2</sup> in accessible areas, such as at the exterior surface of the radome, shall have a label attached to the surface of the terminal warning about the radiation hazard and shall include thereon a diagram showing the regions around the terminal where the radiation levels could exceed 1.0 mW/cm<sup>2</sup>.

10. AC BidCo must maintain a U.S. point of contact available 24 hours per day, seven days per week, with the authority and ability to terminate operations authorized herein. AC BidCo must submit a letter to be included in its license file with the name and telephone number of the point of contact prior to commencing operation.

11. ESAs authorized herein must employ a tracking algorithm that is resistant to capturing and tracking adjacent satellite signals, and each station must be capable of inhibiting its own transmission in the event it detects unintended satellite tracking.

12. ESAs authorized herein must be monitored and controlled by a ground-based network control and monitoring center. Such stations must be able to receive "enable transmission" and "disable transmission" commands from the network control center and must cease transmission immediately after receiving a "parameter change" command until receiving an "enable transmission" command from the network control center. The network control center must monitor operation of each ESAA to determine if it is malfunctioning, and each ESAA must self-

monitor and automatically cease transmission on detecting an operational fault that could cause harmful interference to a fixed satellite service network.

13. Stations authorized herein must not be used to provide air traffic control communications.

14. For each ESAA transmitter AC BidCo shall maintain records of the following data for each operating ESAA, a record of the aircraft location (i.e., latitude/longitude/altitude), transmit frequency, channel bandwidth and satellite used shall be time annotated and maintained for a period of not less than one year. Records shall be recorded at time intervals no greater than one (1) minute while the ESAA is transmitting. The ESAA operator shall make this data available, in the form of a comma delimited electronic spreadsheet, within 24 hours of a request from the Commission, NTIA, or a frequency coordinator for purposes of resolving harmful interference events. A description of the units (i.e., degrees, minutes, MHz . . .) in which the records values are recorded will be supplied along with the records.

15. Antenna elevation for all operations must be at least 5 degrees above the geographic horizon while the aircraft is on the ground.

16. AC BidCo shall comply with any pertinent limits established by the International Telecommunication Union to protect other services allocated internationally.

17. In connection with the provision of service in any particular country, AC BidCo is obliged to comply with the applicable laws, regulations, rules, and licensing procedures of that country.

18. Any action taken or expense incurred as a result of operations pursuant to this special temporary authority is solely at AC BidCo's risk.

This action is issued pursuant to Section 0.261 of the Commission's rules on delegated authority, 47 C.F.R. § 0.261, and is effective immediately.


*60 days*      *"Extension with conditions"*

File # 525-STA-20180807-02090

Call Sign E120106 Grant Date 08/09/2018  
(or other identifier)

Term Dates  
From: 08/11/2018 To: 10/10/2018

Approved: *[Signature]*



The stamp features the Federal Communications Commission seal on the left, which includes the text 'FEDERAL COMMUNICATIONS COMMISSION'. To the right of the seal, the word 'GRANTED' is printed in large, bold, red capital letters, with 'International Bureau' printed in smaller red capital letters below it.