Exhibit 1

LAWLER, METZGER, KEENEY & LOGAN, LLC

1717 K STREET, NW SUITE 1075 WASHINGTON, D.C. 20006

STEPHEN J. BERMAN

PHONE (202) 777-7700 FACSIMILE (202) 777-7763

August 4, 2020

Via Electronic Filing

Tom Sullivan Chief, International Bureau Federal Communications Commission 445 Twelfth Street, SW Washington, DC 20554

Re: Request for 60-Day Extension of STA (Clifton, TX) GUSA Licensee LLC, FCC File No. SES-STA-20200514-00549

Dear Mr. Sullivan:

Under Section 25.120(a) of the Commission's rules, GUSA Licensee LLC (together with its parent Globalstar, Inc., "Globalstar") hereby requests a 60-day extension of its existing, above-captioned Special Temporary Authority ("STA"), so that it can continue to operate an additional gateway earth station antenna at Clifton, Texas, primarily for testing purposes, under call sign E201992.¹ On April 27, 2020, Globalstar applied for permanent authority for this gateway antenna, which from a hardware and RF perspective is identical to Globalstar's existing, licensed gateway earth station antennas in Clifton.² Extension of the current STA will enable Globalstar to operate this antenna while its application for permanent authority is pending.

The requested extension will provide significant benefits for Globalstar's mobile satellite service ("MSS") network. While this additional gateway earth station antenna may support some commercial traffic, Globalstar is using and will continue to use this gateway antenna primarily for the development and testing of new products and technologies, as well as for validating repaired equipment and software upgrades. With an antenna dedicated to testing and validation, Globalstar is able to carry out such activity without affecting existing operational systems at its commercial gateways. This testing capacity is critical. Before Globalstar can roll out new services and applications and incorporate repaired equipment and upgraded software into its

¹ 47 C.F.R. § 25.120(a). The Commission granted Globalstar's current STA for operation of this earth station antenna on June 29, 2020. *See* FCC File No. SES-STA-20200514-00549; *Satellite Communications Services Information re: Actions Taken*, Public Notice, Report No. SES-02281 at 276 (July 1, 2020).

See Application of GUSA Licensee LLC, FCC File No. SES-LIC-20200427-00449 (Apr. 27, 2020).

Mr. Tom Sullivan August 4, 2020 Page 2

gateways and other commercial systems, thorough testing must be performed at the subsystem level, at the system level using loopback simulators, and finally over the air.

As indicated above, this additional gateway earth station antenna is identical to Globalstar's existing, licensed gateway earth station antennas in Clifton (call signs E970199, E000342, E000343, and E000344) from a hardware and RF perspective. The proposed antenna has the same manufacturer and is the same model number (ALCATEL 9775) as Globalstar's other Clifton earth station antennas. Accordingly, this gateway earth station antenna has exactly the same operational configuration and technical parameters as Globalstar's other Clifton gateway antennas. Globalstar's additional gateway antenna complies with all applicable Commission regulations. Globalstar provides the relevant technical parameters for this antenna at Exhibit 2 to this STA request.

In addition to supporting all the carriers that are currently supported by Globalstar's existing Clifton gateway facilities, Globalstar under its existing STA is authorized to use this additional gateway to test and validate two new waveforms for use over its MSS network. Globalstar hopes to use these waveforms to improve and enhance its safety-of-life MSS offerings.

Under its current STA, Globalstar has transmitted these waveforms on a test basis over this feeder link gateway antenna – as well as over its other licensed gateway antennas in Clifton – because this approach represents the best means of evaluating, validating, and finalizing the parameters for these carriers.³ While this test activity has been productive and yielded essential information regarding the performance of the waveforms, Globalstar will need to conduct additional testing and validation through another 60-day STA period to ensure that its carriers will meet the specific requirements of its safety-of-life service offerings.

Globalstar provides the relevant technical parameters for its transmissions of these waveforms in the Technical Exhibit to this application ("Exhibit 2"). As described in Exhibit 2 (and as Globalstar has previously described), the new waveforms are burst mode packet data carriers that will support short-messaging data services. In its testing to date, the channel bandwidth for one of these waveforms has been 200 kHz at 5096-5250 MHz and 20 kHz at 6900-7055 MHz, while the bandwidth for the second waveform has been 2 MHz at 5096-5250 MHz at 5096-5250 MHz at 6900-7055 MHz.⁴ Globalstar now plans to modify this second waveform so that it has an uplink bandwidth of 4.5 MHz at 5096-5250 MHz (the downlink bandwidth for

³ Globalstar through its subsidiaries has concurrently filed additional STA extension requests so that it can continue to utilize its other authorized Clifton earth station antennas in this test program, as well as its licensed earth station antennas in Sebring, FL, and Las Palmas, PR.

⁴ Globalstar provided the relevant technical waveform parameters for its testing to date in the Technical Exhibit to its May 14 STA request. *See* Application of GUSA Licensee LLC, Exhibit 2: Earth Station Technical Information for STA Request, FCC File No. SES-STA-20200514-00549 (May 14, 2020).

Mr. Tom Sullivan August 4, 2020 Page 3

this waveform would remain 200 kHz at 6900-7055 MHz). This wider uplink bandwidth should improve service quality by providing greater protection against narrowband interference.⁵

As Exhibit 2 indicates, while the total EIRP for these modified test transmissions is the same as for Globalstar's existing licensed services, the EIRP density for these waveforms exceeds the EIRP density values for Globalstar's current feeder link operations.⁶ These test transmissions nonetheless create no greater potential for interference than Globalstar's existing operations at 5091-5250 MHz/6875-7055 MHz.

Grant of this extension request by the August 28, 2020 expiration date for Globalstar's current STA will allow it to operate this earth station antenna while its application for permanent authority is pending. This extension will enable Globalstar to maximize its testing capabilities in Clifton and, in particular, to assess the new waveforms and develop enhanced safety-of-life services as rapidly as possible.

Please do not hesitate to contact me with any questions.

Respectfully submitted,

<u>/s/ Stephen J. Berman</u> Stephen J. Berman

cc: Paul Blais

⁵ As indicated in its other concurrently filed extension requests, Globalstar pursuant to this test program also seeks to transmit the revised 4.5 MHz-bandwidth waveform from its other authorized earth station antennas in Clifton, as well as from its licensed earth stations in Sebring and Las Palmas.

⁶ The revised test waveform with a 4.5 MHz uplink bandwidth has a lower EIRP density than the current test waveform with a 2 MHz uplink bandwidth.