

Prepared By

COMSEARCH

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Prepared For

Intelsat License LLC

Paumalu, Hawaii

Temporary Transmit-Only Earth Station
Operation Dates: 10/15/2018 – 12/30/2018

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations. Verbal and written coordination was conducted with the below listed carriers on August 27, 2018.

Company

3G Wireless, LLC
AERIAL VIDEO SYSTEMS
Alascom Inc
Borgeson, Tom R.
Broadcast Sports Inc.
Casper, John
Chicago Comnet Corp
Citywide News Network, Inc.
Cowboys Stadium LP
CP Communications
DCI II, INC.
Direct Broadcast Services, Inc.
Federal Communication Commission
Frontier California Inc.
HF Enterprises, Inc
Hallco Unlimited, Inc.
Hawaii Public Television Foundation
Hawaiian Telcom, Inc.
Heiden, William
im360 Entertainment
Information & Display Systems, Inc.
Information Super Station, LLC
Interlink Network Corp
International Communications Group, Inc
International Electronic Information Services, Inc
KHNL/KGMB License Subsidiary, LLC
KITV, Inc
Loop inc
MERCURY COMMUNICATIONS
Microwave Video Systems, LLC
Moreen, Steven K
NEW ENGLAND DIGITAL DISTRIBUTION, INC.
NEXSTAR BROADCASTING, INC.

NSM Surveillance
Navajo Communications Company
Onboard Images
Pacific Bell Tel Com dba AT&T California
Pacific Television Cneter
Penn Service Microwave Co., Inc.
Plateau Telecommunications, Inc.
Plum TV, LLC
Production & Satellite Services, Inc.
REMOTE FACILITIES CONSULTING SERVICES
RF Central, LLC
RF Film, Inc
Radiofone, Inc.
Randy Hermes Production
Remote Broadcasts, Inc.
Speedshotz, Inc
TTWN Networks, LLC
Unisat, Inc.
United Telephone - Southeast
Vitec Broadcast Services, Inc
Vyvx, LLC
Westar Satellite Services LP
Winged Vision Inc
Wolfe Air Aviation

There are no unresolved interference objections with the station contained in these applications.

The following section presents the data pertinent to frequency coordination of the earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 08/27/2018
Job Number: 180827COMSGE03

Administrative Information

Status	TEMPORARY (Operation from 10/15/2018 to 12/30/2018)
Call Sign	TEMP12
Licensee Code	INTELS
Licensee Name	Intelsat License LLC

Site Information

Venue Name	PAUMALU, HI
Latitude (NAD 83)	21° 40' 14.2" N
Longitude (NAD 83)	158° 2' 7.8" W
Climate Zone	C
Rain Zone	4
Ground Elevation (AMSL)	131.98 m / 433.0 ft

Link Information

Satellite Type	Low Earth Orbit
Mode	TO - Transmit-Only
Modulation	Digital
Minimum Elevation Angle	5.0°
Azimuth Range	0.0° to 360°
Antenna Centerline (AGL)	3.66 m / 12.0 ft

Antenna Information

Manufacturer	Transmit - FCC32		
Model	Viasat		
Gain / Diameter	7.3 meter		
3-dB / 15-dB Beamwidth	40.9 dBi / 7.3 m		
Max Available RF Power	(dBW/4 kHz)	15.4	
	(dBW/MHz)	39.4	
Maximum EIRP	(dBW/4 kHz)	56.3	
	(dBW/MHz)	80.3	
Interference Objectives:	Long Term	-154.0 dBW/4 kHz	20%
	Short Term	-131.0 dBW/4 kHz	0.0025%

Frequency Information

Emission / Frequency Range (MHz)	Transmit 2.0 GHz
	19K2FXD - 307KFXD / 2059.0 - 2059.0
	19K2FXD - 307KFXD / 2061.0 - 2061.0
	19K2FXD - 307KFXD / 2062.0 - 2062.0
	19K2FXD - 307KFXD / 2063.0 - 2063.0

Max Great Circle Coordination Distance 293.2 km / 182.2 mi
Precipitation Scatter Contour Radius 364.4 km / 226.4 mi

Coordination Values		PAUMALU, HI		
Licensee Name		Intelsat License LLC		
Latitude (NAD 83)		21° 40' 14.2" N		
Longitude (NAD 83)		158° 2' 7.8" W		
Ground Elevation (AMSL)		131.98 m / 433.0 ft		
Antenna Centerline (AGL)		3.66 m / 12.0 ft		
Antenna Model		Viasat 7,3 meter		
Antenna Mode		Transmit 2.0 GHz		
Interference Objectives: Long Term		-154.0 dBW/4 kHz		
Short Term		-131.0 dBW/4 kHz		
Max Available RF Power		15.4 (dBW/4 kHz)		


Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	72.41	4.50	293.25
5	0.00	70.74	4.50	293.25
10	0.00	69.21	4.50	293.25
15	0.00	67.83	4.50	293.25
20	0.00	66.61	4.50	293.25
25	0.00	65.58	4.50	293.25
30	0.00	64.73	4.50	293.25
35	0.00	64.09	4.50	293.25
40	0.00	63.66	4.50	293.25
45	0.00	63.44	4.50	293.25
50	0.00	63.44	4.50	293.25
55	0.00	63.65	4.50	293.25
60	0.00	64.08	4.50	293.25
65	0.00	64.73	4.50	293.25
70	0.00	65.57	4.50	293.25
75	0.00	66.60	4.50	293.25
80	0.00	67.81	4.50	293.25
85	0.00	69.19	4.50	293.25
90	0.00	70.72	4.50	293.25
95	0.00	72.39	4.50	293.25
100	0.00	74.18	4.50	293.25
105	0.00	76.07	4.50	293.25
110	0.00	78.06	4.50	293.25
115	0.00	80.13	4.50	293.25
120	0.00	82.25	4.50	293.25
125	0.00	84.43	4.50	293.25
130	0.00	86.64	4.50	293.25
135	0.00	88.87	4.50	293.25
140	0.00	91.11	4.50	293.25
145	0.00	93.34	4.50	293.25
150	0.00	95.55	4.50	293.25
155	0.00	97.72	4.50	293.25
160	0.00	99.85	4.50	293.25
165	0.00	101.92	4.50	293.25
170	0.00	103.91	4.50	293.25
175	0.00	105.80	4.50	293.25
180	0.00	107.59	4.50	293.25
185	0.00	109.26	4.50	293.25

Coordination Values		PAUMALU, HI	
Licensee Name	Intelsat License LLC		
Latitude (NAD 83)	21° 40' 14.2" N		
Longitude (NAD 83)	158° 2' 7.8" W		
Ground Elevation (AMSL)	131.98 m / 433.0 ft		
Antenna Centerline (AGL)	3.66 m / 12.0 ft		
Antenna Model	Viasat 7,3 meter		
Antenna Mode	Transmit 2.0 GHz		
Interference Objectives: Long Term	-154.0 dBW/4 kHz	20%	
Short Term	-131.0 dBW/4 kHz	0.0025%	
Max Available RF Power	15.4 (dBW/4 kHz)		

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	110.79	4.50	293.25
195	0.00	112.17	4.50	293.25
200	0.00	113.39	4.50	293.25
205	0.00	114.42	4.50	293.25
210	0.00	115.27	4.50	293.25
215	0.00	115.91	4.50	293.25
220	0.00	116.34	4.50	293.25
225	0.00	116.56	4.50	293.25
230	0.00	116.56	4.50	293.25
235	0.00	116.35	4.50	293.25
240	0.00	115.92	4.50	293.25
245	0.00	115.27	4.50	293.25
250	0.00	114.43	4.50	293.25
255	0.00	113.40	4.50	293.25
260	0.00	112.19	4.50	293.25
265	0.00	110.81	4.50	293.25
270	0.00	109.28	4.50	293.25
275	0.00	107.61	4.50	293.25
280	0.00	105.82	4.50	293.25
285	0.00	103.93	4.50	293.25
290	0.00	101.94	4.50	293.25
295	0.00	99.87	4.50	293.25
300	0.00	97.75	4.50	293.25
305	0.00	95.57	4.50	293.25
310	0.00	93.36	4.50	293.25
315	0.00	91.13	4.50	293.25
320	0.00	88.89	4.50	293.25
325	0.00	86.66	4.50	293.25
330	0.00	84.45	4.50	293.25
335	0.00	82.28	4.50	293.25
340	0.00	80.15	4.50	293.25
345	0.00	78.08	4.50	293.25
350	0.00	76.09	4.50	293.25
355	0.00	74.20	4.50	293.25

Certification

I hereby certify that I am the technically qualified person responsible for the preparation of the frequency coordination data contained in this report. I am familiar with Parts 101 and 25 of the FCC Rules and Regulations and I have either prepared or reviewed the frequency coordination data submitted with this report, and that it is complete and correct to the best of my knowledge and belief.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: September 25, 2018