

Nano-LT Asset Tag - User Manual



Safety Recommendations

This is a commercial use product and should not be installed where children will be present.

Failure to follow these safety instructions could result in fire, electric shock, or other injury or damage.

Do not disassemble, dismantle, open, crush puncture, or shred the product.

If the product housing/envelope is weakened, cracked, or broken, stop using it immediately.

Do not attempt to short-circuit the battery or make contact with a conductive/metal object.

Do not expose the product to heat, fire or flame.

Do not fully immerse product in water or other liquid.

The battery should be replaced by a trained professional using appropriate tools. Danger of explosion if battery is incorrectly replaced.

ONLY UL approved SR1116SW batteries can be used in this product. Any other battery could result in fire, electric shock, or damage.

Dispose of all batteries in accordance with applications laws and regulations.

WARNING

Do not ingest battery. Chemical Burn Hazard.

This product contains a coin cell battery. If the battery is swallowed, it can cause severe internal burns in just 2 hours and can lead to death. Keep new and used batteries away from children. If the battery compartment does not close securely, stop using the product and keep it away from children. If you think a battery might have been swallowed or placed inside any part of the body, seek immediate medical attention.

Failure to follow these instructions can result in personal injury or property damage, and the manufacturer will have no liability whatsoever for any such injury or damage arising from or in connection with any failure to follow these or other instructions provided to the end user.

Le non-respect de ces instructions peut entraîner des blessures corporelles ou des dommages matériels, et fabricant décline toute responsabilité en cas de blessure ou de dommage résultant de ou en relation avec le non-respect de ces instructions ou d'autres instructions fournies à l'utilisateur final.

Description

The asset tag is a long life, cost-effective proximity tag with multiple mounting options designed for commercial environments. The asset tag is intended to be attached an asset by the methods outlined in this user manual only.

Asset Tag Features and Sensors:

- 2.4 GHz radio
- SR1116SW battery
- Double sided adhesive attachment.

The product has the following exterior dimensions: 45.28 mm x 30 mm



Characteristics

Listed below are the main performance characteristics:

<i>Features</i>	<i>Description</i>
Use	Indoor Only
Usage	Continuous
Power	UL approved SR1116SW Battery Only
Internal supply	1.55V DC
Relative humidity environment	Less than 95% non-condensing humidity
Frequency band	2.4GHz ISM Band
Operating temperature	From -10°C to + 60°C noncondensing
Storage temperature	From 0°C to +35°C noncondensing ¹

¹ The indicated storage temperature range is intended to maximize the battery life and avoid unexpected discharge during storage. The product can be exposed to an increased temperature range than the indicated storage temperature range (as long as it stays within operating temperature range), but exposure to more extreme temperatures during storage may reduce battery life.

¹ La plage de température de stockage indiquée est destinée à maximiser la durée de vie de la batterie et à éviter une décharge inattendue pendant le stockage. Le produit peut être exposé à une plage de températures plus élevée que la plage de températures de stockage indiquée

<i>Features</i>	<i>Description</i>
Mechanical dimensions	23.3 mm x 8.6 mm

Installing the Tag

The product is designed to have a small footprint and be attached to commercial equipment using the provided 3M adhesive.

- **Adhesive**

Before adhering the device to the asset surface, clean it using an 50/50 mixture of isopropyl alcohol and water can remove dust and oils on the surface to prep for good adhesion.

Ideal application temperature range for adhesive application is 70°F to 100°F (21°C to 38°C) but as low as 32°F (0°C) is acceptable. The adhesive will bond to a broad range of high surface energy substrates including metals, glass, plastics and easier to bond paints.

1. Using included Tag double-sided adhesive, remove one side of the protective film and secure it to the back of the Tag
2. Remove the other of side of the protective film and apply securely to the asset

Note: Do not install over 2 meters from the ground.

- **Activation**

1. Pull the battery tab to turn on Tag
2. Using asset tracking software,
 - a. Scan Tag QR code or manually enter Tag ID
 - b. Enter asset information
 - c. Confirm successful pairing by pressing SUBMIT

Regulatory Notices

This equipment complies with FCC/IC radiation exposure limits set forth for an uncontrolled environment. L'appareil est conforme aux limites d'exposition aux rayonnements FCC / IC spécifiées pour les environnements non contrôlés.

Operation of this device is restricted to indoor use only.

(tant qu'il reste dans la plage de températures de fonctionnement), mais une exposition à des températures plus extrêmes pendant le stockage peut réduire la durée de vie de la batterie.

FCC

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Notice of Compliance

CAN ICES-3(B) / NMB-3(B)

This Class B digital apparatus complies with Canadian ICES-003.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- This device may not cause interference.
- This device must accept any interference, including interference that may cause undesired operation of the device.

Avis de conformité aux normes d'Industrie Canada (IC).

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.

Son exploitation est autorisée aux deux conditions suivantes:

- il ne doit pas produire de brouillage; et
- il doit accepter tout brouillage radioélectrique subi, même si celui-ci est susceptible d'en compromettre le fonctionnement.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Avertissement: les changements ou modifications apportés à cet appareil non expressément approuvés par la partie responsable de la conformité peuvent annuler le droit de l'utilisateur à faire fonctionner l'équipement.

WARNING

Do not ingest battery. Chemical Burn Hazard.

This product contains a coin cell battery. If the battery is swallowed, it can cause severe internal burns in just 2 hours and can lead to death. Keep new and used batteries away from children. If the battery compartment does not close securely, stop using the product and keep it away from children. If you think a battery might have been swallowed or placed inside any part of the body, seek immediate medical attention.

AVERTISSEMENT

N'ingérez pas la batterie. Risque de brûlure chimique.

Ce produit contient une pile bouton. Si la batterie est avalée, elle peut provoquer de graves brûlures internes en seulement 2 heures et peut entraîner la mort. Gardez les piles neuves et usagées hors de portée des enfants. Si le compartiment à piles ne ferme pas correctement, arrêtez d'utiliser le produit et tenez-le hors de portée des enfants. Si vous pensez qu'une batterie a pu être avalé ou placé dans n'importe quelle partie du corps, consultez immédiatement un médecin.
