



Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.31	0.00	7.31	11.00	Complies
60	5300	7.65	0.00	7.65	11.00	Complies
64	5320	7.33	0.00	7.33	11.00	Complies



Date: 19_MAR.2021 15:20:14




Date: 19_MAR.2021 15:22:57




Date: 19_MAR.2021 15:25:13

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.43	0.00	7.43	11.00	Complies
60	5300	7.70	0.00	7.70	11.00	Complies
64	5320	7.65	0.00	7.65	11.00	Complies



Date: 19_MAR.2021 15:19:40



Date: 19_MAR.2021 15:23:29




Date: 19_MAR.2021 15:24:42

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.38	11.00	Complies
60	5300	10.69	11.00	Complies
64	5320	10.50	11.00	Complies


Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.46	0.16	7.62	11.00	Complies
62	5310	7.36	0.16	7.52	11.00	Complies



Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.62	0.16	7.78	11.00	Complies
62	5310	7.77	0.16	7.93	11.00	Complies




Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.71	11.00	Complies
62	5310	10.74	11.00	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.23	0.00	7.23	11.00	Complies
116	5580	7.78	0.00	7.78	11.00	Complies
140	5700	7.54	0.00	7.54	11.00	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.52	0.00	7.52	11.00	Complies
116	5580	7.61	0.00	7.61	11.00	Complies
140	5700	7.69	0.00	7.69	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.39	11.00	Complies
116	5580	10.71	11.00	Complies
140	5700	10.63	11.00	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.55	0.00	7.55	11.00	Complies
116	5580	7.72	0.00	7.72	11.00	Complies
140	5700	7.70	0.00	7.70	11.00	Complies



Date: 19_MAR, 2021 15:26:44




Date: 19_MAR, 2021 15:28:47




Date: 19_MAR, 2021 15:29:47

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.36	0.00	7.36	11.00	Complies
116	5580	7.88	0.00	7.88	11.00	Complies
140	5700	7.66	0.00	7.66	11.00	Complies



Date: 19_MAR, 2021 15:27:41



Date: 19_MAR, 2021 15:28:12




Date: 19_MAR, 2021 15:30:53

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.48	11.00	Complies
116	5580	10.36	11.00	Complies
140	5700	10.24	11.00	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.44	0.16	7.60	11.00	Complies
110	5550	7.05	0.16	7.21	11.00	Complies
134	5670	7.10	0.16	7.26	11.00	Complies



Date: 19_MAR.2021 16:09:14




Date: 19_MAR.2021 16:14:06




Date: 19_MAR.2021 16:15:35

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.17	0.16	7.33	11.00	Complies
110	5550	7.32	0.16	7.48	11.00	Complies
134	5670	7.03	0.16	7.19	11.00	Complies



Date: 19_MAR.2021 16:10:15



Date: 19_MAR.2021 16:13:16




Date: 19_MAR.2021 16:16:51

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.47	11.00	Complies
110	5550	10.35	11.00	Complies
134	5670	10.23	11.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.97	0.00	9.97	30.00	Complies
157	5785	9.91	0.00	9.91	30.00	Complies
165	5825	10.21	0.00	10.21	30.00	Complies



Date: 27_JAN.2021 11:09:22




Date: 27_JAN.2021 11:24:16




Date: 27_JAN.2021 11:26:40

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.02	0.00	10.02	30.00	Complies
157	5785	9.53	0.00	9.53	30.00	Complies
165	5825	9.45	0.00	9.45	30.00	Complies



Date: 27_JAN.2021 11:10:52



Date: 27_JAN.2021 11:24:55




Date: 27_JAN.2021 11:27:11

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.01	30.00	Complies
157	5785	12.73	30.00	Complies
165	5825	12.85	30.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.42	0.00	9.42	30.00	Complies
157	5785	9.44	0.00	9.44	30.00	Complies
165	5825	9.13	0.00	9.13	30.00	Complies



Date: 27_JAN.2021 11:57:52




Date: 27_JAN.2021 13:41:46




Date: 27_JAN.2021 13:44:20

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.32	0.00	9.32	30.00	Complies
157	5785	9.06	0.00	9.06	30.00	Complies
165	5825	8.45	0.00	8.45	30.00	Complies



Date: 27_JAN.2021 11:58:24



Date: 27_JAN.2021 13:42:24




Date: 27_JAN.2021 13:44:50

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.38	30.00	Complies
157	5785	12.26	30.00	Complies
165	5825	11.81	30.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.15	0.16	6.31	30.00	Complies
159	5795	6.71	0.16	6.87	30.00	Complies




Date: 27.JAN.2021 14:42:54




Date: 27.JAN.2021 14:46:04

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.08	0.16	6.24	30.00	Complies
159	5795	6.87	0.16	7.03	30.00	Complies



Date: 27.JAN.2021 14:43:59




Date: 27.JAN.2021 14:46:33

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.29	30.00	Complies
159	5795	9.96	30.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.33	0.09	7.42	11.00	Complies
40	5200	7.32	0.09	7.41	11.00	Complies
48	5240	7.59	0.09	7.68	11.00	Complies



Date: 19_MAR, 2021 15:32:24




Date: 19_MAR, 2021 15:33:05




Date: 19_MAR, 2021 15:35:38

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.68	0.09	7.77	11.00	Complies
40	5200	7.74	0.09	7.83	11.00	Complies
48	5240	7.85	0.09	7.94	11.00	Complies



Date: 19_MAR, 2021 15:31:51



Date: 19_MAR, 2021 15:34:30




Date: 19_MAR, 2021 15:35:00

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.61	11.00	Complies
40	5200	10.63	11.00	Complies
48	5240	10.82	11.00	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.43	0.18	7.61	11.00	Complies
46	5230	7.58	0.18	7.76	11.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.63	0.18	7.81	11.00	Complies
46	5230	7.48	0.18	7.66	11.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.72	11.00	Complies
46	5230	10.72	11.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.41	0.31	5.72	11.00	Complies

CH42




Date: 19_MAR.2021 16:38:57

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.39	0.31	5.70	11.00	Complies

CH42




Date: 19_MAR.2021 16:39:55

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.72	11.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.47	0.09	7.56	11.00	Complies
60	5300	7.68	0.09	7.77	11.00	Complies
64	5320	7.30	0.09	7.39	11.00	Complies



Date: 19_MAR_2021 15:37:21




Date: 19_MAR_2021 15:40:22




Date: 19_MAR_2021 15:41:28

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.50	0.09	7.59	11.00	Complies
60	5300	7.82	0.09	7.91	11.00	Complies
64	5320	7.57	0.09	7.66	11.00	Complies



Date: 19_MAR_2021 15:38:16



Date: 19_MAR_2021 15:39:24




Date: 19_MAR_2021 15:42:22

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.59	11.00	Complies
60	5300	10.85	11.00	Complies
64	5320	10.54	11.00	Complies


Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.51	0.18	7.69	11.00	Complies
62	5310	7.17	0.18	7.35	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.57	0.18	7.75	11.00	Complies
62	5310	7.56	0.18	7.74	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.73	11.00	Complies
62	5310	10.56	11.00	Complies


Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.49	0.31	4.80	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.72	0.31	5.03	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.93	11.00	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.49	0.09	7.58	11.00	Complies
116	5580	7.55	0.09	7.64	11.00	Complies
140	5700	7.70	0.09	7.79	11.00	Complies



Date: 19_MAR.2021 15:46:01




Date: 19_MAR.2021 15:47:04




Date: 19_MAR.2021 15:50:14

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.78	0.09	7.87	11.00	Complies
116	5580	7.86	0.09	7.95	11.00	Complies
140	5700	7.72	0.09	7.81	11.00	Complies



Date: 19_MAR.2021 15:43:50



Date: 19_MAR.2021 15:48:44




Date: 19_MAR.2021 15:49:16

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.74	11.00	Complies
116	5580	10.81	11.00	Complies
140	5700	10.81	11.00	Complies


Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.52	0.18	7.70	11.00	Complies
110	5550	7.15	0.18	7.33	11.00	Complies
134	5670	7.64	0.18	7.82	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.78	0.18	7.96	11.00	Complies
110	5550	7.37	0.18	7.55	11.00	Complies
134	5670	7.67	0.18	7.85	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.84	11.00	Complies
110	5550	10.45	11.00	Complies
134	5670	10.85	11.00	Complies


Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.86	0.31	5.17	11.00	Complies
122	5610	6.06	0.31	6.37	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.93	0.31	5.24	11.00	Complies
122	5610	6.03	0.31	6.34	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.22	11.00	Complies
122	5610	9.37	11.00	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.72	0.09	8.81	30.00	Complies
157	5785	8.46	0.09	8.55	30.00	Complies
165	5825	8.94	0.09	9.03	30.00	Complies

CH149




Date: 27.JAN.2021 14:08:17

CH157



Date: 27.JAN.2021 14:10:52

CH165




Date: 27.JAN.2021 14:14:24

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.62	0.09	8.71	30.00	Complies
157	5785	8.31	0.09	8.40	30.00	Complies
165	5825	8.96	0.09	9.05	30.00	Complies

CH149




Date: 27.JAN.2021 14:08:45

CH157



Date: 27.JAN.2021 14:11:25

CH165




Date: 27.JAN.2021 14:12:56

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.77	30.00	Complies
157	5785	11.48	30.00	Complies
165	5825	12.05	30.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.77	0.18	5.95	30.00	Complies
159	5795	6.12	0.18	6.30	30.00	Complies




Date: 27-JAN-2021 15:32:29




Date: 27-JAN-2021 15:35:52

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.76	0.18	5.94	30.00	Complies
159	5795	6.10	0.18	6.28	30.00	Complies



Date: 27-JAN-2021 15:34:04




Date: 27-JAN-2021 15:36:24

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.96	30.00	Complies
159	5795	9.30	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.01	0.31	3.32	30.00	Complies



Date: 27.JAN.2021 15:53:21

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.97	0.31	3.28	30.00	Complies



Date: 27.JAN.2021 15:54:34

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.31	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.24	5180.0000
3.85	5180.0000
3.47	5180.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0024

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-20	5179.9999
-10	5180.0000
0	5180.0150
10	5180.0000
20	5180.0000
30	5179.9999
40	5180.0000
50	5179.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8982

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.24	5259.9999
3.85	5260.0150
3.47	5259.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8541

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-20	5259.9999
-10	5260.0000
0	5260.0150
10	5260.0000
20	5259.9999
30	5259.9999
40	5260.0000
50	5259.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8541

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.24	5499.9999
3.85	5499.9999
3.47	5499.9999
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0205

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-20	5500.0000
-10	5499.9999
0	5500.0000
10	5499.9999
20	5500.0000
30	5499.9999
40	5500.0000
50	5500.0000
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0205

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.24	5745.0000
3.85	5745.0000
3.47	5745.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-20	5744.9999
-10	5745.0000
0	5745.0000
10	5745.0150
20	5744.9948
30	5745.0199
40	5745.0000
50	5745.0000
Maximum Deviation (MHz)	0.0199
Maximum Deviation (ppm)	3.4617

End of Test Report