



802.11a CH165



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	40.74	---	68.20	27.46	500.0	100.0	V	223.0	-8.1
1401.625000	---	29.60	54.00	24.40	500.0	100.0	V	0.0	-7.5
1705.250000	---	30.33	54.00	23.67	500.0	100.0	V	359.0	-5.9
1832.125000	42.60	---	68.20	25.60	500.0	100.0	V	359.0	-5.2
2590.750000	44.77	---	68.20	23.43	500.0	100.0	H	125.0	-2.2
2802.500000	---	33.67	54.00	20.33	500.0	200.0	H	327.0	-1.4
3545.375000	49.21	---	68.20	18.99	500.0	200.0	V	133.0	1.4
3990.750000	---	38.17	54.00	15.83	500.0	200.0	V	9.0	2.9
4500.000000	---	38.50	54.00	15.50	500.0	200.0	V	113.0	4.3
5222.750000	48.65	---	68.20	19.55	500.0	100.0	H	249.0	5.4
7005.125000	52.99	---	68.20	15.21	500.0	200.0	V	45.0	6.5
7531.875000	---	41.18	54.00	12.82	500.0	100.0	V	237.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8517.500000	43.67	---	68.20	24.53	500.0	200.0	H	305.0	-1.6
9001.250000	---	31.97	54.00	22.03	500.0	200.0	H	296.0	-1.4
9472.500000	---	33.13	54.00	20.87	500.0	100.0	H	19.0	-0.2
9707.500000	44.51	---	68.20	23.69	500.0	100.0	V	233.0	-0.7
10518.750000	43.33	---	68.20	24.87	500.0	100.0	H	15.0	-0.9
11650.000000	---	36.91	54.00	17.09	500.0	200.0	V	234.0	0.0
13340.000000	---	35.24	54.00	18.76	500.0	200.0	V	188.0	3.3
13490.000000	47.01	---	68.20	21.19	500.0	200.0	H	106.0	3.5
15261.250000	48.61	---	68.20	19.59	500.0	200.0	H	4.0	5.9
15576.250000	---	37.89	54.00	16.11	500.0	200.0	V	82.0	6.6
17673.750000	51.82	---	68.20	16.38	500.0	200.0	V	183.0	10.2
17756.250000	---	40.45	54.00	13.55	500.0	100.0	H	60.0	10.3

802.11n (HT20) CH36



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1122.500000	---	27.85	54.00	26.15	500.0	100.0	H	53.0	-9.2
1285.250000	40.24	---	68.20	27.96	500.0	100.0	V	204.0	-8.1
1484.750000	---	28.89	54.00	25.11	500.0	200.0	H	355.0	-6.9
1709.625000	---	30.35	54.00	23.65	500.0	100.0	V	302.0	-5.9
1955.500000	42.70	---	68.20	25.50	500.0	100.0	V	137.0	-4.6
2680.875000	44.47	---	68.20	23.73	500.0	200.0	V	111.0	-1.9
2812.125000	---	33.63	54.00	20.38	500.0	100.0	V	67.0	-1.3
3424.625000	48.35	---	68.20	19.85	500.0	200.0	V	77.0	1.0
3988.125000	---	37.88	54.00	16.12	500.0	100.0	V	346.0	2.9
5564.000000	50.74	---	68.20	17.46	500.0	100.0	H	0.0	6.1
6907.125000	57.61	---	68.20	10.59	500.0	100.0	V	6.0	6.6
7485.500000	---	40.88	54.00	13.12	500.0	100.0	V	350.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8423.750000	---	30.95	54.00	23.05	500.0	100.0	H	124.0	-1.9
8965.000000	43.34	---	68.20	24.86	500.0	100.0	V	188.0	-1.4
9467.500000	---	33.03	54.00	20.97	500.0	100.0	H	315.0	-0.3
9505.000000	44.62	---	68.20	23.58	500.0	100.0	H	77.0	-0.4
10510.000000	43.42	---	68.20	24.78	500.0	100.0	H	41.0	-0.9
11937.500000	---	32.84	54.00	21.16	500.0	100.0	V	188.0	0.3
13297.500000	---	35.19	54.00	18.81	500.0	200.0	H	299.0	3.3
13573.750000	47.19	---	68.20	21.01	500.0	100.0	H	16.0	3.7
15297.500000	49.06	---	68.20	19.14	500.0	200.0	H	290.0	5.9
15565.000000	---	38.14	54.00	15.86	500.0	200.0	H	0.0	6.6
17670.000000	51.02	---	68.20	17.18	500.0	200.0	H	351.0	10.2
17750.000000	---	40.30	54.00	13.70	500.0	100.0	H	181.0	10.3

802.11n (HT20) CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1054.250000	---	28.07	54.00	25.93	500.0	100.0	H	99.0	-9.6
1288.750000	40.96	---	68.20	27.24	500.0	100.0	V	134.0	-8.1
1404.250000	---	29.30	54.00	24.70	500.0	200.0	H	310.0	-7.4
1721.875000	---	30.11	54.00	23.89	500.0	100.0	V	162.0	-5.8
1955.500000	43.02	---	68.20	25.18	500.0	100.0	V	332.0	-4.6
2509.375000	44.40	---	68.20	23.80	500.0	200.0	H	129.0	-2.4
2823.500000	---	33.70	54.00	20.30	500.0	100.0	V	250.0	-1.3
3411.500000	48.00	---	68.20	20.20	500.0	200.0	V	286.0	1.0
3982.875000	---	38.12	54.00	15.88	500.0	200.0	V	340.0	2.8
4470.250000	49.36	---	68.20	18.84	500.0	100.0	H	192.0	4.1
6933.375000	57.59	---	68.20	10.61	500.0	100.0	V	19.0	6.6
7545.000000	---	40.85	54.00	13.15	500.0	200.0	H	192.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	31.76	54.00	22.24	500.0	200.0	H	91.0	-1.5
8991.250000	43.57	---	68.20	24.63	500.0	200.0	V	140.0	-1.4
9468.750000	---	32.62	54.00	21.38	500.0	200.0	V	337.0	-0.3
9503.750000	44.18	---	68.20	24.02	500.0	100.0	H	222.0	-0.4
10553.750000	43.73	---	68.20	24.47	500.0	100.0	V	305.0	-0.8
11725.000000	---	32.81	54.00	21.19	500.0	200.0	H	101.0	0.0
13311.250000	---	35.04	54.00	18.96	500.0	100.0	V	134.0	3.3
13557.500000	46.72	---	68.20	21.48	500.0	100.0	H	170.0	3.7
15301.250000	48.61	---	68.20	19.59	500.0	100.0	H	62.0	5.9
15600.000000	---	38.06	54.00	15.94	500.0	100.0	H	118.0	6.7
17666.250000	51.63	---	68.20	16.57	500.0	200.0	V	180.0	10.2
17866.250000	---	40.10	54.00	13.90	500.0	200.0	V	73.0	10.2

802.11n (HT20) CH48



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1094.500000	---	27.23	54.00	26.77	500.0	100.0	H	100.0	-9.3
1275.625000	40.06	---	68.20	28.14	500.0	100.0	V	279.0	-8.2
1405.125000	---	29.29	54.00	24.71	500.0	100.0	V	349.0	-7.4
1705.250000	---	30.51	54.00	23.49	500.0	100.0	V	296.0	-5.9
1991.375000	42.74	---	68.20	25.46	500.0	100.0	V	218.0	-4.5
2509.375000	44.83	---	68.20	23.37	500.0	200.0	V	114.0	-2.4
2820.000000	---	33.77	54.00	20.23	500.0	200.0	H	326.0	-1.3
3481.500000	48.83	---	68.20	19.37	500.0	200.0	H	340.0	1.2
3864.750000	---	38.16	54.00	15.84	500.0	200.0	V	23.0	2.4
5581.500000	50.53	---	68.20	17.67	500.0	100.0	H	119.0	6.2
6986.750000	58.16	---	68.20	10.04	500.0	100.0	V	18.0	6.6
7495.125000	---	40.96	54.00	13.04	500.0	200.0	V	119.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8572.500000	42.79	---	68.20	25.41	500.0	200.0	H	320.0	-1.7
9001.250000	---	31.74	54.00	22.26	500.0	100.0	V	185.0	-1.4
9457.500000	---	32.79	54.00	21.21	500.0	200.0	H	74.0	-0.3
9663.750000	43.97	---	68.20	24.23	500.0	100.0	H	45.0	-0.8
10566.250000	43.55	---	68.20	24.65	500.0	100.0	H	138.0	-0.8
11205.000000	---	32.72	54.00	21.28	500.0	100.0	H	133.0	-0.4
13312.500000	---	34.87	54.00	19.13	500.0	200.0	V	309.0	3.3
13552.500000	46.52	---	68.20	21.68	500.0	100.0	H	296.0	3.6
15306.250000	48.80	---	68.20	19.40	500.0	100.0	H	231.0	5.9
15577.500000	---	37.74	54.00	16.26	500.0	200.0	H	299.0	6.6
17680.000000	51.25	---	68.20	16.95	500.0	200.0	H	155.0	10.2
17863.750000	---	40.34	54.00	13.66	500.0	200.0	V	28.0	10.2

802.11n (HT20) CH52



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.875000	42.74	---	68.20	25.46	500.0	100.0	H	0.0	-8.1
1392.000000	---	29.43	54.00	24.57	500.0	100.0	V	276.0	-7.5
1681.625000	---	30.34	54.00	23.66	500.0	200.0	V	296.0	-6.0
1927.500000	43.27	---	68.20	24.93	500.0	200.0	H	159.0	-4.8
2647.625000	45.36	---	68.20	22.84	500.0	200.0	H	304.0	-1.9
2808.625000	---	33.74	54.00	20.26	500.0	100.0	V	341.0	-1.3
3588.250000	48.47	---	68.20	19.73	500.0	100.0	H	235.0	1.5
3986.375000	---	37.97	54.00	16.03	500.0	100.0	V	240.0	2.9
4908.625000	---	38.50	54.00	15.50	500.0	200.0	H	64.0	5.1
5642.750000	50.01	---	68.20	18.19	500.0	200.0	H	132.0	6.0
7013.875000	57.20	---	68.20	11.00	500.0	100.0	V	21.0	6.5
7649.125000	---	40.93	54.00	13.07	500.0	100.0	H	230.0	7.7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8043.750000	---	31.72	54.00	22.28	500.0	100.0	V	36.0	-1.5
8531.250000	43.33	---	68.20	24.87	500.0	200.0	V	254.0	-1.6
9453.750000	---	33.02	54.00	20.98	500.0	100.0	H	255.0	-0.4
10147.500000	44.34	---	68.20	23.86	500.0	200.0	V	172.0	-0.8
10566.250000	44.13	---	68.20	24.07	500.0	100.0	V	253.0	-0.8
10671.250000	---	32.84	54.00	21.16	500.0	100.0	V	70.0	-0.7
13302.500000	---	34.86	54.00	19.14	500.0	200.0	V	185.0	3.3
13538.750000	46.75	---	68.20	21.45	500.0	100.0	V	21.0	3.6
15255.000000	48.21	---	68.20	19.99	500.0	200.0	V	214.0	5.8
15590.000000	---	37.99	54.00	16.01	500.0	100.0	V	36.0	6.7
17673.750000	51.62	---	68.20	16.58	500.0	200.0	H	98.0	10.2
17753.750000	---	40.13	54.00	13.87	500.0	100.0	V	222.0	10.3

802.11n (HT20) CH60



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.125000	---	27.94	54.00	26.06	500.0	100.0	V	354.0	-9.2
1266.875000	39.75	---	68.20	28.45	500.0	100.0	V	189.0	-8.2
1400.750000	---	29.27	54.00	24.73	500.0	100.0	V	340.0	-7.5
1687.750000	---	30.71	54.00	23.29	500.0	100.0	V	88.0	-5.9
1994.000000	43.04	---	68.20	25.16	500.0	200.0	H	315.0	-4.5
2609.125000	45.19	---	68.20	23.01	500.0	200.0	V	93.0	-2.1
2823.500000	---	33.57	54.00	20.43	500.0	200.0	H	130.0	-1.3
3447.375000	48.45	---	68.20	19.75	500.0	200.0	H	274.0	1.1
3984.625000	---	38.05	54.00	15.95	500.0	200.0	H	330.0	2.8
4440.500000	49.94	---	68.20	18.26	500.0	100.0	H	75.0	3.9
7067.250000	56.21	---	68.20	11.99	500.0	100.0	V	23.0	6.6
7524.000000	---	41.26	54.00	12.74	500.0	200.0	V	5.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8277.500000	---	29.59	54.00	24.41	500.0	100.0	H	122.0	-1.8
8522.500000	43.41	---	68.20	24.79	500.0	200.0	H	104.0	-1.6
9456.250000	---	32.88	54.00	21.12	500.0	100.0	V	87.0	-0.3
10146.250000	44.65	---	68.20	23.55	500.0	100.0	V	153.0	-0.8
10568.750000	43.70	---	68.20	24.50	500.0	100.0	V	41.0	-0.8
10670.000000	---	33.08	54.00	20.92	500.0	200.0	V	0.0	-0.7
13301.250000	---	34.76	54.00	19.24	500.0	200.0	H	99.0	3.3
13555.000000	46.70	---	68.20	21.50	500.0	100.0	V	153.0	3.7
15297.500000	48.46	---	68.20	19.74	500.0	200.0	V	333.0	5.9
15581.250000	---	37.74	54.00	16.26	500.0	100.0	H	351.0	6.7
17691.250000	50.94	---	68.20	17.26	500.0	100.0	V	61.0	10.2
17907.500000	---	39.92	54.00	14.08	500.0	200.0	V	169.0	10.2

802.11n (HT20) CH64



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1105.000000	---	27.28	54.00	26.72	500.0	200.0	H	337.0	-9.2
1288.750000	39.96	---	68.20	28.24	500.0	200.0	V	136.0	-8.1
1409.500000	---	29.33	54.00	24.67	500.0	100.0	V	189.0	-7.4
1702.625000	---	30.34	54.00	23.66	500.0	100.0	V	292.0	-5.9
1952.000000	42.97	---	68.20	25.23	500.0	100.0	V	175.0	-4.6
2669.500000	44.07	---	68.20	24.13	500.0	100.0	V	27.0	-1.9
2751.750000	---	33.61	54.00	20.39	500.0	100.0	V	213.0	-1.6
3484.125000	48.68	---	68.20	19.52	500.0	100.0	H	153.0	1.2
3989.875000	---	38.02	54.00	15.98	500.0	100.0	H	0.0	2.9
4472.875000	48.99	---	68.20	19.21	500.0	200.0	H	180.0	4.1
7093.500000	54.75	---	68.20	13.45	500.0	100.0	V	23.0	6.7
7528.375000	---	40.87	54.00	13.13	500.0	100.0	V	6.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8056.250000	---	31.55	54.00	22.45	500.0	200.0	H	137.0	-1.5
8513.750000	42.92	---	68.20	25.28	500.0	100.0	H	328.0	-1.6
9456.250000	---	32.79	54.00	21.21	500.0	200.0	H	219.0	-0.3
10230.000000	44.38	---	68.20	23.82	500.0	100.0	H	318.0	-0.9
10556.250000	44.16	---	68.20	24.04	500.0	200.0	H	66.0	-0.8
10685.000000	---	32.70	54.00	21.30	500.0	100.0	V	69.0	-0.7
13321.250000	---	34.98	54.00	19.02	500.0	100.0	H	26.0	3.3
13580.000000	46.68	---	68.20	21.52	500.0	100.0	V	220.0	3.7
15282.500000	48.02	---	68.20	20.18	500.0	100.0	H	0.0	5.9
15587.500000	---	37.66	54.00	16.34	500.0	100.0	H	143.0	6.7
17675.000000	51.72	---	68.20	16.48	500.0	100.0	V	200.0	10.2
17905.000000	---	40.34	54.00	13.66	500.0	100.0	V	54.0	10.2

802.11n (HT20) CH100



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1088.375000	---	27.65	54.00	26.35	500.0	200.0	V	153.0	-9.4
1287.000000	40.01	---	68.20	28.19	500.0	100.0	V	0.0	-8.1
1413.875000	---	29.20	54.00	24.80	500.0	100.0	V	69.0	-7.3
1707.000000	---	30.20	54.00	23.80	500.0	100.0	V	11.0	-5.9
1859.250000	42.55	---	68.20	25.65	500.0	100.0	V	188.0	-5.1
2572.375000	44.74	---	68.20	23.46	500.0	100.0	H	183.0	-2.2
2765.750000	---	33.70	54.00	20.30	500.0	200.0	V	270.0	-1.5
3482.375000	48.00	---	68.20	20.20	500.0	100.0	H	198.0	1.2
3987.250000	---	38.14	54.00	15.86	500.0	200.0	V	173.0	2.9
4447.500000	49.45	---	68.20	18.75	500.0	100.0	H	178.0	3.9
7533.625000	---	40.72	54.00	13.28	500.0	100.0	V	30.0	7.4
7874.875000	52.46	---	68.20	15.74	500.0	200.0	V	143.0	8.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8238.750000	---	30.13	54.00	23.87	500.0	200.0	V	67.0	-1.7
9000.000000	43.68	---	68.20	24.52	500.0	200.0	V	154.0	-1.4
9457.500000	---	32.76	54.00	21.24	500.0	200.0	H	168.0	-0.3
10127.500000	43.78	---	68.20	24.42	500.0	100.0	V	267.0	-0.8
10535.000000	43.74	---	68.20	24.46	500.0	200.0	H	325.0	-0.9
10685.000000	---	32.75	54.00	21.25	500.0	200.0	H	0.0	-0.7
13300.000000	---	34.91	54.00	19.09	500.0	100.0	H	0.0	3.3
13498.750000	46.51	---	68.20	21.69	500.0	100.0	V	97.0	3.5
15298.750000	48.56	---	68.20	19.64	500.0	100.0	H	177.0	5.9
15556.250000	---	37.61	54.00	16.39	500.0	100.0	V	355.0	6.6
17672.500000	51.16	---	68.20	17.04	500.0	100.0	V	0.0	10.2
17758.750000	---	39.91	54.00	14.09	500.0	100.0	H	98.0	10.3

802.11n (HT20) CH116



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1120.750000	---	28.08	54.00	25.92	500.0	100.0	V	154.0	-9.2
1291.375000	40.15	---	68.20	28.05	500.0	200.0	H	167.0	-8.1
1397.250000	---	29.27	54.00	24.73	500.0	200.0	V	253.0	-7.5
1683.375000	---	30.32	54.00	23.68	500.0	100.0	H	283.0	-6.0
1960.750000	42.75	---	68.20	25.45	500.0	200.0	V	286.0	-4.6
2449.000000	44.57	---	68.20	23.63	500.0	100.0	V	47.0	-2.6
2768.375000	---	33.59	54.00	20.41	500.0	100.0	V	290.0	-1.5
3513.875000	48.20	---	68.20	20.00	500.0	100.0	H	164.0	1.3
3991.625000	---	38.16	54.00	15.84	500.0	100.0	V	129.0	2.9
4464.125000	49.33	---	68.20	18.87	500.0	100.0	V	109.0	4.1
6603.500000	52.44	---	68.20	15.76	500.0	100.0	V	179.0	6.5
7488.125000	---	40.83	54.00	13.17	500.0	200.0	H	117.0	7.2



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8235.000000	---	30.25	54.00	23.75	500.0	100.0	H	164.0	-1.7
8522.500000	43.33	---	68.20	24.87	500.0	100.0	V	158.0	-1.6
9457.500000	---	32.75	54.00	21.25	500.0	100.0	H	257.0	-0.3
9711.250000	43.93	---	68.20	24.27	500.0	100.0	H	21.0	-0.7
10522.500000	43.48	---	68.20	24.72	500.0	200.0	V	188.0	-0.9
10686.250000	---	32.89	54.00	21.11	500.0	200.0	V	75.0	-0.7
13318.750000	---	34.67	54.00	19.33	500.0	100.0	H	138.0	3.3
13627.500000	46.44	---	68.20	21.76	500.0	200.0	H	294.0	3.7
15258.750000	48.72	---	68.20	19.48	500.0	200.0	H	183.0	5.8
15577.500000	---	37.69	54.00	16.31	500.0	200.0	H	248.0	6.6
17677.500000	52.02	---	68.20	16.18	500.0	100.0	H	205.0	10.2
17911.250000	---	39.86	54.00	14.14	500.0	200.0	V	284.0	10.2