



802.11ax HE20 CH60



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	40.04	---	68.20	28.16	500.0	200.0	H	0.0	-8.1
1395.500000	---	29.19	54.00	24.81	500.0	100.0	V	238.0	-7.5
1607.250000	---	30.25	54.00	23.75	500.0	100.0	V	317.0	-6.3
1907.375000	42.35	---	68.20	25.85	500.0	100.0	V	90.0	-4.9
2261.750000	---	32.05	54.00	21.95	500.0	200.0	H	325.0	-3.3
2608.250000	44.42	---	68.20	23.78	500.0	100.0	V	106.0	-2.1
2778.875000	---	33.82	54.00	20.18	500.0	200.0	H	22.0	-1.5
3450.000000	48.45	---	68.20	19.75	500.0	200.0	V	80.0	1.1
3988.125000	---	38.04	54.00	15.96	500.0	200.0	H	199.0	2.9
4444.000000	47.94	---	68.20	20.26	500.0	200.0	H	352.0	3.9
7066.375000	55.86	---	68.20	12.34	500.0	200.0	H	332.0	6.6
7529.250000	---	41.02	54.00	12.98	500.0	100.0	H	54.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8045.000000	---	32.14	54.00	21.86	500.0	200.0	V	85.0	-1.5
8932.500000	43.45	---	68.20	24.75	500.0	200.0	V	98.0	-1.4
9473.750000	---	32.93	54.00	21.07	500.0	200.0	V	91.0	-0.2
10207.500000	44.97	---	68.20	23.23	500.0	200.0	V	11.0	-0.9
10562.500000	43.89	---	68.20	24.31	500.0	200.0	H	339.0	-0.8
10656.250000	---	33.15	54.00	20.85	500.0	200.0	V	26.0	-0.7
13321.250000	---	35.19	54.00	18.81	500.0	100.0	H	177.0	3.3
13552.500000	46.88	---	68.20	21.32	500.0	100.0	V	336.0	3.6
15298.750000	48.45	---	68.20	19.75	500.0	100.0	H	252.0	5.9
15540.000000	---	38.08	54.00	15.92	500.0	100.0	V	48.0	6.5
17670.000000	51.73	---	68.20	16.47	500.0	200.0	V	91.0	10.2
17753.750000	---	40.26	54.00	13.74	500.0	100.0	H	269.0	10.3

802.11ax HE20 CH64



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	40.88	---	68.20	27.32	500.0	100.0	H	0.0	-8.1
1371.875000	---	29.20	54.00	24.80	500.0	100.0	V	273.0	-7.6
1692.125000	---	30.15	54.00	23.85	500.0	100.0	V	317.0	-5.9
1938.000000	43.72	---	68.20	24.48	500.0	100.0	V	268.0	-4.7
2275.750000	---	31.83	54.00	22.17	500.0	200.0	H	219.0	-3.3
2425.375000	44.87	---	68.20	23.33	500.0	100.0	V	317.0	-2.8
2747.375000	---	33.63	54.00	20.37	500.0	200.0	H	124.0	-1.6
3479.750000	48.40	---	68.20	19.80	500.0	200.0	V	282.0	1.2
3991.625000	---	38.20	54.00	15.80	500.0	200.0	H	298.0	2.9
4467.625000	49.50	---	68.20	18.70	500.0	200.0	V	36.0	4.1
7093.500000	54.58	---	68.20	13.62	500.0	100.0	V	23.0	6.7
7538.875000	---	41.02	54.00	12.98	500.0	200.0	V	127.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8042.500000	---	31.90	54.00	22.10	500.0	200.0	H	254.0	-1.5
8991.250000	43.65	---	68.20	24.55	500.0	100.0	H	15.0	-1.4
9471.250000	---	33.27	54.00	20.73	500.0	100.0	H	286.0	-0.2
10143.750000	45.04	---	68.20	23.16	500.0	200.0	H	100.0	-0.8
10535.000000	44.40	---	68.20	23.80	500.0	200.0	V	0.0	-0.9
10700.000000	---	32.97	54.00	21.03	500.0	100.0	H	10.0	-0.8
13318.750000	---	34.95	54.00	19.05	500.0	200.0	H	208.0	3.3
13536.250000	46.35	---	68.20	21.85	500.0	200.0	H	95.0	3.6
15230.000000	48.46	---	68.20	19.74	500.0	200.0	V	249.0	5.8
15562.500000	---	38.04	54.00	15.96	500.0	100.0	H	156.0	6.6
17670.000000	51.19	---	68.20	17.01	500.0	200.0	V	0.0	10.2
17886.250000	---	40.24	54.00	13.76	500.0	100.0	H	102.0	10.2

802.11ax HE20 CH100



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	44.78	---	68.20	23.42	500.0	200.0	V	232.0	3.2
1362.250000	---	34.12	54.00	19.88	500.0	100.0	V	87.0	3.5
1701.750000	---	34.92	54.00	19.08	500.0	100.0	V	105.0	5.3
1972.125000	46.96	---	68.20	21.25	500.0	100.0	H	212.0	6.3
2646.750000	49.91	---	68.20	18.29	500.0	200.0	H	78.0	8.6
2799.875000	---	37.97	54.00	16.03	500.0	200.0	H	0.0	9.1
3521.750000	52.57	---	68.20	15.63	500.0	100.0	H	198.0	11.5
3986.375000	---	41.28	54.00	12.72	500.0	200.0	H	229.0	12.5
5040.750000	---	41.34	54.00	12.66	500.0	200.0	H	83.0	13.3
5214.000000	52.11	---	68.20	16.09	500.0	200.0	V	246.0	14.1
7536.250000	---	44.73	54.00	9.27	500.0	200.0	V	256.0	17.8
7959.750000	57.16	---	68.20	11.04	500.0	200.0	V	354.0	19.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	44.25	---	68.20	23.95	500.0	100.0	H	197.0	-1.3
9152.500000	---	32.25	54.00	21.75	500.0	100.0	H	137.0	-1.1
9631.250000	45.64	---	68.20	22.56	500.0	100.0	V	166.0	-0.6
10532.500000	43.67	---	68.20	24.53	500.0	100.0	H	137.0	-1.0
10808.750000	---	32.28	54.00	21.72	500.0	200.0	V	291.0	-0.9
12485.000000	---	32.72	54.00	21.28	500.0	100.0	V	214.0	0.3
13397.500000	---	34.26	54.00	19.74	500.0	200.0	V	306.0	2.4
13581.250000	46.52	---	68.20	21.68	500.0	100.0	H	337.0	2.9
14897.500000	48.58	---	68.20	19.62	500.0	200.0	H	221.0	5.0
15596.250000	---	37.97	54.00	16.03	500.0	100.0	H	267.0	6.5
17557.500000	51.87	---	68.20	16.33	500.0	200.0	V	230.0	10.0
17981.250000	---	40.80	54.00	13.20	500.0	100.0	H	283.0	10.9

802.11ax HE20 CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1137.375000	---	27.97	54.00	26.03	500.0	200.0	V	199.0	-9.0
1270.375000	40.23	---	68.20	27.97	500.0	100.0	V	250.0	-8.2
1382.375000	---	29.30	54.00	24.70	500.0	100.0	V	64.0	-7.5
1609.875000	---	30.53	54.00	23.47	500.0	200.0	V	126.0	-6.3
1880.250000	43.01	---	68.20	25.19	500.0	200.0	H	134.0	-5.0
2639.750000	44.44	---	68.20	23.76	500.0	100.0	H	29.0	-2.0
2787.625000	---	33.66	54.00	20.34	500.0	100.0	V	44.0	-1.5
3219.000000	46.03	---	68.20	22.17	500.0	200.0	V	204.0	0.1
3590.875000	47.77	---	68.20	20.43	500.0	100.0	V	38.0	1.6
4033.625000	---	36.83	54.00	17.17	500.0	100.0	V	152.0	2.8
6597.375000	52.84	---	68.20	15.36	500.0	200.0	H	30.0	6.5
7553.750000	---	40.87	54.00	13.13	500.0	200.0	V	204.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8056.250000	---	32.22	54.00	21.78	500.0	200.0	V	5.0	-1.5
8927.500000	44.22	---	68.20	23.98	500.0	100.0	V	93.0	-1.4
9468.750000	---	33.14	54.00	20.86	500.0	200.0	H	49.0	-0.3
10140.000000	44.45	---	68.20	23.75	500.0	100.0	V	62.0	-0.8
10550.000000	44.24	---	68.20	23.96	500.0	100.0	H	354.0	-0.8
10670.000000	---	33.13	54.00	20.87	500.0	100.0	H	271.0	-0.7
13320.000000	---	35.21	54.00	18.79	500.0	200.0	V	169.0	3.3
13552.500000	46.84	---	68.20	21.36	500.0	200.0	V	219.0	3.6
15258.750000	48.73	---	68.20	19.47	500.0	200.0	H	237.0	5.8
15563.750000	---	38.29	54.00	15.71	500.0	100.0	V	67.0	6.6
17676.250000	51.79	---	68.20	16.41	500.0	200.0	H	111.0	10.2
17885.000000	---	40.30	54.00	13.70	500.0	100.0	V	136.0	10.2

802.11ax HE20 CH144



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1169.750000	---	32.63	54.00	21.37	500.0	200.0	V	325.0	2.1
1286.125000	44.98	---	68.20	23.22	500.0	100.0	V	249.0	3.1
1672.000000	---	35.19	54.00	18.81	500.0	100.0	H	186.0	5.2
1948.500000	48.21	---	68.20	19.99	500.0	100.0	H	94.0	6.3
2299.375000	---	36.73	54.00	17.27	500.0	200.0	V	165.0	7.9
2637.125000	49.00	---	68.20	19.20	500.0	200.0	V	136.0	8.6
3418.500000	52.94	---	68.20	15.26	500.0	200.0	H	121.0	11.3
3987.250000	---	41.39	54.00	12.61	500.0	200.0	V	291.0	12.5
5085.375000	---	42.68	54.00	11.32	500.0	100.0	H	219.0	13.7
5240.250000	53.18	---	68.20	15.02	500.0	100.0	H	140.0	14.1
6699.750000	53.60	---	68.20	14.60	500.0	100.0	V	44.0	16.0
7311.375000	---	44.89	54.00	9.11	500.0	200.0	V	188.0	17.7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8867.500000	44.70	---	68.20	23.50	500.0	100.0	H	235.0	-1.4
9468.750000	---	33.92	54.00	20.08	500.0	200.0	H	106.0	-0.1
9772.500000	45.27	---	68.20	22.93	500.0	100.0	H	333.0	-0.5
10488.750000	43.81	---	68.20	24.39	500.0	100.0	H	240.0	-1.0
10670.000000	---	33.77	54.00	20.23	500.0	100.0	H	348.0	-0.8
12555.000000	---	32.50	54.00	21.50	500.0	200.0	H	148.0	0.2
13357.500000	---	34.03	54.00	19.97	500.0	100.0	V	26.0	2.4
13722.500000	46.49	---	68.20	21.71	500.0	200.0	V	207.0	3.3
15018.750000	48.65	---	68.20	19.55	500.0	100.0	H	245.0	5.2
15592.500000	---	38.02	54.00	15.98	500.0	100.0	V	0.0	6.5
17553.750000	52.38	---	68.20	15.82	500.0	200.0	H	222.0	10.0
17985.000000	---	41.00	54.00	13.00	500.0	200.0	H	316.0	11.0

802.11ax HE20 CH149



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.625000	40.15	---	68.20	28.05	500.0	100.0	H	315.0	-8.3
1410.375000	---	29.27	54.00	24.73	500.0	100.0	V	19.0	-7.4
1690.375000	---	30.27	54.00	23.73	500.0	100.0	V	96.0	-5.9
1988.750000	43.98	---	68.20	24.22	500.0	200.0	V	222.0	-4.5
2641.500000	44.38	---	68.20	23.82	500.0	200.0	H	269.0	-2.0
2812.125000	---	33.62	54.00	20.38	500.0	200.0	V	166.0	-1.3
3550.625000	48.72	---	68.20	19.48	500.0	200.0	V	74.0	1.4
3897.125000	---	38.05	54.00	15.95	500.0	200.0	H	36.0	2.4
4451.000000	48.65	---	68.20	19.55	500.0	200.0	V	227.0	3.9
4521.875000	---	38.50	54.00	15.50	500.0	100.0	V	43.0	4.3
6698.875000	52.61	---	68.20	15.59	500.0	200.0	V	286.0	6.5
7536.250000	---	40.90	54.00	13.10	500.0	200.0	V	358.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8895.000000	43.90	---	68.20	24.30	500.0	200.0	V	244.0	-1.4
9151.250000	---	39.13	54.00	14.87	500.0	100.0	V	90.0	-1.1
9462.500000	---	33.08	54.00	20.92	500.0	200.0	V	112.0	-0.3
10112.500000	44.59	---	68.20	23.61	500.0	100.0	H	241.0	-0.8
10523.750000	43.96	---	68.20	24.24	500.0	100.0	V	184.0	-0.9
10657.500000	---	32.99	54.00	21.01	500.0	100.0	H	277.0	-0.7
13317.500000	---	35.34	54.00	18.66	500.0	100.0	V	358.0	3.3
13555.000000	46.76	---	68.20	21.44	500.0	200.0	H	351.0	3.7
15290.000000	48.70	---	68.20	19.50	500.0	100.0	H	195.0	5.9
15562.500000	---	37.94	54.00	16.06	500.0	100.0	V	169.0	6.6
17380.000000	51.73	---	68.20	16.47	500.0	200.0	V	207.0	9.5
17906.250000	---	40.25	54.00	13.75	500.0	200.0	H	216.0	10.2

802.11ax HE20 CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.875000	39.76	---	68.20	28.44	500.0	200.0	V	263.0	-8.3
1379.750000	---	28.93	54.00	25.07	500.0	100.0	H	150.0	-7.5
1681.625000	---	29.93	54.00	24.07	500.0	200.0	H	320.0	-6.0
1896.000000	42.53	---	68.20	25.67	500.0	200.0	H	213.0	-5.0
2576.750000	44.86	---	68.20	23.34	500.0	100.0	H	71.0	-2.2
2779.750000	---	33.59	54.00	20.41	500.0	100.0	V	307.0	-1.5
3368.625000	49.48	---	68.20	18.72	500.0	200.0	V	154.0	0.8
3986.375000	---	38.19	54.00	15.81	500.0	200.0	V	252.0	2.9
4437.000000	50.16	---	68.20	18.04	500.0	200.0	H	330.0	3.9
4512.250000	---	38.34	54.00	15.66	500.0	200.0	V	26.0	4.3
6595.625000	52.77	---	68.20	15.43	500.0	200.0	V	61.0	6.5
7549.375000	---	40.95	54.00	13.05	500.0	100.0	H	8.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8036.250000	---	32.40	54.00	21.60	500.0	100.0	V	123.0	-1.5
8990.000000	44.08	---	68.20	24.12	500.0	200.0	H	347.0	-1.4
9255.000000	45.81	---	68.20	22.39	500.0	100.0	V	89.0	-0.9
9463.750000	---	33.43	54.00	20.57	500.0	200.0	V	263.0	-0.3
10527.500000	43.88	---	68.20	24.32	500.0	100.0	V	113.0	-0.9
11570.000000	---	34.78	54.00	19.22	500.0	100.0	V	48.0	-0.1
13336.250000	---	34.86	54.00	19.14	500.0	200.0	H	170.0	3.3
13503.750000	46.79	---	68.20	21.41	500.0	200.0	V	113.0	3.5
15300.000000	48.47	---	68.20	19.73	500.0	100.0	V	348.0	5.9
15561.250000	---	38.18	54.00	15.83	500.0	200.0	V	137.0	6.6
17370.000000	51.05	---	68.20	17.15	500.0	100.0	V	338.0	9.5
17906.250000	---	40.16	54.00	13.84	500.0	100.0	H	48.0	10.2

802.11ax HE20 CH165



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	39.68	---	68.20	28.52	500.0	100.0	H	58.0	-8.1
1399.000000	---	29.37	54.00	24.63	500.0	100.0	H	230.0	-7.5
1682.500000	---	30.45	54.00	23.55	500.0	100.0	V	276.0	-6.0
1945.000000	43.07	---	68.20	25.13	500.0	200.0	H	10.0	-4.7
2675.625000	44.64	---	68.20	23.56	500.0	200.0	V	262.0	-1.9
2789.375000	---	33.89	54.00	20.11	500.0	200.0	H	109.0	-1.4
3085.125000	46.57	---	68.20	21.63	500.0	100.0	H	33.0	-0.2
3480.625000	49.17	---	68.20	19.03	500.0	200.0	V	26.0	1.2
3994.250000	---	38.21	54.00	15.79	500.0	100.0	V	322.0	2.9
5120.375000	---	38.71	54.00	15.29	500.0	200.0	V	174.0	5.1
7209.000000	52.53	---	68.20	15.67	500.0	200.0	V	201.0	6.8
7535.375000	---	41.08	54.00	12.92	500.0	100.0	V	95.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8028.750000	---	31.87	54.00	22.13	500.0	100.0	H	282.0	-1.5
8528.750000	44.14	---	68.20	24.06	500.0	100.0	H	125.0	-1.6
9463.750000	---	33.07	54.00	20.93	500.0	100.0	V	226.0	-0.3
9735.000000	44.84	---	68.20	23.36	500.0	100.0	H	180.0	-0.7
10557.500000	43.93	---	68.20	24.27	500.0	200.0	H	243.0	-0.8
11651.250000	---	36.12	54.00	17.88	500.0	100.0	V	81.0	0.0
13311.250000	---	35.14	54.00	18.86	500.0	200.0	H	291.0	3.3
13505.000000	46.85	---	68.20	21.35	500.0	200.0	V	33.0	3.5
15297.500000	49.22	---	68.20	18.98	500.0	200.0	H	0.0	5.9
15566.250000	---	38.09	54.00	15.91	500.0	100.0	V	309.0	6.6
17687.500000	51.76	---	68.20	16.44	500.0	200.0	H	281.0	10.2
17908.750000	---	40.15	54.00	13.85	500.0	100.0	H	140.0	10.2

802.11ax HE40 CH38



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1169.750000	---	32.81	54.00	21.19	500.0	200.0	H	103.0	2.1
1286.125000	44.48	---	68.20	23.72	500.0	200.0	H	356.0	3.1
1674.625000	---	35.08	54.00	18.92	500.0	100.0	H	226.0	5.2
1979.125000	48.00	---	68.20	20.21	500.0	100.0	H	70.0	6.4
2225.000000	---	36.44	54.00	17.56	500.0	200.0	H	352.0	7.6
2626.625000	49.23	---	68.20	18.97	500.0	100.0	H	46.0	8.6
2817.375000	---	37.85	54.00	16.15	500.0	100.0	V	90.0	9.1
3513.000000	50.83	---	68.20	17.37	500.0	200.0	H	341.0	11.6
4689.000000	---	41.38	54.00	12.62	500.0	100.0	H	202.0	13.2
5760.000000	56.87	---	68.20	11.33	500.0	100.0	H	266.0	14.6
6920.250000	59.25	---	68.20	8.95	500.0	100.0	H	341.0	16.8
7259.750000	---	44.71	54.00	9.29	500.0	100.0	V	295.0	17.6



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8993.750000	43.47	---	68.20	24.73	500.0	100.0	H	117.0	-1.3
9148.750000	---	32.05	54.00	21.95	500.0	100.0	H	112.0	-1.1
9503.750000	45.30	---	68.20	22.90	500.0	100.0	V	312.0	0.0
10567.500000	44.14	---	68.20	24.06	500.0	100.0	H	55.0	-0.9
10675.000000	---	33.25	54.00	20.75	500.0	100.0	V	342.0	-0.8
12416.250000	---	32.14	54.00	21.86	500.0	200.0	H	0.0	0.4
13356.250000	---	34.32	54.00	19.68	500.0	200.0	H	169.0	2.4
13727.500000	46.15	---	68.20	22.05	500.0	100.0	H	117.0	3.3
15286.250000	48.31	---	68.20	19.89	500.0	100.0	H	11.0	5.6
15586.250000	---	37.83	54.00	16.17	500.0	100.0	V	318.0	6.5
17365.000000	51.68	---	68.20	16.52	500.0	200.0	H	236.0	9.6
17978.750000	---	40.70	54.00	13.30	500.0	100.0	H	92.0	10.9