


Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	50.27	53.45	74.00	20.55	Pass	Horizontal
2	2413.3417	32.28	13.36	-42.43	93.66	96.87	74.00	-22.87	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	50.01	53.19	74.00	20.81	Pass	Vertical
2	2407.2966	32.27	13.33	-42.43	93.58	96.75	74.00	-22.75	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.79	42.97	54.00	11.03	Pass	Horizontal
2	2412.9099	32.28	13.36	-42.43	84.32	87.53	54.00	-33.53	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel	2412
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.51	42.69	54.00	11.31	Pass	Vertical
2	2410.6070	32.27	13.35	-42.43	83.70	86.89	54.00	-32.89	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.3967	32.35	13.47	-42.41	95.30	98.71	74.00	-24.71	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	50.09	53.45	74.00	20.55	Pass	Horizontal



Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.3967	32.35	13.47	-42.41	96.86	100.27	74.00	-26.27	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	49.27	52.63	74.00	21.37	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.1790	32.35	13.47	-42.41	86.40	89.81	54.00	-35.81	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.68	44.04	54.00	9.96	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	AV		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.1064	32.35	13.47	-42.41	87.42	90.83	54.00	-36.83	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	40.73	44.09	54.00	9.91	Pass	Vertical



Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	51.24	54.42	74.00	19.58	Pass	Horizontal
2	2416.7960	32.28	13.38	-42.43	91.98	95.21	74.00	-21.21	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	51.60	54.78	74.00	19.22	Pass	Vertical
2	2410.4631	32.27	13.35	-42.43	91.23	94.42	74.00	-20.42	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.29	42.47	54.00	11.53	Pass	Horizontal
2	2413.1977	32.28	13.36	-42.43	82.31	85.52	54.00	-31.52	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.04	42.22	54.00	11.78	Pass	Vertical
2	2412.9099	32.28	13.36	-42.43	81.44	84.65	54.00	-30.65	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Chan	2462
Remark:	PK		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2464.4130	32.35	13.46	-42.40	92.73	96.14	74.00	-22.14	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	51.53	54.89	74.00	19.11	Pass	Horizontal



Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2466.6633	32.35	13.45	-42.40	93.94	97.34	74.00	-23.34	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	53.07	56.43	74.00	17.57	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.6871	32.35	13.47	-42.41	83.35	86.76	54.00	-32.76	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.74	44.10	54.00	9.90	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2463.3242	32.35	13.47	-42.41	84.44	87.85	54.00	-33.85	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	40.78	44.14	54.00	9.86	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	60.01	63.19	74.00	10.81	Pass	Horizontal
2	2430.5507	32.30	13.44	-42.42	89.15	92.47	74.00	-18.47	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	60.16	63.34	74.00	10.66	Pass	Vertical
2	2431.7772	32.30	13.45	-42.42	87.72	91.05	74.00	-17.05	Pass	Vertical



Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	43.67	46.85	54.00	7.15	Pass	Horizontal
2	2430.2003	32.30	13.44	-42.42	78.74	82.06	54.00	-28.06	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	43.33	46.51	54.00	7.49	Pass	Vertical
2	2426.1702	32.30	13.42	-42.43	76.93	80.22	54.00	-26.22	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2453.9362	32.34	13.51	-42.41	90.97	94.41	74.00	-20.41	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	61.50	64.86	74.00	9.14	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2453.9362	32.34	13.51	-42.41	90.87	94.31	74.00	-20.31	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	61.17	64.53	74.00	9.47	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2455.0000	32.34	13.51	-42.42	80.73	84.16	54.00	-30.16	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	39.91	43.27	54.00	10.73	Pass	Horizontal



Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2456.2766	32.34	13.50	-42.41	80.64	84.07	54.00	-30.07	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	39.87	43.23	54.00	10.77	Pass	Vertical

**MIMO**


Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	52.28	55.46	74.00	18.54	Pass	Horizontal
2	2409.4556	32.27	13.34	-42.42	91.54	94.73	74.00	-20.73	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel	2412
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	52.29	55.47	74.00	18.53	Pass	Vertical
2	2414.3492	32.28	13.37	-42.43	92.16	95.38	74.00	-21.38	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.51	42.69	54.00	11.31	Pass	Horizontal
2	2413.9174	32.28	13.36	-42.42	81.57	84.79	54.00	-30.79	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		

**Test Graph**




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.72	42.90	54.00	11.10	Pass	Vertical
2	2414.2053	32.28	13.37	-42.43	82.21	85.43	54.00	-31.43	Pass	Vertical



Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2462.3805	32.35	13.47	-42.41	93.13	96.54	74.00	-22.54	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	50.81	54.17	74.00	19.83	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2461.5820	32.35	13.48	-42.41	96.34	99.76	74.00	-25.76	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	51.92	55.28	74.00	18.72	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		

**Test Graph**



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity
1	2460.4931	32.34	13.48	-42.40	83.02	86.44	54.00	-32.44	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.72	44.08	54.00	9.92	Pass	Horizontal