




Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM




Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM




7.4 LTE BAND 7


Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK




Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 25,RB POS. Low,16QAM




Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK




Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,16QAM




Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,16QAM




Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK




Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK




Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM




Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM




Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK




Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK




Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM




Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM



Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK




Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK







Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM




Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM




Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK




Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



8. Radiated Spurious Emission

8.1. RADIATED POWER (ERP & EIRP)

RULE PART(S)

FCC: §2.1046, §22.913, §24.232 and §27.50

LIMITS:

22.913(a) - The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts.

27.50 (c) (10) the following power and antenna height requirements apply to stations transmitting in the 698–746 MHz band, the portable stations (hand-held devices) are limited to 3 watts ERP.

27.50 (b)(10) Portable stations (hand-held devices) transmitting in the 746–757 MHz, 758–763 MHz, 776–793 MHz, and 805–806 MHz bands are limited to 3 watts ERP.

27.50 (d)(4) The following power and antenna height requirements apply to stations transmitting in the 1710–1755 MHz and 2110–2155 MHz bands: Fixed, mobile, and portable (hand-held) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP.

TEST PROCEDURE

ANSI / TIA / EIA 603C Clause 2.2.17

KDB 971168 v02r01 RF power output using broadband peak and average power meter method.

KDB 971168 D01 Power Meas License Digital Systems v02r01, “Measurement Guidance for Certification of Licensed Digital Transmitters”

MODES TESTED

- ☐ LTE Band 2
- LTE Band 4
- LTE Band 5
- ☐ LTE Band7

RESULTS

8.2 LTE BAND 2

Radiated Power (EIRP) for Band 2									
Mode	RB/ RB SIZE	Frequency	Result						Conclusio n
			SG Level (dBm)	Cable Loss (dBm)	Antenn a Gain (dB)	Max. EIRP Avera ge (dBm)	Max. EIRP	Polarizati on Of Max. ERP	
							Average (mW)		
1.4MHz Band QPSK	6/0	1850.7	-2.14	3.76	28.24	22.34	171.293	Horizontal	Pass
		1880	-2.62	3.91	28.22	21.69	147.432	Horizontal	Pass
		1909.3	-2.66	3.93	28.2	21.61	144.737	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	1850.7	-2.35	3.76	28.24	22.13	163.220	Horizontal	Pass
		1880	-1.99	3.91	28.22	22.32	170.613	Horizontal	Pass
		1909.3	-2.74	3.93	28.2	21.53	142.353	Horizontal	Pass
3.0MHz Band QPSK	15/0	1851.5	-2.47	3.77	28.23	21.99	157.958	Horizontal	Pass
		1880	-2.14	3.91	28.24	22.19	165.609	Horizontal	Pass
		1908.5	-2.37	3.94	28.25	21.94	156.469	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	1851.5	-1.91	3.77	28.23	22.55	179.724	Horizontal	Pass
		1880	-1.85	3.91	28.24	22.48	177.089	Horizontal	Pass
		1908.5	-2.37	3.94	28.25	21.94	156.376	Horizontal	Pass
5.0MHz Band QPSK	25/0	1852.5	-2.41	3.77	28.31	22.13	163.351	Horizontal	Pass
		1880	-2.21	3.91	28.22	22.10	162.211	Horizontal	Pass
		1907.5	-1.96	3.94	28.2	22.30	169.635	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	1852.5	-2.31	3.77	28.31	22.23	167.095	Horizontal	Pass
		1880	-2.16	3.91	28.22	22.15	164.142	Horizontal	Pass
		1907.5	-2.64	3.94	28.2	21.62	145.145	Horizontal	Pass
10.0MH z Band QPSK	50/0	1855	-2.58	3.79	28.33	21.96	156.947	Horizontal	Pass
		1880	-2.42	3.95	28.22	21.85	153.279	Horizontal	Pass
		1905	-1.93	3.97	28.19	22.29	169.628	Horizontal	Pass
10.0MH z Band 16 QAM	50/0	1855	-2.19	3.79	28.33	22.35	171.606	Horizontal	Pass
		1880	-2.08	3.95	28.22	22.19	165.462	Horizontal	Pass
		1905	-2.69	3.97	28.19	21.53	142.339	Horizontal	Pass
15.0MH z Band QPSK	75/0	1857.5	-2.47	3.79	28.34	22.08	161.498	Horizontal	Pass
		1880	-2.10	3.95	28.22	22.17	164.875	Horizontal	Pass
		1902.5	-2.50	3.97	28.18	21.71	148.410	Horizontal	Pass
15.0MH z Band 16 QAM	75/0	1857.5	-2.06	3.79	28.34	22.49	177.386	Horizontal	Pass
		1880	-2.24	3.95	28.22	22.03	159.590	Horizontal	Pass
		1902.5	-2.48	3.97	28.18	21.73	149.029	Horizontal	Pass

20.0MHz z Band QPSK	100/ 0	1860	-2.49	3.81	28.35	22.05	160.152	Horizontal	Pass
		1880	-2.71	3.96	28.22	21.55	143.028	Horizontal	Pass
		1900	-2.03	4	28.16	22.13	163.448	Horizontal	Pass
20.0MHz z Band 16 QAM	100/ 0	1860	-1.99	3.81	28.35	22.55	179.825	Horizontal	Pass
		1880	-2.06	3.96	28.22	22.20	165.861	Horizontal	Pass
		1900	-2.40	4	28.16	21.76	149.825	Horizontal	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 2									
Mode	RB/ RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Anten na Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Averag e (mW)	Polarizati on Of Max. ERP	
1.4MHz Band QPSK	6/0	1850.7	-2.43	3.76	28.24	22.05	160.341	Vertical	Pass
		1880	-1.99	3.91	28.22	22.32	170.645	Vertical	Pass
		1909.3	-1.97	3.93	28.2	22.30	169.634	Vertical	Pass
1.4MHz Band 16 QAM	6/0	1850.7	-2.09	3.76	28.24	22.39	173.219	Vertical	Pass
		1880	-2.71	3.91	28.22	21.60	144.564	Vertical	Pass
		1909.3	-1.99	3.93	28.2	22.28	168.862	Vertical	Pass
3.0MHz Band QPSK	15/0	1851.5	-2.67	3.77	28.23	21.79	151.154	Vertical	Pass
		1880	-2.41	3.91	28.24	21.92	155.585	Vertical	Pass
		1908.5	-2.12	3.94	28.25	22.19	165.404	Vertical	Pass
3.0MHz Band 16 QAM	15/0	1851.5	-2.01	3.77	28.23	22.45	175.606	Vertical	Pass
		1880	-2.38	3.91	28.24	21.95	156.584	Vertical	Pass
		1908.5	-2.05	3.94	28.25	22.26	168.203	Vertical	Pass
5.0MHz Band QPSK	25/0	1852.5	-2.31	3.77	28.31	22.23	167.193	Vertical	Pass
		1880	-2.09	3.91	28.22	22.22	166.696	Vertical	Pass
		1907.5	-2.33	3.94	28.2	21.93	155.982	Vertical	Pass
5.0MHz Band 16 QAM	25/0	1852.5	-2.62	3.77	28.31	21.92	155.514	Vertical	Pass
		1880	-1.93	3.91	28.22	22.38	172.795	Vertical	Pass
		1907.5	-2.57	3.94	28.2	21.69	147.572	Vertical	Pass
10.0MH z Band QPSK	50/0	1855	-2.49	3.79	28.33	22.05	160.405	Vertical	Pass
		1880	-1.99	3.95	28.22	22.28	168.981	Vertical	Pass
		1905	-1.93	3.97	28.19	22.29	169.294	Vertical	Pass
10.0MH z Band 16 QAM	50/0	1855	-2.15	3.79	28.33	22.39	173.482	Vertical	Pass
		1880	-2.36	3.95	28.22	21.91	155.283	Vertical	Pass
		1905	-2.35	3.97	28.19	21.87	153.961	Vertical	Pass
15.0MH z Band QPSK	75/0	1857.5	-2.51	3.79	28.34	22.04	159.827	Vertical	Pass
		1880	-2.62	3.95	28.22	21.65	146.058	Vertical	Pass
		1902.5	-1.93	3.97	28.18	22.28	169.173	Vertical	Pass
15.0MH z Band 16 QAM	75/0	1857.5	-2.33	3.79	28.34	22.22	166.753	Vertical	Pass
		1880	-2.69	3.95	28.22	21.58	143.947	Vertical	Pass
		1902.5	-2.23	3.97	28.18	21.98	157.676	Vertical	Pass
20.0MH z Band	100/ 0	1860	-1.87	3.81	28.35	22.67	185.131	Vertical	Pass
		1880	-2.54	3.96	28.22	21.72	148.458	Vertical	Pass

QPSK		1900	-2.27	4	28.16	21.89	154.405	Vertical	Pass
20.0MHz Band 16 QAM	100/0	1860	-2.57	3.81	28.35	21.97	157.502	Vertical	Pass
		1880	-2.40	3.96	28.22	21.86	153.316	Vertical	Pass
		1900	-2.65	4	28.16	21.51	141.626	Vertical	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

8.3 LTE BAND 4

Radiated Power (EIRP) for Band 4									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1710.7	-2.17	3.12	27.58	22.29	169.326	Horizontal	Pass
		1732.5	-2.70	3.27	27.61	21.64	146.044	Horizontal	Pass
		1754.3	-2.54	3.29	27.63	21.80	151.287	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	1710.7	-2.58	3.12	27.58	21.88	154.025	Horizontal	Pass
		1732.5	-2.73	3.27	27.61	21.61	144.763	Horizontal	Pass
		1754.3	-1.99	3.29	27.63	22.35	171.755	Horizontal	Pass
3.0MHz Band QPSK	15/0	1711.5	-2.27	3.13	27.61	22.21	166.285	Horizontal	Pass
		1732.5	-2.48	3.27	27.61	21.86	153.385	Horizontal	Pass
		1753.5	-2.52	3.3	27.62	21.80	151.211	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	1711.5	-2.51	3.13	27.61	21.97	157.269	Horizontal	Pass
		1732.5	-1.84	3.27	27.61	22.50	177.646	Horizontal	Pass
		1753.5	-1.81	3.3	27.62	22.51	178.415	Horizontal	Pass
5.0MHz Band QPSK	25/0	1712.5	-1.85	3.13	27.63	22.65	184.054	Horizontal	Pass
		1732.5	-2.58	3.27	27.61	21.76	149.974	Horizontal	Pass
		1752.5	-2.47	3.3	27.6	21.83	152.524	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	1712.5	-2.36	3.13	27.63	22.14	163.864	Horizontal	Pass
		1732.5	-2.27	3.27	27.61	22.07	161.121	Horizontal	Pass
		1752.5	-2.35	3.3	27.6	21.95	156.508	Horizontal	Pass
10.0MHz Band QPSK	50/0	1715	-1.94	3.15	27.64	22.55	180.000	Horizontal	Pass
		1732.5	-2.64	3.31	27.61	21.66	146.507	Horizontal	Pass
		1750	-2.07	3.33	27.59	22.19	165.646	Horizontal	Pass
10.0MHz Band 16 QAM	50/0	1715	-2.36	3.15	27.64	22.13	163.180	Horizontal	Pass
		1732.5	-1.97	3.31	27.61	22.33	171.090	Horizontal	Pass
		1750	-1.83	3.33	27.59	22.43	174.847	Horizontal	Pass
15.0MHz Band QPSK	75/0	1717.5	-1.78	3.15	27.65	22.72	187.004	Horizontal	Pass
		1732.5	-2.20	3.31	27.61	22.10	162.070	Horizontal	Pass
		1747.5	-2.23	3.33	27.57	22.01	159.007	Horizontal	Pass
15.0MHz Band 16 QAM	75/0	1717.5	-1.94	3.15	27.65	22.56	180.284	Horizontal	Pass
		1732.5	-2.27	3.31	27.61	22.03	159.538	Horizontal	Pass
		1747.5	-2.53	3.33	27.57	21.71	148.281	Horizontal	Pass

20.0MH z Band QPSK	100/0	1720	-1.94	3.17	27.66	22.55	180.090	Horizontal	Pass
		1732.5	-2.56	3.32	27.61	21.73	149.090	Horizontal	Pass
		1745	-1.86	3.36	27.56	22.34	171.422	Horizontal	Pass
20.0MH z Band 16 QAM	100/0	1720	-2.41	3.17	27.66	22.08	161.270	Horizontal	Pass
		1732.5	-2.44	3.32	27.61	21.85	153.160	Horizontal	Pass
		1745	-2.28	3.36	27.56	21.92	155.724	Horizontal	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 4									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1710.7	-2.10	3.12	27.58	22.36	172.082	Vertical	Pass
		1732.5	-2.13	3.27	27.61	22.21	166.436	Vertical	Pass
		1754.3	-2.93	3.29	27.63	21.41	138.512	Vertical	Pass
1.4MHz Band 16 QAM	6/0	1710.7	-2.34	3.12	27.58	22.12	162.838	Vertical	Pass
		1732.5	-2.37	3.27	27.61	21.97	157.409	Vertical	Pass
		1754.3	-2.86	3.29	27.63	21.48	140.717	Vertical	Pass
3.0MHz Band QPSK	15/0	1711.5	-2.57	3.13	27.61	21.91	155.392	Vertical	Pass
		1732.5	-2.62	3.27	27.61	21.72	148.561	Vertical	Pass
		1753.5	-2.03	3.3	27.62	22.29	169.431	Vertical	Pass
3.0MHz Band 16 QAM	15/0	1711.5	-2.52	3.13	27.61	21.96	157.066	Vertical	Pass
		1732.5	-2.69	3.27	27.61	21.65	146.277	Vertical	Pass
		1753.5	-2.83	3.3	27.62	21.49	141.026	Vertical	Pass
5.0MHz Band QPSK	25/0	1712.5	-2.79	3.13	27.63	21.71	148.379	Vertical	Pass
		1732.5	-2.08	3.27	27.61	22.26	168.376	Vertical	Pass
		1752.5	-2.77	3.3	27.6	21.53	142.328	Vertical	Pass
5.0MHz Band 16 QAM	25/0	1712.5	-2.29	3.13	27.63	22.21	166.243	Vertical	Pass
		1732.5	-2.17	3.27	27.61	22.17	164.673	Vertical	Pass
		1752.5	-2.04	3.3	27.6	22.26	168.410	Vertical	Pass
10.0MHz Band QPSK	50/0	1715	-2.76	3.15	27.64	21.73	148.971	Vertical	Pass
		1732.5	-2.38	3.31	27.61	21.92	155.432	Vertical	Pass
		1750	-2.77	3.33	27.59	21.49	140.871	Vertical	Pass
10.0MHz Band 16 QAM	50/0	1715	-2.06	3.15	27.64	22.43	174.904	Vertical	Pass
		1732.5	-2.20	3.31	27.61	22.10	162.093	Vertical	Pass
		1750	-2.87	3.33	27.59	21.39	137.593	Vertical	Pass
15.0MHz Band QPSK	75/0	1717.5	-2.80	3.15	27.65	21.70	147.778	Vertical	Pass
		1732.5	-2.38	3.31	27.61	21.92	155.720	Vertical	Pass
		1747.5	-2.22	3.33	27.57	22.02	159.397	Vertical	Pass
15.0MHz Band 16 QAM	75/0	1717.5	-2.56	3.15	27.65	21.94	156.224	Vertical	Pass
		1732.5	-2.98	3.31	27.61	21.32	135.467	Vertical	Pass
		1747.5	-2.78	3.33	27.57	21.46	140.053	Vertical	Pass
20.0MHz	100/0	1720	-2.33	3.17	27.66	22.16	164.528	Vertical	Pass

z Band QPSK		1732.5	-2.22	3.32	27.61	22.07	160.945	Vertical	Pass
		1745	-2.63	3.36	27.56	21.57	143.468	Vertical	Pass
20.0MH	100/0	1720	-2.88	3.17	27.66	21.61	144.904	Vertical	Pass
z Band		1732.5	-2.66	3.32	27.61	21.63	145.553	Vertical	Pass
16 QAM		1745	-2.25	3.36	27.56	21.95	156.838	Vertical	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

8.4 LTE BAND 5

Radiated Power (ERP) for Band 5										
Mode	RB/ RB SIZE	Frequency	Result							Conclu sion
			SG Leve l (dB m)	Cabl e Loss (dB m)	Anten na Gain (dB)	Correcti on (dB)	Max. ERP Avera ge (dBm)	Max. ERP Averag e (mW)	Polarizati on Of Max. ERP	
1.4MHz Band QPSK	6/0	824.7	7.65	2.01	19.68	2.15	23.17	207.491	Horizontal	Pass
		836.5	7.65	2.01	19.77	2.15	23.26	211.783	Horizontal	Pass
		848.3	7.87	2.02	19.82	2.15	23.52	224.837	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	824.7	7.41	2.01	19.68	2.15	22.93	196.167	Horizontal	Pass
		836.5	7.86	2.01	19.77	2.15	23.47	222.450	Horizontal	Pass
		848.3	7.08	2.02	19.82	2.15	22.73	187.605	Horizontal	Pass
3.0MHz Band QPSK	15/0	825.5	7.94	2.01	19.7	2.15	23.48	223.076	Horizontal	Pass
		836.5	7.30	2.01	19.77	2.15	22.91	195.231	Horizontal	Pass
		847.5	7.36	2.02	19.81	2.15	23.00	199.356	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	825.5	7.40	2.01	19.7	2.15	22.94	196.775	Horizontal	Pass
		836.5	7.88	2.01	19.77	2.15	23.49	223.218	Horizontal	Pass
		847.5	7.80	2.02	19.81	2.15	23.44	220.773	Horizontal	Pass
5.0MHz Band QPSK	25/0	826.5	7.13	2.01	19.71	2.15	22.68	185.203	Horizontal	Pass
		836.5	7.70	2.01	19.77	2.15	23.31	214.293	Horizontal	Pass
		846.5	7.10	2.02	19.79	2.15	22.72	187.170	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	826.5	7.16	2.01	19.71	2.15	22.71	186.437	Horizontal	Pass
		836.5	7.40	2.01	19.77	2.15	23.01	199.835	Horizontal	Pass
		846.5	7.65	2.02	19.79	2.15	23.27	212.148	Horizontal	Pass
10.0MH z Band QPSK	50/0	829	7.34	2.01	19.73	2.15	22.91	195.562	Horizontal	Pass
		836.5	7.57	2.01	19.77	2.15	23.18	207.878	Horizontal	Pass
		844	7.25	2.02	19.78	2.15	22.86	193.283	Horizontal	Pass
10.0MH z Band 16 QAM	50/0	829	7.20	2.01	19.73	2.15	22.77	189.241	Horizontal	Pass
		836.5	7.90	2.01	19.77	2.15	23.51	224.342	Horizontal	Pass
		844	7.54	2.02	19.78	2.15	23.15	206.441	Horizontal	Pass

Radiated Power (ERP) for Band 5										
Mode	RB/ RB SIZE	Frequency	Result							Conclusion
			SG Level (dB m)	Cabl e Loss (dB m)	Anten na Gain (dB)	Corre ction (dB)	Max. ERP Averag e (dBm)	Max. ERP Averag e (mW)	Polarizati on Of Max. ERP	
1.4MHz Band QPSK	6/0	824.7	7.25	2.01	19.68	2.15	22.77	189.442	Vertical	Pass
		836.5	7.58	2.01	19.77	2.15	23.19	208.279	Vertical	Pass
		848.3	7.06	2.02	19.82	2.15	22.71	186.478	Vertical	Pass
1.4MHz Band 16 QAM	6/0	824.7	7.64	2.01	19.68	2.15	23.16	206.863	Vertical	Pass
		836.5	7.79	2.01	19.77	2.15	23.40	218.832	Vertical	Pass
		848.3	7.35	2.02	19.82	2.15	23.00	199.386	Vertical	Pass
3.0MHz Band QPSK	15/0	825.5	7.53	2.01	19.7	2.15	23.07	202.982	Vertical	Pass
		836.5	7.14	2.01	19.77	2.15	22.75	188.182	Vertical	Pass
		847.5	7.99	2.02	19.81	2.15	23.63	230.430	Vertical	Pass
3.0MHz Band 16 QAM	15/0	825.5	7.76	2.01	19.7	2.15	23.30	214.007	Vertical	Pass
		836.5	7.16	2.01	19.77	2.15	22.77	189.436	Vertical	Pass
		847.5	7.73	2.02	19.81	2.15	23.37	217.280	Vertical	Pass
5.0MHz Band QPSK	25/0	826.5	7.64	2.01	19.71	2.15	23.19	208.290	Vertical	Pass
		836.5	7.63	2.01	19.77	2.15	23.24	210.639	Vertical	Pass
		846.5	7.57	2.02	19.79	2.15	23.19	208.560	Vertical	Pass
5.0MHz Band 16 QAM	25/0	826.5	7.74	2.01	19.71	2.15	23.29	213.236	Vertical	Pass
		836.5	7.22	2.01	19.77	2.15	22.83	191.842	Vertical	Pass
		846.5	7.40	2.02	19.79	2.15	23.02	200.386	Vertical	Pass
10.0MHz z Band QPSK	50/0	829	7.33	2.01	19.73	2.15	22.90	195.176	Vertical	Pass
		836.5	7.00	2.01	19.77	2.15	22.61	182.550	Vertical	Pass
		844	7.49	2.02	19.78	2.15	23.10	203.970	Vertical	Pass
10.0MHz z Band 16 QAM	50/0	829	7.31	2.01	19.73	2.15	22.88	194.185	Vertical	Pass
		836.5	7.76	2.01	19.77	2.15	23.37	217.152	Vertical	Pass
		844	7.03	2.02	19.78	2.15	22.64	183.745	Vertical	Pass

Note:

SG Level= Signal generator output

Max. ERP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

8.5 LTE BAND 7

Radiated Power (EIRP) for Band 7									
Mode	RB/ RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cabl e Loss (dBm)	Antenn a Gain (dB)	Max. EIRP Averag e (dBm)	Max. EIRP Averag e (mW)	Polarizati on Of Max. ERP	
5.0MHz Band QPSK	25/0	2502.5	-0.93	4.54	27.75	22.28	168.861	Horizontal	Pass
		2535	-0.58	4.69	27.72	22.45	175.710	Horizontal	Pass
		2567.5	-0.59	4.71	27.71	22.41	174.320	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	2502.5	-0.95	4.54	27.75	22.26	168.228	Horizontal	Pass
		2535	-0.91	4.69	27.72	22.12	162.756	Horizontal	Pass
		2567.5	-0.98	4.71	27.71	22.02	159.175	Horizontal	Pass
10.0MH z Band QPSK	50/0	2505	-0.53	4.55	27.76	22.68	185.259	Horizontal	Pass
		2535	-0.90	4.69	27.72	22.13	163.389	Horizontal	Pass
		2565	-0.63	4.72	27.7	22.35	171.835	Horizontal	Pass
10.0MH z Band 16 QAM	50/0	2505	-0.08	4.55	27.76	23.13	205.637	Horizontal	Pass
		2535	-0.96	4.69	27.72	22.07	161.195	Horizontal	Pass
		2565	-0.16	4.72	27.7	22.82	191.579	Horizontal	Pass
15.0MH z Band QPSK	75/0	2507.5	-0.78	4.55	27.77	22.44	175.550	Horizontal	Pass
		2535	-0.08	4.69	27.72	22.95	197.351	Horizontal	Pass
		2562.5	-0.02	4.72	27.69	22.95	197.084	Horizontal	Pass
15.0MH z Band 16 QAM	75/0	2507.5	-0.62	4.55	27.77	22.60	181.788	Horizontal	Pass
		2535	-0.90	4.69	27.72	22.13	163.237	Horizontal	Pass
		2562.5	-0.22	4.72	27.69	22.75	188.482	Horizontal	Pass
20.0MH z Band QPSK	100/0	2510	-0.49	4.57	27.78	22.72	186.886	Horizontal	Pass
		2535	-0.40	4.73	27.72	22.59	181.510	Horizontal	Pass
		2560	-0.76	4.75	27.68	22.17	164.700	Horizontal	Pass
20.0MH z Band 16 QAM	100/0	2510	-0.76	4.57	27.78	22.45	175.609	Horizontal	Pass
		2535	-0.82	4.73	27.72	22.17	164.751	Horizontal	Pass
		2560	-0.86	4.75	27.68	22.07	161.003	Horizontal	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 7									
Mode	RB/ RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cabl e Loss (dBm)	Antenn a Gain (dB)	Max. EIRP Averag e (dBm)	Max. EIRP Averag e (mW)	Polarizati on Of Max. ERP	
5.0MHz Band QPSK	25/0	2502.5	-0.66	4.54	27.75	22.55	179.815	Vertical	Pass
		2535	-0.77	4.69	27.72	22.26	168.414	Vertical	Pass
		2567.5	-0.97	4.71	27.71	22.03	159.605	Vertical	Pass
5.0MHz Band 16 QAM	25/0	2502.5	-0.24	4.54	27.75	22.97	197.979	Vertical	Pass
		2535	-0.65	4.69	27.72	22.38	172.952	Vertical	Pass
		2567.5	-0.19	4.71	27.71	22.81	191.154	Vertical	Pass
10.0MH z Band QPSK	50/0	2505	-0.11	4.55	27.76	23.10	204.346	Vertical	Pass
		2535	-0.97	4.69	27.72	22.06	160.583	Vertical	Pass
		2565	-0.56	4.72	27.7	22.42	174.648	Vertical	Pass
10.0MH z Band 16 QAM	50/0	2505	-0.29	4.55	27.76	22.92	196.103	Vertical	Pass
		2535	-0.32	4.69	27.72	22.71	186.510	Vertical	Pass
		2565	-0.94	4.72	27.7	22.04	159.783	Vertical	Pass
15.0MH z Band QPSK	75/0	2507.5	-0.80	4.55	27.77	22.42	174.740	Vertical	Pass
		2535	-0.82	4.69	27.72	22.21	166.369	Vertical	Pass
		2562.5	-0.05	4.72	27.69	22.92	195.766	Vertical	Pass
15.0MH z Band 16 QAM	75/0	2507.5	-0.97	4.55	27.77	22.25	167.899	Vertical	Pass
		2535	-0.72	4.69	27.72	22.31	170.287	Vertical	Pass
		2562.5	-0.15	4.72	27.69	22.82	191.559	Vertical	Pass
20.0MH z Band QPSK	100/ 0	2510	-0.91	4.57	27.78	22.30	169.801	Vertical	Pass
		2535	-0.42	4.73	27.72	22.57	180.883	Vertical	Pass
		2560	-0.42	4.75	27.68	22.51	178.438	Vertical	Pass
20.0MH z Band 16 QAM	100/ 0	2510	-0.40	4.57	27.78	22.81	190.952	Vertical	Pass
		2535	-0.25	4.73	27.72	22.74	187.917	Vertical	Pass
		2560	-0.16	4.75	27.68	22.77	189.146	Vertical	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

9. FIELD STRENGTH OF SPURIOUS RADIATION

RULE PART(S)

FCC: §2.1053, §22.917, §24.238 and §27.53

LIMIT

§22.917 (e) and §24.238 (a): Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.

§27.53 (g) For operations in the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB.

§27.53 (h) For operations in the 1710–1755 MHz and 2110–2155 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB.

TEST PROCEDURE

For Cellular equipment - Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. In the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

For PCS equipment - Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

The unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth in the 1 MHz band immediately outside and adjacent to the channel edge of the equipment. Beyond the 1 MHz band immediately outside the channel edge of the equipment, a resolution bandwidth of 1 MHz shall be employed. A narrower resolution bandwidth is allowed to be used provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz or 1% of the occupied bandwidth as applicable.

The power of any unwanted emissions measured from the channel edge of the equipment shall be attenuated below the transmitter power, P (dBW), as follows:

- a. for base station and subscriber equipment, other than mobile subscriber equipment, the attenuation shall not be less than $43 + 10 \log_{10}(p)$, dB; and
- b. for mobile subscriber equipment, the attenuation shall not be less than $43 + 10 \log_{10}(p)$, dB at the channel edges and $55 + 10 \log_{10}(p)$ at 5.5 MHz away and beyond the channel edges where p in (a) and (b) is the transmitter power measured in watts.

MODES TESTED

- ☐ LTE Band 2
- LTE Band 4
- LTE Band 5
- ☐ LTE Band7

RESULTS

PASS

9.1 LTE BAND 2

QPSK EIRP POWER FOR LTE BAND 2 (1.4.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
3701.4	-35.53	12.42	-23.11	-13	-10.11	Horizontal
3701.4	-36.61	12.42	-24.19	-13	-11.19	Vertical
5552.1	-38.7	14.12	-24.58	-13	-11.58	Vertical
5552.1	-37.66	14.12	-23.54	-13	-10.54	Horizontal
Test Results for Mid Channel 1732.5MHz						
3760	-36.13	11.76	-24.37	-13	-11.37	Horizontal
3760	-36.61	11.76	-24.85	-13	-11.85	Vertical
5640	-37.97	14.56	-23.41	-13	-10.41	Vertical
5640	-38.48	14.56	-23.92	-13	-10.92	Horizontal
Test Results for High Channel 1754.3MHz						
3818.6	-34.43	11.87	-22.56	-13	-9.56	Horizontal
3818.6	-37.68	11.87	-25.81	-13	-12.81	Vertical
5727.9	-41	14.66	-26.34	-13	-13.34	Vertical
5727.9	-36.53	14.66	-21.87	-13	-8.87	Horizontal

QPSK EIRP POWER FOR LTE BAND 2 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
3720	-34.53	12.42	-22.11	-13	-9.11	Horizontal
3720	-36.54	12.42	-24.12	-13	-11.12	Vertical
5580	-37.76	14.12	-23.64	-13	-10.64	Vertical
5580	-37.71	14.12	-23.59	-13	-10.59	Horizontal
Test Results for Mid Channel 1732.5MHz						
3760	-36.56	11.76	-24.8	-13	-11.8	Horizontal
3760	-37.61	11.76	-25.85	-13	-12.85	Vertical
5640	-35.63	14.56	-21.07	-13	-8.07	Vertical
5640	-37.71	14.56	-23.15	-13	-10.15	Horizontal
Test Results for High Channel 1754.3MHz						
3800	-35.43	11.87	-23.56	-13	-10.56	Horizontal
3800	-34.38	11.87	-22.51	-13	-9.51	Vertical
5700	-36.54	14.66	-21.88	-13	-8.88	Vertical
5700	-35.43	14.66	-20.77	-13	-7.77	Horizontal



Note: $P_{Mea}(dBm) = Power(dBm) + ARpl (dBm)$

. Over Limit = : $P_{Mea}(dBm) - Limit(dBm)$

. We test both H direction and V direction, recorded worst case direction.

9.2 LTE BAND 4

QPSK EIRP POWER FOR LTE BAND 4 (1.4.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
3421.4	-35.47	12.42	-23.05	-13	-10.05	Horizontal
3421.4	-35.28	12.42	-22.86	-13	-9.86	Vertical
5132.1	-37.97	14.12	-23.85	-13	-10.85	Vertical
5132.1	-35.69	14.12	-21.57	-13	-8.57	Horizontal
Test Results for Mid Channel 1732.5MHz						
3465	-36.54	11.76	-24.78	-13	-11.78	Horizontal
3465	-35.43	11.76	-23.67	-13	-10.67	Vertical
5197.5	-36.61	14.56	-22.05	-13	-9.05	Vertical
5197.5	-38.68	14.56	-24.12	-13	-11.12	Horizontal
Test Results for High Channel 1754.3MHz						
3508.6	-35.27	11.87	-23.4	-13	-10.4	Horizontal
3508.6	-35.63	11.87	-23.76	-13	-10.76	Vertical
5262.9	-40.98	14.66	-26.32	-13	-13.32	Vertical
5262.9	-35.48	14.66	-20.82	-13	-7.82	Horizontal

QPSK EIRP POWER FOR LTE BAND 4 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
3440	-37.71	12.42	-25.29	-13	-12.29	Horizontal
3440	-35.49	12.42	-23.07	-13	-10.07	Vertical
5160	-36.6	14.12	-22.48	-13	-9.48	Vertical
5160	-36.63	14.12	-22.51	-13	-9.51	Horizontal
Test Results for Mid Channel 1732.5MHz						
3465	-39.9	11.76	-28.14	-13	-15.14	Horizontal
3465	-37.64	11.76	-25.88	-13	-12.88	Vertical
5197.5	-35.43	14.56	-20.87	-13	-7.87	Vertical
5197.5	-37.67	14.56	-23.11	-13	-10.11	Horizontal
Test Results for High Channel 1754.3MHz						
2490	-35.47	11.87	-23.6	-13	-10.6	Horizontal
3490	-36.58	11.87	-24.71	-13	-11.71	Vertical
5235	-40.98	14.66	-26.32	-13	-13.32	Vertical
5235	-38.8	14.66	-24.14	-13	-11.14	Horizontal

Note: PMea(dBm)= Power(dBm)+ ARpl (dBm)

Over Limit = $P_{Mea}(dBm) - Limit(dBm)$

We test both H direction and V direction, recorded worst case direction.

9.3 LTE BAND 5

QPSK EIRP POWER FOR LTE BAND 5 (1.4.0MHZ BANDWIDTH)

Test Results for Low Channel 824.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
1649.4	-37.54	12.42	-25.12	-13	-12.12	Horizontal
1649.4	-35.43	12.42	-23.01	-13	-10.01	Vertical
2474.1	-34.71	14.12	-20.59	-13	-7.59	Vertical
2474.1	-37.59	14.12	-23.47	-13	-10.47	Horizontal
Test Results for Mid Channel 836.5MHz						
1673	-36.58	11.76	-24.82	-13	-11.82	Horizontal
1673	-34.49	11.76	-22.73	-13	-9.73	Vertical
2509.5	-37.57	14.56	-23.01	-13	-10.01	Vertical
2509.5	-37.58	14.56	-23.02	-13	-10.02	Horizontal
Test Results for High Channel 848.3MHz						
1696.6	-34.24	11.87	-22.37	-13	-9.37	Horizontal
1696.6	-35.98	11.87	-24.11	-13	-11.11	Vertical
2544.9	-38.58	14.66	-23.92	-13	-10.92	Vertical
2544.9	-36.64	14.66	-21.98	-13	-8.98	Horizontal

QPSK EIRP POWER FOR LTE BAND 5 (10.0MHZ BANDWIDTH)

Test Results for Low Channel 824.7MHz						
Frequency(MHz)	Power(dBm)	ARpl (dBm)	PMea(dBm)	Limit (dBm)	Margin(dBm)	Polarity
1658	-33.26	12.42	-20.84	-13	-7.84	Horizontal
1658	-34.38	12.42	-21.96	-13	-8.96	Vertical
2487	-37.71	14.12	-23.59	-13	-10.59	Vertical
2487	-35.49	14.12	-21.37	-13	-8.37	Horizontal
Test Results for Mid Channel 836.5MHz						
1673	-33.54	11.76	-21.78	-13	-8.78	Horizontal
1673	-36.58	11.76	-24.82	-13	-11.82	Vertical
2509.5	-35.43	14.56	-20.87	-13	-7.87	Vertical
2509.5	-37.71	14.56	-23.15	-13	-10.15	Horizontal
Test Results for High Channel 848.3MHz						
1688	-34.28	11.87	-22.41	-13	-9.41	Horizontal
1688	-35.43	11.87	-23.56	-13	-10.56	Vertical
2532	-40.7	14.66	-26.04	-13	-13.04	Vertical
2532	-37.69	14.66	-23.03	-13	-10.03	Horizontal



Note: $P_{Mea}(dBm) = Power(dBm) + ARpl(dBm)$

. Over Limit = : $P_{Mea}(dBm) - Limit(dBm)$

. We test both H direction and V direction, recorded worst case direction.

9.4 LTE BAND 7

QPSK EIRP POWER FOR LTE BAND 7 (5.0MHZ BANDWIDTH)

Test Results for Low Channel 2502.5MHz						
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Margin(dBm)	Polarity
5005	-35.48	12.42	-23.06	-13	-10.06	Horizontal
5005	-36.54	12.42	-24.12	-13	-11.12	Vertical
7507.5	-38.61	14.12	-24.49	-13	-11.49	Vertical
7507.5	-36.66	14.12	-22.54	-13	-9.54	Horizontal
Test Results for Mid Channel 2535MHz						
5070	-37.96	11.76	-26.2	-13	-13.2	Horizontal
5070	-36.63	11.76	-24.87	-13	-11.87	Vertical
7605	-37.66	14.56	-23.1	-13	-10.1	Vertical
7605	-39.88	14.56	-25.32	-13	-12.32	Horizontal
Test Results for High Channel 2567.5MHz						
5135	-35.43	11.87	-23.56	-13	-10.56	Horizontal
5135	-34.28	11.87	-22.41	-13	-9.41	Vertical
7702.5	-37.69	14.66	-23.03	-13	-10.03	Vertical
7702.5	-38.13	14.66	-23.47	-13	-10.47	Horizontal

QPSK EIRP POWER FOR LTE BAND 7 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 2502.5MHz						
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Margin(dBm)	Polarity
5020	-37.71	12.42	-25.29	-13	-12.29	Horizontal
5020	-36.53	12.42	-24.11	-13	-11.11	Vertical
7530	-37.71	14.12	-23.59	-13	-10.59	Vertical
7530	-38.49	14.12	-24.37	-13	-11.37	Horizontal
Test Results for Mid Channel 2535MHz						
5070	-37.67	11.76	-25.91	-13	-12.91	Horizontal
5070	-38.53	11.76	-26.77	-13	-13.77	Vertical
7605	-35.43	14.56	-20.87	-13	-7.87	Vertical
7605	-38.8	14.56	-24.24	-13	-11.24	Horizontal
Test Results for High Channel 2567.5MHz						
5120	-35.48	11.87	-23.61	-13	-10.61	Horizontal
5120	-36.54	11.87	-24.67	-13	-11.67	Vertical
7680	-40.71	14.66	-26.05	-13	-13.05	Vertical
7680	-36.48	14.66	-21.82	-13	-8.82	Horizontal



Note: $P_{Mea}(dBm) = Power(dBm) + ARpl(dBm)$

. Over Limit = : $P_{Mea}(dBm) - Limit(dBm)$

. We test both H direction and V direction, recorded worst case direction.

10. FREQUENCY STABILITY

RULE PART(S)

FCC: §2.1055, §22.355, §24.235, §27.54

LIMITS

§22.355 - The carrier frequency shall not depart from the reference frequency in excess of ± 2.5 ppm for mobile stations.

§24.235 - The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

TEST PROCEDURE

Use CMW 500 with Frequency Error measurement capability.

- ☐ Temp. = -30° to $+50^{\circ}\text{C}$
- ☐ Voltage = low voltage, DC 3.6V, Normal, DC 3.8V and High voltage, DC 4.4V.

Frequency Stability vs Temperature:

The EUT is placed inside a temperature chamber. The temperature is set to -30°C and allowed to stabilize. After sufficient soak time, the transmitting frequency error is measured. The temperature is increased by 10 degrees, allowed to stabilize and soak, and then the measurement is repeated. This is repeated until $+50^{\circ}\text{C}$ is reached.

Frequency Stability vs Voltage:

The peak frequency error is recorded (worst-case).

MODES TESTED

- ☐ LTE Band 2
- ☐ LTE Band 4
- ☐ LTE Band 5
- ☐ LTE Band 7

RESULTS

See the following pages.

10.1 LTE BAND 2

QPSK, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 QPSK, (CH 18900 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	1880	-8.9	-0.004734	2.5
3.6	1880	-7.1	-0.003777	2.5
4.4	1880	-13.3	-0.007074	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 QPSK, (CH 18900 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	1880	-8.8	-0.004681	2.5
Extreme (50° C)	1880	-5	-0.002660	2.5
Extreme (40° C)	1880	-9.1	-0.004840	2.5
Extreme (30° C)	1880	-6.2	-0.003298	2.5
Extreme (10° C)	1880	-7.7	-0.004096	2.5
Extreme (0° C)	1880	-7.4	-0.003936	2.5
Extreme (-10° C)	1880	7.6	0.004043	2.5
Extreme (-20° C)	1880	-4.5	-0.002394	2.5
Extreme (-30° C)	1880	-9.7	-0.005160	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 16QAM, (CH 18900 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	1880	-4.7	-0.002500	2.5
3.6	1880	11.9	0.006330	2.5
4.4	1880	-12.4	-0.006596	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 16QAM, (CH 18900 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	1880	-6.4	-0.003404	2.5
Extreme (50° C)	1880	-4.2	-0.002234	2.5
Extreme (40° C)	1880	-8.7	-0.004628	2.5
Extreme (30° C)	1880	-4.8	-0.002553	2.5
Extreme (10° C)	1880	-6.3	-0.003351	2.5
Extreme (0° C)	1880	-3.7	-0.001968	2.5
Extreme (-10° C)	1880	9.4	0.005000	2.5
Extreme (-20° C)	1880	-5.2	-0.002766	2.5
Extreme (-30° C)	1880	-8.4	-0.004468	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.2 LTE BAND 4

QPSK, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	1732.5	-4.4	-0.002540	2.5
3.6	1732.5	14.2	0.008196	2.5
4.4	1732.5	-12.7	-0.007330	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	1732.5	-7.6	-0.004387	2.5
Extreme (50° C)	1732.5	-7.4	-0.004271	2.5
Extreme (40° C)	1732.5	-8.7	-0.005022	2.5
Extreme (30° C)	1732.5	-4.1	-0.002367	2.5
Extreme (10° C)	1732.5	-6.4	-0.003694	2.5
Extreme (0° C)	1732.5	-3.6	-0.002078	2.5
Extreme (-10° C)	1732.5	9	0.005195	2.5
Extreme (-20° C)	1732.5	-6.8	-0.003925	2.5
Extreme (-30° C)	1732.5	-7.5	-0.004329	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 16QAM, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	1732.5	-6.4	-0.003694	2.5
3.6	1732.5	6.3	0.003636	2.5
4.4	1732.5	-9.4	-0.005426	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 16QAM, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	1732.5	-10.1	-0.005830	2.5
Extreme (50° C)	1732.5	-7.8	-0.004502	2.5
Extreme (40° C)	1732.5	-6.9	-0.003983	2.5
Extreme (30° C)	1732.5	-6	-0.003463	2.5
Extreme (10° C)	1732.5	-4.6	-0.002655	2.5
Extreme (0° C)	1732.5	7.9	0.004560	2.5
Extreme (-10° C)	1732.5	7.4	0.004271	2.5
Extreme (-20° C)	1732.5	9.3	0.005368	2.5
Extreme (-30° C)	1732.5	-8.9	-0.005137	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.3 LTE BAND 5

QPSK, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
3.8	836.5	-3.9	-0.004662	2.5
3.6	836.5	13	0.015541	2.5
4.4	836.5	-10.4	-0.012433	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 QPSK, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
Normal (25° C)	836.5	-8.7	-0.010400	2.5
Extreme (50° C)	836.5	-5	-0.005977	2.5
Extreme (40° C)	836.5	-8.8	-0.010520	2.5
Extreme (30° C)	836.5	-6.2	-0.007412	2.5
Extreme (10° C)	836.5	-8.1	-0.009683	2.5
Extreme (0° C)	836.5	-9.9	-0.011835	2.5
Extreme (-10° C)	836.5	-6.4	-0.007651	2.5
Extreme (-20° C)	836.5	-7.3	-0.008727	2.5
Extreme (-30° C)	836.5	-8	-0.009564	2.5

16QAM, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 16QAM, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
3.8	836.5	-14.7	-0.017573	2.5
3.6	836.5	-9.8	-0.011715	2.5
4.4	836.5	-9.2	-0.010998	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 16QAM, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
Normal (25° C)	836.5	-7.1	-0.008488	2.5
Extreme (50° C)	836.5	-6.4	-0.007651	2.5
Extreme (40° C)	836.5	-9.9	-0.011835	2.5
Extreme (30° C)	836.5	-9.7	-0.011596	2.5
Extreme (10° C)	836.5	-5.1	-0.006097	2.5
Extreme (0° C)	836.5	-5.6	-0.006695	2.5
Extreme (-10° C)	836.5	-5.4	-0.006455	2.5
Extreme (-20° C)	836.5	-9.6	-0.011476	2.5
Extreme (-30° C)	836.5	-7	-0.008368	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.4 LTE BAND 7

QPSK, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 QPSK, (CH 21100 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	2535	-37.7	-0.014872	2.5
3.6	2535	-24.3	-0.009586	2.5
4.4	2535	-22	-0.008679	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 QPSK, (CH 21100 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	2535	20.7	0.008166	2.5
Extreme (50° C)	2535	-22.9	-0.009034	2.5
Extreme (40° C)	2535	19.5	0.007692	2.5
Extreme (30° C)	2535	-19.1	-0.007535	2.5
Extreme (10° C)	2535	-21.5	-0.008481	2.5
Extreme (0° C)	2535	32.5	0.012821	2.5
Extreme (-10° C)	2535	-26	-0.010256	2.5
Extreme (-20° C)	2535	-10.9	-0.004300	2.5
Extreme (-30° C)	2535	-30.2	-0.011913	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 16QAM, (CH 21100 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.8	2535	15.9	0.006272	2.5
3.6	2535	-16.4	-0.006469	2.5
4.4	2535	-31.7	-0.012505	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 16QAM, (CH 21100 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25° C)	2535	-15.2	-0.005996	2.5
Extreme (50° C)	2535	-18.3	-0.007219	2.5
Extreme (40° C)	2535	-23.9	-0.009428	2.5
Extreme (30° C)	2535	-10.4	-0.004103	2.5
Extreme (10° C)	2535	24	0.009467	2.5
Extreme (0° C)	2535	21.9	0.008639	2.5
Extreme (-10° C)	2535	20	0.007890	2.5
Extreme (-20° C)	2535	18.1	0.007140	2.5
Extreme (-30° C)	2535	23	0.009073	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

11. Peak-to-Average Ratio

11.1 Description of the PAR Measurement

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


11.2 Measuring Instruments

See list of measuring instruments of this test report.

11.3 Test Procedures

1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. For GSM/EGPRS operating modes:
 - a. Set the RBW = 1MHz, VBW = 1MHz, Peak detector in spectrum analyzer.
 - b. Set EUT in maximum power output, and triggered the burst signal.
 - c. Measured respectively the Peak level and Mean level, and the deviation was recorded as Peak to Average Ratio.
4. For UMTS operating modes:
 - a. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
 - b. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.

11.4 Test Setup



MODES TESTED

- ☐ LTE Band2
- ☐ LTE Band 4
- ☐ LTE Band 5
- ☐ LTE Band 7

□


BAND	CHANNEL	Frequency [MHz]	BANDWIDTH	NO. RB	RB POS.	MODULATION	PAR [dB]
2	18900	1880.0	1.4	1	Low	QPSK	5.89
2	18900	1880.0	1.4	1	Low	16QAM	5.78
2	18900	1880.0	3.0	1	Low	QPSK	3.21
2	18900	1880.0	3.0	1	Low	16QAM	3.21
2	18900	1880.0	5.0	1	Low	QPSK	2.33
2	18900	1880.0	5.0	1	Low	16QAM	2.41
2	18900	1880.0	10.0	1	Low	QPSK	1.40
2	18900	1880.0	10.0	1	Low	16QAM	1.36
2	18900	1880.0	15.0	1	Low	QPSK	1.61
2	18900	1880.0	15.0	1	Low	16QAM	1.51
2	18900	1880.0	20.0	1	Low	QPSK	1.20
2	18900	1880.0	20.0	1	Low	16QAM	1.00
4	20175	1732.5	1.4	1	Low	QPSK	5.31
4	20175	1732.5	1.4	1	Low	16QAM	5.31
4	20175	1732.5	3.0	1	Low	QPSK	2.62
4	20175	1732.5	3.0	1	Low	16QAM	2.62
4	20175	1732.5	5.0	1	Low	QPSK	2.04
4	20175	1732.5	5.0	1	Low	16QAM	2.06
4	20175	1732.5	10.0	1	Low	QPSK	1.34
4	20175	1732.5	10.0	1	Low	16QAM	1.32

4	20175	1732.5	15.0	1	Low	QPSK	1.73
4	20175	1732.5	15.0	1	Low	16QAM	1.59
4	20175	1732.5	20.0	1	Low	QPSK	1.11
4	20175	1732.5	20.0	1	Low	16QAM	1.32
5	20407	824.7	1.4	1	Low	QPSK	3.71
5	20407	824.7	1.4	1	Low	16-QAM	3.25
5	20525	836.5	1.4	1	Low	QPSK	3.28
5	20525	836.5	1.4	1	Low	16-QAM	3.99
5	20643	848.3	1.4	1	Low	QPSK	3.18
5	20643	848.3	1.4	1	Low	16-QAM	3.22
5	20415	825.5	3.0	1	Low	QPSK	1.50
5	20415	825.5	3.0	1	Low	16-QAM	2.05
5	20525	836.5	3.0	1	Low	QPSK	1.95
5	20525	836.5	3.0	1	Low	16-QAM	2.48
5	20635	847.5	3.0	1	Low	QPSK	1.57
5	20635	847.5	3.0	1	Low	16-QAM	2.00
5	20425	826.5	5.0	1	Low	QPSK	1.02
5	20425	826.5	5.0	1	Low	16-QAM	1.31
5	20525	836.5	5.0	1	Low	QPSK	6.89
5	20525	836.5	5.0	1	Low	16-QAM	7.95
5	20625	846.5	5.0	1	Low	QPSK	0.91
5	20625	846.5	5.0	1	Low	16-QAM	1.23


5	20407	824.7	1.4	1	Low	QPSK	0.72
5	20407	824.7	1.4	1	Low	16-QAM	0.78
5	20450	829.0	10.0	1	Low	QPSK	0.70
5	20450	829.0	10.0	1	Low	16-QAM	0.93
5	20525	836.5	10.0	1	Low	QPSK	0.70
5	20525	836.5	10.0	1	Low	16-QAM	0.90
7	21100	2535.0	5.0	1	Low	QPSK	2.46
7	21100	2535.0	5.0	1	Low	16QAM	2.26
7	21100	2535.0	10.0	1	Low	QPSK	1.42
7	21100	2535.0	10.0	1	Low	16QAM	1.67
7	21100	2535.0	15.0	1	Low	QPSK	1.15
7	21100	2535.0	15.0	1	Low	16QAM	1.17
7	21100	2535.0	20.0	1	Low	QPSK	1.43
7	21100	2535.0	20.0	1	Low	16QAM	1.17

11.5 LTE BAND 2


Band 2,UL Channel 18900,UL Frequency 1880.0,BW 1.4,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 1.4,NO. RB 1,RB POS. Low,16QAM




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 3.0,NO. RB 1,RB POS. Low,16QAM




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 5.0,NO. RB 1,RB POS. Low,16QAM




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 10.0,NO. RB 1,RB POS. Low,16QAM




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 15.0,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 15.0,NO. RB 1,RB POS. Low,16QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 20.0,NO. RB 1,RB POS. Low,QPSK




Band 2,UL Channel 18900,UL Frequency 1880.0,BW 20.0,NO. RB 1,RB POS. Low,16QAM




11.6 LTE BAND 4


Band 4,UL Channel 20175,UL Frequency 1732.5,BW 1.4,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 1.4,NO. RB 1,RB POS. Low,16QAM




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 3.0,NO. RB 1,RB POS. Low,16QAM




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 5.0,NO. RB 1,RB POS. Low,16QAM




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 10.0,NO. RB 1,RB POS. Low,16QAM




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 15.0,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 15.0,NO. RB 1,RB POS. Low,16QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 20.0,NO. RB 1,RB POS. Low,QPSK




Band 4,UL Channel 20175,UL Frequency 1732.5,BW 20.0,NO. RB 1,RB POS. Low,16QAM




11.7 LTE BAND 5


Band 5,UL Channel 20407,UL Frequency 824.7,BW 1.4,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20407,UL Frequency 824.7,BW 1.4,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 1.4,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 1.4,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20643,UL Frequency 848.3,BW 1.4,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20643,UL Frequency 848.3,BW 1.4,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 3.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 1,RB POS. Low,16-QAM




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 1,RB POS. Low,16-QAM



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 1,RB POS. Low,16-QAM




11.8 LTE BAND 7


Band 7,UL Channel 21100,UL Frequency 2535.0,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 5.0,NO. RB 1,RB POS. Low,16QAM




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 10.0,NO. RB 1,RB POS. Low,16QAM




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 15.0,NO. RB 1,RB POS. Low,QPSK




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 15.0,NO. RB 1,RB POS. Low,16QAM




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 20.0,NO. RB 1,RB POS. Low,QPSK




Band 7,UL Channel 21100,UL Frequency 2535.0,BW 20.0,NO. RB 1,RB POS. Low,16QAM




Band 28,UL Channel 27375,UL Frequency 719.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK




Band 28,UL Channel 27375,UL Frequency 719.5,BW 3.0,NO. RB 1,RB POS. Low,16QAM




Band 28,UL Channel 27385,UL Frequency 720.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK




Band 28,UL Channel 27385,UL Frequency 720.5,BW 5.0,NO. RB 1,RB POS. Low,16QAM




Band 28,UL Channel 27410,UL Frequency 723.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK




Band 28,UL Channel 27410,UL Frequency 723.0,BW 10.0,NO. RB 1,RB POS. Low,16QAM




Band 28,UL Channel 27435,UL Frequency 725.5,BW 15.0,NO. RB 1,RB POS. Low,QPSK




Band 28,UL Channel 27435,UL Frequency 725.5,BW 15.0,NO. RB 1,RB POS. Low,16QAM



Band 28,UL Channel 27460,UL Frequency 728.0,BW 20.0,NO. RB 1,RB POS. Low,QPSK



Band 28,UL Channel 27460,UL Frequency 728.0,BW 20.0,NO. RB 1,RB POS. Low,16QAM



----END OF REPORT----