N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	24@0	see graph	**PASS**
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	24@0	see graph	**PASS**
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@23	see graph	**PASS**
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@23	see graph	**PASS**
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	24@0	see graph	**PASS**
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	24@0	see graph	**PASS**
41	30	50	504204	2521.02	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
41	30	50	504204	2521.02	DFT-s-OFDM BPSK	128@0	see graph	**PASS**
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	128@0	see graph	**PASS**
41	30	50	532998	2664.99	DFT-s-OFDM BPSK	1@132	see graph	**PASS**
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@132	see graph	**PASS**
41	30	50	532998	2664.99	DFT-s-OFDM BPSK	128@0	see graph	**PASS**
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	128@0	see graph	**PASS**
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	270@0	see graph	**PASS**
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	270@0	see graph	**PASS**
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@272	see graph	**PASS**
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@272	see graph	**PASS**

41	30	100	528000	2640.0	DFT-s-OFDM BPSK	270@0	see graph	**PASS**
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	270@0	see graph	**PASS**

N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N41(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N41(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(50M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N41(50M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N41(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_**CHP_PASS**



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N41(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_**CHP_PASS**



N41(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_**CHP_PASS**



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_**CHP_PASS**



N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_**CHP_PASS**



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_**CHP_PASS**



N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



Software Version: 22.02.012801

FR1 N66(ANT1) for SCS 15kHz

LTE Band: 2(ANT2), LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=-1.75dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	12@6	24.28	22.53	0.1791
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.22	22.47	0.1766
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	24.26	22.51	0.1782
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	24.3	22.55	0.1799
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	24.21	22.46	0.1762
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	24.26	22.51	0.1782
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	23.27	21.52	0.1419
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.31	21.56	0.1432
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	23.35	21.6	0.1445
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	21.96	20.21	0.1050
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	21.96	20.21	0.1050
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	21.98	20.23	0.1054
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	20	18.25	0.0668
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	20.08	18.33	0.0681
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	20.16	18.41	0.0693
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	22.99	21.24	0.1330
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	23.16	21.41	0.1384
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	23.19	21.44	0.1393
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	12@6	24.32	22.57	0.1807
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.26	22.51	0.1782
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@23	24.24	22.49	0.1774
66	15	5	429000	1745	DFT-s-OFDM QPSK	12@6	24.29	22.54	0.1795
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@1	24.27	22.52	0.1786
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@23	24.28	22.53	0.1791
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	12@6	23.28	21.53	0.1422
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.38	21.63	0.1455

66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@23	23.36	21.61	0.1449
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	12@6	21.99	20.24	0.1057
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.97	20.22	0.1052
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@23	21.96	20.21	0.1050
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	12@6	20.03	18.28	0.0673
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@1	20.14	18.39	0.0690
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@23	20.09	18.34	0.0682
66	15	5	429000	1745	CP-OFDM QPSK	13@6	22.92	21.17	0.1309
66	15	5	429000	1745	CP-OFDM QPSK	1@1	22.98	21.23	0.1327
66	15	5	429000	1745	CP-OFDM QPSK	1@23	22.91	21.16	0.1306
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	12@6	24.26	22.51	0.1782
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.15	22.4	0.1738
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	24.21	22.46	0.1762
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	24.28	22.53	0.1791
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	24.18	22.43	0.1750
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	24.19	22.44	0.1754
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	12@6	23.22	21.47	0.1403
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@1	23.22	21.47	0.1403
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@23	23.3	21.55	0.1429
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	12@6	21.94	20.19	0.1045
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@1	21.85	20.1	0.1023
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@23	21.92	20.17	0.1040
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	12@6	19.99	18.24	0.0667
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@1	20.06	18.31	0.0678
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@23	20.09	18.34	0.0682
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	22.75	21	0.1259
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	22.89	21.14	0.1300
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	22.96	21.21	0.1321
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	25@12	24.19	22.44	0.1754
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	1@1	24.05	22.3	0.1698
66	15	10	423000	1715	DFT-s-OFDM PI/2 BPSK	1@50	24.11	22.36	0.1722
66	15	10	423000	1715	DFT-s-OFDM QPSK	25@12	24.23	22.48	0.1770
66	15	10	423000	1715	DFT-s-OFDM QPSK	1@1	24.05	22.3	0.1698
66	15	10	423000	1715	DFT-s-OFDM QPSK	1@50	24.1	22.35	0.1718

66	15	10	423000	1715	DFT-s-OFDM 16 QAM	25@12	23.22	21.47	0.1403
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	1@1	23.17	21.42	0.1387
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	1@50	23.23	21.48	0.1406
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	25@12	21.84	20.09	0.1021
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	1@1	21.73	19.98	0.0995
66	15	10	423000	1715	DFT-s-OFDM 64 QAM	1@50	21.75	20	0.1000
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	25@12	19.81	18.06	0.0640
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@1	19.92	18.17	0.0656
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@50	19.97	18.22	0.0664
66	15	10	423000	1715	CP-OFDM QPSK	26@13	22.82	21.07	0.1279
66	15	10	423000	1715	CP-OFDM QPSK	1@1	23.24	21.49	0.1409
66	15	10	423000	1715	CP-OFDM QPSK	1@50	23.31	21.56	0.1432
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	25@12	24.18	22.43	0.1750
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.13	22.38	0.1730
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@50	24.06	22.31	0.1702
66	15	10	429000	1745	DFT-s-OFDM QPSK	25@12	24.21	22.46	0.1762
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@1	24.11	22.36	0.1722
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@50	24.09	22.34	0.1714
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	25@12	23.18	21.43	0.1390
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.23	21.48	0.1406
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@50	23.18	21.43	0.1390
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	25@12	21.85	20.1	0.1023
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.79	20.04	0.1009
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@50	21.74	19.99	0.0998
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	25@12	19.87	18.12	0.0649
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.96	18.21	0.0662
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@50	19.96	18.21	0.0662
66	15	10	429000	1745	CP-OFDM QPSK	26@13	22.66	20.91	0.1233
66	15	10	429000	1745	CP-OFDM QPSK	1@1	23.03	21.28	0.1343
66	15	10	429000	1745	CP-OFDM QPSK	1@50	22.96	21.21	0.1321
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	25@12	24.12	22.37	0.1726
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.05	22.3	0.1698
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@50	24.08	22.33	0.1710
66	15	10	435000	1775	DFT-s-OFDM QPSK	25@12	24.15	22.4	0.1738

66	15	10	435000	1775	DFT-s-OFDM QPSK	1@1	23.98	22.23	0.1671
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@50	24.05	22.3	0.1698
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	25@12	23.15	21.4	0.1380
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@1	23.11	21.36	0.1368
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@50	23.14	21.39	0.1377
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	25@12	21.76	20.01	0.1002
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@1	21.72	19.97	0.0993
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@50	21.74	19.99	0.0998
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	25@12	19.8	18.05	0.0638
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@1	19.9	18.15	0.0653
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@50	19.98	18.23	0.0665
66	15	10	435000	1775	CP-OFDM QPSK	26@13	22.64	20.89	0.1227
66	15	10	435000	1775	CP-OFDM QPSK	1@1	23.01	21.26	0.1337
66	15	10	435000	1775	CP-OFDM QPSK	1@50	23.13	21.38	0.1374
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	24.35	22.6	0.1820
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.18	22.43	0.1750
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	24.24	22.49	0.1774
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	24.37	22.62	0.1828
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	24.17	22.42	0.1746
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	24.16	22.41	0.1742
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	23.39	21.64	0.1459
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.26	21.51	0.1416
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	23.31	21.56	0.1432
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	22.05	20.3	0.1072
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	21.83	20.08	0.1019
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	21.89	20.14	0.1033
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	20.05	18.3	0.0676
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	20.03	18.28	0.0673
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	20.09	18.34	0.0682
66	15	15	423500	1717.5	CP-OFDM QPSK	39@19	22.98	21.23	0.1327
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	23.47	21.72	0.1486
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	23.37	21.62	0.1452
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	36@18	24.32	22.57	0.1807
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.26	22.51	0.1782

66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@77	24.16	22.41	0.1742
66	15	15	429000	1745	DFT-s-OFDM QPSK	36@18	24.35	22.6	0.1820
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@1	24.22	22.47	0.1766
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@77	24.19	22.44	0.1754
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	36@18	23.35	21.6	0.1445
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.28	21.53	0.1422
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@77	23.27	21.52	0.1419
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	36@18	22.05	20.3	0.1072
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.87	20.12	0.1028
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@77	21.83	20.08	0.1019
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	36@18	20.02	18.27	0.0671
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@1	20.12	18.37	0.0687
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@77	20.06	18.31	0.0678
66	15	15	429000	1745	CP-OFDM QPSK	39@19	22.98	21.23	0.1327
66	15	15	429000	1745	CP-OFDM QPSK	1@1	23.3	21.55	0.1429
66	15	15	429000	1745	CP-OFDM QPSK	1@77	23.01	21.26	0.1337
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	24.33	22.58	0.1811
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	24.08	22.33	0.1710
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	24.17	22.42	0.1746
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	24.33	22.58	0.1811
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	24.11	22.36	0.1722
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	24.19	22.44	0.1754
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	23.35	21.6	0.1445
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.15	21.4	0.1380
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	23.3	21.55	0.1429
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	22.05	20.3	0.1072
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	21.77	20.02	0.1005
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	21.9	20.15	0.1035
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	20.02	18.27	0.0671
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	19.94	18.19	0.0659
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	20.09	18.34	0.0682
66	15	15	434500	1772.5	CP-OFDM QPSK	39@19	22.77	21.02	0.1265
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	23.09	21.34	0.1361
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	23.16	21.41	0.1384

66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	50@25	24.32	22.57	0.1807
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.15	22.4	0.1738
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@104	24.21	22.46	0.1762
66	15	20	424000	1720	DFT-s-OFDM QPSK	50@25	24.36	22.61	0.1824
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@1	24.11	22.36	0.1722
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@104	24.25	22.5	0.1778
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	50@25	23.38	21.63	0.1455
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@1	23.23	21.48	0.1406
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@104	23.37	21.62	0.1452
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	50@25	22.01	20.26	0.1062
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@1	21.79	20.04	0.1009
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@104	21.91	20.16	0.1038
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	50@25	19.98	18.23	0.0665
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@1	20.03	18.28	0.0673
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@104	20.09	18.34	0.0682
66	15	20	424000	1720	CP-OFDM QPSK	53@26	22.99	21.24	0.1330
66	15	20	424000	1720	CP-OFDM QPSK	1@1	23.33	21.58	0.1439
66	15	20	424000	1720	CP-OFDM QPSK	1@104	23.23	21.48	0.1406
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	50@25	24.31	22.56	0.1803
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.18	22.43	0.1750
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@104	24.12	22.37	0.1726
66	15	20	429000	1745	DFT-s-OFDM QPSK	50@25	24.39	22.64	0.1837
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@1	24.19	22.44	0.1754
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@104	24.14	22.39	0.1734
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	50@25	23.36	21.61	0.1449
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.29	21.54	0.1426
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@104	23.19	21.44	0.1393
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	50@25	22.03	20.28	0.1067
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.88	20.13	0.1030
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@104	21.8	20.05	0.1012
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	50@25	19.94	18.19	0.0659
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@1	20.08	18.33	0.0681
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@104	20.01	18.26	0.0670
66	15	20	429000	1745	CP-OFDM QPSK	53@26	22.81	21.06	0.1276

66	15	20	429000	1745	CP-OFDM QPSK	1@1	23.27	21.52	0.1419
66	15	20	429000	1745	CP-OFDM QPSK	1@104	22.95	21.2	0.1318
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	50@25	24.25	22.5	0.1778
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.12	22.37	0.1726
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@104	24.14	22.39	0.1734
66	15	20	434000	1770	DFT-s-OFDM QPSK	50@25	24.3	22.55	0.1799
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@1	24.13	22.38	0.1730
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@104	24.12	22.37	0.1726
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	50@25	23.31	21.56	0.1432
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@1	23.17	21.42	0.1387
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@104	23.26	21.51	0.1416
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	50@25	21.98	20.23	0.1054
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@1	21.76	20.01	0.1002
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@104	21.91	20.16	0.1038
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	50@25	19.94	18.19	0.0659
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@1	20	18.25	0.0668
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@104	20.09	18.34	0.0682
66	15	20	434000	1770	CP-OFDM QPSK	53@26	22.83	21.08	0.1282
66	15	20	434000	1770	CP-OFDM QPSK	1@1	23.03	21.28	0.1343
66	15	20	434000	1770	CP-OFDM QPSK	1@104	23.21	21.46	0.1400
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	108@54	24.34	22.59	0.1816
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	1@1	23.69	21.94	0.1563
66	15	40	426000	1730	DFT-s-OFDM PI/2 BPSK	1@214	23.75	22	0.1585
66	15	40	426000	1730	DFT-s-OFDM QPSK	108@54	24.39	22.64	0.1837
66	15	40	426000	1730	DFT-s-OFDM QPSK	1@1	23.75	22	0.1585
66	15	40	426000	1730	DFT-s-OFDM QPSK	1@214	23.81	22.06	0.1607
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	108@54	23.4	21.65	0.1462
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	1@1	22.79	21.04	0.1271
66	15	40	426000	1730	DFT-s-OFDM 16 QAM	1@214	22.88	21.13	0.1297
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	108@54	22.03	20.28	0.1067
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	1@1	21.41	19.66	0.0925
66	15	40	426000	1730	DFT-s-OFDM 64 QAM	1@214	21.46	19.71	0.0935
66	15	40	426000	1730	DFT-s-OFDM 256 QAM	108@54	20.02	18.27	0.0671
66	15	40	426000	1730	DFT-s-OFDM 256 QAM	1@1	19.58	17.83	0.0607

66	15	40	426000	1730	DFT-s-OFDM 256 QAM	1@214	19.63	17.88	0.0614
66	15	40	426000	1730	CP-OFDM QPSK	108@54	22.95	21.2	0.1318
66	15	40	426000	1730	CP-OFDM QPSK	1@1	22.91	21.16	0.1306
66	15	40	426000	1730	CP-OFDM QPSK	1@214	22.76	21.01	0.1262
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	108@54	24.31	22.56	0.1803
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.77	22.02	0.1592
66	15	40	429000	1745	DFT-s-OFDM PI/2 BPSK	1@214	23.74	21.99	0.1581
66	15	40	429000	1745	DFT-s-OFDM QPSK	108@54	24.33	22.58	0.1811
66	15	40	429000	1745	DFT-s-OFDM QPSK	1@1	23.81	22.06	0.1607
66	15	40	429000	1745	DFT-s-OFDM QPSK	1@214	23.76	22.01	0.1589
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	108@54	23.27	21.52	0.1419
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	1@1	22.9	21.15	0.1303
66	15	40	429000	1745	DFT-s-OFDM 16 QAM	1@214	22.81	21.06	0.1276
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	108@54	21.97	20.22	0.1052
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.47	19.72	0.0938
66	15	40	429000	1745	DFT-s-OFDM 64 QAM	1@214	21.41	19.66	0.0925
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	108@54	19.94	18.19	0.0659
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.63	17.88	0.0614
66	15	40	429000	1745	DFT-s-OFDM 256 QAM	1@214	19.63	17.88	0.0614
66	15	40	429000	1745	CP-OFDM QPSK	108@54	22.94	21.19	0.1315
66	15	40	429000	1745	CP-OFDM QPSK	1@1	23.1	21.35	0.1365
66	15	40	429000	1745	CP-OFDM QPSK	1@214	22.82	21.07	0.1279
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.23	22.48	0.1770
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	1@1	23.74	21.99	0.1581
66	15	40	432000	1760	DFT-s-OFDM PI/2 BPSK	1@214	23.75	22	0.1585
66	15	40	432000	1760	DFT-s-OFDM QPSK	108@54	24.28	22.53	0.1791
66	15	40	432000	1760	DFT-s-OFDM QPSK	1@1	23.75	22	0.1585
66	15	40	432000	1760	DFT-s-OFDM QPSK	1@214	23.71	21.96	0.1570
66	15	40	432000	1760	DFT-s-OFDM 16 QAM	108@54	23.3	21.55	0.1429
66	15	40	432000	1760	DFT-s-OFDM 16 QAM	1@1	22.79	21.04	0.1271
66	15	40	432000	1760	DFT-s-OFDM 16 QAM	1@214	22.81	21.06	0.1276
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	108@54	21.93	20.18	0.1042
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	1@1	21.37	19.62	0.0916
66	15	40	432000	1760	DFT-s-OFDM 64 QAM	1@214	21.42	19.67	0.0927

66	15	40	432000	1760	DFT-s-OFDM 256 QAM	108@54	19.91	18.16	0.0655
66	15	40	432000	1760	DFT-s-OFDM 256 QAM	1@1	19.56	17.81	0.0604
66	15	40	432000	1760	DFT-s-OFDM 256 QAM	1@214	19.61	17.86	0.0611
66	15	40	432000	1760	CP-OFDM QPSK	108@54	22.92	21.17	0.1309
66	15	40	432000	1760	CP-OFDM QPSK	1@1	22.85	21.1	0.1288
66	15	40	432000	1760	CP-OFDM QPSK	1@214	22.86	21.11	0.1291

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00002	**PASS**	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00224	**PASS**	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00258	**PASS**	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00509	**PASS**	-30℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00268	**PASS**	-20℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00439	**PASS**	-10℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00445	**PASS**	0℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00695	**PASS**	10℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00597	**PASS**	20℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00648	**PASS**	30℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00534	**PASS**	40℃
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00449	**PASS**	50℃

Peak to Average Radio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	4.08	13	**PASS**
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.43	13	**PASS**
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	5.14	13	**PASS**
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	5.38	13	**PASS**
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.31	13	**PASS**
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.46	13	**PASS**
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	5.39	13	**PASS**
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	5.43	13	**PASS**
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	4.15	13	**PASS**
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.55	13	**PASS**
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	5.23	13	**PASS**
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	5.77	13	**PASS**

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH

B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH

B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4683	4.805
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.4782	4.814
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.4742	4.901
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.4663	4.84
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.4668	4.904
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.4778	4.89
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9	9.54
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	8.9059	9.578
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.275	9.85
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.2947	9.849
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.2897	9.878
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.2772	9.833
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.382	14.15
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.375	14.19
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.077	14.83
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.111	14.75
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.095	14.75
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.085	14.77
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	17.861	19.03
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	17.874	19.04
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	18.928	19.85
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	18.938	19.91
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	18.945	19.92
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	18.912	19.94

66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	38.515	40.24
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	216@0	38.541	40.16
66	15	40	429000	1745.0	CP-OFDM QPSK	216@0	38.542	40.15
66	15	40	429000	1745.0	CP-OFDM 16 QAM	216@0	38.593	40.12
66	15	40	429000	1745.0	CP-OFDM 64 QAM	216@0	38.587	39.99
66	15	40	429000	1745.0	CP-OFDM 256 QAM	216@0	38.588	40.2

B2_N66(5M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH

B2_N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH

B2_N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH

B2_N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH

B2_N66(10M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH

B2_N66(10M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH

B2_N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH

B2_N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH

B2_N66(15M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(15M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B2_N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH

B2_N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B2_N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B2_N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



B2_N66(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	15	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	15	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	1@0	see graph	**PASS**

66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	**PASS**
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	**---**
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	**PASS**
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	**---**
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	**PASS**

B2_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B2_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B2_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B2_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B2_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B2_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B2_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B2_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B2_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B2_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH