

## Pulse 2 Hub | Set up Instructions for Android

The Pulse 2 connects to home networks to unlock the luxury of automated shade control. Experience customization with scene and timer options as well as voice control via Google Assistant and Amazon Alexa.

### THE APP ALLOWS FOR:

1. Individual and group control – Group Automate shades by room and conveniently control them accordingly.
2. Remote connectivity - Control shades remotely, whether home or away on a local network or an internet connection.
3. Scene control - Personalize shade control and organize how your shades operate by specific daily events.
4. Timer functionality - Set and forget. Lower, raise and activate shade scenes automatically at the optimal time.
5. Sunrise and Sunset - Utilizing time zone and location, the Pulse 2 can automatically raise or lower Automate shades according to the position of the sun.
6. Compatible IoT Integrations:
  - IFTTT via applets
  - Amazon Alexa devices
  - Google Home
  - Smart Things

### GETTING STARTED:

To experience automated shade control through the Automate Pulse 2 app, you will need to have:

- Downloaded the free app via the Google Play Store.
- Purchased one or more Hub's depending on the size of the area you would like to cover.
- Familiarized yourself with the app navigation guide below.
- Created a Location then pair hub to that location. Our step by step guide will explain in more detail.

### WI-FI HUB TECHNICAL SPECIFICATIONS:

- Radio Frequency range: ~60 feet (no obstructions)
- Radio Frequency: 433MHz
- Wi-Fi 2.4 GHz or Ethernet Connectivity (CAT 5)
- Power: 5V DC
- For Indoor Use Only

### BEST PRACTICES FOR PAIRING THE HUB ON YOUR WIFI NETWORK:

- Only pair your hub via 2.4GHZ Wi-Fi (Lan Pairing is not supported) Do not connect ethernet cable to the hub.
- The Hub must be within signal range of both the automated shades and 2.4GHZ Wi-Fi.
- Ensure 5Ghz are disabled on your Wi-Fi router or disconnected from your mobile device.
- Check your phone and confirm if the Home App has been installed.
- Environments with multiple WAPs (wireless access points) may need all but the main router temporarily disabled.
- Security settings on your router and on phone may need to be temporarily disabled.
- Place the Hub in a horizontal position. (avoid metal enclosures / ceiling or any other locations that may affect the range.
- Before starting the Hub installation, make sure that all your shades are functional and charged. You can test the shade using a remote control or pressing a "P1" Button on the motor head.
- In case of range issues, it is recommended you deploy the antenna or reposition the hub in your installation.
- Add additional repeaters if is required (Only two per Hub).

### CAPABILITIES:

- Motors per Hub: 30
- Locations per account: 5
- Hub's per location: 5
- Rooms per Location: 30
- Scenes per Location: 20 (100 per location)
- Timers per Location: 20 (100 per location)

**WHAT'S IN THE BOX?**



**A.**  
Automate Pulse 2  
Hub



**B.**  
USB Power  
Supply



**C.**  
32" (80cm) USB  
Power Cord



**D.**  
Ethernet cable




**E.**  
Quick Start Guide

**UNPACKING THE HUB 2.0:**



**1.** Unpack the Pulse 2.



**2.** Check the Box Contents.



**3.** Plug the USB Cord  
into the Power Supply




**4.** Connect the Micro  
USB end into the back  
of the Pulse 2



**5.** Plug the Power Supply  
into the outlet and place  
the Hub in a central  
location in your home.

**APP NAVIGATION**

Home Page



- Home:** Shows the main control screen with rooms and devices tabs
- Favorites:** Allows you to create a list of your favorite Devices or Scenes
- Scenes:** Show a list of scenes created
- Timers:** Show a list of scene timers
- App Version:** 2.0.(13)


## SETTING UP:

### STEP 1 – Open the App




Open the Automate Pulse 2 mobile App.

### STEP 2 – Sign Up




If required, create a new account. Select Sign Up on the Top Right corner of the screen.

### STEP 3 – Sign Up



Creating an account will require an email address and password.

### STEP 4 – Sign In




If you already have an account, Log in with your account information.

## QUICK START SETUP:

NOTE: You cannot pair the hub via the Ethernet cable connection, Wi-Fi only via a 2.4GHZ connection. Refer to troubleshooting for more information.

### STEP 1 – Quick Start




Please power up the Hub then follow the Quick Start guide. Select "YES".

### STEP 2 – Add Location




You can create a name for your location or select "Next" to use the Default "My House".

### STEP 3 - Configure a Hub




Wait as the App creates a Location for the Hub.

### STEP 4 – Time Zone




Select your Time Zone. This is important for timers to operate correctly. Ensure daylight savings is enabled.

### STEP 5 - Configure a Hub




Make sure that your current Wi-Fi Network aligns with the network you want the hub connected to.

### STEP 6 - Configure a Hub




Open your Wi-Fi settings and connect to the appropriate RA-PULSE-xxx network that corresponds with your hub.

### STEP 7 - Configure a Hub




Open your Wi-Fi settings and connect to the appropriate RA-PULSE-xxx network that corresponds with your hub.

### STEP 8 - Configure a Hub




In the app, verify you are connected to your RA\_PULSE-xxxx network, press 'NEXT' to pair the hub.

### STEP 9 – Wi-fi Network




Verify if your Wi-Fi network is listed. If it is not, type in the correct network name.

### STEP 10 - Wi-fi Network




Enter your correct Wi-Fi networks password.

### STEP 11 - Configure a Hub




Wait while the hub connects to your Wi-Fi Network.

### STEP 12 - Configure a Hub




Before selecting 'NEXT' verify the network changes over to your home Wi-Fi network.

### STEP 13 - Configure a Hub




Select 'NEXT' to continue the setup process.

### STEP 14 - Finalizing



Wait as the hub finalizes the setup.


### STEP 15 - Pairing Completed



The Hub is ready to be used! Press 'DONE' to start the Application.


## ADDING ADDITIONAL HUB TO EXSITING LOCATION:

### STEP 1 - Configure a Hub




Select the location desired to add a new hub to.

### STEP 2 – Add a New Hub




Click on "ADD NEW HUB" to start the process to setting up your HUB on the App.

### STEP 3 - Configure a Hub




Follow on the screen instructions and click on the button to connect to NEW HUB.

### STEP 4 – Time Zone




Select your Time Zone. This is important for timers to operate correctly. Ensure daylight savings is enabled.

### STEP 5 - Configure a Hub




Make sure that your current Wi-Fi Network aligns with the network you want the hub connected to.

### STEP 6 - Configure a Hub




Open your Wi-Fi settings and connect to the appropriate RA-PULSE-xxx network that corresponds with your hub.

### STEP 7 - Configure a Hub




Open your Wi-Fi settings and connect to the appropriate RA-PULSE-xxx network that corresponds with your hub.

### STEP 8 - Configure a Hub




In the app, verify you are connected to your RA\_PULSE-xxxx network, press 'NEXT' to pair the hub.

### STEP 9 – Wi-fi Network




Verify if your Wi-Fi network is listed. If it is not, type in the correct network name.

### STEP 10 - Wi-fi Network




Enter your correct Wi-Fi networks password.

### STEP 11 - Configure a Hub




Wait while the hub connects to your Wi-Fi Network.

### STEP 12 - Configure a Hub




Before selecting 'NEXT' verify the network changes over to your home Wi-Fi network.

### STEP 13 - Configure a Hub




Select 'NEXT' to continue the setup process.

### STEP 14 - Finalizing



Wait as the hub finalizes the setup.


### STEP 15 - Pairing Completed



The Hub is ready to be used! Press 'DONE' to start the Application.


## CREATING A LOCATION:

### STEP 1 - Add Location




Open the App from the home screen and select the menu button, click "ADD NEW LOCATION".

### STEP 2 – Add Location



Select the default location and update the location name if desired. Select Ok then Done.


### STEP 3 – Toggle Location



If you have setup multiple locations, select the 'Location' icon in the upper right corner to toggle between locations.


## ADDING A CUSTOM HOME IMAGE:

### STEP 1 – Custom Home Image




From the main menu select the location you wish to change the home image for.

### STEP 2 – Custom Home Image




Select "Change Location Image".

### STEP 3 – Custom Home Image



Choose to "Select Image from Library".

### STEP 4 – Custom Home Image




You will need to Allow Pulse 2 access to import a picture, Select the image and crop as desired.



## HOW TO PAIR A MOTOR TO THE APP:


During the setup, the hub may need to be moved room to room during the pairing process. We recommend setting up your motors with a remote prior to syncing with the App.

### STEP 1 – Pair a motor




On the home screen select 'DEVICES' then select the 'Plus' icon to add a new shade.

### STEP 2 – Pair a motor




From the list select the HUB you wish to pair the motor too.

### STEP 3 – Pair a motor




Select which device type best represents your shade.. (NOTE this can't be changed later)

### STEP 4 – Pair a motor




Make sure the shade device is plugged in or ready to be paired and select 'NEXT'.

### STEP 5 – Pair a motor




Choose your pairing method: 'PAIR USING HUB' or 'COPY FROM REMOTE'. \*We recommend copying from a remote for the best results.

### STEP 6 – Pair with Remote



Make sure the remote is tuned to the shade's individual channel (not Ch 0). Remove the remote battery cover and press the upper left P2 button Twice, then "Next".

### STEP 7 – Pair with HUB




Press and hold the P1 button on the motor head ~2 seconds. The motor will jog up and down once and you will hear one audible beep. Press 'PAIR' on the app screen.

### STEP 8 – Pair a motor




Wait as the app searches for the new device.

### STEP 9 – Pair a motor




If the pairing process was successful, Press "NEXT" to finalize pairing. If pairing fails, try the process again.

### STEP 10 – Shade Details




Input a Device Name to customize your treatment name. Press "Done" to complete setup.

### STEP 11 – Pair a motor



The "New Device" will now be added to the 'DEVICE' tab.


### STEP 12 – Shade Ready



Shade is now ready for operation from Pulse 2 App.


## HOW TO OPERATE SHADES:

### STEP 1 – Operate Shade




Select the device that you wish to operate.

### STEP 2 - Open a shade




Close the shade by pressing the "Down Arrow" icon or scrolling the black line to the bottom.

### STEP 3 - Close a shade








Open the shade by pressing the "Up arrow" icon or scrolling the black line to the top.

### STEP 4 - Move a shade







Move the shade to the position desired by scrolling the line to any position. Press the stop button to stop the shade anytime.

## DEVICE INFORMATION:


Battery Device Information	Signal Device Information	Device Information
		
<p>Top left corner, there is the battery icon – This icon has 3 levels. Full, Medium &amp; Low. </p>	<p>Top right there is the Signal Strength icon. 4 Levels. Excellent, Satisfactory, Low &amp; No Signal. </p>	<p>From the device window if you select "Edit" you can see all the motors device settings and the device information.</p>

Refer to Page 18 for more information about the battery status and Signal Strength Status

## HOW TO CREATE A ROOM:


STEP 1 – Create a Room	STEP 2 – Create a Room	STEP 3 – Create a Room	STEP 4 – Create a Room
			
<p>Once the Shade is paired to the App. Click 'ROOMS' tab. Select the "Plus" icon to add a new room.</p>	<p>Select the 'ROOM NAME' to enter the desired room name.</p>	<p>Enter the Room Name and click "OK".</p>	<p>Select 'ROOM PICTURE' to select an icon to represent the room.</p>

### STEP 5 – Create a Room




Select the appropriate icon for the Room.

### STEP 6 -Add Shades to a Room




Select 'ROOM DEVICES' to add a new device to the room.

### STEP 7 -Add Shades to a Room




Select the devices you wish to be added to the room.

### STEP 8 -Add Shades to a Room




Press 'DONE' to complete the setup of the room.

### STEP 9 -Add Shades to a Room




Wait for the App to conclude the process of room set up.

### STEP 10 – Operate a Room



Select the Room to operate All shades that have been added to the room at the same time.

### STEP 11 – Operate a Room



Operate all shades in the Room with the three buttons options available: Open, Close and move 50%.

## HOW TO CREATE A SCENE:


You can create scenes to set a treatment or group of treatments to specific heights or capture all the devices that you previously moved to the desired position even from the App or using a remote.

### STEP 1 – Create a Scene




Select Scenes then, 'Add New Scene' to begin programming your desired scene.

### STEP 2 – Create a Scene




Select the 'SCENE NAME' to customize the name of your scene.

### STEP 3 – Create a Scene




Input your scene name.

### STEP 4 – Create a Scene




Select 'SCENE PICTURE' to customize the icon for your scene.

### STEP 5 – Create a Scene




Select the icon that represents your scene.

### STEP 6 – Automatic a Scene




Automatic scene creation Set all devices with the remote to desired position. Then use the "Capture All Devices" button to create a scene of all current shades are positions. Select "Done".

### STEP 7 – Manual Scene Creation




Or Select 'UPDATE SCENE DEVICES' to add devices into the Scene.

### STEP 8 – Manual Scene Creation



Choose custom heights (by %) or set open/close for all selected window treatments.

### STEP 9 – Manual Scene Creation



Repeat for all shade in that scene. Set the shade height percentage if necessary. Select 'DONE' to create your scene.

### STEP 10 – Activate a Scene



To activate your custom scene just press 'GO' next to the desired scene name.

## PROGRAMMING TIMERS:


You can program timers to trigger the specific operation of your shades and scenes at your desired times throughout the day.

### STEP 1 – Create a Timer




Select 'TIMERS' then, 'ADD NEW TIMER' to program your timer.

### STEP 2 – Create a Timer




Select 'TIMER NAME'.

### STEP 3 – Create a Timer



Input your desired timer name.

### STEP 4 – Create a Timer




Select 'TIMER ICON' to add an icon for your timer.

### STEP 5 – Create a Timer




Select the appropriate icon for the Timer.

### STEP 6 – Create a Timer




Select the 'TIMER SCENE' to choose the scene you wish the timer to activate.

### STEP 7 – Create a Timer




In the Scene list, add the scenes you wish to operate.

### STEP 8 – Create a Timer




Set the time you wish the timer to trigger shade control.

### STEP 9 – Create a Timer




Select the days you wish the timer to operate.

### STEP 10 – Create a Timer




If you prefer, track your timer through the Sunrise/Sunset functions. Select 'DONE' to finalize your timer.

### STEP 11 – Enable /Disable Timer







Your timers can be manually enabled and disabled by toggling the switch for each timer.

### STEP 12 – Pause/Un-Pause Timer







Your timers can be paused and un-paused to switch all timers on and off at the same time.

## HOW TO CREATE FAVORITE:


STEP 1 – Create a Favorite Device	STEP 2 – Edit a Favorite Device	STEP 3 – Create a Favorite Scene	STEP 4 – Create a Favorite Scene
			
<p>Select the "Plus" icon to add a favorite device to your "Favorite"</p>	<p>Select "EDIT" in the upper right corner to remove the favorite device from your screen.</p>	<p>Select the "Plus" icon to add a favorite scene to your "Favorite"</p>	<p>Select 'EDIT' in the upper right corner to remove the favorite scenes from your screen.</p>

## HOW TO ADJUST LIMITS:

STEP 1 – Adjust Limits	STEP 2 – Adjust Limits	STEP 3 – Setting Limits	STEP 4 – Setting Limits
			
<p>Select the device you want to adjust the limits on.</p>	<p>Select 'EDIT' in the top right to open the shades settings page.</p>	<p>Modify the Top or Bottom position of the Device as desired</p>	<p>Select the 'Top Position' to change the upper limit of your shade. Press 'OK' to continue</p>




### STEP 5 – Setting Limits




To move your shade a little bit, press the arrow buttons or slide the double arrow button. Press 'SET TOP POSITION' to save.

### STEP 6 – Setting Limits




The app will configure the new top position.

### STEP 7 – Setting Limits




Press the "Bottom Position" to change the lower limit of your shade. Press 'OK' to continue.

### STEP 8 – Setting Limits



To move your shade a little bit, press the arrow buttons or slide the double arrow button. Press "SET BOTTOM POSITION" to save.


### STEP 9 – Setting Limits



The app will configure the new Bottom Position.


## HOW TO SHARE THE HUB:

### STEP 1 - Share a Hub



In the 'Add a Hub' Screen, it is possible to connect to a shared hub.

### STEP 2 - Share a Hub




The HUB must have been shared from another account.

### STEP 3 - Share a Hub














The shared Hub will be listed on the shared Hubs list to be added.

### STEP 4 - Share a Hub
















After it is added, the shared hub will appear under the Location Settings it was added to with a red 'S'

**LED STATUS INDICATION:**

COLOR	RESPONSE	STATUS
	Blue LED blinks one time a second: <i>(On for 250ms and off for 850ms).</i>	AP Mode (Pairing Mode)
	Blue LED short blinks five times a second: <i>(On for 100ms and off for 100ms).</i>	Firmware Updating
	Blue LED long blinks two times a second: <i>(On for 250ms and off for 250ms).</i>	Connected to Wi-Fi (Paired without Internet)
	Blue LED short blinks two times a second: <i>(On for 100ms and off for 500ms).</i>	Pulse received configuration via the app (Before reset after Pairing Mode)
	Blue LED is Solid	Connected to Internet (Paired)
	Red LED long blinks four times a second: <i>(On for 250ms and off for 250ms).</i>	Reset Button Pressed (Paperclip Needed)
	-Red LED short blinks four times a second: <i>(On for 100ms and off for 150ms).</i>	Network Disconnected (Paired without Wi-Fi)
	Red LED is solid	Factory Reset Initiated (User can release reset button)
	-Green LED blinks 5 times for one second: <i>(On for 100ms and off 100ms).</i>	HomeKit Identification
	Re-provisioning Initiated <i>(User can release P button).</i>	Green LED is solid
	LED is Off	Hub is Offline

MEANING OF ICONS:

App Screen	Icon	MEANING	STATUS
		Signal Strength Icons	<ul style="list-style-type: none"> <li><b>Excellent</b> Greater than -89</li> <li><b>Satisfactory</b> Between -96 to -89</li> <li><b>Low</b> Between -102 to -97</li> <li><b>No Signal</b> Between -102 to -97</li> </ul>
		Battery Percentage Icon	<p>3 Levels of Battery</p> <p>Full 100-70%</p> <p>Medium 69-11%</p> <p>Low 10% or less (and motor starts beeping)</p>
	<p>Pop up</p> <div data-bbox="613 1146 813 1272" style="border: 1px solid black; padding: 5px;"> <p><b>Motor Offline</b></p> <p>Your motor appears to be offline. Try adjusting the % to see if the motor moves. If not, ensure your motor is connected to power and try again</p> <p>Go Back OK</p> </div>	Motor Offline Pop up reminder	The motor is offline, and the control device is not on the same network.
		Motor Offline	The motor is offline, and the control device is not on the same network.
		Greyed out Icons	Signal or Battery Icons being greyed out when the motor is offline, it displays the last known values

		AC Motor Type Icon	AC Powered Motor connected to continuous power
		DC Motor Type Icon	DC Powered Motor connected to continuous power  Full     100-70%  Medium   69-11%  Low     10% or less  <i>Note varying voltages may be displayed as above</i>

**TROUBLESHOOTING:**

The following scenarios are common issues that may cause connectivity problems during the AUTOMATE PULSE 2 HUB pairing process. If you cannot achieve success connecting the Automate Pulse 2 Hub to your network, please reference below for the most common pairing roadblocks.

**I CANNOT CONNECT TO MY HIDDEN WI-FI NETWORK.**

The AUTOMATE PULSE 2 HUB does not currently support pairing with hidden networks. To connect to a hidden network, you will need to unhide the network. Once the network pairing process is complete you can re-hide the network and the Wi-Fi HUB will work without issue.

**I HAVE MULTIPLE ACCESS POINTS (or a MESH network) AND CANNOT COMPLETE THE PAIRING PROCESS.**

If you have multiple wireless access points, we recommend that you turn off all but the main router to complete the network pairing process. Once this is complete you can turn on all the wireless access points and the Wi-Fi HUB will work without issue.

**I CANNOT CONNECT TO MY 5GHZ WI-FI NETWORK.**

The AUTOMATE PULSE 2 HUB does not currently support operation over a 5GHz network. It operates on a 2.4GHz network or using a LAN CONNECTION (CAT 5). Most routers are dual band and can support both network configurations. Please make sure that the 2.4GHz band is turned on in your wireless router's settings.

**NETWORK SECURITY SETTINGS ARE INTERFERING WITH THE SETUP PROCESS.**

Some companies or large corporate offices have network security settings more advanced than the typical homeowner. If you are setting up in this environment, please consult your network administrator. It may be necessary to enable device-to-device communication. One solution is to use a device with a mobile data connection available in the background to complete the set-up process.

**MY AUTOMATE PULSE 2 HUB IS NOT CONSISTENTLY WORKING.**

There are many things that can interfere with the radio communication that the AUTOMATE PULSE 2 HUB uses. Try positioning the AUTOMATE PULSE 2 HUB in a different location and/or closer to the shade to improve performance. Due to varying levels of interference it may be necessary to purchase an additional Wi-Fi HUB to extend the coverage throughout your location. Also, is a good practice on this situation to extending antennas outside of any Fascia or Cassette.

**SUPPORT RESOURCES:**

For further assistance, contact your retailer, or visit our website at [www.automateshades.com](http://www.automateshades.com)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

*L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:*

*1) L'appareil ne doit pas produire de brouillage;*

*2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.*

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

To satisfy FCC&IC RF exposure requirements, a separation distance of 20cm or more should be maintained between the antenna of this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.

*Les antennes installées doivent être situées de façon à ce que la population ne puisse y être exposée à une distance de moins de 20 cm. Installer les antennes de façon à ce que le personnel ne puisse approcher à 20 cm ou moins de la position centrale de l'antenne.*

Limited by local law regulations, version for North America does not have region selection option.