User guide for Remote Control RC4284505/02RP

1. Know your Remote

		Γ
0	0	ŀ
	AMBBLIGHT	L
	re video (13 YouTube)	
		Γ
		ľ
	Δ	┝
	\forall 71	ŀ
		L
4		
MEN		
		F
4 0		ŀ
	003	┝
		L
E		L
		Γ
		F
		┝
		┝
	PHILIPS	

		<1>.Power					
		000.012 <2>.Amblight					
			.143		_		
	<3>.Am				Youtube		
	000.1			0.121			
	<5>.NE			APPS			
7.0	000.1			0.128			
<7>.Source		<8>.Guide		<9>.Info			
00.000	000.056		000.204		000.015		
		<10>. Up					
-11- 1-8		000.088		-12- Diabi			
<11>. Left 000.090		<12>. OK 000.092		<13>. Right 000.091			
000.090		<14>. Down			000.	001	
			000.089				
<15>.Back		<16>.Voice		<17>.Home			
000.01	000.010		000.184		000.084		
<18>. Rev	vind	<19>. Play		<20>. Fast Forward			
000.04	3	000.044		000.040			
<21>.Me	nu	<22>. Pause		<23>.Stop			
000.64		000.048		000.049			
<24>.Red	<25>	.Green	<26>.Ye	ellow <27>.Blu		27>.Blue	
000.109	00	0.110	000.1	11	1 000.112		
<28>. Vo) +	<29>	.EXIT	<30>.CH+			
000.01		000	.159	000.032		032	
<31>.Vo			MUTE	<33>.CH-			
000.017		000.013		000.033			
<34>.Digit 1		<35>.Digit 2		<36>.Digit 3			
000.001		000.002		000.003			
<37>.Digit 4		<38>.Digit 5		<39>.Digit 6			
	000.004		000.005		000.006		
<40>.Digit 7		<41>.Digit 8		<42>.Digit 9			
000.007		000.008		000.009			
<43>.Dot 000.217		<44>.Digit 0 000.000		<45>.Dashboard 000.191			
000.21		000			JUU.	191	

2. How to pair your RCU with TV

Step 1: input 2*AAA batteries to Battery compartment.

Step 2: presses the Source key for 3 seconds.

Step 3: After 3s, the blue LED blinks to acknowledge. The LED will blink when RCU in pairing mode.

Step 4: When the user releases the key, RF pairing will start, the blue LED remains blinking.

If pairing is successful, the blue LED will be turned off after successful pairing.

Note: After RC goes into pairing mode, press any key before pairing successful will cancel and exit pairing mode except for <cursor> keys and <OK> key.

3. Voice Function

Press and released <voice> key to open the voice function, RCU will stop the voice

transmission after receiving the stop command sent by the host or 20s timeout.

The blue LED will be turned on for the full duration of audio sample transmission.

4. Ambilight key

When press the <Ambilight> key, the white LED will turn on and remain on 5 seconds.

5. Sleeping Mode

When no activity needs to do, the RC enters sleeping for power saving purpose. The sleeping mode behaves as below:

i) All LEDs are off.

- ii) IR and RF communications are stopped.
- iii) Any key press will wake up the RC.

FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Caution

Please take attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: —Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.