

EX3DV4- SN:3617

January 23, 2017

10255-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	5.94	75.60	20.34	3.98	65.0	± 9.6 %
		Y	5.82	75.23	20.37		65.0	
		Z	6.34	76.63	20.96		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	4.23	69.88	14.64	3.98	65.0	± 9.6 %
		Y	4.01	68.79	14.00		65.0	
		Z	4.67	71.31	15.66		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	4.17	69.33	14.31	3.98	65.0	± 9.6 %
		Y	3.95	68.25	13.66		65.0	
		Z	4.59	70.69	15.30		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	3.71	71.22	15.78	3.98	65.0	± 9.6 %
		Y	3.51	70.27	15.26		65.0	
		Z	4.29	73.30	16.98		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	5.09	73.12	18.61	3.98	65.0	± 9.6 %
		Y	4.99	72.70	18.42		65.0	
		Z	5.46	74.21	19.31		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	5.14	72.93	18.54	3.98	65.0	± 9.6 %
		Y	5.03	72.51	18.34		65.0	
		Z	5.51	73.99	19.23		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	5.67	77.42	20.36	3.98	65.0	± 9.6 %
		Y	5.44	76.75	20.18		65.0	
		Z	6.29	79.11	21.26		65.0	
10262-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	5.62	74.57	20.19	3.98	65.0	± 9.6 %
		Y	5.55	74.30	20.16		65.0	
		Z	5.97	75.55	20.81		65.0	
10263-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	5.42	72.75	19.09	3.98	65.0	± 9.6 %
		Y	5.30	72.29	18.93		65.0	
		Z	5.73	73.62	19.67		65.0	
10264-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	6.12	78.06	21.06	3.98	65.0	± 9.6 %
		Y	5.90	77.49	21.01		65.0	
		Z	6.69	79.53	21.86		65.0	
10265-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	5.65	72.60	19.35	3.98	65.0	± 9.6 %
		Y	5.54	72.12	19.25		65.0	
		Z	5.95	73.38	19.88		65.0	
10266-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	6.01	73.52	20.12	3.98	65.0	± 9.6 %
		Y	5.94	73.21	20.11		65.0	
		Z	6.31	74.28	20.62		65.0	
10267-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	6.19	76.13	20.33	3.98	65.0	± 9.6 %
		Y	6.05	75.75	20.39		65.0	
		Z	6.63	77.22	20.96		65.0	
10268-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	6.30	72.68	19.79	3.98	65.0	± 9.6 %
		Y	6.23	72.35	19.78		65.0	
		Z	6.57	73.33	20.24		65.0	
10269-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	6.28	72.31	19.69	3.98	65.0	± 9.6 %
		Y	6.23	72.01	19.69		65.0	
		Z	6.54	72.94	20.13		65.0	
10270-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	6.22	74.13	19.67	3.98	65.0	± 9.6 %
		Y	6.15	73.89	19.78		65.0	
		Z	6.55	74.91	20.18		65.0	

EX3DV4- SN:3617

January 23, 2017

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.71	67.39	15.96	0.00	150.0	± 9.6 %
		Y	2.61	66.51	15.32		150.0	
		Z	2.67	66.85	15.67		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.86	70.61	17.23	0.00	150.0	± 9.6 %
		Y	1.63	67.82	15.65		150.0	
		Z	1.75	69.18	16.47		150.0	
10277-CAA	PHS (QPSK)	X	2.64	62.34	8.04	9.03	50.0	± 9.6 %
		Y	2.58	62.28	8.13		50.0	
		Z	2.66	62.69	8.39		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	4.46	70.02	14.42	9.03	50.0	± 9.6 %
		Y	4.44	70.28	14.76		50.0	
		Z	5.11	72.63	15.96		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	4.57	70.28	14.58	9.03	50.0	± 9.6 %
		Y	4.54	70.50	14.90		50.0	
		Z	5.25	72.92	16.12		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.28	75.44	17.41	0.00	150.0	± 9.6 %
		Y	1.49	69.11	14.20		150.0	
		Z	1.85	71.95	15.97		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.23	71.75	15.92	0.00	150.0	± 9.6 %
		Y	0.87	66.26	12.79		150.0	
		Z	1.02	68.59	14.45		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	2.93	85.66	21.69	0.00	150.0	± 9.6 %
		Y	1.18	71.39	15.62		150.0	
		Z	1.60	76.02	18.12		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	20.20	115.78	30.88	0.00	150.0	± 9.6 %
		Y	2.33	81.39	20.05		150.0	
		Z	3.51	88.25	23.04		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	7.11	78.37	20.71	9.03	50.0	± 9.6 %
		Y	7.87	80.22	21.57		50.0	
		Z	7.85	80.89	22.19		50.0	
10297-AAB	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.05	71.64	17.73	0.00	150.0	± 9.6 %
		Y	2.76	69.59	16.72		150.0	
		Z	2.95	70.65	17.23		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.04	71.88	16.55	0.00	150.0	± 9.6 %
		Y	1.59	67.85	14.24		150.0	
		Z	1.85	69.87	15.64		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.14	75.51	16.90	0.00	150.0	± 9.6 %
		Y	2.77	69.49	13.99		150.0	
		Z	3.28	72.40	15.89		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.43	67.49	12.72	0.00	150.0	± 9.6 %
		Y	2.05	65.00	11.16		150.0	
		Z	2.27	66.57	12.51		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.72	65.34	17.53	4.17	50.0	± 9.6 %
		Y	3.92	61.93	15.76		50.0	
		Z	4.82	65.44	17.61		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.20	65.97	18.24	4.96	50.0	± 9.6 %
		Y	5.26	66.23	18.34		50.0	
		Z	5.29	66.01	18.29		50.0	

EX3DV4- SN:3617

January 23, 2017

10303- AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.96	65.62	18.09	4.96	50.0	± 9.6 %
		Y	5.02	65.95	18.22		50.0	
		Z	5.05	65.69	18.15		50.0	
10304- AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.76	65.50	17.60	4.17	50.0	± 9.6 %
		Y	4.75	65.28	17.37		50.0	
		Z	4.84	65.52	17.63		50.0	
10305- AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.50	67.77	19.90	6.02	35.0	± 9.6 %
		Y	4.58	67.89	19.63		35.0	
		Z	4.59	67.89	20.02		35.0	
10306- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.76	66.51	19.29	6.02	35.0	± 9.6 %
		Y	4.82	66.64	19.14		35.0	
		Z	4.85	66.63	19.42		35.0	
10307- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.68	66.79	19.32	6.02	35.0	± 9.6 %
		Y	4.74	66.88	19.14		35.0	
		Z	4.77	66.92	19.45		35.0	
10308- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.66	67.00	19.47	6.02	35.0	± 9.6 %
		Y	4.72	67.09	19.28		35.0	
		Z	4.74	67.12	19.59		35.0	
10309- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.82	66.74	19.44	6.02	35.0	± 9.6 %
		Y	4.87	66.82	19.26		35.0	
		Z	4.91	66.88	19.57		35.0	
10310- AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.72	66.61	19.29	6.02	35.0	± 9.6 %
		Y	4.78	66.74	19.14		35.0	
		Z	4.80	66.72	19.41		35.0	
10311- AAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.44	70.82	17.30	0.00	150.0	± 9.6 %
		Y	3.13	68.88	16.37		150.0	
		Z	3.32	69.89	16.83		150.0	
10313- AAA	iDEN 1:3	X	2.95	69.77	14.46	6.99	70.0	± 9.6 %
		Y	3.20	71.12	15.53		70.0	
		Z	3.54	72.15	15.72		70.0	
10314- AAA	iDEN 1:6	X	4.20	75.31	19.29	10.00	30.0	± 9.6 %
		Y	5.18	79.50	21.55		30.0	
		Z	4.97	78.57	20.93		30.0	
10315- AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.12	64.85	16.15	0.17	150.0	± 9.6 %
		Y	1.10	63.59	15.18		150.0	
		Z	1.12	64.28	15.73		150.0	
10316- AAB	IEEE 802.11g WiFi 2.4 GHz (ERP- OFDM, 6 Mbps, 96pc duty cycle)	X	4.62	66.83	16.43	0.17	150.0	± 9.6 %
		Y	4.60	66.58	16.31		150.0	
		Z	4.65	66.70	16.40		150.0	
10317- AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.62	66.83	16.43	0.17	150.0	± 9.6 %
		Y	4.60	66.58	16.31		150.0	
		Z	4.65	66.70	16.40		150.0	
10400- AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.77	67.29	16.53	0.00	150.0	± 9.6 %
		Y	4.71	66.96	16.36		150.0	
		Z	4.79	67.11	16.45		150.0	
10401- AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.44	67.35	16.60	0.00	150.0	± 9.6 %
		Y	5.46	67.24	16.57		150.0	
		Z	5.47	67.24	16.57		150.0	

EX3DV4- SN:3617

January 23, 2017

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.71	67.75	16.65	0.00	150.0	± 9.6 %
		Y	5.68	67.45	16.55		150.0	
		Z	5.73	67.62	16.61		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.28	75.44	17.41	0.00	115.0	± 9.6 %
		Y	1.49	69.11	14.20		115.0	
		Z	1.85	71.95	15.97		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.28	75.44	17.41	0.00	115.0	± 9.6 %
		Y	1.49	69.11	14.20		115.0	
		Z	1.85	71.95	15.97		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	118.29	28.87	0.00	100.0	± 9.6 %
		Y	100.00	117.91	29.00		100.0	
		Z	100.00	122.08	30.71		100.0	
10410-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	59.82	110.41	26.36	3.23	80.0	± 9.6 %
		Y	12.96	92.45	22.45		80.0	
		Z	71.34	115.15	28.31		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.05	64.21	15.79	0.00	150.0	± 9.6 %
		Y	1.03	62.95	14.76		150.0	
		Z	1.04	63.53	15.27		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.60	66.96	16.48	0.00	150.0	± 9.6 %
		Y	4.56	66.66	16.32		150.0	
		Z	4.61	66.76	16.40		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.60	66.96	16.48	0.00	150.0	± 9.6 %
		Y	4.56	66.66	16.32		150.0	
		Z	4.61	66.76	16.40		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.59	67.13	16.51	0.00	150.0	± 9.6 %
		Y	4.55	66.83	16.35		150.0	
		Z	4.60	66.92	16.42		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.61	67.07	16.51	0.00	150.0	± 9.6 %
		Y	4.57	66.77	16.35		150.0	
		Z	4.62	66.87	16.42		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.73	67.06	16.51	0.00	150.0	± 9.6 %
		Y	4.69	66.77	16.36		150.0	
		Z	4.74	66.87	16.43		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.90	67.39	16.62	0.00	150.0	± 9.6 %
		Y	4.85	67.07	16.47		150.0	
		Z	4.92	67.20	16.55		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.82	67.34	16.60	0.00	150.0	± 9.6 %
		Y	4.77	67.02	16.45		150.0	
		Z	4.84	67.15	16.52		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.41	67.58	16.72	0.00	150.0	± 9.6 %
		Y	5.39	67.35	16.64		150.0	
		Z	5.44	67.47	16.68		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.41	67.59	16.72	0.00	150.0	± 9.6 %
		Y	5.41	67.44	16.68		150.0	
		Z	5.44	67.47	16.68		150.0	

EX3DV4- SN:3617

January 23, 2017

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.42	67.59	16.71	0.00	150.0	± 9.6 %
		Y	5.41	67.37	16.64		150.0	
		Z	5.45	67.46	16.67		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.55	72.18	19.08	0.00	150.0	± 9.6 %
		Y	4.53	72.25	19.02		150.0	
		Z	4.44	71.34	18.68		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.31	67.63	16.57	0.00	150.0	± 9.6 %
		Y	4.23	67.22	16.30		150.0	
		Z	4.32	67.37	16.46		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.60	67.43	16.58	0.00	150.0	± 9.6 %
		Y	4.53	67.08	16.39		150.0	
		Z	4.61	67.22	16.49		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.84	67.38	16.62	0.00	150.0	± 9.6 %
		Y	4.78	67.06	16.47		150.0	
		Z	4.85	67.19	16.55		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.77	73.42	19.23	0.00	150.0	± 9.6 %
		Y	4.72	73.40	19.07		150.0	
		Z	4.59	72.37	18.76		150.0	
10435-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	49.31	107.82	25.70	3.23	80.0	± 9.6 %
		Y	12.08	91.41	22.11		80.0	
		Z	60.99	112.90	27.74		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.65	67.91	16.10	0.00	150.0	± 9.6 %
		Y	3.51	67.23	15.57		150.0	
		Z	3.63	67.52	15.92		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.15	67.42	16.44	0.00	150.0	± 9.6 %
		Y	4.07	67.00	16.17		150.0	
		Z	4.15	67.16	16.32		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.41	67.28	16.50	0.00	150.0	± 9.6 %
		Y	4.35	66.91	16.29		150.0	
		Z	4.42	67.06	16.40		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.59	67.17	16.50	0.00	150.0	± 9.6 %
		Y	4.55	66.82	16.32		150.0	
		Z	4.60	66.96	16.41		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.57	68.24	15.81	0.00	150.0	± 9.6 %
		Y	3.39	67.37	15.15		150.0	
		Z	3.55	67.80	15.62		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.26	68.09	16.83	0.00	150.0	± 9.6 %
		Y	6.28	67.91	16.80		150.0	
		Z	6.29	67.99	16.81		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.83	65.58	16.21	0.00	150.0	± 9.6 %
		Y	3.83	65.30	16.03		150.0	
		Z	3.84	65.39	16.12		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.38	67.47	15.20	0.00	150.0	± 9.6 %
		Y	3.19	66.59	14.44		150.0	
		Z	3.37	67.09	15.05		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.39	65.28	15.83	0.00	150.0	± 9.6 %
		Y	4.20	64.62	15.30		150.0	
		Z	4.57	65.71	16.08		150.0	

EX3DV4~ SN:3617

January 23, 2017

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.18	73.66	19.37	0.00	150.0	$\pm 9.6\%$
		Y	0.91	67.93	16.19		150.0	
		Z	1.03	70.54	17.73		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	30.47	105.29	26.12	3.29	80.0	$\pm 9.6\%$
		Y	6.41	85.33	21.18		80.0	
		Z	40.17	110.60	28.14		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.17	61.58	8.59	3.23	80.0	$\pm 9.6\%$
		Y	1.52	63.33	10.12		80.0	
		Z	1.80	65.46	11.03		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.01	60.00	7.34	3.23	80.0	$\pm 9.6\%$
		Y	1.20	60.81	8.45		80.0	
		Z	1.28	61.79	8.89		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	15.58	95.08	22.78	3.23	80.0	$\pm 9.6\%$
		Y	4.64	80.44	19.04		80.0	
		Z	25.72	102.81	25.51		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.10	61.04	8.26	3.23	80.0	$\pm 9.6\%$
		Y	1.43	62.70	9.76		80.0	
		Z	1.61	64.39	10.50		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.01	60.00	7.29	3.23	80.0	$\pm 9.6\%$
		Y	1.16	60.48	8.24		80.0	
		Z	1.21	61.31	8.61		80.0	
10467-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	19.14	97.70	23.50	3.23	80.0	$\pm 9.6\%$
		Y	5.02	81.52	19.43		80.0	
		Z	31.83	105.69	26.26		80.0	
10468-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.12	61.16	8.34	3.23	80.0	$\pm 9.6\%$
		Y	1.45	62.86	9.86		80.0	
		Z	1.65	64.64	10.62		80.0	
10469-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.01	60.00	7.29	3.23	80.0	$\pm 9.6\%$
		Y	1.16	60.49	8.24		80.0	
		Z	1.21	61.33	8.61		80.0	
10470-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	19.24	97.77	23.51	3.23	80.0	$\pm 9.6\%$
		Y	5.01	81.52	19.42		80.0	
		Z	32.12	105.83	26.29		80.0	
10471-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.11	61.12	8.30	3.23	80.0	$\pm 9.6\%$
		Y	1.44	62.82	9.83		80.0	
		Z	1.64	64.58	10.58		80.0	
10472-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.00	60.00	7.28	3.23	80.0	$\pm 9.6\%$
		Y	1.15	60.46	8.21		80.0	
		Z	1.21	61.29	8.58		80.0	
10473-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	19.07	97.65	23.47	3.23	80.0	$\pm 9.6\%$
		Y	4.99	81.46	19.40		80.0	
		Z	31.91	105.72	26.25		80.0	
10474-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.11	61.10	8.29	3.23	80.0	$\pm 9.6\%$
		Y	1.44	62.80	9.82		80.0	
		Z	1.63	64.55	10.57		80.0	
10475-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.00	60.00	7.28	3.23	80.0	$\pm 9.6\%$
		Y	1.15	60.45	8.21		80.0	
		Z	1.20	61.27	8.57		80.0	

EX3DV4- SN:3617

January 23, 2017

10477-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.09	60.98	8.21	3.23	80.0	± 9.6 %
		Y	1.42	62.66	9.73		80.0	
		Z	1.60	64.32	10.45		80.0	
10478-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.00	60.00	7.27	3.23	80.0	± 9.6 %
		Y	1.15	60.42	8.19		80.0	
		Z	1.20	61.23	8.54		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.75	81.23	21.01	3.23	80.0	± 9.6 %
		Y	4.92	78.41	19.93		80.0	
		Z	5.78	81.28	21.36		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.36	75.83	17.24	3.23	80.0	± 9.6 %
		Y	4.45	73.01	16.20		80.0	
		Z	5.78	76.99	18.10		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.27	72.45	15.63	3.23	80.0	± 9.6 %
		Y	3.71	70.30	14.80		80.0	
		Z	4.79	73.99	16.66		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.61	69.80	15.78	2.23	80.0	± 9.6 %
		Y	2.30	67.86	14.78		80.0	
		Z	2.90	71.02	16.51		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.70	70.83	15.64	2.23	80.0	± 9.6 %
		Y	3.11	68.10	14.24		80.0	
		Z	4.05	71.94	16.39		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.55	70.05	15.33	2.23	80.0	± 9.6 %
		Y	3.01	67.47	13.97		80.0	
		Z	3.87	71.10	16.06		80.0	
10485-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.97	71.37	17.32	2.23	80.0	± 9.6 %
		Y	2.69	69.69	16.56		80.0	
		Z	3.22	72.30	17.89		80.0	
10486-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.98	68.13	15.51	2.23	80.0	± 9.6 %
		Y	2.79	67.06	14.88		80.0	
		Z	3.17	68.78	15.98		80.0	
10487-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.99	67.82	15.36	2.23	80.0	± 9.6 %
		Y	2.81	66.79	14.74		80.0	
		Z	3.18	68.45	15.83		80.0	
10488-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.35	71.12	17.87	2.23	80.0	± 9.6 %
		Y	3.12	69.79	17.36		80.0	
		Z	3.56	71.79	18.28		80.0	
10489-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.34	68.14	16.68	2.23	80.0	± 9.6 %
		Y	3.24	67.49	16.38		80.0	
		Z	3.48	68.55	17.00		80.0	
10490-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.43	68.02	16.65	2.23	80.0	± 9.6 %
		Y	3.34	67.42	16.37		80.0	
		Z	3.58	68.40	16.96		80.0	
10491-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.63	70.00	17.54	2.23	80.0	± 9.6 %
		Y	3.46	69.00	17.19		80.0	
		Z	3.81	70.49	17.87		80.0	
10492-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.71	67.63	16.76	2.23	80.0	± 9.6 %
		Y	3.64	67.12	16.57		80.0	
		Z	3.84	67.95	17.03		80.0	

EX3DV4- SN:3617

January 23, 2017

10493-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.78	67.53	16.73	2.23	80.0	± 9.6 %
		Y	3.71	67.05	16.55		80.0	
		Z	3.91	67.84	17.00		80.0	
10494-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.90	71.36	17.94	2.23	80.0	± 9.6 %
		Y	3.66	70.13	17.53		80.0	
		Z	4.11	71.94	18.30		80.0	
10495-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.74	68.00	16.94	2.23	80.0	± 9.6 %
		Y	3.66	67.43	16.74		80.0	
		Z	3.87	68.34	17.21		80.0	
10496-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.82	67.77	16.89	2.23	80.0	± 9.6 %
		Y	3.75	67.26	16.71		80.0	
		Z	3.96	68.10	17.15		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.91	65.90	13.14	2.23	80.0	± 9.6 %
		Y	1.69	64.16	12.06		80.0	
		Z	2.16	67.25	14.01		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.63	61.66	10.07	2.23	80.0	± 9.6 %
		Y	1.47	60.44	9.11		80.0	
		Z	1.81	62.59	10.80		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.59	61.22	9.71	2.23	80.0	± 9.6 %
		Y	1.44	60.04	8.75		80.0	
		Z	1.77	62.11	10.42		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.09	71.00	17.45	2.23	80.0	± 9.6 %
		Y	2.84	69.56	16.82		80.0	
		Z	3.31	71.77	17.94		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.14	68.19	15.99	2.23	80.0	± 9.6 %
		Y	3.00	67.34	15.50		80.0	
		Z	3.31	68.72	16.39		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.20	68.09	15.89	2.23	80.0	± 9.6 %
		Y	3.06	67.26	15.41		80.0	
		Z	3.37	68.60	16.29		80.0	
10503-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.31	70.93	17.77	2.23	80.0	± 9.6 %
		Y	3.08	69.61	17.26		80.0	
		Z	3.52	71.60	18.19		80.0	
10504-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.32	68.05	16.63	2.23	80.0	± 9.6 %
		Y	3.22	67.39	16.32		80.0	
		Z	3.46	68.46	16.95		80.0	
10505-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.42	67.93	16.60	2.23	80.0	± 9.6 %
		Y	3.32	67.32	16.31		80.0	
		Z	3.56	68.32	16.91		80.0	
10506-AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.87	71.23	17.87	2.23	80.0	± 9.6 %
		Y	3.63	69.99	17.45		80.0	
		Z	4.08	71.80	18.23		80.0	
10507-AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.72	67.94	16.90	2.23	80.0	± 9.6 %
		Y	3.64	67.36	16.70		80.0	
		Z	3.86	68.28	17.18		80.0	