

FCC Report (LTE)

Applicant: Positioning Universal Inc
Address of Applicant: 4660 La Jolla Village Drive Suite 1100, San Diego, California 92122, United States
Equipment Under Test (EUT)
Product Name: GPS Tracker
Model No.: FJ1000L
Trade mark: FJ1000L
FCC ID: 2AHRH-FJ1000L
Applicable standards: FCC CFR Title 47 Part 2: 2016
FCC CFR Title 47 Part27: 2016
Date of sample receipt: November 01, 2016
Date of Test: November 01-14, 2016
Date of report issued: November 14, 2016
Test Result : PASS *

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Robinson Lo

Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the GTS product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of GTS or testing done by GTS in connection with, distribution or use of the product described in this report must be approved by GTS in writing.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

1 Version

Version No.	Date	Description
00	November 14, 2016	Original

Prepared By:

Edward Pan

Date:

November 14, 2016

Project Engineer

Check By:

Andy Wu

Date:

November 14, 2016

Reviewer

2 Contents

Page

COVER PAGE	1
1 VERSION	2
2 CONTENTS	3
3 TEST SUMMARY	4
4 GENERAL INFORMATION	5
4.1 CLIENT INFORMATION.....	5
4.2 GENERAL DESCRIPTION OF EUT.....	5
4.3 RELATED SUBMITTAL(S) / GRANT (S).....	6
4.4 TEST METHODOLOGY.....	6
4.5 TEST FACILITY.....	6
4.6 TEST LOCATION.....	6
5 TEST INSTRUMENTS LIST	7
6 SYSTEM TEST CONFIGURATION	8
6.1 TEST MODE.....	8
6.2 CONFIGURATION OF TESTED SYSTEM.....	9
6.3 CONDUCTED PEAK OUTPUT POWER.....	10
6.4 PEAK-TO-AVERAGE RATIO	15
6.5 OCCUPY BANDWIDTH.....	33
6.6 MODULATION CHARACTERISTIC.....	52
6.7 OUT OF BAND EMISSION AT ANTENNA TERMINALS.....	52
6.8 ERP, EIRP MEASUREMENT.....	85
6.9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT.....	103
6.10 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT.....	121
6.11 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT.....	124
7 TEST SETUP PHOTO	126
8 EUT CONSTRUCTIONAL DETAILS	127

3 Test Summary

Test Item	Section in CFR 47	Result
RF Exposure (SAR)	Part 1.1307 Part 2.1093	Pass*(Refers to RF Exposure Report)
RF Output Power	Part 2.1046 Part 27.50(b)(9)/(d)(4)	Pass
Modulation Characteristics	Part 2.1047	N/A
Peak-to-Average Power Ratio	Part 27.50(d)(5)	Pass
99% & -26 dB Occupied Bandwidth	Part 2.1049 Part 27.53(h)/(c)(2)	Pass
Spurious Emissions at Antenna Terminal	Part 2.1051 Part 27.53(h)/(c)(2)	Pass
Field Strength of Spurious Radiation	Part 2.1053 Part 27.53(h)/(c)(2)	Pass
Out of band emission, Band Edge	Part 27.53(h)/(c)(2)	Pass
Frequency stability vs. temperature	Part 2.1055(a)(1)(b)	Pass
Frequency stability vs. voltage	Part 2.1055(d)(1)(2)	Pass

Pass: The EUT complies with the essential requirements in the standard.

4 General Information

4.1 Client Information

Applicant:	Positioning Universal Inc
Address of Applicant:	4660 La Jolla Village Drive Suite 1100, San Diego, California 92122, United States
Manufacturer:	FluridaGroup,Inc
Address of Manufacturer:	Room 1802, No. 2368, Xuhui District, Shanghai, China

4.2 General Description of EUT

Product Name:	GPS Tracker
Model No.:	FJ1000L
Hardware Version:	P1.0
Software Version:	UE4.3.1.2-24346
Support Networks:	LTE
Support Bands:	LTE Band 4, LTE Band 13
Channel Bandwidth:	LTE Band 4: 1.4MHz; 3MHz; 5MHz; 10MHz; 15MHz; 20MHz LTE Band 13: 5MHz; 10MHz
TX Frequency:	LTE Band 4: 1710.70MHz-1754.30MHz LTE Band 13: 779.50MHz-784.50MHz
Modulation type:	LTE Band 4/13: QPSK, 16QAM
Antenna type:	Integral antenna
Antenna gain:	2.0dBi
Power supply:	DC 12V

4.3 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is filing to comply with Section Part 27 of the FCC CFR 47 Rules.

4.4 Test Methodology

Both conducted and radiated testing were performed according to the procedures document on TIA/EIA 603 and FCC CFR 47.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055 and 2.1057

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **FCC —Registration No.: 600491**

Global United Technology Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in files. Registration 600491, June 22, 2016.

- **Industry Canada (IC) —Registration No.: 9079A-2**

The 3m Semi-anechoic chamber of Global United Technology Services Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 9079A-2, August 15, 2016.

4.6 Test Location

All tests were performed at:

Global United Technology Services Co., Ltd.

Address: No. 301-309, 3/F., Jinyuan Business Building, No.2, Laodong Industrial Zone, Xixiang Road, Baoan District, Shenzhen, Guangdong, China 518102

Tel: 0755-27798480

Fax: 0755-27798960

5 Test Instruments list

Radiated Emission:						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (mm-dd-yy)	Cal.Due date (mm-dd-yy)
1	3m Semi- Anechoic Chamber	ZhongYu Electron	9.0(L)*6.0(W)* 6.0(H)	GTS250	July 03 2015	July 02 2020
2	Control Room	ZhongYu Electron	6.2(L)*2.5(W)* 2.4(H)	GTS251	N/A	N/A
3	Spectrum Analyzer	Agilent	E4440A	GTS533	June 29 2016	June 28 2017
4	EMI Test Receiver	Rohde & Schwarz	ESU26	GTS203	June 29 2016	June 28 2017
5	BiConiLog Antenna	SCHWARZBECK MESS-ELEKTRONIK	VULB9163	GTS214	June 29 2016	June 28 2017
6	Double -ridged waveguide horn	SCHWARZBECK MESS-ELEKTRONIK	9120D-829	GTS208	June 29 2016	June 28 2017
7	Horn Antenna	ETS-LINDGREN	3160	GTS217	June 29 2016	June 28 2017
8	EMI Test Software	AUDIX	E3	N/A	N/A	N/A
9	Coaxial Cable	GTS	N/A	GTS213	June 29 2016	June 28 2017
10	Coaxial Cable	GTS	N/A	GTS211	June 29 2016	June 28 2017
11	Coaxial cable	GTS	N/A	GTS210	June 29 2016	June 28 2017
12	Coaxial Cable	GTS	N/A	GTS212	June 29 2016	June 28 2017
13	RF Amplifier	HP	8347A	GTS204	June 29 2016	June 28 2017
14	RF Amplifier	HP	8349B	GTS206	June 29 2016	June 28 2017
15	Amplifier (18-26GHz)	Rohde & Schwarz	AFS33-18002 650-30-8P-44	GTS218	June 29 2016	June 28 2017
16	Band filter	Amindeon	82346	GTS219	June 29 2016	June 28 2017
17	Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW 500	GTS539	June 29 2016	June 28 2017

General used equipment:						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (mm-dd-yy)	Cal.Due date (mm-dd-yy)
1	Barometer	ChangChun	DYM3	GTS257	July 06 2016	July 05 2017


6 System test configuration

6.1 Test mode


During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission.

Test modes		
Band	Radiated	Conducted
LTE Band 4	■ QPSK and 16QAM link	■ QPSK and 16QAM link
LTE Band 13	■ QPSK and 16QAM link	■ QPSK and 16QAM link

6.2 Configuration of Tested System



6.3 Conducted Peak Output Power

Test Requirement:	Part 27.50(b)(9)/(d)(4)
Test Method:	FCC part2.1046
Limit:	LTE Band 4: 1W LTE Band 13: 30W
Test setup:	 <p style="text-align: center;"><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The transmitter output port was connected to base station. 2. The RF output of EUT was connected to the power meter by RF cable and attenuator, the path loss was compensated to the results for each measurement. 3. Set EUT at maximum power through base station. 4. Select lowest, middle, and highest channels for each band and different modulation. 5. Measure the maximum burst average power.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass

Measurement Data

Band 4						
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 19957 1710.7MHz	Channel 20175 1732.5MHz	Channel 20393 1754.3MHz
1.4MHz	QPSK	1	0	22.81	22.85	22.88
		1	2	23.09	23.11	23.15
		1	5	23.01	23.03	23.04
		3	0	22.50	22.55	22.58
		3	1	22.91	23.01	23.02
		3	2	23.03	23.07	23.09
		6	0	23.04	23.09	23.11
	16QAM	1	0	22.74	22.84	22.85
		1	2	22.81	22.94	22.96
		1	5	23.10	23.19	23.20
		3	0	22.78	22.88	22.91
		3	1	22.85	22.92	22.93
		3	2	22.95	23.03	23.05
		6	0	23.11	23.15	23.16
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 19965 1711.5MHz	Channel 20175 1732.5MHz	Channel 20385 1753.5MHz
3MHz	QPSK	1	0	22.53	22.55	22.57
		1	8	22.65	22.77	22.78
		1	14	23.05	23.11	23.12
		8	0	22.55	22.60	22.62
		8	4	22.68	22.71	22.74
		8	7	22.93	22.97	22.98
		15	0	23.11	23.16	23.19
	16QAM	1	0	22.70	22.73	22.78
		1	8	22.27	22.39	22.41
		1	15	22.86	22.88	22.89
		8	0	21.25	21.34	21.36
		8	4	22.32	22.39	22.41
		8	7	22.42	22.50	22.52
		15	0	22.96	23.03	23.04


Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 19975 1712.5MHz	Channel 20175 1732.5MHz	Channel 20375 1752.5MHz
5MHz	QPSK	1	0	22.57	22.59	22.63
		1	13	22.78	22.79	22.81
		1	24	23.06	23.12	23.13
		12	0	22.50	22.55	22.58
		12	6	22.67	22.66	22.68
		12	13	22.83	22.88	22.91
		25	0	23.07	23.16	23.17
	16QAM	1	0	22.59	22.60	22.62
		1	13	22.64	22.66	22.69
		1	24	22.89	22.92	22.94
		12	0	22.74	22.75	22.79
		12	6	22.90	22.93	22.95
		12	13	22.97	23.04	23.05
		25	0	23.01	23.09	23.15
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 20000 1715.0MHz	Channel 20175 1732.5MHz	Channel 20350 1750.0MHz
10MHz	QPSK	1	0	22.50	22.60	22.61
		1	25	22.55	22.62	22.64
		1	49	23.05	23.11	23.12
		25	0	22.67	22.64	22.68
		25	13	22.75	22.77	22.78
		25	25	22.83	22.87	22.90
		50	0	23.06	23.14	23.15
	16QAM	1	0	22.66	22.68	22.71
		1	25	22.71	22.74	22.76
		1	49	22.89	22.91	22.92
		25	0	22.52	22.53	22.57
		25	13	22.62	22.69	22.70
		25	25	22.80	22.88	22.90
		50	0	22.96	23.02	23.03

Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 20025 1717.5MHz	Channel 20175 1732.5MHz	Channel 20325 1747.5MHz
15MHz	QPSK	1	0	22.57	22.59	22.60
		1	38	22.61	22.68	22.70
		1	74	23.03	23.09	23.10
		36	0	22.52	22.57	22.62
		36	18	22.62	22.64	22.67
		36	39	22.71	22.75	22.76
		75	0	23.03	23.11	23.13
	16QAM	1	0	22.53	22.55	22.59
		1	38	22.57	22.60	22.62
		1	74	22.88	22.90	22.91
		36	0	22.59	22.63	22.67
		36	18	22.69	22.76	22.77
		36	39	22.78	22.79	22.81
		75	0	22.94	23.00	23.01
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 20050 1720.0MHz	Channel 20175 1732.5MHz	Channel 20300 1745.0MHz
20MHz	QPSK	1	0	22.53	22.55	22.56
		1	50	22.54	22.57	22.58
		1	99	23.01	23.07	23.08
		50	0	22.56	22.61	22.64
		50	25	22.59	22.62	22.69
		50	50	22.70	22.74	22.75
		100	0	23.03	23.08	23.09
	16QAM	1	0	22.59	22.60	22.61
		1	50	22.62	22.65	22.67
		1	99	22.87	22.89	22.90
		50	0	22.57	22.59	22.63
		50	25	22.67	22.69	22.72
		50	50	22.72	22.75	22.80
		100	0	23.10	23.13	23.20

Band 13						
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				Channel 23205 779.5MHz	Channel 23230 782.0MHz	Channel 23255 784.5MHz
5MHz	QPSK	1	0	22.57	22.65	22.68
		1	13	22.71	22.82	22.84
		1	24	23.15	23.19	23.20
		12	0	22.63	22.70	22.71
		12	6	22.71	22.76	22.82
		12	13	22.80	22.84	22.85
		25	0	23.10	23.12	23.13
	16QAM	1	0	22.54	22.57	22.58
		1	13	22.63	22.66	22.68
		1	24	22.93	22.95	22.96
		12	0	22.68	22.69	22.72
		12	6	22.74	22.76	22.81
		12	13	22.85	22.86	22.89
		25	0	23.07	23.13	23.14
Bandwidth	Mode	RB Size	RB Offset	Actual output power(dBm)		
				---	Channel 23230 782.0MHz	---
10MHz	QPSK	1	0	---	22.54	---
		1	25	---	22.79	---
		1	49	---	23.19	---
		25	0	---	22.74	---
		25	13	---	22.88	---
		25	25	---	22.93	---
		50	0	---	23.20	---
	16QAM	1	0	---	22.51	---
		1	25	---	22.52	---
		1	49	---	22.95	---
		25	0	---	22.56	---
		25	13	---	22.59	---
		25	25	---	22.60	---
		50	0	---	23.12	---

Remark: "---"is not applicable.

6.4 Peak-to-Average Ratio

Test Requirement:	Part 27.50(d)(5)
Limit:	13dB
Test setup:	 <p><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The transmitter output port was connected to base station. 2. The RF output of EUT was connected to the power meter by RF cable and attenuator, the path loss was compensated to the results for each measurement. 3. Set EUT at maximum power through base station. 4. Select lowest, middle, and highest channels for each band and different modulation. 5. Measure the maximum burst average power. 6. Record the maximum peak-to-average ratio value.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass

QPSK mode:

Test Band	Test mode	Peak to Average Ratio (dB)			Limit (dB)	Result
		Low Ch.	Middle Ch.	High Ch.		
LTE Band 4	LTE 1.4MHz Bandwidth	5.90	5.12	5.53	13	PASS
	LTE 3MHz Bandwidth	5.90	5.15	5.32	13	PASS
	LTE 5MHz Bandwidth	5.61	5.15	5.49	13	PASS
	LTE 10MHz Bandwidth	5.45	5.15	5.21	13	PASS
	LTE 15MHz Bandwidth	5.42	5.33	5.50	13	PASS
	LTE 20MHz Bandwidth	5.43	5.39	5.43	13	PASS
LTE Band 13	LTE 5MHz Bandwidth	5.54	5.98	5.78	13	PASS
	LTE 10MHz Bandwidth	---	5.73	---	13	PASS


16QAM mode:

Test Band	Test mode	Peak to Average Ratio (dB)			Limit (dB)	Result
		Low Ch.	Middle Ch.	High Ch.		
LTE Band 4	LTE 1.4MHz Bandwidth	6.73	5.81	5.99	13	PASS
	LTE 3MHz Bandwidth	6.37	5.80	5.98	13	PASS
	LTE 5MHz Bandwidth	6.39	5.92	6.24	13	PASS
	LTE 10MHz Bandwidth	5.45	5.02	5.30	13	PASS
	LTE 15MHz Bandwidth	5.50	5.33	5.37	13	PASS
	LTE 20MHz Bandwidth	5.48	5.34	5.38	13	PASS
LTE Band 13	LTE 5MHz Bandwidth	6.33	6.65	6.53	13	PASS
	LTE 10MHz Bandwidth	---	5.68	---	13	PASS


Test plot as follows:

QPSK mode:


Test band: LTE Band 4	Channel Bandwidth: 1.4MHz
-----------------------	---------------------------



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 13 Channel Bandwidth: 5MHz



Lowest channel




Middle channel



Highest channel


Test band: LTE Band 13 Channel Bandwidth: 10MHz




Middle channel

16QAM mode:


Test band: LTE Band 4	Channel Bandwidth: 1.4MHz
-----------------------	---------------------------



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 13 Channel Bandwidth: 5MHz



Lowest channel




Middle channel




Highest channel

Test band: LTE Band 13 Channel Bandwidth: 10MHz



Middle channel

6.5 Occupancy Bandwidth

Test Requirement:	FCC Part 27.53(h)/(c)(2)
Test Method:	FCC part2.1049
Test setup:	 <p><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer 2. RBW was set to about 1% of emission BW, VBW= 3 times RBW. 3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass

Measurement Data

QPSK mode:

EUT Mode	Channel Bandwidth	Channel	RB Configure		99% Occupy bandwidth (KHz)	-26dB bandwidth (KHz)
			RB Size	RB Offset		
LTE Band 4	1.4MHz	Low range	6	0	1108.70	1363.00
		Mid range	6	0	1106.50	1371.00
		High range	6	0	1104.70	1366.00
	3MHz	Low range	15	0	2699.50	3464.00
		Mid range	15	0	2697.90	3479.00
		High range	15	0	2699.30	3466.00
	5MHz	Low range	25	0	4546.00	5799.00
		Mid range	25	0	4537.00	5769.00
		High range	25	0	4534.70	5939.00
	10MHz	Low range	50	0	8987.00	1070.20
		Mid range	50	0	8940.30	1077.50
		High range	50	0	8977.20	1067.50
	15MHz	Low range	75	0	13515.30	15875.00
		Mid range	75	0	13492.00	15955.00
		High range	75	0	13503.20	16248.00
	20MHz	Low range	100	0	17830.90	23957.00
		Mid range	100	0	17891.10	22577.00
		High range	100	0	17849.10	21613.00
EUT Mode	Channel Bandwidth	Channel	RB Configure		99% Occupy bandwidth (KHz)	-26dB bandwidth (KHz)
LTE Band 13	5MHz	Low range	25	0	4529.70	5718.00
		Mid range	25	0	4533.30	5911.00
		High range	25	0	4525.50	5665.00
	10MHz	Mid range	50	0	8974.80	10947.00


16QAM mode:

EUT Mode	Channel Bandwidth	Channel	RB Configure		99% Occupy bandwidth (KHz)	-26dB bandwidth (KHz)
			RB Size	RB Offset		
LTE Band 4	1.4MHz	Low range	6	0	1100.30	1365.00
		Mid range	6	0	1101.00	1352.00
		High range	6	0	1111.60	1376.00
	3MHz	Low range	15	0	2696.70	3441.00
		Mid range	15	0	2688.50	3352.00
		High range	15	0	2698.70	3387.00
	5MHz	Low range	25	0	4556.20	5796.00
		Mid range	25	0	4553.50	5645.00
		High range	25	0	4553.70	5961.00
	10MHz	Low range	50	0	8973.70	10683.00
		Mid range	50	0	8955.30	11160.00
		High range	50	0	8955.10	10672.00
	15MHz	Low range	75	0	13564.10	16086.00
		Mid range	75	0	13474.70	15770.00
		High range	75	0	13475.60	16004.00
	20MHz	Low range	100	0	17833.50	20492.00
		Mid range	100	0	17835.30	21227.00
		High range	100	0	17911.00	21021.00
EUT Mode	Channel Bandwidth	Channel	RB Configure		99% Occupy bandwidth (KHz)	-26dB bandwidth (KHz)
LTE Band 13	5MHz	Low range	25	0	4553.70	5943.00
		Mid range	25	0	4563.70	5880.00
		High range	25	0	4554.20	5808.00
	10MHz	Mid range	50	0	8987.20	10883.00


Test plot as follows:

QPSK mode:


Test band: LTE Band 4	Channel Bandwidth: 1.4MHz
-----------------------	---------------------------



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 13 Channel Bandwidth: 5MHz



Lowest channel




Middle channel



Highest channel


Test band: LTE Band 13 Channel Bandwidth: 10MHz




Middle channel

16QAM mode:


Test band: LTE Band 4	Channel Bandwidth: 1.4MHz
-----------------------	---------------------------



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel




Middle channel




Highest channel


Test band: LTE Band 13 Channel Bandwidth: 5MHz



Lowest channel




Middle channel



Highest channel

Test band: LTE Band 13 Channel Bandwidth: 10MHz




Middle channel

6.6 MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.



6.7 Out of band emission at antenna terminals

Test Requirement:	FCC Part 27.53(h)/(c)(2)
Test Method:	FCC part2.1051
Limit:	-13dBm
Test setup:	 <p><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. 2 The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic. 3 For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10th harmonic. 4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass



Test plot as follows:

QPSK mode:



Test Mode: LTE Band 4 Channel Bandwidth: 1.4MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel





Middle channel





Highest channel

Test Mode: LTE Band 13



Channel Bandwidth: 5MHz



Lowest channel





Middle channel



Highest channel



Test Mode: LTE Band 13 Channel Bandwidth: 10MHz





Middle channel

16QAM mode:



Test Mode: LTE Band 4 Channel Bandwidth: 1.4MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 3MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 5MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 10MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 15MHz



Lowest channel





Middle channel





Highest channel



Test Mode: LTE Band 4 Channel Bandwidth: 20MHz



Lowest channel





Middle channel





Highest channel

Test Mode: LTE Band 13



Channel Bandwidth: 5MHz



Lowest channel





Middle channel



Highest channel



Test Mode: LTE Band 13 Channel Bandwidth: 10MHz



Middle channel

Band Edge:
LTE Band 4(QPSK mode):



1.4MHz Bandwidth (RB size:1# RB offset:0#) 1.4MHz Bandwidth (RB size:1# RB offset:5#)



Lowest channel

Highest channel



1.4MHz Bandwidth (RB size:3# RB offset:0#) 1.4MHz Bandwidth (RB size:3# RB offset:2#)



Lowest channel

Highest channel


1.4MHz Bandwidth (RB size:6# RB offset:0#) 1.4MHz Bandwidth (RB size:6# RB offset:0#)




Lowest channel

Highest channel

3MHz Bandwidth (RB size:1# RB offset:0#) **3MHz Bandwidth (RB size:1# RB offset:14#)**




Lowest channel




Highest channel

3MHz Bandwidth (RB size:8# RB offset:0#) **3MHz Bandwidth (RB size:8# RB offset:7#)**




Lowest channel




Highest channel

3MHz Bandwidth (RB size:15# RB offset:0#) **3MHz Bandwidth (RB size:15# RB offset:0#)**




Lowest channel




Highest channel

5MHz Bandwidth (RB size:1# RB offset:0#) 5MHz Bandwidth (RB size:1# RB offset:24#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:12# RB offset:0#) 5MHz Bandwidth (RB size:12# RB offset:13#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:25# RB offset:0#) 5MHz Bandwidth (RB size:25# RB offset:0#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:1# RB offset:0#) 10MHz Bandwidth (RB size:1# RB offset:49#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:25# RB offset:0#) 10MHz Bandwidth (RB size:25# RB offset:25#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:50# RB offset:0#) 10MHz Bandwidth (RB size:50# RB offset:0#)




Lowest channel




Highest channel

15MHz Bandwidth (RB size:1# RB offset:0#) 15MHz Bandwidth (RB size:1# RB offset:74#)




Lowest channel




Highest channel

15MHz Bandwidth (RB size:36# RB offset:0#) 15MHz Bandwidth (RB size:36# RB offset:39#)




Lowest channel




Highest channel

15MHz Bandwidth (RB size:75# RB offset:0#) 15MHz Bandwidth (RB size:75# RB offset:0#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:1# RB offset:0#) 20MHz Bandwidth (RB size:1# RB offset:99#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:50# RB offset:0#) 20MHz Bandwidth (RB size:50# RB offset:50#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:100# RB offset:0#) 20MHz Bandwidth (RB size:100# RB offset:0#)




Lowest channel




Highest channel

LTE Band 13(QPSK mode):

5MHz Bandwidth (RB size:1# RB offset:0#) 5MHz Bandwidth (RB size:1# RB offset:24#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:12# RB offset:0#) 5MHz Bandwidth (RB size:12# RB offset:13#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:25# RB offset:0#) 5MHz Bandwidth (RB size:25# RB offset:0#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:1# RB offset:0#)




Lowest channel

10MHz Bandwidth (RB size:1# RB offset:49#)




Highest channel

10MHz Bandwidth (RB size:25# RB offset:0#)




Lowest channel

10MHz Bandwidth (RB size:25# RB offset:25#)



Highest channel

10MHz Bandwidth (RB size:50# RB offset:0#)



Lowest channel


10MHz Bandwidth (RB size:50# RB offset:0#)




Highest channel

LTE Band 4(16QAM mode):

1.4MHz Bandwidth (RB size:1# RB offset:0#) | 1.4MHz Bandwidth (RB size:1# RB offset:5#)




Lowest channel




Highest channel

1.4MHz Bandwidth (RB size:3# RB offset:0#) | 1.4MHz Bandwidth (RB size:3# RB offset:2#)




Lowest channel




Highest channel

1.4MHz Bandwidth (RB size:6# RB offset:0#) | 1.4MHz Bandwidth (RB size:6# RB offset:0#)




Lowest channel




Highest channel

3MHz Bandwidth (RB size:1# RB offset:0#) 3MHz Bandwidth (RB size:1# RB offset:14#)




Lowest channel




Highest channel

3MHz Bandwidth (RB size:8# RB offset:0#) 3MHz Bandwidth (RB size:8# RB offset:7#)




Lowest channel




Highest channel

3MHz Bandwidth (RB size:15# RB offset:0#) 3MHz Bandwidth (RB size:15# RB offset:0#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:1# RB offset:0#) 5MHz Bandwidth (RB size:1# RB offset:24#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:12# RB offset:0#) 5MHz Bandwidth (RB size:12# RB offset:13#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:25# RB offset:0#) 5MHz Bandwidth (RB size:25# RB offset:0#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:1# RB offset:0#) 10MHz Bandwidth (RB size:1# RB offset:49#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:25# RB offset:0#) 10MHz Bandwidth (RB size:25# RB offset:25#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:50# RB offset:0#) 10MHz Bandwidth (RB size:50# RB offset:0#)




Lowest channel




Highest channel

15MHz Bandwidth (RB size:1# RB offset:0#) 15MHz Bandwidth (RB size:1# RB offset:74#)



Lowest channel




Highest channel

15MHz Bandwidth (RB size:36# RB offset:0#) 15MHz Bandwidth (RB size:36# RB offset:39#)




Lowest channel




Highest channel

15MHz Bandwidth (RB size:75# RB offset:0#) 15MHz Bandwidth (RB size:75# RB offset:0#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:1# RB offset:0#) 20MHz Bandwidth (RB size:1# RB offset:99#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:50# RB offset:0#) 20MHz Bandwidth (RB size:50# RB offset:50#)




Lowest channel




Highest channel

20MHz Bandwidth (RB size:100# RB offset:0#) 20MHz Bandwidth (RB size:100# RB offset:0#)




Lowest channel




Highest channel

LTE Band 13(16QAM mode):

5MHz Bandwidth (RB size:1# RB offset:0#) 5MHz Bandwidth (RB size:1# RB offset:24#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:12# RB offset:0#) 5MHz Bandwidth (RB size:12# RB offset:13#)




Lowest channel




Highest channel

5MHz Bandwidth (RB size:25# RB offset:0#) 5MHz Bandwidth (RB size:25# RB offset:0#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:1# RB offset:0#) 10MHz Bandwidth (RB size:1# RB offset:49#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:25# RB offset:0#) 10MHz Bandwidth (RB size:25# RB offset:25#)




Lowest channel




Highest channel

10MHz Bandwidth (RB size:50# RB offset:0#) 10MHz Bandwidth (RB size:50# RB offset:0#)






Lowest channel



Highest channel

6.8 ERP, EIRP Measurement

Test Requirement:	Part 27.50(b)(9)/(d)(4)
Test Method:	FCC part2.1046
Limit:	LTE Band 4: 1W (EIRP) LTE Band 13: 30W (ERP)
Test setup:	<p>Below 1GHz</p>  <p>Above 1GHz</p>  <p>Substituted method:</p> 

<p>Test Procedure:</p>	<ol style="list-style-type: none"> 1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer. 2. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated. 3. ERP in frequency band 777–787MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated asfollows: $\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBd)} - \text{Cable Loss (dB)}$ 4. EIRP in frequency band 1710–1755MHz were measured using a substitution method. The EUT was replaced by or horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows: $\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable Loss (dB)}$
<p>Test Instruments:</p>	<p>Refer to section 5.0 for details</p>
<p>Test mode:</p>	<p>Refer to section 6.1 for details</p>
<p>Test results:</p>	<p>Pass</p>

Measurement Data

QPSK mode:

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (1.4MHz)	Lowest	H	V	22.86	30.00	Pass
			H	20.86		
		E1	V	22.62		
			H	20.26		
		E2	V	21.91		
			H	19.12		
	Middle	H	V	23.00	30.00	Pass
			H	20.40		
		E1	V	22.69		
			H	20.27		
		E2	V	22.48		
			H	19.40		
	Highest	H	V	22.73	30.00	Pass
			H	20.48		
		E1	V	22.58		
			H	20.30		
		E2	V	22.17		
			H	19.63		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (3MHz)	Lowest	H	V	22.83	30.00	Pass
			H	20.82		
		E1	V	22.57		
			H	20.22		
		E2	V	21.86		
			H	19.06		
	Middle	H	V	22.95	30.00	Pass
			H	20.34		
		E1	V	22.63		
			H	20.20		
		E2	V	22.42		
			H	19.33		
	Highest	H	V	22.68	30.00	Pass
			H	20.42		
		E1	V	22.53		
			H	20.24		
		E2	V	22.13		
			H	19.58		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (5MHz)	Lowest	H	V	22.54	30.00	Pass
			H	20.50		
		E1	V	22.22		
			H	19.82		
		E2	V	21.43		
			H	18.59		
	Middle	H	V	22.53	30.00	Pass
			H	19.84		
		E1	V	22.09		
			H	19.62		
		E2	V	21.94		
			H	18.81		
	Highest	H	V	22.28	30.00	Pass
			H	19.98		
		E1	V	22.05		
			H	19.73		
		E2	V	21.78		
			H	19.20		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (10MHz)	Lowest	H	V	22.30	30.00	Pass
			H	20.22		
		E1	V	21.91		
			H	19.48		
		E2	V	21.05		
			H	18.19		
	Middle	H	V	22.18	30.00	Pass
			H	19.41		
		E1	V	21.62		
			H	19.12		
		E2	V	21.52		
			H	18.36		
	Highest	H	V	21.93	30.00	Pass
			H	19.60		
		E1	V	21.64		
			H	19.28		
		E2	V	21.48		
			H	18.86		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (15MHz)	Lowest	H	V	22.38	30.00	Pass
			H	20.31		
		E1	V	22.01		
			H	19.59		
		E2	V	21.18		
			H	18.32		
	Middle	H	V	22.29	30.00	Pass
			H	19.55		
		E1	V	21.77		
			H	19.29		
		E2	V	21.65		
			H	18.51		
	Highest	H	V	22.04	30.00	Pass
			H	19.73		
		E1	V	21.77		
			H	19.43		
		E2	V	21.58		
			H	18.97		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (20MHz)	Lowest	H	V	22.25	30.00	Pass
			H	20.06		
		E1	V	22.25		
			H	19.62		
		E2	V	21.61		
			H	18.76		
	Middle	H	V	22.72	30.00	Pass
			H	20.21		
		E1	V	22.49		
			H	20.05		
		E2	V	22.16		
			H	19.03		
	Highest	H	V	22.48	30.00	Pass
			H	20.31		
		E1	V	22.39		
			H	20.03		
		E2	V	21.90		
			H	19.34		

EUT mode	Channel	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
LTE Band 13 (5MHz)	Lowest	H	V	22.74	44.77	Pass
			H	20.69		
		E1	V	22.59		
			H	20.16		
		E2	V	21.92		
			H	19.12		
	Middle	H	V	23.01	44.77	Pass
			H	20.46		
		E1	V	22.76		
			H	20.34		
		E2	V	22.50		
			H	19.41		
	Highest	H	V	22.75	44.77	Pass
			H	20.53		
		E1	V	22.64		
			H	20.34		
		E2	V	22.17		
			H	19.63		

EUT mode	Channel	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
LTE Band 13 (10MHz)	Middle	H	V	22.59	44.77	Pass
			H	20.40		
		E1	V	22.69		
			H	20.27		
		E2	V	22.41		
			H	19.31		

16QAM mode:

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (1.4MHz)	Lowest	H	V	22.85	30.00	Pass
			H	20.85		
		E1	V	22.60		
			H	20.25		
		E2	V	21.90		
			H	19.10		
	Middle	H	V	22.98	30.00	Pass
			H	20.38		
		E1	V	22.67		
			H	20.25		
		E2	V	22.46		
			H	19.38		
	Highest	H	V	22.72	30.00	Pass
			H	20.46		
		E1	V	22.57		
			H	20.28		
		E2	V	22.16		
			H	19.61		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (3MHz)	Lowest	H	V	22.80	30.00	Pass
			H	20.79		
		E1	V	22.54		
			H	20.18		
		E2	V	21.82		
			H	19.01		
	Middle	H	V	22.91	30.00	Pass
			H	20.29		
		E1	V	22.57		
			H	20.14		
		E2	V	22.37		
			H	19.28		
	Highest	H	V	22.64	30.00	Pass
			H	20.38		
		E1	V	22.48		
			H	20.19		
		E2	V	22.09		
			H	19.54		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (5MHz)	Lowest	H	V	22.52	30.00	Pass
			H	20.47		
		E1	V	22.18		
			H	19.79		
		E2	V	21.39		
			H	18.55		
	Middle	H	V	22.50	30.00	Pass
			H	19.80		
		E1	V	22.04		
			H	19.57		
		E2	V	21.89		
			H	18.76		
	Highest	H	V	22.24	30.00	Pass
			H	19.94		
		E1	V	22.01		
			H	19.68		
		E2	V	21.75		
			H	19.16		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (10MHz)	Lowest	H	V	22.27	30.00	Pass
			H	20.19		
		E1	V	21.87		
			H	19.44		
		E2	V	21.01		
			H	18.14		
	Middle	H	V	22.14	30.00	Pass
			H	19.37		
		E1	V	21.56		
			H	19.07		
		E2	V	21.47		
			H	18.31		
	Highest	H	V	21.89	30.00	Pass
			H	19.56		
		E1	V	21.59		
			H	19.23		
		E2	V	21.44		
			H	18.82		




EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (15MHz)	Lowest	H	V	22.36	30.00	Pass
			H	20.30		
		E1	V	21.99		
			H	19.57		
		E2	V	21.16		
			H	18.30		
	Middle	H	V	22.28	30.00	Pass
			H	19.53		
		E1	V	21.75		
			H	19.26		
		E2	V	21.63		
			H	18.49		
	Highest	H	V	22.03	30.00	Pass
			H	19.71		
		E1	V	21.75		
			H	19.40		
		E2	V	21.56		
			H	18.95		

EUT mode	Channel	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
LTE Band 4 (20MHz)	Lowest	H	V	22.23	30.00	Pass
			H	20.04		
		E1	V	22.24		
			H	19.60		
		E2	V	21.59		
			H	18.75		
	Middle	H	V	22.71	30.00	Pass
			H	20.20		
		E1	V	22.48		
			H	20.04		
		E2	V	22.15		
			H	19.01		
	Highest	H	V	22.47	30.00	Pass
			H	20.30		
		E1	V	22.38		
			H	20.01		
		E2	V	21.89		
			H	19.33		

EUT mode	Channel	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
LTE Band 13 (5MHz)	Lowest	H	V	22.71	44.77	Pass
			H	20.66		
		E1	V	22.57		
			H	20.13		
		E2	V	21.90		
			H	19.10		
	Middle	H	V	22.99	44.77	Pass
			H	20.45		
		E1	V	22.75		
			H	20.32		
		E2	V	22.48		
			H	19.39		
	Highest	H	V	22.74	44.77	Pass
			H	20.52		
		E1	V	22.63		
			H	20.32		
		E2	V	22.16		
			H	19.61		

EUT mode	Channel	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
LTE Band 13 (10MHz)	Middle	H	V	22.58	44.77	Pass
			H	20.39		
		E1	V	22.69		
			H	20.26		
		E2	V	22.41		
			H	19.30		

6.9 Field strength of spurious radiation measurement

Test Requirement:	FCC Part 27.53(h)/(c)(2)
Test Method:	FCC part2.1053
Limit:	Band 4/13:-13dBm
Test setup:	<p>Below 1GHz</p>  <p>Above 1GHz</p>  <p>Substituted method:</p> 

<p>Test Procedure:</p>	<ol style="list-style-type: none"> 1. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer. 2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations. 3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method. 4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency. $\text{ERP / EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}$
<p>Test Instruments:</p>	<p>Refer to section 5.0 for details</p>
<p>Test mode:</p>	<p>Refer to section 6.1 for details</p>
<p>Test results:</p>	<p>Pass</p>

Measurement Data

QPSK mode:

Test mode:		LTE Band 4(1.4MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3421.40	Vertical	-37.14	-13.00	Pass	
5132.10	V	-39.51			
6842.80	V	-41.48			
8553.50	V	-43.37			
10264.20	V	---			
3421.40	Horizontal	-41.70	-13.00	Pass	
5132.10	H	-45.07			
6842.80	H	-46.42			
8553.50	H	-48.78			
10264.20	H	---			
Test mode:		LTE Band 4(1.4MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-34.85	-13.00	Pass	
5197.50	V	-37.30			
6930.00	V	-39.33			
8662.50	V	-41.30			
10395.00	V	---			
3465.00	Horizontal	-39.57	-13.00	Pass	
5197.50	H	-43.05			
6930.00	H	-44.46			
8662.50	H	-46.90			
10395.00	H	---			
Test mode:		LTE Band 4(1.4MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3508.60	Vertical	-35.87	-13.00	Pass	
5262.90	V	-38.26			
7017.20	V	-40.24			
8771.50	V	-42.14			
10525.80	V	---			
3508.60	Horizontal	-40.46	-13.00	Pass	
5262.90	H	-43.84			
7017.20	H	-45.20			
8771.50	H	-47.58			
10525.80	H	---			

Test mode:		LTE Band 4(3MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3423.00	Vertical	-36.15	-13.00	Pass	
5134.50	V	-38.88			
6846.00	V	-41.13			
8557.50	V	-43.29			
10269.00	V	---			
3423.00	Horizontal	-41.38	-13.00	Pass	
5134.50	H	-45.23			
6846.00	H	-46.79			
8557.50	H	-49.51			
10269.00	H	---			
Test mode:		LTE Band 4(3MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-37.44	-13.00	Pass	
5197.50	V	-39.71			
6930.00	V	-41.59			
8662.50	V	-43.40			
10395.00	V	---			
3465.00	Horizontal	-41.80	-13.00	Pass	
5197.50	H	-45.02			
6930.00	H	-46.32			
8662.50	H	-48.59			
10395.00	H	---			
Test mode:		LTE Band 4(3MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3507.00	Vertical	-37.74	-13.00	Pass	
5260.50	V	-39.77			
7014.00	V	-41.43			
8767.50	V	-43.04			
10521.00	V	---			
3507.00	Horizontal	-41.62	-13.00	Pass	
5260.50	H	-44.48			
7014.00	H	-45.63			
8767.50	H	-47.64			
10521.00	H	---			

Test mode:		LTE Band 4(5MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3425.00	Vertical	-36.15	-13.00	Pass	
5137.50	V	-38.88			
6850.00	V	-41.13			
8562.50	V	-43.29			
10275.00	V	---			
3425.00	Horizontal	-41.38	-13.00	Pass	
5137.50	H	-45.23			
6850.00	H	-46.79			
8562.50	H	-49.51			
10275.00	H	---			
Test mode:		LTE Band 4(5MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-37.44	-13.00	Pass	
5197.50	V	-39.71			
6930.00	V	-41.59			
8662.50	V	-43.40			
10395.00	V	---			
3465.00	Horizontal	-41.80	-13.00	Pass	
5197.50	H	-45.02			
6930.00	H	-46.32			
8662.50	H	-48.59			
10395.00	H	---			
Test mode:		LTE Band 4(5MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3505.00	Vertical	-37.74	-13.00	Pass	
5257.50	V	-39.77			
7010.00	V	-41.43			
8762.50	V	-43.04			
10515.00	V	---			
3505.00	Horizontal	-41.62	-13.00	Pass	
5257.50	H	-44.48			
7010.00	H	-45.63			
8762.50	H	-47.64			
10515.00	H	---			

Test mode:		LTE Band 4(10MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3430.00	Vertical	-37.14	-13.00	Pass	
5145.00	V	-39.51			
6860.00	V	-41.48			
8575.00	V	-43.37			
10290.00	V	---			
3430.00	Horizontal	-41.70	-13.00	Pass	
5145.00	H	-45.07			
6860.00	H	-46.42			
8575.00	H	-48.78			
10290.00	H	---			
Test mode:		LTE Band 4(10MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-34.85	-13.00	Pass	
5197.50	V	-37.30			
6930.00	V	-39.33			
8662.50	V	-41.30			
10395.00	V	---			
3465.00	Horizontal	-39.57	-13.00	Pass	
5197.50	H	-43.05			
6930.00	H	-44.46			
8662.50	H	-46.90			
10395.00	H	---			
Test mode:		LTE Band 4(10MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3500.00	Vertical	-35.87	-13.00	Pass	
5250.00	V	-38.26			
7000.00	V	-40.24			
8750.00	V	-42.14			
10500.00	V	---			
3500.00	Horizontal	-40.46	-13.00	Pass	
5250.00	H	-43.84			
7000.00	H	-45.20			
8750.00	H	-47.58			
10500.00	H	---			

Test mode:		LTE Band 4(15MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3435.00	Vertical	-38.81	-13.00	Pass	
5152.50	V	-41.89			
6870.00	V	-44.44			
8587.50	V	-46.89			
10305.00	V	---			
3435.00	Horizontal	-44.72	-13.00	Pass	
5152.50	H	-49.08			
6870.00	H	-50.84			
8587.50	H	-53.91			
10305.00	H	---			
Test mode:		LTE Band 4(15MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-39.81	-13.00	Pass	
5197.50	V	-42.72			
6930.00	V	-45.12			
8662.50	V	-47.44			
10395.00	V	---			
3465.00	Horizontal	-45.40	-13.00	Pass	
5197.50	H	-49.52			
6930.00	H	-51.17			
8662.50	H	-54.06			
10395.00	H	---			
Test mode:		LTE Band 4(15MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3495.00	Vertical	-38.80	-13.00	Pass	
5242.50	V	-41.53			
6990.00	V	-43.77			
8737.50	V	-45.95			
10485.00	V	---			
3495.00	Horizontal	-44.03	-13.00	Pass	
5242.50	H	-47.88			
6990.00	H	-49.43			
8737.50	H	-52.14			
10485.00	H	---			

Test mode:		LTE Band 4(20MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3440.00	Vertical	-37.50	-13.00	Pass	
5160.00	V	-41.24			
6880.00	V	-43.97			
8600.00	V	-41.50			
10320.00	V	---			
3440.00	Horizontal	-40.30	-13.00	Pass	
5160.00	H	-42.98			
6880.00	H	-48.39			
8600.00	H	-52.01			
10320.00	H	---			
Test mode:		LTE Band 4(20MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-39.69	-13.00	Pass	
5197.50	V	-40.99			
6930.00	V	-44.60			
8662.50	V	-47.06			
10395.00	V	---			
3465.00	Horizontal	-42.13	-13.00	Pass	
5197.50	H	-44.02			
6930.00	H	-48.69			
8662.50	H	-51.06			
10395.00	H	---			
Test mode:		LTE Band 4(20MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3490.00	Vertical	-37.96	-13.00	Pass	
5235.00	V	-40.39			
6980.00	V	-43.02			
8725.00	V	-45.91			
10470.00	V	---			
3490.00	Horizontal	-41.30	-13.00	Pass	
5235.00	H	-43.72			
6980.00	H	-45.09			
8725.00	H	-51.28			
10470.00	H	---			

Remark:

1. The emission behaviour belongs to narrowband spurious emission.
2. Remark"---" means that the emission level is too low to be measured
3. The emission levels of below 1 GHz are very lower than the limit and not show in test report.

Test mode:	LTE Band 13(5MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1559.00	Vertical	-40.39	-13.00	Pass
2338.50	V	-41.07		
3118.00	V	-42.47		
3897.50	V	-44.71		
4677.00	V	---		
1559.00	Horizontal	-43.55	-13.00	Pass
2338.50	H	-45.19		
3118.00	H	-46.10		
3897.50	H	-49.00		
4677.00	H	---		
Test mode:	LTE Band 13(5MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1764.00	Vertical	-40.97	-13.00	Pass
2646.00	V	-43.08		
3528.00	V	-44.64		
4410.00	V	-48.73		
5292.00	V	---		
1764.00	Horizontal	-44.14	-13.00	Pass
2646.00	H	-44.99		
3528.00	H	-47.21		
4410.00	H	-50.26		
5292.00	H	---		
Test mode:	LTE Band 13(5MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1569.00	Vertical	-38.63	-13.00	Pass
2353.50	V	-40.04		
3138.00	V	-42.10		
3922.50	V	-43.18		
4707.00	V	---		
1569.00	Horizontal	-44.42	-13.00	Pass
2353.50	H	-48.25		
3138.00	H	-50.34		
3922.50	H	-53.32		
4707.00	H	---		

Test mode:	LTE Band 13(10MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1764.00	Vertical	-36.15	-13.00	Pass
2646.00	V	-38.88		
3528.00	V	-41.13		
4410.00	V	-43.29		
5292.00	V	---		
1764.00	Horizontal	-41.38	-13.00	Pass
2646.00	H	-45.23		
3528.00	H	-46.79		
4410.00	H	-49.51		
5292.00	H	---		

Remark:

1. The emission behaviour belongs to narrowband spurious emission.
2. Remark"---" means that the emission level is too low to be measured
3. The emission levels of below 1 GHz are very lower than the limit and not show in test report.

16QAM mode:

Test mode:		LTE Band 4(1.4MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3421.40	Vertical	-36.15	-13.00	Pass	
5132.10	V	-38.88			
6842.80	V	-41.13			
8553.50	V	-43.29			
10264.20	V	---			
3421.40	Horizontal	-41.38	-13.00	Pass	
5132.10	H	-45.23			
6842.80	H	-46.79			
8553.50	H	-49.51			
10264.20	H	---			
Test mode:		LTE Band 4(1.4MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-37.44	-13.00	Pass	
5197.50	V	-39.71			
6930.00	V	-41.59			
8662.50	V	-43.40			
10395.00	V	---			
3465.00	Horizontal	-41.80	-13.00	Pass	
5197.50	H	-45.02			
6930.00	H	-46.32			
8662.50	H	-48.59			
10395.00	H	---			
Test mode:		LTE Band 4(1.4MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3508.60	Vertical	-37.74	-13.00	Pass	
5262.90	V	-39.77			
7017.20	V	-41.43			
8771.50	V	-43.04			
10525.80	V	---			
3508.60	Horizontal	-41.62	-13.00	Pass	
5262.90	H	-44.48			
7017.20	H	-45.63			
8771.50	H	-47.64			
10525.80	H	---			

Test mode:		LTE Band 4(3MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3423.00	Vertical	-37.14	-13.00	Pass	
5134.50	V	-39.51			
6846.00	V	-41.48			
8557.50	V	-43.37			
10269.00	V	---			
3423.00	Horizontal	-41.70	-13.00	Pass	
5134.50	H	-45.07			
6846.00	H	-46.42			
8557.50	H	-48.78			
10269.00	H	---			
Test mode:		LTE Band 4(3MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-34.85	-13.00	Pass	
5197.50	V	-37.30			
6930.00	V	-39.33			
8662.50	V	-41.30			
10395.00	V	---			
3465.00	Horizontal	-39.57	-13.00	Pass	
5197.50	H	-43.05			
6930.00	H	-44.46			
8662.50	H	-46.90			
10395.00	H	---			
Test mode:		LTE Band 4(3MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3507.00	Vertical	-35.87	-13.00	Pass	
5260.50	V	-38.26			
7014.00	V	-40.24			
8767.50	V	-42.14			
10521.00	V	---			
3507.00	Horizontal	-40.46	-13.00	Pass	
5260.50	H	-43.84			
7014.00	H	-45.20			
8767.50	H	-47.58			
10521.00	H	---			

Test mode:		LTE Band 4(5MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3425.00	Vertical	-38.81	-13.00	Pass	
5137.50	V	-41.89			
6850.00	V	-44.44			
8562.50	V	-46.89			
10275.00	V	---			
3425.00	Horizontal	-44.72	-13.00	Pass	
5137.50	H	-49.08			
6850.00	H	-50.84			
8562.50	H	-53.91			
10275.00	H	---			
Test mode:		LTE Band 4(5MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-39.81	-13.00	Pass	
5197.50	V	-42.72			
6930.00	V	-45.12			
8662.50	V	-47.44			
10395.00	V	---			
3465.00	Horizontal	-45.40	-13.00	Pass	
5197.50	H	-49.52			
6930.00	H	-51.17			
8662.50	H	-54.06			
10395.00	H	---			
Test mode:		LTE Band 4(5MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3505.00	Vertical	-38.80	-13.00	Pass	
5257.50	V	-41.53			
7010.00	V	-43.77			
8762.50	V	-45.95			
10515.00	V	---			
3505.00	Horizontal	-44.03	-13.00	Pass	
5257.50	H	-47.88			
7010.00	H	-49.43			
8762.50	H	-52.14			
10515.00	H	---			

Test mode:		LTE Band 4(10MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3430.00	Vertical	-37.50	-13.00	Pass	
5145.00	V	-41.24			
6860.00	V	-43.97			
8575.00	V	-41.50			
10290.00	V	---			
3430.00	Horizontal	-40.30	-13.00	Pass	
5145.00	H	-42.98			
6860.00	H	-48.39			
8575.00	H	-52.01			
10290.00	H	---			
Test mode:		LTE Band 4(10MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-39.69	-13.00	Pass	
5197.50	V	-40.99			
6930.00	V	-44.60			
8662.50	V	-47.06			
10395.00	V	---			
3465.00	Horizontal	-42.13	-13.00	Pass	
5197.50	H	-44.02			
6930.00	H	-48.69			
8662.50	H	-51.06			
10395.00	H	---			
Test mode:		LTE Band 4(10MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3500.00	Vertical	-37.96	-13.00	Pass	
5250.00	V	-40.39			
7000.00	V	-43.02			
8750.00	V	-45.91			
10500.00	V	---			
3500.00	Horizontal	-41.30	-13.00	Pass	
5250.00	H	-43.72			
7000.00	H	-45.09			
8750.00	H	-51.28			
10500.00	H	---			

Test mode:	LTE Band 4(15MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3435.00	Vertical	-40.39	-13.00	Pass
5152.50	V	-41.07		
6870.00	V	-42.47		
8587.50	V	-44.71		
10305.00	V	---		
3435.00	Horizontal	-43.55	-13.00	Pass
5152.50	H	-45.19		
6870.00	H	-46.10		
8587.50	H	-49.00		
10305.00	H	---		
Test mode:	LTE Band 4(15MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3465.00	Vertical	-40.97	-13.00	Pass
5197.50	V	-43.08		
6930.00	V	-44.64		
8662.50	V	-48.73		
10395.00	V	---		
3465.00	Horizontal	-44.14	-13.00	Pass
5197.50	H	-44.99		
6930.00	H	-47.21		
8662.50	H	-50.26		
10395.00	H	---		
Test mode:	LTE Band 4(15MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
3495.00	Vertical	-38.63	-13.00	Pass
5242.50	V	-40.04		
6990.00	V	-42.10		
8737.50	V	-43.18		
10485.00	V	---		
3495.00	Horizontal	-44.42	-13.00	Pass
5242.50	H	-48.25		
6990.00	H	-50.34		
8737.50	H	-53.32		
10485.00	H	---		

Test mode:		LTE Band 4(20MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3440.00	Vertical	-36.15	-13.00	Pass	
5160.00	V	-38.88			
6880.00	V	-41.13			
8600.00	V	-43.29			
10320.00	V	---			
3440.00	Horizontal	-41.38	-13.00	Pass	
5160.00	H	-45.23			
6880.00	H	-46.79			
8600.00	H	-49.51			
10320.00	H	---			
Test mode:		LTE Band 4(20MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3465.00	Vertical	-37.44	-13.00	Pass	
5197.50	V	-39.71			
6930.00	V	-41.59			
8662.50	V	-43.40			
10395.00	V	---			
3465.00	Horizontal	-41.80	-13.00	Pass	
5197.50	H	-45.02			
6930.00	H	-46.32			
8662.50	H	-48.59			
10395.00	H	---			
Test mode:		LTE Band 4(20MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result	
	Polarization	Level (dBm)			
3490.00	Vertical	-37.74	-13.00	Pass	
5235.00	V	-39.77			
6980.00	V	-41.43			
8725.00	V	-43.04			
10470.00	V	---			
3490.00	Horizontal	-41.62	-13.00	Pass	
5235.00	H	-44.48			
6980.00	H	-45.63			
8725.00	H	-47.64			
10470.00	H	---			

Remark:

4. The emission behaviour belongs to narrowband spurious emission.
5. Remark"---" means that the emission level is too low to be measured
6. The emission levels of below 1 GHz are very lower than the limit and not show in test report.


Test mode:	LTE Band 13(5MHz)		Test channel:	Lowest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1559.00	Vertical	-37.14	-13.00	Pass
2338.50	V	-39.51		
3118.00	V	-41.48		
3897.50	V	-43.37		
4677.00	V	---		
1559.00	Horizontal	-41.70	-13.00	Pass
2338.50	H	-45.07		
3118.00	H	-46.42		
3897.50	H	-48.78		
4677.00	H	---		
Test mode:	LTE Band 13(5MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1764.00	Vertical	-34.85	-13.00	Pass
2646.00	V	-37.30		
3528.00	V	-39.33		
4410.00	V	-41.30		
5292.00	V	---		
1764.00	Horizontal	-39.57	-13.00	Pass
2646.00	H	-43.05		
3528.00	H	-44.46		
4410.00	H	-46.90		
5292.00	H	---		
Test mode:	LTE Band 13(5MHz)		Test channel:	Highest
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1569.00	Vertical	-35.87	-13.00	Pass
2353.50	V	-38.26		
3138.00	V	-40.24		
3922.50	V	-42.14		
4707.00	V	---		
1569.00	Horizontal	-40.46	-13.00	Pass
2353.50	H	-43.84		
3138.00	H	-45.20		
3922.50	H	-47.58		
4707.00	H	---		

Test mode:	LTE Band 13(10MHz)		Test channel:	Middle
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
1764.00	Vertical	-38.81	-13.00	Pass
2646.00	V	-41.89		
3528.00	V	-44.44		
4410.00	V	-46.89		
5292.00	V	---		
1764.00	Horizontal	-44.72	-13.00	Pass
2646.00	H	-49.08		
3528.00	H	-50.84		
4410.00	H	-53.91		
5292.00	H	---		

Remark:

1. The emission behaviour belongs to narrowband spurious emission.
2. Remark"---" means that the emission level is too low to be measured
3. The emission levels of below 1 GHz are very lower than the limit and not show in test report.

6.10 Frequency stability V.S. Temperature measurement

Test Requirement:	FCC Part2.1055(a)(1)(b)
Test Method:	FCC Part2.1055(a)(1)(b)
Limit:	2.5ppm
Test setup:	 <p>Note : Measurement setup for testing on Antenna connector</p>
Test procedure:	<ol style="list-style-type: none"> 1. The equipment under test was connected to an external DC power supply and input rated voltage. 2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. 3. The EUT was placed inside the temperature chamber. 4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. 5. Turn EUT off and set the chamber temperature to -20°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. 6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass

Measurement Data


QPSK mode:

Reference Frequency: LTE Band 4 Middle channel=20175 channel=1732.5MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	36	0.0205	2.5	Pass
	-20	39	0.0223		
	-10	34	0.0196		
	0	31	0.0179		
	10	33	0.0188		
	20	29	0.0170		
	30	46	0.0267		
	40	40	0.0232		
	50	39	0.0223		
Reference Frequency: LTE Band 13 Middle channel=23230 channel=782MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error			Result
		Hz	ppm		
3.70	-30	51	0.0576	2.5	Pass
	-20	59	0.0673		
	-10	49	0.0556		
	0	42	0.0477		
	10	48	0.0540		
	20	41	0.0464		
	30	72	0.0816		
	40	62	0.0704		
	50	59	0.0664		

16QAM mode:

Reference Frequency: LTE Band 4 Middle channel=20175 channel=1732.5MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	37	0.0213	2.5	Pass
	-20	40	0.0231		
	-10	35	0.0203		
	0	32	0.0185		
	10	34	0.0194		
	20	30	0.0176		
	30	48	0.0277		
	40	42	0.0240		
	50	40	0.0231		
Reference Frequency: LTE Band 13 Middle channel=23230 channel=782MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error			Result
		Hz	ppm		
3.70	-30	43	0.0493	2.5	Pass
	-20	51	0.0577		
	-10	42	0.0476		
	0	36	0.0408		
	10	41	0.0462		
	20	35	0.0396		
	30	62	0.0700		
	40	53	0.0604		
	50	50	0.0569		

6.11 Frequency stability V.S. Voltage measurement

Test Requirement:	FCC Part2.1055(d)(1)(2)
Test Method:	FCC Part2.1055(d)(1)(2)
Limit:	2.5ppm
Test setup:	 <p style="text-align: center;">Temperature Chamber</p> <p style="text-align: center;">Spectrum analyzer</p> <p style="text-align: center;">Att.</p> <p style="text-align: center;">EUT</p> <p style="text-align: center;">Variable Power Supply</p> <p>Note : Measurement setup for testing on Antenna connector</p>
Test procedure:	<ol style="list-style-type: none"> 1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage. 2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. 3. Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.
Test Instruments:	Refer to section 5.0 for details
Test mode:	Refer to section 6.1 for details
Test results:	Pass

Measurement Data

QPSK mode:



Reference Frequency: LTE Band 4 Middle channel=20175 channel=1732.5MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	27	0.0157	2.5	Pass
	3.70	18	0.0103		
	3.40	21	0.0121		
Reference Frequency: LTE Band 13 Middle channel=23230channel=782MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	40	0.0456	2.5	Pass
	3.70	46	0.0527		
	3.40	53	0.0596		

16QAM mode:

Reference Frequency: LTE Band 4 Middle channel=20175 channel=1732.5MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	29	0.0167	2.5	Pass
	3.70	19	0.0110		
	3.40	22	0.0129		
Reference Frequency: LTE Band 13 Middle channel=23230channel=782MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	36	0.0409	2.5	Pass
	3.70	42	0.0474		
	3.40	47	0.0536		


7 Test Setup Photo



Radiated Emission




8 EUT Constructional Details


















-----End-----