



USER MANUAL Diamond Display

FCC ID: 2AQHSF0210007

Introduction

The COMODULE Diamond Display is designed to be connected via Bluetooth to a mobile phone to gather and transmit data and to be controlled remotely. It thus creates opportunities for the physical world to be digitalized, which results in improved efficiency, accuracy and economic benefits.

This manual is intended for Diamond Display integration for Bike manufacturers.



Installation

For the installation, the following equipment is needed:

- COMODULE Diamond Display
- Bolt for installation (come with COMODULE device)
- Compatible electric bike

Installing the modules on the scooters

1. Plug the Diamond Display cable to the designated cable on the electric vehicle



2. Attach the Diamond Display to the handlebar by using the existing screw



3. Turn on the bike and the Diamond Display (Automatic)
4. Connect to the Display by the Application or use the Diamond Display and the bike without the application

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Interference

INSTRUCTION TO THE USER:

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

In order to maintain compliance with FCC regulations, shielded cables must be used with this equipment. Operation with non-approved equipment or unshielded cables is likely to result in

interference to radio and TV reception. The user is cautioned that changes and modifications made to the equipment without the approval of manufacturer could void the user's authority to operate this equipment.