















User manual






1 appearance



2 Key function

Key value	Specification
PAIR	press and hold  button ,the remote enters pairing mode, backlight LED flashes, When the pair succeeds, the backlight stops flashing then normally on.
HEAD UP	Press and hold  button, head actuator moves out, stop when released

HEAD DOWN	Press and hold  button, head actuator moves in, stop when released
FOOT UP	Press and hold  button, foot actuator moves out, stop when released
FOOTDOWN	Press and hold  button,foot actuator moves in, stop when released
FLAT	Click  button, the bed goes flat
Lock	press and hold  button for 5s until backlight flashes, then the lock/unlock is complete.
ZG	Click  button, the bed moves to zeroG position, press and hold zeroG button for 5s, until backlight flashes, the control set the current position as zeroG position
TV/PC	Click  button, the bed moves to TV/PC position, press and hold TV/PC button for 5s, until backlight flashes, the control set the current position as TV/PC position
UNDER BED LIGHT	Click  button, the under bed light switch its on/off state; After the under bed light opens, if do not manually close, it will automatically turn off after 5 minutes;
M1	Click  button, the bed moves to M1 position, press and hold M1 button for 5s, until backlight flashes, the control set the current position as M1 position
M2	Click  button, the bed moves to M2 position, press and hold M2button for 5s, until backlight flashes, the control set the current position as M2 position
FLASH LIGHT	Press and hold  button, open flash light,closewhen released
MASSAGE HEAD+	Click  button, head massage motor switch its intensityamong 1-2-3-0-1

<p>MESSAGE FOOT+</p>	<p>Click  button, foot message motor switch its intensityamong 1-2-3-0-1</p>
<p>TIMER</p>	<p>If the massage motors do not work, the button is invalid, if the massage motors work, click  button to switch the massage time, when massage time switch to 0, turn off the massage;</p>
<p>MESSAGE HEAD-</p>	<p>Click  button, head message motor switch its intensityamong3-2-1-0-3</p>
<p>MESSAGE FOOT—</p>	<p>Click  button, foot message motor switch its intensityamong3-2-1-0-3</p>
<p>MESSAGE TYPE</p>	<p>Click  button, to switch the massage mode of massage motors, massagemode switches among type0→ type1→ type2→ type3→type0; this button can only switch the massage mode, it can not open massage motors;</p>

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED RSS Warning/ISED RF Exposure Statement

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

ISED RF exposure statement:

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. The device has been evaluated to meet general RF exposure requirement.

Le matériel est conforme aux limites de dose d'exposition aux rayonnements énoncés pour un autre environnement. ce dispositif a été évalué à satisfaire l'exigence générale de l'exposition aux rf.