







11AX40MIMO Ant1 2422 484Tone_RU65




11AX40MIMO Ant2 2422 484Tone_RU65




11AX40MIMO Ant3 2422 484Tone_RU65



11AX40MIMO Ant4_2422_484Tone_RU65



11AX40MIMO Ant1_2437_484Tone_RU65



11AX40MIMO Ant2_2437_484Tone_RU65

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AX40MIMO Ant3 2437 484Tone_RU65



11AX40MIMO Ant4 2437 484Tone_RU65



11AX40MIMO Ant1 2452 484Tone_RU65

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11AX40MIMO Ant2 2452 484Tone_RU65



11AX40MIMO Ant3 2452 484Tone_RU65



11AX40MIMO Ant4 2452 484Tone_RU65

**99% Bandwidth:**

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11B_Ant4_2412




11B_Ant1_2437




11B_Ant2_2437




11B_Ant3_2437



11B_Ant4_2437



11B_Ant1_2462




11B_Ant2_2462

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11B_Ant3_2462



11B_Ant4_2462




11G_Ant1_2412

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11G_Ant2_2412



11G_Ant3_2412




11G_Ant4_2412

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11G_Ant1_2437



11G_Ant2_2437



11G_Ant3_2437

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11G_Ant4_2437



11G_Ant1_2462



11G_Ant2_2462

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11G_Ant3_2462




11G_Ant4_2462




11N20MIMO_Ant1_2412



11N20MIMO_Ant2_2412



11N20MIMO_Ant3_2412




11N20MIMO_Ant4_2412

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20MIMO_Ant1_2437



11N20MIMO_Ant2_2437




11N20MIMO_Ant3_2437

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20MIMO_Ant4_2437



11N20MIMO_Ant1_2462




11N20MIMO_Ant2_2462

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20MIMO_Ant3_2462



11N20MIMO_Ant4_2462



11N40MIMO_Ant1_2422

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11N40MIMO_Ant2_2422




11N40MIMO_Ant3_2422




11N40MIMO_Ant4_2422




11N40MIMO_Ant1_2437




11N40MIMO_Ant2_2437




11N40MIMO_Ant3_2437




11N40MIMO_Ant4_2437




11N40MIMO_Ant1_2452




11N40MIMO_Ant2_2452



11N40MIMO_Ant3_2452



11N40MIMO_Ant4_2452




CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11AX20MIMO Ant1 2412 242Tone RU61




11AX20MIMO Ant2 2412 242Tone RU61




11AX20MIMO Ant3 2412 242Tone RU61



11AX20MIMO Ant4 2412 242Tone_RU61



11AX20MIMO Ant1 2437 242Tone_RU61




11AX20MIMO Ant2 2437 242Tone_RU61

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11AX20MIMO Ant3 2437 242Tone_RU61




11AX20MIMO Ant4 2437 242Tone_RU61




11AX20MIMO Ant1 2462 242Tone_RU61




11AX20MIMO Ant2 2462 242Tone_RU61




11AX20MIMO Ant3 2462 242Tone_RU61




11AX20MIMO Ant4 2462 242Tone_RU61




11AX40MIMO Ant1 2422_484Tone_RU65




11AX40MIMO Ant2 2422_484Tone_RU65




11AX40MIMO Ant3 2422_484Tone_RU65



11AX40MIMO Ant4 2422 484Tone_RU65



11AX40MIMO Ant1 2437 484Tone_RU65




11AX40MIMO Ant2 2437 484Tone_RU65

CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




11AX40MIMO Ant3 2437 484Tone_RU65




11AX40MIMO Ant4 2437 484Tone_RU65




11AX40MIMO Ant1 2452 484Tone_RU65



11AX40MIMO Ant2 2452 484Tone_RU65



11AX40MIMO Ant3 2452 484Tone_RU65



11AX40MIMO Ant4 2452 484Tone_RU65

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




3.6. Peak Output Power

Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (b)(3)

Section	Test Item	Limit	Frequency Range (MHz)
FCC CFR 47 Part15.247 (b)(3)	Maximum Conducted Output Power	1 Watt or 30dBm	2400~2483.5

Test Configuration



Test Procedure

1. The maximum conducted output power may be measured using a broadband RF power meter.
2. Power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor.
3. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter.
4. Record the measurement data.

Test Mode

Please refer to the clause 2.4.

**Test Result**

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	18.51	≤30.00	PASS
	Ant2	2412	18.51	≤30.00	PASS
	Ant3	2412	18.14	≤30.00	PASS
	Ant4	2412	18.26	≤30.00	PASS
	Ant1	2437	19.15	≤30.00	PASS
	Ant2	2437	18.46	≤30.00	PASS
	Ant3	2437	18.29	≤30.00	PASS
	Ant4	2437	18.58	≤30.00	PASS
	Ant1	2462	18.95	≤30.00	PASS
	Ant2	2462	17.10	≤30.00	PASS
	Ant3	2462	18.11	≤30.00	PASS
	Ant4	2462	18.76	≤30.00	PASS
11G	Ant1	2412	17.78	≤30.00	PASS
	Ant2	2412	17.27	≤30.00	PASS
	Ant3	2412	17.32	≤30.00	PASS
	Ant4	2412	17.91	≤30.00	PASS
	Ant1	2437	17.53	≤30.00	PASS
	Ant2	2437	17.42	≤30.00	PASS
	Ant3	2437	17.49	≤30.00	PASS
	Ant4	2437	17.78	≤30.00	PASS
	Ant1	2462	17.48	≤30.00	PASS
	Ant2	2462	17.47	≤30.00	PASS
	Ant3	2462	17.55	≤30.00	PASS
	Ant4	2462	17.08	≤30.00	PASS
11N20MIMO	total	2412	15.87	≤28.38	PASS
	total	2437	16.13	≤28.38	PASS
	total	2462	16.42	≤28.38	PASS
11N40MIMO	total	2422	16.32	≤28.38	PASS
	total	2437	16.37	≤28.38	PASS
	total	2452	16.62	≤28.38	PASS



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Peak Power[dBm]	Conducted Limit[dBm]	Verdict
11AX20MIMO	total	2412	26Tone	RU0	15.20	≤28.38	PASS
				RU4	15.03	≤28.38	PASS
				RU8	15.60	≤28.38	PASS
			52Tone	RU37	16.21	≤28.38	PASS
				RU38	16.57	≤28.38	PASS
				RU40	15.83	≤28.38	PASS
			106Tone	RU53	15.72	≤28.38	PASS
				RU54	15.38	≤28.38	PASS
				RU61	16.65	≤28.38	PASS
	total	2437	26Tone	RU0	15.73	≤28.38	PASS
				RU4	15.98	≤28.38	PASS
				RU8	14.74	≤28.38	PASS
			52Tone	RU37	15.66	≤28.38	PASS
				RU38	15.47	≤28.38	PASS
				RU40	14.51	≤28.38	PASS
			106Tone	RU53	10.21	≤28.38	PASS
				RU54	16.18	≤28.38	PASS
			242Tone	RU61	16.51	≤28.38	PASS
	total	2462	26Tone	RU0	15.83	≤28.38	PASS
				RU4	15.36	≤28.38	PASS
				RU8	15.28	≤28.38	PASS
			52Tone	RU37	15.13	≤28.38	PASS
				RU38	15.32	≤28.38	PASS
				RU40	15.09	≤28.38	PASS
			106Tone	RU53	15.21	≤28.38	PASS
				RU54	14.64	≤28.38	PASS
			242Tone	RU61	16.13	≤28.38	PASS
11AX40MIMO	total	2422	26Tone	RU0	15.57	≤28.38	PASS
				RU8	15.77	≤28.38	PASS
				RU17	16.35	≤28.38	PASS
			52Tone	RU37	15.75	≤28.38	PASS
				RU40	15.77	≤28.38	PASS
				RU44	13.23	≤28.38	PASS
			106Tone	RU53	15.98	≤28.38	PASS
				RU54	15.92	≤28.38	PASS
				RU56	16.10	≤28.38	PASS
			242Tone	RU61	15.64	≤28.38	PASS
				RU62	16.05	≤28.38	PASS
			484Tone	RU65	16.47	≤28.38	PASS
	total	2437	26Tone	RU0	15.70	≤28.38	PASS
				RU8	15.43	≤28.38	PASS
				RU17	15.54	≤28.38	PASS
			52Tone	RU37	15.01	≤28.38	PASS
				RU40	15.47	≤28.38	PASS
				RU44	15.28	≤28.38	PASS
			106Tone	RU53	16.18	≤28.38	PASS
				RU54	15.38	≤28.38	PASS
				RU56	15.00	≤28.38	PASS
			242Tone	RU61	15.38	≤28.38	PASS
				RU62	15.49	≤28.38	PASS
			484Tone	RU65	16.48	≤28.38	PASS
	total	2452	26Tone	RU0	15.65	≤28.38	PASS
				RU8	15.36	≤28.38	PASS
				RU17	15.46	≤28.38	PASS
			52Tone	RU37	14.92	≤28.38	PASS
				RU40	15.79	≤28.38	PASS
				RU44	14.44	≤28.38	PASS
			106Tone	RU53	16.11	≤28.38	PASS
				RU54	15.77	≤28.38	PASS
				RU56	15.26	≤28.38	PASS
			242Tone	RU61	15.56	≤28.38	PASS
				RU62	15.15	≤28.38	PASS
			484Tone	RU65	16.52	≤28.38	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




3.7. Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (e)

Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	8 dBm (in any 3 kHz)	2400~2483.5

Test Configuration



Test Procedure

1. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
2. The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement according to section 10.2 of KDB 558074 D01 DTS Meas Guidance v05r02.
3. Spectrum Setting:
Set analyzer center frequency to DTS channel center frequency.
Set the span to 1.5 times the DTS bandwidth.
Set the RBW to: 3 kHz.
Set the VBW to: 10 kHz.
Detector: peak.
Sweep time: auto.
Allow trace to fully stabilize. Then use the peak marker function to determine the maximum amplitude level.

Test Mode

Please refer to the clause 2.4.

**Test Result**

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-11.49	≤8.00	PASS
	Ant2	2412	-11.39	≤8.00	PASS
	Ant3	2412	-11.46	≤8.00	PASS
	Ant4	2412	-11.25	≤8.00	PASS
	Ant1	2437	-11.01	≤8.00	PASS
	Ant2	2437	-11.60	≤8.00	PASS
	Ant3	2437	-11.85	≤8.00	PASS
	Ant4	2437	-12.26	≤8.00	PASS
	Ant1	2462	-11.79	≤8.00	PASS
	Ant2	2462	-12.39	≤8.00	PASS
	Ant3	2462	-12.01	≤8.00	PASS
	Ant4	2462	-11.06	≤8.00	PASS
11G	Ant1	2412	-14.15	≤8.00	PASS
	Ant2	2412	-15.14	≤8.00	PASS
	Ant3	2412	-14.45	≤8.00	PASS
	Ant4	2412	-13.76	≤8.00	PASS
	Ant1	2437	-14.59	≤8.00	PASS
	Ant2	2437	-14.36	≤8.00	PASS
	Ant3	2437	-14.28	≤8.00	PASS
	Ant4	2437	-13.65	≤8.00	PASS
	Ant1	2462	-14.59	≤8.00	PASS
	Ant2	2462	-14.31	≤8.00	PASS
	Ant3	2462	-14.62	≤8.00	PASS
	Ant4	2462	-14.50	≤8.00	PASS
11N20MIMO	Ant1	2412	-20.50	≤6.38	PASS
	Ant2	2412	-19.06	≤6.38	PASS
	Ant3	2412	-19.75	≤6.38	PASS
	Ant4	2412	-19.71	≤6.38	PASS
	total	2412	-13.70	≤6.38	PASS
	Ant1	2437	-21.59	≤6.38	PASS
	Ant2	2437	-20.29	≤6.38	PASS
	Ant3	2437	-19.68	≤6.38	PASS
	Ant4	2437	-19.74	≤6.38	PASS
	total	2437	-14.24	≤6.38	PASS
	Ant1	2462	-19.65	≤6.38	PASS
	Ant2	2462	-19.43	≤6.38	PASS
	Ant3	2462	-19.56	≤6.38	PASS
	Ant4	2462	-19.33	≤6.38	PASS
	total	2462	-13.47	≤6.38	PASS
11N40MIMO	Ant1	2422	-22.54	≤6.38	PASS
	Ant2	2422	-21.27	≤6.38	PASS
	Ant3	2422	-20.58	≤6.38	PASS
	Ant4	2422	-20.38	≤6.38	PASS
	total	2422	-15.09	≤6.38	PASS
	Ant1	2437	-20.29	≤6.38	PASS
	Ant2	2437	-21.27	≤6.38	PASS
	Ant3	2437	-19.23	≤6.38	PASS
	Ant4	2437	-21.49	≤6.38	PASS
	total	2437	-14.45	≤6.38	PASS
	Ant1	2452	-21.03	≤6.38	PASS
	Ant2	2452	-22.08	≤6.38	PASS
	Ant3	2452	-21.77	≤6.38	PASS
	Ant4	2452	-21.56	≤6.38	PASS
	total	2452	-15.57	≤6.38	PASS



TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant1	2412	26Tone	RU4	-15.81	≤6.38	PASS
			52Tone	RU38	-15.53	≤6.38	PASS
			106Tone	RU53	-18.65	≤6.38	PASS
			242Tone	RU61	-19.41	≤6.38	PASS
	Ant2	2412	26Tone	RU4	-14.34	≤6.38	PASS
			52Tone	RU38	-16.18	≤6.38	PASS
			106Tone	RU53	-18.65	≤6.38	PASS
			242Tone	RU61	-19.47	≤6.38	PASS
	Ant3	2412	26Tone	RU4	-15.43	≤6.38	PASS
			52Tone	RU38	-14.44	≤6.38	PASS
			106Tone	RU53	-18.77	≤6.38	PASS
			242Tone	RU61	-19.76	≤6.38	PASS
	Ant4	2412	26Tone	RU4	-16.12	≤6.38	PASS
			52Tone	RU38	-14.73	≤6.38	PASS
			106Tone	RU53	-17.45	≤6.38	PASS
			242Tone	RU61	-18.45	≤6.38	PASS
	total	2412	26Tone	RU4	-9.35	≤6.38	PASS
			52Tone	RU38	-9.15	≤6.38	PASS
			106Tone	RU53	-12.32	≤6.38	PASS
			242Tone	RU61	-13.22	≤6.38	PASS
	Ant1	2437	26Tone	RU4	-20.77	≤6.38	PASS
			52Tone	RU38	-15.80	≤6.38	PASS
			106Tone	RU53	-21.51	≤6.38	PASS
			242Tone	RU61	-19.99	≤6.38	PASS
	Ant2	2437	26Tone	RU4	-22.50	≤6.38	PASS
			52Tone	RU38	-16.31	≤6.38	PASS
			106Tone	RU53	-23.20	≤6.38	PASS
			242Tone	RU61	-19.91	≤6.38	PASS
	Ant3	2437	26Tone	RU4	-21.69	≤6.38	PASS
			52Tone	RU38	-16.28	≤6.38	PASS
			106Tone	RU53	-22.16	≤6.38	PASS
			242Tone	RU61	-21.09	≤6.38	PASS
	Ant4	2437	26Tone	RU4	-22.48	≤6.38	PASS
			52Tone	RU38	-17.00	≤6.38	PASS
			106Tone	RU53	-21.94	≤6.38	PASS
			242Tone	RU61	-20.27	≤6.38	PASS
	total	2437	26Tone	RU4	-15.78	≤6.38	PASS
			52Tone	RU38	-10.31	≤6.38	PASS
			106Tone	RU53	-16.14	≤6.38	PASS
			242Tone	RU61	-14.27	≤6.38	PASS
	Ant1	2462	26Tone	RU4	-13.76	≤6.38	PASS
			52Tone	RU38	-14.08	≤6.38	PASS
			106Tone	RU53	-12.96	≤6.38	PASS
			242Tone	RU61	-20.05	≤6.38	PASS
	Ant2	2462	26Tone	RU4	-13.61	≤6.38	PASS
			52Tone	RU38	-16.27	≤6.38	PASS
			106Tone	RU53	-15.40	≤6.38	PASS
			242Tone	RU61	-20.86	≤6.38	PASS
	Ant3	2462	26Tone	RU4	-13.86	≤6.38	PASS
			52Tone	RU38	-17.07	≤6.38	PASS
			106Tone	RU53	-14.44	≤6.38	PASS
			242Tone	RU61	-20.29	≤6.38	PASS
	Ant4	2462	26Tone	RU4	-14.04	≤6.38	PASS
			52Tone	RU38	-16.40	≤6.38	PASS
			106Tone	RU53	-14.94	≤6.38	PASS
			242Tone	RU61	-19.68	≤6.38	PASS
	total	2462	26Tone	RU4	-7.79	≤6.38	PASS
			52Tone	RU38	-9.78	≤6.38	PASS
			106Tone	RU53	-8.31	≤6.38	PASS
			242Tone	RU61	-14.18	≤6.38	PASS
11AX40MIMO	Ant1	2422	26Tone	RU8	-13.61	≤6.38	PASS
			52Tone	RU40	-15.99	≤6.38	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



			106Tone	RU54	-20.05	≤6.38	PASS
			242Tone	RU61	-22.08	≤6.38	PASS
			484Tone	RU65	-22.19	≤6.38	PASS
	Ant2	2422	26Tone	RU8	-14.45	≤6.38	PASS
			52Tone	RU40	-16.43	≤6.38	PASS
			106Tone	RU54	-20.82	≤6.38	PASS
			242Tone	RU61	-21.96	≤6.38	PASS
			484Tone	RU65	-22.75	≤6.38	PASS
			26Tone	RU8	-13.66	≤6.38	PASS
	Ant3	2422	52Tone	RU40	-17.11	≤6.38	PASS
			106Tone	RU54	-20.26	≤6.38	PASS
			242Tone	RU61	-21.97	≤6.38	PASS
			484Tone	RU65	-23.13	≤6.38	PASS
			26Tone	RU8	-14.37	≤6.38	PASS
			52Tone	RU40	-16.72	≤6.38	PASS
	Ant4	2422	106Tone	RU54	-20.11	≤6.38	PASS
			242Tone	RU61	-22.16	≤6.38	PASS
			484Tone	RU65	-22.46	≤6.38	PASS
	total	2422	26Tone	RU8	-7.98	≤6.38	PASS
			52Tone	RU40	-10.52	≤6.38	PASS
			106Tone	RU54	-14.28	≤6.38	PASS
			242Tone	RU61	-16.02	≤6.38	PASS
			484Tone	RU65	-16.60	≤6.38	PASS
	Ant1	2437	26Tone	RU8	-14.32	≤6.38	PASS
			52Tone	RU40	-16.92	≤6.38	PASS
			106Tone	RU54	-20.42	≤6.38	PASS
			242Tone	RU61	-22.15	≤6.38	PASS
			484Tone	RU65	-21.99	≤6.38	PASS
	Ant2	2437	26Tone	RU8	-14.40	≤6.38	PASS
			52Tone	RU40	-18.23	≤6.38	PASS
			106Tone	RU54	-21.74	≤6.38	PASS
			242Tone	RU61	-23.08	≤6.38	PASS
			484Tone	RU65	-22.10	≤6.38	PASS
	Ant3	2437	26Tone	RU8	-14.67	≤6.38	PASS
			52Tone	RU40	-17.31	≤6.38	PASS
			106Tone	RU54	-20.85	≤6.38	PASS
			242Tone	RU61	-22.74	≤6.38	PASS
			484Tone	RU65	-22.62	≤6.38	PASS
	Ant4	2437	26Tone	RU8	-15.00	≤6.38	PASS
			52Tone	RU40	-16.81	≤6.38	PASS
			106Tone	RU54	-20.94	≤6.38	PASS
			242Tone	RU61	-22.87	≤6.38	PASS
			484Tone	RU65	-23.16	≤6.38	PASS
	total	2437	26Tone	RU8	-8.57	≤6.38	PASS
			52Tone	RU40	-11.26	≤6.38	PASS
			106Tone	RU54	-14.94	≤6.38	PASS
			242Tone	RU61	-16.68	≤6.38	PASS
			484Tone	RU65	-16.42	≤6.38	PASS
	Ant1	2452	26Tone	RU8	-14.79	≤6.38	PASS
			52Tone	RU40	-15.86	≤6.38	PASS
			106Tone	RU54	-18.41	≤6.38	PASS
			242Tone	RU61	-22.57	≤6.38	PASS
			484Tone	RU65	-21.70	≤6.38	PASS
	Ant2	2452	26Tone	RU8	-15.32	≤6.38	PASS
			52Tone	RU40	-16.83	≤6.38	PASS
			106Tone	RU54	-20.34	≤6.38	PASS
			242Tone	RU61	-22.32	≤6.38	PASS
			484Tone	RU65	-22.27	≤6.38	PASS
	Ant3	2452	26Tone	RU8	-14.81	≤6.38	PASS
			52Tone	RU40	-17.40	≤6.38	PASS
			106Tone	RU54	-19.34	≤6.38	PASS
			242Tone	RU61	-22.74	≤6.38	PASS
			484Tone	RU65	-23.42	≤6.38	PASS
	Ant4	2452	26Tone	RU8	-14.73	≤6.38	PASS
			52Tone	RU40	-16.61	≤6.38	PASS
			106Tone	RU54	-20.56	≤6.38	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



			242Tone	RU61	-23.02	≤6.38	PASS
			484Tone	RU65	-23.00	≤6.38	PASS
	total	2452	26Tone	RU8	-8.89	≤6.38	PASS
			52Tone	RU40	-10.62	≤6.38	PASS
			106Tone	RU54	-13.56	≤6.38	PASS
			242Tone	RU61	-16.63	≤6.38	PASS
			484Tone	RU65	-16.53	≤6.38	PASS