



顺达成科技

Antenna Test Report



专业的4G/3G/GPS/WIFI等天线方案设计及供应商

Applicant: WEIYIKE ELECTRONIC CO., LTD.

PROJECT: N700

FRE.: WIFI(2.4G+5G)

VER.: A

DATE: 2024-1-3




Content

- 1. Antenna Matching Network**
- 2. *S11* Parameter-VSWR**
- 3. 1 Gain & Efficiency**
- 3. 2 3D Pattern**
- 4. OTA Data**
- 5. Antenna Assembly & environmental processing**
- 6. conclusion**



Content

Antenna Photo & Length (mm)





深圳顺达成科技有限公司

顺达成科技

1. Test system

Sequence Number	Test Item	equipment
S parameter	VSWR	Agilent 5071C & Agilent 5062A
OTA Test	TRP&TIS	Agilent 8960 E5515C& Agilent 4438C&CMW500 &CMW2 ETS&SATIMO
Gain & Efficiency	Gain & Efficiency	ETS&SATIMO Agilent 5071C






深圳顺达成科技有限公司

顺达成科技

2. Antenna Matching Network




Location	Description	Vendor
Shunt 01	N/A	N/A
Series	N/A	N/A
Shunt 02	N/A	N/A



S11 Parameter-SWR

顺达成科技






Gain & Efficiency

顺达成科技

Passive Test For 2.4G											
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver	
2400	43.91	-3.57	1.84	-0.31	22.401	21.511	1.84	-19.67	49.25	48.85	
2450	44.86	-3.48	2.13	-0.02	22.886	21.973	2.13	-19.33	49.5	49.28	
2500	45.49	-3.42	2.16	0.01	23.63	21.862	2.16	-17.15	49.61	49.52	

2400.00MHz - 2500.00MHz Gain

5.00





Gain & Efficiency

顺达成科技

Passive Test For 5.8G										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
5100	39.74	-4.01	2.1	-0.05	19.309	20.435	2.1	-27.87	64.41	63.8
5207.14	32.4	-4.9	0.91	-1.24	15.743	16.652	0.91	-24.89	61.01	60.71
5314.28	35.76	-4.47	1.73	-0.42	17.926	17.834	1.73	-18.84	60.15	59.59
5421.43	37.05	-4.31	1.73	-0.42	19.307	17.743	1.73	-19.66	60.88	60.38
5528.57	44.37	-3.53	2.03	-0.12	24.066	20.305	2.03	-27.5	63.75	63.1
5635.71	34.14	-4.67	1.05	-1.1	19.484	14.656	1.05	-21.15	63	62.42
5742.85	42.37	-3.73	2.27	0.12	26.477	15.897	2.27	-21.05	63.75	63.17
5849.99	41.95	-3.77	2.04	-0.11	27.682	14.265	2.04	-19.81	64.46	64.2

5100.00MHz - 5850.00MHz Gain

