

Appendix B

RF Test Data for BT V4.2(BDR/EDR) (Conducted Measurement)

Product Name: atomi Shower Speaker

Trade Mark: atomi


Test Model: AT1225

Environmental Conditions

Temperature:	23.2 ° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Wangchuang
Supervised by:	Jayden Zhuo


B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.965	30	PASS
BT LE	MCH	-3.050	30	PASS
BT LE	HCH	-3.107	30	PASS



HCH




B.3 Maximum Power Spectral Density


Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-21.930	8	PASS
BT LE	MCH	-22.815	8	PASS
BT LE	HCH	-23.368	8	PASS

Test Graphs


LCH



MCH



HCH




B.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6748	≥ 0.5	PASS
BT LE	MCH	0.6724	≥ 0.5	PASS
BT LE	HCH	0.6921	≥ 0.5	PASS

Test Graphs


LCH



MCH




HCH



B.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-7.272	-45.283	-27.272	PASS
BT LE	MCH	-8.176	-45.587	-28.176	PASS
BT LE	HCH	-9.007	-44.674	-29.007	PASS

BT LE LCH Graphs




BT LE MCH Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE HCH Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH




B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-7.343	-51.216	-27.34	PASS
BT LE	HCH	-8.886	-51.265	-28.89	PASS

Test Graphs

LCH



Frequency

Auto Tune

Center Freq

2.357000000 GHz

Start Freq

2.310000000 GHz

Stop Freq

2.404000000 GHz

CF Step


9.400000 MHz

Auto Man

Freq Offset

0 Hz

HCH



Frequency

Auto Tune

Center Freq

2.489000000 GHz

Start Freq

2.478000000 GHz

Stop Freq

2.500000000 GHz

CF Step

2.200000 MHz

Auto Man


Freq Offset

0 Hz


B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-44.87	2.0	0	50.39	PEAK	74	PASS
		Ant1	2310.0	-55.05	2.0	0	40.21	AV	54	PASS
		Ant1	2390.0	-44.15	2.0	0	51.11	PEAK	74	PASS
		Ant1	2390.0	-54.82	2.0	0	40.44	AV	54	PASS
	2480	Ant1	2483.5	-45.41	2.0	0	49.84	PEAK	74	PASS
		Ant1	2483.5	-54.57	2.0	0	40.69	AV	54	PASS
		Ant1	2500.0	-44.17	2.0	0	51.09	PEAK	74	PASS
		Ant1	2500.0	-54.40	2.0	0	40.86	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

