


Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.350	17.800
40	5200	20.200	17.700
48	5240	20.350	17.800

CH36




Date: 24.AUG.2021 10:53:46

CH40 26 dB Bandwidth




Date: 24.AUG.2021 10:54:52

CH48




Date: 24.AUG.2021 10:55:59


99 % Occupied Bandwidth



Date: 24.AUG.2021 10:53:26



Date: 24.AUG.2021 10:54:31




Date: 24.AUG.2021 10:55:38

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.800	36.400
46	5230	39.700	36.800

CH38




Date: 24.AUG.2021 11:33:39

CH46 26 dB Bandwidth




Date: 24.AUG.2021 11:36:50

99 % Occupied Bandwidth



Date: 24.AUG.2021 11:33:13




Date: 24.AUG.2021 11:36:30

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	83.800	76.800

CH42 26 dB Bandwidth



Date: 24.AUG.2021 14:35:41

99 % Occupied Bandwidth




Date: 24.AUG.2021 14:35:16

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.850	17.000
60	5300	20.390	17.000
64	5320	48.250	31.000

CH52




Date: 24.AUG.2021 10:08:10

CH60 26 dB Bandwidth




Date: 24.AUG.2021 10:09:13

CH64




Date: 24.AUG.2021 15:00:41


99 % Occupied Bandwidth



Date: 24.AUG.2021 10:07:51



Date: 24.AUG.2021 10:08:53




Date: 24.AUG.2021 15:00:33

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.299	17.700
60	5300	20.290	17.700
64	5320	20.400	17.800

CH52




Date: 24.AUG.2021 10:57:13

CH60
26 dB Bandwidth




Date: 24.AUG.2021 10:58:29

CH64




Date: 24.AUG.2021 10:59:17


99 % Occupied Bandwidth



Date: 24.AUG.2021 10:56:53



Date: 24.AUG.2021 10:58:08




Date: 24.AUG.2021 10:59:17

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.700	36.600
62	5310	39.900	36.800


CH54



Date: 24.AUG.2021 11:40:38


CH62

26 dB Bandwidth




Date: 24.AUG.2021 11:40:08

99 % Occupied Bandwidth



Date: 24.AUG.2021 11:40:12




Date: 24.AUG.2021 11:42:40

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.390	76.800

CH58 26 dB Bandwidth



Date: 24.AUG.2021 14:53:22

99 % Occupied Bandwidth




Date: 24.AUG.2021 14:53:07

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	46.390	27.000
116	5580	48.090	28.200
140	5700	46.850	26.500

CH100




Date: 24.AUG.2021 15:02:16

CH116 26 dB Bandwidth




Date: 24.AUG.2021 10:12:35

CH140




Date: 24.AUG.2021 15:04:50


99 % Occupied Bandwidth



Date: 24.AUG.2021 15:02:22



Date: 24.AUG.2021 10:12:27




Date: 24.AUG.2021 15:04:56

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.250	17.700
116	5580	20.290	17.800
140	5700	20.350	17.700

CH100




Date: 24.AUG.2021 11:01:04

CH116
26 dB Bandwidth




Date: 24.AUG.2021 11:02:27

CH140




Date: 24.AUG.2021 11:03:12


99 % Occupied Bandwidth



Date: 24.AUG.2021 11:01:44



Date: 24.AUG.2021 11:02:06




Date: 24.AUG.2021 11:03:12

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.390	36.600
110	5550	39.798	36.800
134	5670	40.100	36.600

CH102




Date: 24.AUG.2021 11:45:08

CH110
26 dB Bandwidth




Date: 24.AUG.2021 11:50:06

CH134




Date: 24.AUG.2021 11:53:20


99 % Occupied Bandwidth



Date: 24.AUG.2021 11:44:39



Date: 24.AUG.2021 11:49:38




Date: 24.AUG.2021 11:52:51

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.800	76.800
122	5610	81.800	76.400

CH106




Date: 24.AUG.2021 14:15:13

CH122 26 dB Bandwidth




Date: 24.AUG.2021 14:41:10

99 % Occupied Bandwidth



Date: 24.AUG.2021 14:15:06




Date: 24.AUG.2021 14:40:45

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.550	16.800	0.5	Complies
157	5785	16.599	16.900	0.5	Complies
165	5825	16.600	16.800	0.5	Complies

CH149




Date: 24.AUG.2021 10:14:32

CH157
6 dB Bandwidth




Date: 24.AUG.2021 10:15:36

CH165




Date: 24.AUG.2021 10:16:57


99 % Occupied Bandwidth



Date: 24.AUG.2021 10:14:33



Date: 24.AUG.2021 10:15:33




Date: 24.AUG.2021 10:16:35

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.850	17.800	0.5	Complies
157	5785	17.800	17.800	0.5	Complies
165	5825	17.850	17.800	0.5	Complies

CH149




Date: 24.AUG.2021 11:05:16

CH157
6 dB Bandwidth




Date: 24.AUG.2021 11:06:31

CH165




Date: 24.AUG.2021 11:10:13


99 % Occupied Bandwidth



Date: 24.AUG.2021 11:04:54



Date: 24.AUG.2021 11:06:08




Date: 24.AUG.2021 11:09:52

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.590	36.800	0.5	Complies
159	5795	36.600	36.800	0.5	Complies

CH151




Date: 24.AUG.2021 11:55:21

CH159 6 dB Bandwidth




Date: 24.AUG.2021 11:57:07

99 % Occupied Bandwidth



Date: 24.AUG.2021 11:54:52




Date: 24.AUG.2021 11:56:38

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.200	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 24.AUG.2021 14:42:14

99 % Occupied Bandwidth



Date: 24.AUG.2021 14:41:47

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.35	0.00	12.35	23.98	0.2500	Complies
40	5200	12.38	0.00	12.38	23.98	0.2500	Complies
48	5240	12.42	0.00	12.42	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.19	0.00	10.19	23.98	0.2500	Complies
40	5200	13.19	0.00	13.19	23.98	0.2500	Complies
48	5240	13.22	0.00	13.22	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.02	0.00	10.02	23.98	0.2500	Complies
40	5200	13.05	0.00	13.05	23.98	0.2500	Complies
48	5240	13.07	0.00	13.07	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.12	23.98	0.2500	Complies
40	5200	16.13	23.98	0.2500	Complies
48	5240	16.16	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.62	0.00	5.62	23.98	0.2500	Complies
46	5230	13.78	0.00	13.78	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.69	0.00	5.69	23.98	0.2500	Complies
46	5230	13.56	0.00	13.56	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.67	23.98	0.2500	Complies
46	5230	16.68	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.28	0.00	10.28	23.98	0.2500	Complies
40	5200	13.21	0.00	13.21	23.98	0.2500	Complies
48	5240	13.24	0.00	13.24	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.11	0.00	10.11	23.98	0.2500	Complies
40	5200	13.08	0.00	13.08	23.98	0.2500	Complies
48	5240	13.11	0.00	13.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.21	23.98	0.2500	Complies
40	5200	16.16	23.98	0.2500	Complies
48	5240	16.19	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.68	0.00	5.68	23.98	0.2500	Complies
46	5230	13.81	0.00	13.81	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.77	0.00	5.77	23.98	0.2500	Complies
46	5230	13.58	0.00	13.58	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.74	23.98	0.2500	Complies
46	5230	16.71	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.61	0.00	5.61	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.83	0.00	5.83	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.73	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.37	0.00	12.37	23.98	0.2500	Complies
60	5300	12.44	0.00	12.44	23.98	0.2500	Complies
64	5320	12.46	0.00	12.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.18	0.00	13.18	23.98	0.2500	Complies
60	5300	13.24	0.00	13.24	23.98	0.2500	Complies
64	5320	12.27	0.00	12.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.11	0.00	13.11	23.98	0.2500	Complies
60	5300	13.08	0.00	13.08	23.98	0.2500	Complies
64	5320	12.03	0.00	12.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.16	23.98	0.2500	Complies
60	5300	16.17	23.98	0.2500	Complies
64	5320	15.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.82	0.00	13.82	23.98	0.2500	Complies
62	5310	9.62	0.00	9.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.52	0.00	13.52	23.98	0.2500	Complies
62	5310	9.71	0.00	9.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.68	23.98	0.2500	Complies
62	5310	12.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.21	0.00	13.21	23.98	0.2500	Complies
60	5300	13.25	0.00	13.25	23.98	0.2500	Complies
64	5320	12.31	0.00	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.15	0.00	13.15	23.98	0.2500	Complies
60	5300	13.10	0.00	13.10	23.98	0.2500	Complies
64	5320	12.14	0.00	12.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.19	23.98	0.2500	Complies
60	5300	16.19	23.98	0.2500	Complies
64	5320	15.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.85	0.00	13.85	23.98	0.2500	Complies
62	5310	9.69	0.00	9.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.58	0.00	13.58	23.98	0.2500	Complies
62	5310	9.78	0.00	9.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.73	23.98	0.2500	Complies
62	5310	12.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	5.98	0.00	5.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.01	0.00	6.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.56	0.00	12.56	23.98	0.2500	Complies
116	5580	12.49	0.00	12.49	23.98	0.2500	Complies
140	5700	12.43	0.00	12.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.19	0.00	13.19	23.98	0.2500	Complies
116	5580	13.15	0.00	13.15	23.98	0.2500	Complies
140	5700	13.10	0.00	13.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.03	0.00	13.03	23.98	0.2500	Complies
116	5580	13.04	0.00	13.04	23.98	0.2500	Complies
140	5700	12.98	0.00	12.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.12	23.98	0.2500	Complies
116	5580	16.11	23.98	0.2500	Complies
140	5700	16.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.22	0.00	9.22	23.98	0.2500	Complies
110	5550	13.69	0.00	13.69	23.98	0.2500	Complies
134	5670	13.66	0.00	13.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.65	0.00	9.65	23.98	0.2500	Complies
110	5550	13.52	0.00	13.52	23.98	0.2500	Complies
134	5670	13.49	0.00	13.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.45	23.98	0.2500	Complies
110	5550	16.62	23.98	0.2500	Complies
134	5670	16.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.21	0.00	13.21	23.98	0.2500	Complies
116	5580	13.18	0.00	13.18	23.98	0.2500	Complies
140	5700	13.14	0.00	13.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.00	13.05	23.98	0.2500	Complies
116	5580	13.08	0.00	13.08	23.98	0.2500	Complies
140	5700	13.01	0.00	13.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.14	23.98	0.2500	Complies
116	5580	16.14	23.98	0.2500	Complies
140	5700	16.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.31	0.00	9.31	23.98	0.2500	Complies
110	5550	13.73	0.00	13.73	23.98	0.2500	Complies
134	5670	13.68	0.00	13.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.69	0.00	9.69	23.98	0.2500	Complies
110	5550	13.54	0.00	13.54	23.98	0.2500	Complies
134	5670	13.52	0.00	13.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.51	23.98	0.2500	Complies
110	5550	16.65	23.98	0.2500	Complies
134	5670	16.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.01	0.00	6.01	23.98	0.2500	Complies
122	5610	8.95	0.00	8.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.14	0.00	6.14	23.98	0.2500	Complies
122	5610	8.71	0.00	8.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.09	23.98	0.2500	Complies
122	5610	11.84	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.65	0.00	12.65	30.00	1.0000	Complies
157	5785	12.61	0.00	12.61	30.00	1.0000	Complies
165	5825	12.59	0.00	12.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.08	0.00	13.08	30.00	1.0000	Complies
157	5785	13.14	0.00	13.14	30.00	1.0000	Complies
165	5825	13.11	0.00	13.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.11	0.00	13.11	30.00	1.0000	Complies
157	5785	13.13	0.00	13.13	30.00	1.0000	Complies
165	5825	13.15	0.00	13.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.11	30.00	1.0000	Complies
157	5785	16.15	30.00	1.0000	Complies
165	5825	16.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.69	0.00	13.69	30.00	1.0000	Complies
159	5795	13.75	0.00	13.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.44	0.00	13.44	30.00	1.0000	Complies
159	5795	13.47	0.00	13.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.58	30.00	1.0000	Complies
159	5795	16.62	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.11	0.00	13.11	30.00	1.0000	Complies
157	5785	13.17	0.00	13.17	30.00	1.0000	Complies
165	5825	13.16	0.00	13.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.13	0.00	13.13	30.00	1.0000	Complies
157	5785	13.15	0.00	13.15	30.00	1.0000	Complies
165	5825	13.18	0.00	13.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.13	30.00	1.0000	Complies
157	5785	16.17	30.00	1.0000	Complies
165	5825	16.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.71	0.00	13.71	30.00	1.0000	Complies
159	5795	13.77	0.00	13.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.47	0.00	13.47	30.00	1.0000	Complies
159	5795	13.52	0.00	13.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.60	30.00	1.0000	Complies
159	5795	16.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.89	0.00	8.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.82	0.00	8.82	30.00	1.0000	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	11.87	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.95	0.00	4.95	11.00	Complies
40	5200	4.74	0.00	4.74	11.00	Complies
48	5240	4.25	0.00	4.25	11.00	Complies



Date: 24.AUG.2021 10:05:00




Date: 24.AUG.2021 10:06:10



Date: 24.AUG.2021 10:07:23


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.19	0.00	-0.19	11.00	Complies
40	5200	-1.28	0.00	-1.28	11.00	Complies
48	5240	-2.98	0.00	-2.98	11.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.24	0.00	0.24	11.00	Complies
40	5200	-0.23	0.00	-0.23	11.00	Complies
48	5240	-1.15	0.00	-1.15	11.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.04	11.00	Complies
40	5200	2.29	11.00	Complies
48	5240	1.04	11.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.83	0.00	-5.83	11.00	Complies
46	5230	-6.96	0.00	-6.96	11.00	Complies

CH38



Date: 24.AUG.2021 11:33:59

CH46




Date: 24.AUG.2021 11:37:10

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.99	0.00	-4.99	11.00	Complies
46	5230	-5.53	0.00	-5.53	11.00	Complies

CH38



Date: 24.AUG.2021 14:22:27

CH46




Date: 24.AUG.2021 14:23:47

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.38	11.00	Complies
46	5230	-3.18	11.00	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.18	0.00	-6.18	11.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.64	0.00	-6.64	11.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.39	11.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.39	0.00	4.39	11.00	Complies
60	5300	4.30	0.00	4.30	11.00	Complies
64	5320	4.85	0.00	4.85	11.00	Complies

CH52




Date: 24.AUG.2021 10:08:23

CH60



Date: 24.AUG.2021 10:09:26


CH64



Date: 24.AUG.2021 10:10:18


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.94	0.00	-2.94	11.00	Complies
60	5300	-3.12	0.00	-3.12	11.00	Complies
64	5320	-0.58	0.00	-0.58	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.24	0.00	-1.24	11.00	Complies
60	5300	-1.07	0.00	-1.07	11.00	Complies
64	5320	1.78	0.00	1.78	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.00	11.00	Complies
60	5300	1.04	11.00	Complies
64	5320	3.77	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-8.16	0.00	-8.16	11.00	Complies
62	5310	-8.41	0.00	-8.41	11.00	Complies

CH54



Date: 24.AUG.2021 11:40:58

CH62




Date: 24.AUG.2021 11:40:27

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-6.25	0.00	-6.25	11.00	Complies
62	5310	-5.81	0.00	-5.81	11.00	Complies

CH54



Date: 24.AUG.2021 14:24:44

CH62




Date: 24.AUG.2021 14:28:32

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.09	11.00	Complies
62	5310	-3.91	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.41	0.00	-8.41	11.00	Complies



Date: 24.AUG.2021 14:53:52

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.70	0.00	-6.70	11.00	Complies



Date: 24.AUG.2021 14:48:04


Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.46	11.00	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.40	0.00	8.40	11.00	Complies
116	5580	5.36	0.00	5.36	11.00	Complies
140	5700	4.49	0.00	4.49	11.00	Complies

CH100




Date: 24.AUG.2021 10:11:23

CH116



Date: 24.AUG.2021 10:12:49


CH140



Date: 24.AUG.2021 10:13:38


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.62	0.00	1.62	11.00	Complies
116	5580	1.86	0.00	1.86	11.00	Complies
140	5700	-1.22	0.00	-1.22	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.45	0.00	0.45	11.00	Complies
116	5580	1.42	0.00	1.42	11.00	Complies
140	5700	-1.21	0.00	-1.21	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.08	11.00	Complies
116	5580	4.66	11.00	Complies
140	5700	1.80	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.40	0.00	-3.40	11.00	Complies
110	5550	-3.50	0.00	-3.50	11.00	Complies
134	5670	-4.09	0.00	-4.09	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.36	0.00	-4.36	11.00	Complies
110	5550	-4.33	0.00	-4.33	11.00	Complies
134	5670	-4.45	0.00	-4.45	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.84	11.00	Complies
110	5550	-0.88	11.00	Complies
134	5670	-1.26	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.62	0.00	-6.62	11.00	Complies
122	5610	-6.11	0.00	-6.11	11.00	Complies

CH106



Date: 24.AUG.2021 14:15:13

CH122




Date: 24.AUG.2021 14:41:29

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.62	0.00	-7.62	11.00	Complies
122	5610	-7.18	0.00	-7.18	11.00	Complies

CH106



Date: 24.AUG.2021 14:49:22

CH122



Date: 24.AUG.2021 14:50:36


Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.08	11.00	Complies
122	5610	-3.60	11.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.92	0.00	0.92	30.00	Complies
157	5785	1.40	0.00	1.40	30.00	Complies
165	5825	0.93	0.00	0.93	30.00	Complies

CH149




Date: 24.AUG.2021 10:14:46

CH157



Date: 24.AUG.2021 10:15:49


CH165



Date: 24.AUG.2021 10:17:10


Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.40	0.00	-0.40	30.00	Complies
157	5785	0.08	0.00	0.08	30.00	Complies
165	5825	-0.59	0.00	-0.59	30.00	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.28	0.00	-0.28	30.00	Complies
157	5785	0.54	0.00	0.54	30.00	Complies
165	5825	-0.66	0.00	-0.66	30.00	Complies





Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.67	30.00	Complies
157	5785	3.33	30.00	Complies
165	5825	2.39	30.00	Complies

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.88	0.00	-3.88	30.00	Complies
159	5795	-3.40	0.00	-3.40	30.00	Complies





Date: 24.AUG.2021 11:55:41

Date: 24.AUG.2021 11:57:26

Test Mode UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.53	0.00	-3.53	30.00	Complies
159	5795	-2.89	0.00	-2.89	30.00	Complies



Date: 24.AUG.2021 14:31:30


Date: 24.AUG.2021 14:32:02

Test Mode UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.69	30.00	Complies
159	5795	-0.13	30.00	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.56	0.00	-6.56	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.74	0.00	-6.74	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.64	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9750
120	5179.9600
102	5179.9750
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.7244

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9550
10	5179.9550
20	5179.9550
30	5179.9400
40	5179.9600
Maximum Deviation (MHz)	0.0600
Maximum Deviation (ppm)	11.5854

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9599
120	5259.9750
102	5259.9600
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.6260

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9750
10	5259.9599
20	5259.9600
30	5259.9600
40	5259.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.6260

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5500.0996
120	5499.9600
102	5499.9599
Maximum Deviation (MHz)	0.0996
Maximum Deviation (ppm)	18.1114

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9599
10	5499.9600
20	5499.9599
30	5499.9599
40	5499.9600
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.2932

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9400
120	5744.9600
102	5744.9600
Maximum Deviation (MHz)	0.0600
Maximum Deviation (ppm)	10.4482

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9399
10	5744.9600
20	5744.9599
30	5744.9600
40	5744.9400
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	10.4656

End of Test Report