LIST OF EXHIBITS

DESCRIPTION		EXHIBITS	REFERENCE
1.	Identification label Information &	1 2	.1033 (b) 7 & 2.925
	General Information 1. Production Plans 2. Application References 3. Data submittal Procedure 4. Similar Certified Transmitter	1A	2.1031 N/A
II.	Certification Data	2	
III.	External Photographs	3	2.1033 (b) 7
IV.	Block Diagrams (Circuit Diagrams) -confidential	4	2.1033 (b) 5
V.	Schematic Diagrams & Antenna Assembly -confidential	5	2.1033 (b) 5
VI.	Supplemental Test Report WLAN	6	2.1033 (b) 6

Part 15.247 – DTS, WLAN IX 260 Supplemental EMC Test Report, For a previously Certified WLAN Intentional Radiator Module INTEL, Corp. FCC ID: PD9WM3B2200BG with the Rangestar antenna

- 1) Reference Conducted RF Power Output Part 15.247(b) and Equivalent Isotropic Radiated Power
- 2) Field Strength of Three Fundamental Operating Frequencies
- 3) Radiated Harmonics and Spurious Emissions 802.11(b) mode
- 4) Radiated Harmonics and Spurious Emissions 802.11(g) mode
- 5) Band Edge measurements 802.11(b) mode
- 6) Band Edge measurements 802.11(g) mode
- 7) AC Power Line Conducted Emissions 150 kHz 30 MHz, Part 15.107(a)
- 8) Radiated Spurious Emissions 30 1000 MHz, Part 15.209 (a)

Note: We reference some of the original test report exhibits for items Required by Part 15.247 (a), (b (1)), (d).

Exhibit 1 1

DESCRIPTION	EXHIBITS	REFERENCE

VI. Test Report Bluetooth Original ITRONIX Certification 6 2.1033 (b) 6

Part 15.247 – FHSS, Complete EMC Test Report for the previously Certified Bluetooth, Intentional Radiator Module, Mutsumi, Elec. Co., Ltd., FCC ID: POOWML-C11XX, Model: WML-C11NU. Installed in the IX260 and Certified under the FCC ID: KBCIX260MPIA750BT.


	Eleven Common Bluetooth Items Six tests required 1) The Occupied Bandwidth Section 15.247(a) ii 2) Conducted Output Power Section 15.247(b) 1 3) EIRP limit Section 15.247(b) 3 4) RF safety Section 15.247(b) 4 5) Spurious Emissions Section 15.247 (c) 6) Power Spectral Density in Acquisition Mode	6 6 see Ex	15.247 (a, b, c, g, h) hibit XII
VII.	Test Set-up Procedures	7	2.1041
VIII.	Instruction Manual	8	2.1033 (b) 3
IX.	Internal Photographs	9	2.1033 (b) 7
X.	Part List and Tune Up Procedures -confidential	10	2.1033
XI.	MPE RF Exposure Information	11	2.1093 & 15.247 (b)4
XII.	Operational Description -confidential Antenna Requirements	12 12	2.1033 (b) 1, 2, 4, 8 15.203
XIII.	Cover Letter, Action Requested Cover Letter, Request For Confidentiality Cover Letter, Authorization to sign FCC Form 731	13 13 13	

Please NOTE: Exhibits 4, 5 and 10 & 12 are requested to held confidential

EXHIBIT 1. FCC and INDUSTRY CANADA IDENTIFICATION LABEL

The FCC Identifier label required under Section: 47 CFR, 2.1033(c) 11 for the FCC ID: KBCIX260-PRO-BT is located on page following. The IC Identifier required by RSP-100 is also displayed.

Exhibit 1 2



FCC ID label location on the bottom side of IX260 PC

FCC ID label is the large label, with a silver background and black lettering, located right of center, between the covers labeled RAM and BATTERY.





Note: Part 15.19 labeling requirement and compliance statement, located in upper left side, black label. Sample of the label text is below.



Exhibit 1 3