

## Exhibit 7: OVFKWC-KE423 External Photos


### Product Description

The phones OVFKWC-KE423 are PCS 1XRTT products. Models have integrated Assisted GPS software feature enabled to meet the emergency location requirements of the FCC's E911 Phase II mandate. The PCS architecture is defined as 1900MHz (PCS CDMA).

All models included in the OVFKWC-KE423 filing use the same antenna and have identical PCB layouts in regards to the RF Circuitry, Basic Frequency Determining and Stabilization Circuitry, Basic Modulator Circuit, Transmitter Active Devices, and Tuning Targets. The only differences between models are the choice of color or greyscale LCD, and the software applications supported (GPS, Brew, WAP, etc.). See product matrix in Figure 1 below.

The phone is designed in compliance with the technical specifications for compatibility of mobile and base stations in the Cellular Radio telephone service contained in "Cellular System Mobile Station - Land Station Compatibility Specification" as specified in OET Bulletin 53 and TIA Standards

The phone will support certain CDMA2000 radio-configurations (RC) as describes in Exhibit 1 (operation description).

	
	Blade
KWC PCS/ Greyscale	KE4 23
KWC PCS/ Color/ Brew	KX4 23

**Figure 1 OVFKWC-KE423 Product Matrix**

**OVFKWC-KE423 (Blade) Family Front****OVFKWC-KE423 (Blade) Family Back**

**OVFKWC-KE423 (Blade) Family Sides**

