



## APPENDIX H : USER'S MANUAL

# Remote Control Unit User Information

(Model Name: UR2-ST01)

[ENGLISH]

## Table of Contents

### 1. Overview and Specification of the remote controller

- (1) Overview
- (2) Specification

### 2. Precautions

### 3. Custom Support

### 4. Precaution of nations

#### 1. Overview and Specification of the remote

##### (1) Overview

This remote is a product that allows users to control the SET TOP BOX using a remote at home, making it easier through 2.4GHz wireless communication control and virtual support.

##### (2) Specification

Categories	Details
Model Name	UR2-ST01
Range of frequency	2402~2480 MHz
Number of Channel	40 Channel
Transmission output	7 dBm
Reception sensitivity	-93 dBm
Dimensions	Width 46.0mm x Thickness 27.0mm x Length 180.0mm (tolerance of $\pm 0.5$ mm)
Weight	85.28g $\pm$ 5g(excluding battery)
Power source	AA 1.5V, 2 alkaline batteries are used
Operational Temperature range	-20 $^{\circ}$ C ~ + 60 $^{\circ}$ C



## **2. Precautions**

- (1) After replacement of the battery, use the remote controller following pairing in accordance with user manual.
- (2) If the unit does not operate after replacement of battery, take the battery out and reattempt pairing in accordance with the user manual.
- (3) If the remote controller is not being used for prolonged period of time, it is recommendable to remove the battery from the unit.
- (4) Do not dismantle or exert heat to the battery.
- (5) Do not drop battery or exert extreme impact that may even cause the case to be damaged.
- (6) Do not immerse the battery in water.
- (7) There is danger of explosion if the battery is inserted reversely.

## **3. Customer Support**

Refer to the contact number serives provided in the SET TOP BOX Manual

#### 4. Precaution of nations

## Federal Communication Commission

### Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### **Warning!**

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

**Note:** The manufacturer is not responsible for any Radio or TV interference caused by unauthorized modifications to operate the equipment.

### FCC Caution

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference
2. This device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate equipment. The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

## **Federal Communication Commissions (FCC)**

### **Radiation Exposure Statement**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.