



4.3.2.74 11AC20_MIMO_116_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.9969	53.75	12.54	74.00	20.25	150	200	Vertical
2	6993.9997	44.33	12.75	54.00	9.67	150	86	Vertical
3	11160.0000	52.84	-3.43	74.00	21.16	150	357	Vertical
4	11160.0000	40.26	-3.43	54.00	13.74	150	189	Vertical
5	16740.0000	39.45	-3.33	54.00	14.55	150	189	Vertical
6	16740.0000	51.22	-3.33	74.00	22.78	150	47	Vertical
7	17619.9310	45.95	1.11	54.00	8.05	150	357	Vertical




4.3.2.75 11AC20_MIMO_140_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6923.1962	44.45	12.49	54.00	9.55	150	171	Vertical
2	6962.7981	53.69	12.63	74.00	20.31	150	143	Vertical
3	11400.0000	50.29	-4.42	74.00	23.71	150	76	Vertical
4	11400.0000	38.70	-4.42	54.00	15.30	150	132	Vertical
5	17100.0000	41.81	-3.09	54.00	12.19	150	302	Vertical
6	17100.0000	52.51	-3.09	74.00	21.49	150	161	Vertical
7	17613.3307	45.94	1.28	54.00	8.06	150	132	Vertical




4.3.2.76 11AC20_MIMO_149_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6933.6967	44.13	12.52	54.00	9.87	150	86	Vertical
2	6962.7981	55.17	12.63	74.00	18.83	150	257	Vertical
3	11490.0000	48.69	-5.65	74.00	25.31	150	190	Vertical
4	11490.0000	36.85	-5.65	54.00	17.15	150	18	Vertical
5	17235.0000	43.97	-1.47	54.00	10.03	150	104	Vertical
6	17235.0000	55.85	-1.47	74.00	18.15	150	161	Vertical
7	17996.6998	46.08	-0.38	54.00	7.92	150	303	Vertical




4.3.2.77 11AC20_MIMO_157_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.5955	44.75	12.44	54.00	9.25	150	201	Vertical
2	6976.2988	54.40	12.68	74.00	19.60	150	115	Vertical
3	11570.0000	48.79	-3.87	74.00	25.21	150	189	Vertical
4	11570.0000	38.47	-3.87	54.00	15.53	150	132	Vertical
5	17355.0000	43.95	-1.07	54.00	10.05	150	331	Vertical
6	17355.0000	55.12	-1.07	74.00	18.88	150	274	Vertical
7	17989.5495	46.04	-0.43	54.00	7.96	150	189	Vertical




4.3.2.78 11AC20_MIMO_165_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6887.7944	44.73	12.35	54.00	9.27	150	30	Vertical
2	6956.7978	53.42	12.61	74.00	20.58	150	172	Vertical
3	11650.0000	49.71	-3.16	74.00	24.29	150	18	Vertical
4	11650.0000	39.20	-3.16	54.00	14.80	150	47	Vertical
5	17475.0000	43.71	0.02	54.00	10.29	150	218	Vertical
6	17475.0000	55.33	0.02	74.00	18.67	150	190	Vertical
7	17512.6756	45.95	0.51	54.00	8.05	150	218	Vertical




4.3.2.79 11AC20_MIMO_36 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6864.9933	53.70	12.27	74.00	20.30	150	358	Horizontal
2	6988.2994	45.09	12.73	54.00	8.91	150	103	Horizontal
3	10360.0000	49.58	-5.35	74.00	24.42	150	170	Horizontal
4	10360.0000	37.89	-5.35	54.00	16.11	150	198	Horizontal
5	15540.0000	38.89	-3.26	54.00	15.11	150	0	Horizontal
6	15540.0000	48.93	-3.26	74.00	25.07	150	198	Horizontal
7	17517.6259	45.84	0.58	54.00	8.16	150	227	Horizontal




4.3.2.80 11AC20_MIMO_44_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6987.3994	53.42	12.72	74.00	20.58	150	136	Horizontal
2	6997.8999	44.60	12.76	54.00	9.40	150	18	Horizontal
3	10440.0000	50.22	-4.92	74.00	23.78	150	314	Horizontal
4	10440.0000	38.43	-4.92	54.00	15.57	150	169	Horizontal
5	15660.0000	38.26	-3.54	54.00	15.74	150	342	Horizontal
6	15660.0000	49.08	-3.54	74.00	24.92	150	55	Horizontal
7	17983.4992	45.93	-0.48	54.00	8.07	150	26	Horizontal




4.3.2.81 11AC20_MIMO_48_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6922.2961	44.66	12.48	54.00	9.34	150	295	Horizontal
2	6978.9990	54.39	12.69	74.00	19.61	150	46	Horizontal
3	10480.0000	50.95	-4.49	74.00	23.05	150	132	Horizontal
4	10480.0000	39.10	-4.49	54.00	14.90	150	102	Horizontal
5	15720.0000	39.80	-2.65	54.00	14.20	150	35	Horizontal
6	15720.0000	51.30	-2.65	74.00	22.70	150	162	Horizontal
7	17991.1996	46.04	-0.42	54.00	7.96	150	162	Horizontal




4.3.2.82 11AC20_MIMO_52_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6980.7990	44.34	12.70	54.00	9.66	150	358	Horizontal
2	6992.4996	53.59	12.74	74.00	20.41	150	303	Horizontal
3	10520.0000	50.74	-4.37	74.00	23.26	150	166	Horizontal
4	10520.0000	38.99	-4.37	54.00	15.01	150	137	Horizontal
5	15780.0000	39.63	-2.36	54.00	14.37	150	80	Horizontal
6	15780.0000	52.18	-2.36	74.00	21.82	150	342	Horizontal
7	17541.8271	46.12	0.89	54.00	7.88	150	225	Horizontal




4.3.2.83 11AC20_MIMO_60_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.7960	44.29	12.48	54.00	9.71	150	109	Horizontal
2	6939.6970	53.68	12.55	74.00	20.32	150	109	Horizontal
3	10600.0000	50.73	-4.75	74.00	23.27	150	313	Horizontal
4	10600.0000	38.98	-4.75	54.00	15.02	150	255	Horizontal
5	15900.0000	38.78	-3.75	54.00	15.22	150	114	Horizontal
6	15900.0000	49.92	-3.75	74.00	24.08	150	3	Horizontal
7	17514.8757	45.89	0.54	54.00	8.11	150	85	Horizontal



4.3.2.84 11AC20_MIMO_64_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.1980	44.19	12.62	54.00	9.81	150	357	Horizontal
2	6986.4993	53.43	12.72	74.00	20.57	150	103	Horizontal
3	10640.0000	50.45	-4.69	74.00	23.55	150	1	Horizontal
4	10640.0000	39.65	-4.69	54.00	14.35	150	137	Horizontal
5	15960.0000	39.03	-3.70	54.00	14.97	150	1	Horizontal
6	15960.0000	50.17	-3.70	74.00	23.83	150	168	Horizontal
7	17522.0261	46.14	0.63	54.00	7.86	150	314	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.85 11AC20_MIMO_100 _ Horizontal


FCC PART 15 E



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6897.6949	53.94	12.39	74.00	20.06	150	335	Horizontal
2	6914.7957	44.64	12.45	54.00	9.36	150	134	Horizontal
3	11000.0000	50.39	-4.28	74.00	23.61	150	171	Horizontal
4	11000.0000	38.48	-4.28	54.00	15.52	150	199	Horizontal
5	16500.0000	40.13	-3.62	54.00	13.87	150	228	Horizontal
6	16500.0000	51.31	-3.62	74.00	22.69	150	228	Horizontal
7	17611.1306	46.17	1.34	54.00	7.83	150	142	Horizontal




4.3.2.86 11AC20_MIMO_116 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6782.1891	44.30	11.95	54.00	9.70	150	360	Horizontal
2	6995.1998	53.21	12.75	74.00	20.79	150	345	Horizontal
3	11160.0000	51.87	-3.43	74.00	22.13	150	284	Horizontal
4	11160.0000	40.51	-3.43	54.00	13.49	150	170	Horizontal
5	16740.0000	39.58	-3.33	54.00	14.42	150	56	Horizontal
6	16740.0000	51.00	-3.33	74.00	23.00	150	256	Horizontal
7	17994.4997	46.37	-0.39	54.00	7.63	150	56	Horizontal




4.3.2.87 11AC20_MIMO_140 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6976.2988	54.22	12.68	74.00	19.78	150	246	Horizontal
2	6996.0998	44.65	12.76	54.00	9.35	150	333	Horizontal
3	11400.0000	49.71	-4.42	74.00	24.29	150	108	Horizontal
4	11400.0000	39.38	-4.42	54.00	14.62	150	342	Horizontal
5	17100.0000	41.48	-3.09	54.00	12.52	150	137	Horizontal
6	17100.0000	54.35	-3.09	74.00	19.65	150	137	Horizontal
7	17611.1306	45.94	1.34	54.00	8.06	150	342	Horizontal



4.3.2.88 11AC20_MIMO_149 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.4960	53.82	12.48	74.00	20.18	150	337	Horizontal
2	6973.2987	44.46	12.67	54.00	9.54	150	78	Horizontal
3	11490.0000	47.99	-5.65	74.00	26.01	150	188	Horizontal
4	11490.0000	37.07	-5.65	54.00	16.93	150	73	Horizontal
5	17235.0000	44.36	-1.47	54.00	9.64	150	249	Horizontal
6	17235.0000	56.29	-1.47	74.00	17.71	150	188	Horizontal
7	17990.0995	46.28	-0.43	54.00	7.72	150	45	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


4.3.2.89 11AC20_MIMO_157 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.0976	54.69	12.59	74.00	19.31	150	75	Horizontal
2	6991.5996	44.41	12.74	54.00	9.59	150	47	Horizontal
3	11570.0000	50.31	-3.87	74.00	23.69	150	166	Horizontal
4	11570.0000	38.43	-3.87	54.00	15.57	150	0	Horizontal
5	17355.0000	43.80	-1.07	54.00	10.20	150	342	Horizontal
6	17355.0000	55.24	-1.07	74.00	18.76	150	223	Horizontal
7	17624.8812	46.24	0.98	54.00	7.76	150	51	Horizontal




4.3.2.90 11AC20_MIMO_165 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.4965	54.14	12.51	74.00	19.86	150	287	Horizontal
2	6937.5969	44.10	12.54	54.00	9.90	150	50	Horizontal
3	11650.0000	50.83	-3.16	74.00	23.17	150	137	Horizontal
4	11650.0000	38.98	-3.16	54.00	15.02	150	80	Horizontal
5	17475.0000	43.48	0.02	54.00	10.52	150	254	Horizontal
6	17475.0000	54.99	0.02	74.00	19.01	150	51	Horizontal
7	17520.9260	46.00	0.62	54.00	8.00	150	254	Horizontal



4.3.2.91 11AC40_MIMO_38_Verical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6969.0985	54.26	12.66	74.00	19.74	150	229	Vertical
2	6983.7992	44.34	12.71	54.00	9.66	150	229	Vertical
3	10380.0000	49.32	-5.36	74.00	24.68	150	75	Vertical
4	10380.0000	37.97	-5.36	54.00	16.03	150	190	Vertical
5	15570.0000	37.84	-4.02	54.00	16.16	150	247	Vertical
6	15570.0000	48.93	-4.02	74.00	25.07	150	275	Vertical
7	17823.4412	46.08	-0.85	54.00	7.92	150	218	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.3.2.92 11AC40_MIMO_46_Verical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.3968	44.37	12.53	54.00	9.63	150	172	Vertical
2	6977.4989	53.57	12.69	74.00	20.43	150	285	Vertical
3	10460.0000	51.48	-4.70	74.00	22.52	150	250	Vertical
4	10460.0000	38.63	-4.70	54.00	15.37	150	250	Vertical
5	15690.0000	39.76	-2.93	54.00	14.24	150	18	Vertical
6	15690.0000	50.68	-2.93	74.00	23.32	150	279	Vertical
7	17542.3771	45.93	0.89	54.00	8.07	150	190	Vertical




4.3.2.93 11AC40_MIMO_54_Verical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6875.1938	53.17	12.31	74.00	20.83	150	87	Vertical
2	6896.1948	44.34	12.39	54.00	9.66	150	256	Vertical
3	10540.0000	50.45	-4.46	74.00	23.55	150	218	Vertical
4	10540.0000	39.30	-4.46	54.00	14.70	150	218	Vertical
5	15810.0000	39.61	-2.42	54.00	14.39	150	132	Vertical
6	15810.0000	50.58	-2.42	74.00	23.42	150	331	Vertical
7	17815.1908	46.16	-0.82	54.00	7.84	150	104	Vertical




4.3.2.94 11AC40_MIMO_62_Verical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6850.2925	54.15	12.21	74.00	19.85	150	87	Vertical
2	6992.7996	44.68	12.74	54.00	9.32	150	143	Vertical
3	10620.0000	50.45	-4.72	74.00	23.55	150	217	Vertical
4	10620.0000	39.11	-4.72	54.00	14.89	150	75	Vertical
5	15930.0000	39.54	-3.73	54.00	14.46	150	246	Vertical
6	15930.0000	50.81	-3.73	74.00	23.19	150	132	Vertical
7	17603.4302	45.85	1.54	54.00	8.15	150	217	Vertical




4.3.2.95 11AC40_MIMO_102_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6940.5970	44.34	12.55	54.00	9.66	150	86	Vertical
2	6956.1978	53.38	12.61	74.00	20.62	150	199	Vertical
3	11020.0000	50.09	-4.09	74.00	23.91	150	303	Vertical
4	11020.0000	38.57	-4.09	54.00	15.43	150	18	Vertical
5	16530.0000	40.40	-3.84	54.00	13.60	150	18	Vertical
6	16530.0000	50.71	-3.84	74.00	23.29	150	132	Vertical
7	17600.6800	45.94	1.61	54.00	8.06	150	103	Vertical




4.3.2.96 11AC40_MIMO_110_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6962.1981	44.25	12.63	54.00	9.75	150	31	Vertical
2	6987.6994	53.29	12.72	74.00	20.71	150	87	Vertical
3	11100.0000	51.26	-3.36	74.00	22.74	150	304	Vertical
4	11100.0000	39.89	-3.36	54.00	14.11	150	46	Vertical
5	16650.0000	40.23	-4.20	54.00	13.77	150	104	Vertical
6	16650.0000	50.80	-4.20	74.00	23.20	150	75	Vertical
7	17540.7270	46.18	0.87	54.00	7.82	150	46	Vertical




4.3.2.97 11AC40_MIMO_134_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6970.5985	44.35	12.66	54.00	9.65	150	342	Vertical
2	6989.7995	54.09	12.73	74.00	19.91	150	314	Vertical
3	11340.0000	51.12	-4.59	74.00	22.88	150	132	Vertical
4	11340.0000	39.62	-4.59	54.00	14.38	150	75	Vertical
5	17010.0000	40.79	-3.20	54.00	13.21	150	218	Vertical
6	17010.0000	51.89	-3.20	74.00	22.11	150	75	Vertical
7	17998.3499	46.10	-0.36	54.00	7.90	150	47	Vertical



4.3.2.98 11AC40_MIMO_151_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6894.0947	44.75	12.38	54.00	9.25	150	144	Vertical
2	6980.4990	53.95	12.70	74.00	20.05	150	30	Vertical
3	11510.0000	48.01	-5.50	74.00	25.99	150	132	Vertical
4	11510.0000	36.80	-5.50	54.00	17.20	150	302	Vertical
5	17265.0000	43.76	-1.33	54.00	10.24	150	331	Vertical
6	17265.0000	55.28	-1.33	74.00	18.72	150	246	Vertical
7	17977.4489	46.10	-0.52	54.00	7.90	150	75	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


4.3.2.99 11AC40_MIMO_159_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6981.3991	44.45	12.70	54.00	9.55	150	87	Vertical
2	6999.1000	54.27	12.77	74.00	19.73	150	285	Vertical
3	11590.0000	49.03	-3.32	74.00	24.97	150	216	Vertical
4	11590.0000	38.90	-3.32	54.00	15.10	150	245	Vertical
5	17385.0000	43.87	-1.02	54.00	10.13	150	357	Vertical
6	17385.0000	55.10	-1.02	74.00	18.90	150	330	Vertical
7	17628.1814	45.89	0.90	54.00	8.11	150	330	Vertical




4.3.2.100 11AC40_MIMO_38_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.2960	53.33	12.47	74.00	20.67	150	248	Horizontal
2	6992.7996	44.28	12.74	54.00	9.72	150	75	Horizontal
3	10380.0000	49.08	-5.36	74.00	24.92	150	342	Horizontal
4	10380.0000	37.99	-5.36	54.00	16.01	150	285	Horizontal
5	15570.0000	37.80	-4.02	54.00	16.20	150	114	Horizontal
6	15570.0000	49.16	-4.02	74.00	24.84	150	314	Horizontal
7	17996.6998	46.10	-0.38	54.00	7.90	150	114	Horizontal




4.3.2.101 11AC40_MIMO_46_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.5960	44.30	12.47	54.00	9.70	150	310	Horizontal
2	6988.5994	54.02	12.73	74.00	19.98	150	166	Horizontal
3	10460.0000	51.26	-4.70	74.00	22.74	150	228	Horizontal
4	10460.0000	38.93	-4.70	54.00	15.07	150	342	Horizontal
5	15690.0000	39.65	-2.93	54.00	14.35	150	171	Horizontal
6	15690.0000	51.27	-2.93	74.00	22.73	150	56	Horizontal
7	17539.0770	45.93	0.85	54.00	8.07	150	56	Horizontal




4.3.2.102 11AC40_MIMO_54_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6850.5925	44.99	12.21	54.00	9.01	150	138	Horizontal
2	6980.7990	54.49	12.70	74.00	19.51	150	48	Horizontal
3	10540.0000	50.92	-4.46	74.00	23.08	150	228	Horizontal
4	10540.0000	39.03	-4.46	54.00	14.97	150	85	Horizontal
5	15810.0000	39.45	-2.42	54.00	14.55	150	142	Horizontal
6	15810.0000	50.64	-2.42	74.00	23.36	150	85	Horizontal
7	17995.5998	45.97	-0.38	54.00	8.03	150	170	Horizontal



4.3.2.103 11AC40_MIMO_62_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6935.1968	44.45	12.53	54.00	9.55	150	48	Horizontal
2	6993.3997	53.40	12.75	74.00	20.60	150	136	Horizontal
3	10620.0000	50.33	-4.72	74.00	23.67	150	56	Horizontal
4	10620.0000	39.10	-4.72	54.00	14.90	150	256	Horizontal
5	15930.0000	39.40	-3.73	54.00	14.60	150	342	Horizontal
6	15930.0000	49.83	-3.73	74.00	24.17	150	285	Horizontal
7	17990.6495	45.95	-0.42	54.00	8.05	150	56	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.3.2.104 11AC40_MIMO_102_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6903.0952	54.16	12.41	74.00	19.84	150	249	Horizontal
2	6984.3992	45.13	12.71	54.00	8.87	150	308	Horizontal
3	11020.0000	49.67	-4.09	74.00	24.33	150	224	Horizontal
4	11020.0000	38.68	-4.09	54.00	15.32	150	314	Horizontal
5	16530.0000	40.44	-3.84	54.00	13.56	150	80	Horizontal
6	16530.0000	50.59	-3.84	74.00	23.41	150	196	Horizontal
7	17536.8768	45.98	0.82	54.00	8.02	150	254	Horizontal




4.3.2.105 11AC40_MIMO_110_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6904.2952	44.79	12.42	54.00	9.21	150	75	Horizontal
2	6965.1983	53.64	12.64	74.00	20.36	150	333	Horizontal
3	11100.0000	51.34	-3.36	74.00	22.66	150	1	Horizontal
4	11100.0000	40.15	-3.36	54.00	13.85	150	1	Horizontal
5	16650.0000	39.90	-4.20	54.00	14.10	150	254	Horizontal
6	16650.0000	50.30	-4.20	74.00	23.70	150	165	Horizontal
7	17536.8768	45.98	0.82	54.00	8.02	150	254	Horizontal




4.3.2.106 11AC40_MIMO_134_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6881.1941	44.67	12.33	54.00	9.33	150	281	Horizontal
2	6928.8964	54.78	12.51	74.00	19.22	150	281	Horizontal
3	11340.0000	50.22	-4.59	74.00	23.78	150	171	Horizontal
4	11340.0000	39.56	-4.59	54.00	14.44	150	256	Horizontal
5	17010.0000	40.25	-3.20	54.00	13.75	150	2	Horizontal
6	17010.0000	51.48	-3.20	74.00	22.52	150	56	Horizontal
7	17993.3997	45.98	-0.40	54.00	8.02	150	199	Horizontal




4.3.2.107 11AC40_MIMO_151_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6925.2963	44.37	12.49	54.00	9.63	150	359	Horizontal
2	6938.4969	54.64	12.54	74.00	19.36	150	75	Horizontal
3	11510.0000	48.42	-5.50	74.00	25.58	150	199	Horizontal
4	11510.0000	37.16	-5.50	54.00	16.84	150	3	Horizontal
5	17265.0000	43.84	-1.33	54.00	10.16	150	342	Horizontal
6	17265.0000	55.61	-1.33	74.00	18.39	150	171	Horizontal
7	17516.5258	46.14	0.56	54.00	7.86	150	3	Horizontal




4.3.2.108 11AC40_MIMO_159_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6909.0955	44.34	12.43	54.00	9.66	150	168	Horizontal
2	6992.1996	53.58	12.74	74.00	20.42	150	360	Horizontal
3	11590.0000	48.94	-3.32	74.00	25.06	150	192	Horizontal
4	11590.0000	38.35	-3.32	54.00	15.65	150	50	Horizontal
5	17385.0000	44.09	-1.02	54.00	9.91	150	342	Horizontal
6	17385.0000	54.76	-1.02	74.00	19.24	150	342	Horizontal
7	17996.6998	46.21	-0.38	54.00	7.79	150	134	Horizontal



4.3.2.109 11AC80_MIMO_42_Veritical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6889.2945	44.55	12.36	54.00	9.45	150	200	Vertical
2	6962.4981	53.65	12.63	74.00	20.35	150	342	Vertical
3	10420.0000	49.43	-5.14	74.00	24.57	150	217	Vertical
4	10420.0000	38.25	-5.14	54.00	15.75	150	332	Vertical
5	15630.0000	37.74	-4.14	54.00	16.26	150	274	Vertical
6	15630.0000	49.16	-4.14	74.00	24.84	150	132	Vertical
7	17996.6998	46.20	-0.38	54.00	7.80	150	188	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.3.2.110 11AC80_MIMO_58_Verical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.7969	44.74	12.54	54.00	9.26	150	313	Vertical
2	6940.5970	54.22	12.55	74.00	19.78	150	342	Vertical
3	10580.0000	50.95	-4.65	74.00	23.05	150	75	Vertical
4	10580.0000	39.60	-4.65	54.00	14.40	150	18	Vertical
5	15870.0000	38.75	-3.31	54.00	15.25	150	103	Vertical
6	15870.0000	49.40	-3.31	74.00	24.60	150	275	Vertical
7	17609.4805	46.22	1.38	54.00	7.78	150	304	Vertical




4.3.2.111 11AC80_MIMO_106_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6893.4947	44.47	12.38	54.00	9.53	150	4	Vertical
2	6912.0956	54.86	12.44	74.00	19.14	150	285	Vertical
3	11060.0000	50.70	-3.73	74.00	23.30	150	358	Vertical
4	11060.0000	39.11	-3.73	54.00	14.89	150	75	Vertical
5	16590.0000	39.44	-4.27	54.00	14.56	150	218	Vertical
6	16590.0000	50.21	-4.27	74.00	23.79	150	47	Vertical
7	17997.7999	45.98	-0.37	54.00	8.02	150	18	Vertical




4.3.2.112 11AC80_MIMO_122_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6869.7935	54.32	12.29	74.00	19.68	150	257	Vertical
2	6931.2966	44.40	12.52	54.00	9.60	150	3	Vertical
3	11220.0000	51.32	-3.73	74.00	22.68	150	308	Vertical
4	11220.0000	40.67	-3.73	54.00	13.33	150	359	Vertical
5	16830.0000	41.34	-2.15	54.00	12.66	150	103	Vertical
6	16830.0000	53.10	-2.15	74.00	20.90	150	189	Vertical
7	17997.2499	46.12	-0.37	54.00	7.88	150	220	Vertical




4.3.2.113 11AC80_MIMO_155_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.1950	44.33	12.40	54.00	9.67	150	313	Vertical
2	6960.9981	53.68	12.63	74.00	20.32	150	143	Vertical
3	11550.0000	48.54	-4.41	74.00	25.46	150	304	Vertical
4	11550.0000	38.25	-4.41	54.00	15.75	150	132	Vertical
5	17325.0000	43.47	-1.12	54.00	10.53	150	333	Vertical
6	17325.0000	56.45	-1.12	74.00	17.55	150	358	Vertical
7	17605.6303	46.10	1.48	54.00	7.90	150	47	Vertical



4.3.2.114 11AC80_MIMO_42_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6958.2979	44.45	12.62	54.00	9.55	150	18	Horizontal
2	6992.7996	53.48	12.74	74.00	20.52	150	46	Horizontal
3	10420.0000	49.35	-5.14	74.00	24.65	150	3	Horizontal
4	10420.0000	38.41	-5.14	54.00	15.59	150	342	Horizontal
5	15630.0000	37.40	-4.14	54.00	16.60	150	200	Horizontal
6	15630.0000	48.72	-4.14	74.00	25.28	150	228	Horizontal
7	17821.2411	46.25	-0.84	54.00	7.75	150	58	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.115 11AC80_MIMO_58_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6883.2942	53.83	12.34	74.00	20.17	150	18	Horizontal
2	6983.1992	44.89	12.71	54.00	9.11	150	46	Horizontal
3	10580.0000	50.78	-4.65	74.00	23.22	150	256	Horizontal
4	10580.0000	38.98	-4.65	54.00	15.02	150	27	Horizontal
5	15870.0000	38.42	-3.31	54.00	15.58	150	285	Horizontal
6	15870.0000	50.38	-3.31	74.00	23.62	150	313	Horizontal
7	17522.0261	46.27	0.63	54.00	7.73	150	141	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


4.3.2.116 11AC80_MIMO_106_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6911.4956	54.14	12.44	74.00	19.86	150	75	Horizontal
2	6915.6958	44.98	12.46	54.00	9.02	150	357	Horizontal
3	11060.0000	50.26	-3.73	74.00	23.74	150	172	Horizontal
4	11060.0000	39.36	-3.73	54.00	14.64	150	58	Horizontal
5	16590.0000	39.34	-4.27	54.00	14.66	150	314	Horizontal
6	16590.0000	50.89	-4.27	74.00	23.11	150	200	Horizontal
7	17597.3799	46.44	1.60	54.00	7.56	150	257	Horizontal




4.3.2.117 11AC80_MIMO_122_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6896.7948	53.76	12.39	74.00	20.24	150	132	Horizontal
2	6927.6964	44.42	12.50	54.00	9.58	150	245	Horizontal
3	11220.0000	50.83	-3.73	74.00	23.17	150	285	Horizontal
4	11220.0000	40.69	-3.73	54.00	13.31	150	228	Horizontal
5	16830.0000	41.52	-2.15	54.00	12.48	150	28	Horizontal
6	16830.0000	52.21	-2.15	74.00	21.79	150	285	Horizontal
7	17992.8496	46.16	-0.40	54.00	7.84	150	199	Horizontal




4.3.2.118 11AC80_MIMO_155_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.9987	53.48	12.67	74.00	20.52	150	356	Horizontal
2	6989.7995	44.27	12.73	54.00	9.73	150	18	Horizontal
3	11550.0000	48.59	-4.41	74.00	25.41	150	228	Horizontal
4	11550.0000	37.95	-4.41	54.00	16.05	150	228	Horizontal
5	17325.0000	43.93	-1.12	54.00	10.07	150	314	Horizontal
6	17325.0000	54.67	-1.12	74.00	19.33	150	2	Horizontal
7	17611.6806	46.05	1.33	54.00	7.95	150	285	Horizontal




4.3.2.119 11AC160_MIMO_50_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6879.3940	55.51	12.32	74.00	18.49	150	342	Vertical
2	6981.0991	44.62	12.70	54.00	9.38	150	229	Vertical
3	10500.0000	50.83	-4.27	74.00	23.17	150	160	Vertical
4	10500.0000	39.11	-4.27	54.00	14.89	150	74	Vertical
5	15750.0000	39.89	-2.50	54.00	14.11	150	356	Vertical
6	15750.0000	50.95	-2.50	74.00	23.05	150	273	Vertical
7	17997.7999	46.11	-0.37	54.00	7.89	150	273	Vertical




4.3.2.120 11AC160_MIMO_114_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6891.0946	44.73	12.37	54.00	9.27	150	30	Vertical
2	6998.7999	53.60	12.77	74.00	20.40	150	286	Vertical
3	11140.0000	51.43	-3.41	74.00	22.57	150	190	Vertical
4	11140.0000	39.90	-3.41	54.00	14.10	150	133	Vertical
5	16710.0000	39.38	-3.88	54.00	14.62	150	247	Vertical
6	16710.0000	51.53	-3.88	74.00	22.47	150	133	Vertical
7	17606.1803	45.97	1.47	54.00	8.03	150	133	Vertical




4.3.2.121 11AC160_MIMO_50_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.9976	44.30	12.59	54.00	9.70	150	331	Horizontal
2	6983.7992	54.02	12.71	74.00	19.98	150	103	Horizontal
3	10500.0000	50.45	-4.27	74.00	23.55	150	286	Horizontal
4	10500.0000	39.02	-4.27	54.00	14.98	150	30	Horizontal
5	15750.0000	39.73	-2.50	54.00	14.27	150	59	Horizontal
6	15750.0000	51.16	-2.50	74.00	22.84	150	342	Horizontal
7	17847.6424	45.94	-0.93	54.00	8.06	150	30	Horizontal



4.3.2.122 11AC160_MIMO_114_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6953.4977	44.59	12.60	54.00	9.41	150	160	Horizontal
2	6977.4989	53.56	12.69	74.00	20.44	150	217	Horizontal
3	11140.0000	51.60	-3.41	74.00	22.40	150	85	Horizontal
4	11140.0000	40.82	-3.41	54.00	13.18	150	28	Horizontal
5	16710.0000	39.62	-3.88	54.00	14.38	150	342	Horizontal
6	16710.0000	50.31	-3.88	74.00	23.69	150	228	Horizontal
7	17994.4997	46.18	-0.39	54.00	7.82	150	142	Horizontal



4.3.1 Radiated emission below 1GHz for W19


30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	33.3967	34.94	-33.00	40.00	5.06	100	14	Vertical
2	41.1606	32.26	-31.13	40.00	7.74	200	156	Vertical
3	48.4392	31.49	-30.38	40.00	8.51	100	156	Vertical
4	95.0225	27.49	-32.89	43.50	16.01	100	29	Vertical
5	228.9495	25.94	-30.44	46.00	20.06	100	300	Vertical
6	784.0670	28.86	-17.96	46.00	17.14	200	174	Vertical



Test mode:	Transmitting	Horizontal
------------	--------------	------------




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	41.1606	29.44	-31.13	40.00	10.56	200	209	Horizontal
2	48.4392	23.95	-30.38	40.00	16.05	200	84	Horizontal
3	94.5373	25.44	-32.97	43.50	18.06	200	79	Horizontal
4	173.1466	21.60	-33.80	43.50	21.90	200	344	Horizontal
5	261.4607	25.07	-29.34	46.00	20.93	100	228	Horizontal
6	719.0445	28.77	-19.06	46.00	17.23	100	212	Horizontal



4.3.2 Transmitter emission above 1GHz for W19


4.3.2.1 11N20_100_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.0964	44.42	12.50	54.00	9.58	150	75	Vertical
2	6944.7972	53.45	12.57	74.00	20.55	150	104	Vertical
3	11000.0000	50.08	-4.28	74.00	23.92	150	218	Vertical
4	11000.0000	38.27	-4.28	54.00	15.73	150	333	Vertical
5	16500.0000	40.26	-3.62	54.00	13.74	150	75	Vertical
6	16500.0000	51.28	-3.62	74.00	22.72	150	133	Vertical
7	17540.7270	46.18	0.87	54.00	7.82	150	46	Vertical




4.3.2.2 11N40_62_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.0941	43.93	12.33	54.00	10.07	150	358	Vertical
2	6929.1965	53.29	12.51	74.00	20.71	150	47	Vertical
3	10620.0000	50.01	-4.72	74.00	23.99	150	331	Vertical
4	10620.0000	38.96	-4.72	54.00	15.04	150	47	Vertical
5	15930.0000	38.93	-3.73	54.00	15.07	150	357	Vertical
6	15930.0000	50.45	-3.73	74.00	23.55	150	357	Vertical
7	17613.3307	45.94	1.28	54.00	8.06	150	132	Vertical




4.3.2.3 11AC20_100_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.3982	44.57	12.63	54.00	9.43	150	75	Vertical
2	6998.7999	53.16	12.77	74.00	20.84	150	75	Vertical
3	11000.0000	49.52	-4.28	74.00	24.48	150	18	Vertical
4	11000.0000	38.50	-4.28	54.00	15.50	150	303	Vertical
5	16500.0000	40.73	-3.62	54.00	13.27	150	331	Vertical
6	16500.0000	51.56	-3.62	74.00	22.44	150	132	Vertical
7	17600.6800	45.94	1.61	54.00	8.06	150	103	Vertical




4.3.2.4 11AC40_62_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6925.2963	44.18	12.49	54.00	9.82	150	246	Vertical
2	6986.4993	53.44	12.72	74.00	20.56	150	18	Vertical
3	10620.0000	50.57	-4.72	74.00	23.43	150	133	Vertical
4	10620.0000	39.28	-4.72	54.00	14.72	150	104	Vertical
5	15930.0000	39.17	-3.73	54.00	14.83	150	333	Vertical
6	15930.0000	50.81	-3.73	74.00	23.19	150	18	Vertical
7	17540.7270	46.18	0.87	54.00	7.82	150	46	Vertical




4.3.2.5 11AC80_58_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6771.9886	44.01	11.92	54.00	9.99	150	2	Vertical
2	6996.3998	53.37	12.76	74.00	20.63	150	2	Vertical
3	10580.0000	51.75	-4.65	74.00	22.25	150	277	Vertical
4	10580.0000	39.47	-4.65	54.00	14.53	150	75	Vertical
5	15870.0000	38.93	-3.31	54.00	15.07	150	277	Vertical
6	15870.0000	49.58	-3.31	74.00	24.42	150	189	Vertical
7	17998.3499	46.10	-0.36	54.00	7.90	150	47	Vertical




4.3.2.6 11AC160_50_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.6953	43.86	12.42	54.00	10.14	150	171	Vertical
2	6978.9990	53.53	12.69	74.00	20.47	150	85	Vertical
3	10500.0000	50.14	-4.27	74.00	23.86	150	132	Vertical
4	10500.0000	40.07	-4.27	54.00	13.93	150	132	Vertical
5	15750.0000	40.08	-2.50	54.00	13.92	150	246	Vertical
6	15750.0000	50.87	-2.50	74.00	23.13	150	274	Vertical
7	17977.4489	46.10	-0.52	54.00	7.90	150	75	Vertical




4.3.2.7 11N20_100 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6841.8921	53.50	12.18	74.00	20.50	150	313	Horizontal
2	6978.3989	44.13	12.69	54.00	9.87	150	170	Horizontal
3	11000.0000	50.62	-4.28	74.00	23.38	150	1	Horizontal
4	11000.0000	38.03	-4.28	54.00	15.97	150	1	Horizontal
5	16500.0000	40.44	-3.62	54.00	13.56	150	194	Horizontal
6	16500.0000	52.76	-3.62	74.00	21.24	150	165	Horizontal
7	17536.8768	45.98	0.82	54.00	8.02	150	254	Horizontal




4.3.2.8 11N40_62 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.5955	44.20	12.44	54.00	9.80	150	52	Horizontal
2	6958.8979	53.47	12.62	74.00	20.53	150	52	Horizontal
3	10620.0000	50.41	-4.72	74.00	23.59	150	1	Horizontal
4	10620.0000	39.49	-4.72	54.00	14.51	150	342	Horizontal
5	15930.0000	39.44	-3.73	54.00	14.56	150	80	Horizontal
6	15930.0000	49.62	-3.73	74.00	24.38	150	223	Horizontal
7	17611.1306	45.94	1.34	54.00	8.06	150	342	Horizontal




4.3.2.9 11AC20_100 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.8948	53.25	12.38	74.00	20.75	150	342	Horizontal
2	6896.1948	44.06	12.39	54.00	9.94	150	342	Horizontal
3	11000.0000	50.06	-4.28	74.00	23.94	150	110	Horizontal
4	11000.0000	38.53	-4.28	54.00	15.47	150	110	Horizontal
5	16500.0000	39.93	-3.62	54.00	14.07	150	342	Horizontal
6	16500.0000	52.32	-3.62	74.00	21.68	150	309	Horizontal
7	17987.8994	46.08	-0.44	54.00	7.92	150	110	Horizontal




4.3.2.10 11AC40_62 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6947.1974	43.76	12.57	54.00	10.24	150	114	Horizontal
2	6990.0995	53.22	12.73	74.00	20.78	150	171	Horizontal
3	10620.0000	51.10	-4.72	74.00	22.90	150	194	Horizontal
4	10620.0000	39.22	-4.72	54.00	14.78	150	314	Horizontal
5	15930.0000	39.24	-3.73	54.00	14.76	150	254	Horizontal
6	15930.0000	50.41	-3.73	74.00	23.59	150	52	Horizontal
7	17536.8768	45.98	0.82	54.00	8.02	150	254	Horizontal



4.3.2.11 11AC80_58 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.2958	53.46	12.46	74.00	20.54	150	18	Horizontal
2	6972.3986	44.20	12.67	54.00	9.80	150	47	Horizontal
3	10580.0000	50.07	-4.65	74.00	23.93	150	285	Horizontal
4	10580.0000	39.49	-4.65	54.00	14.51	150	171	Horizontal
5	15870.0000	38.48	-3.31	54.00	15.52	150	85	Horizontal
6	15870.0000	49.38	-3.31	74.00	24.62	150	142	Horizontal
7	17993.3997	45.98	-0.40	54.00	8.02	150	199	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.12 11AC160_50 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.4975	44.86	12.59	54.00	9.14	150	222	Horizontal
2	6959.7980	53.19	12.62	74.00	20.81	150	307	Horizontal
3	10500.0000	50.97	-4.27	74.00	23.03	150	342	Horizontal
4	10500.0000	39.36	-4.27	54.00	14.64	150	285	Horizontal
5	15750.0000	39.70	-2.50	54.00	14.30	150	171	Horizontal
6	15750.0000	51.43	-2.50	74.00	22.57	150	256	Horizontal
7	17516.5258	46.14	0.56	54.00	7.86	150	3	Horizontal


Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Pre-amplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Pre-amplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.



4.4 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			




<p>Test Procedure:</p>	<ol style="list-style-type: none"> a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
<p>Exploratory Test Mode:</p>	<p>Transmitting with all kind of modulations, data rates.</p>
<p>Final Test Mode:</p>	<p>Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT20); MCSAC0 of rate is the worst case of 802.11ac(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT80); MCSAC0 of rate is the worst case of 802.11ac(HT160) Only the worst case is recorded in the report.</p>
<p>Instruments Used:</p>	<p>Refer to section 6 for details</p>
<p>Test Results:</p>	<p>Pass</p>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.4.1 Test plots for W29
4.4.1.1 11A20_36_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.4592	48.65	7.50	74.00	25.35	150	249	Vertical
2	5120.0100	36.03	7.50	54.00	17.97	150	221	Vertical
3	5144.0220	36.03	7.54	54.00	17.97	150	221	Vertical
4	5144.1221	49.69	7.55	74.00	24.31	150	213	Vertical
5	5180.0000	101.65	7.61	68.30	-33.35	150	204	Vertical
6	5180.0000	91.79	7.61	0.00	-91.79	150	228	Vertical



4.4.1.2 11A20_36 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5122.9115	34.66	7.51	54.00	19.34	150	74	Horizontal
2	5127.7139	48.04	7.52	74.00	25.96	150	170	Horizontal
3	5139.4197	49.00	7.54	74.00	25.00	150	297	Horizontal
4	5147.6738	34.73	7.55	54.00	19.27	150	309	Horizontal
5	5180.0000	84.40	7.61	68.30	-16.10	150	212	Horizontal
6	5180.0000	74.52	7.61	0.00	-74.52	150	170	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


4.4.1.3 11A20_48_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	101.48	7.68	68.30	-33.18	150	228	Vertical
2	5240.0000	91.41	7.68	0.00	-91.41	150	228	Vertical
3	5355.5178	35.97	7.85	54.00	18.03	150	228	Vertical
4	5359.7499	49.29	7.86	74.00	24.71	150	200	Vertical
5	5393.1566	49.62	7.93	74.00	24.38	150	205	Vertical
6	5395.8579	36.37	7.93	54.00	17.63	150	228	Vertical



4.4.1.4 11A20_48 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	84.16	7.68	68.30	-15.86	150	200	Horizontal
2	5240.0000	74.09	7.68	0.00	-74.09	150	200	Horizontal
3	5355.9680	34.60	7.85	54.00	19.40	150	92	Horizontal
4	5365.1526	48.11	7.87	74.00	25.89	150	106	Horizontal
5	5381.8109	48.57	7.90	74.00	25.43	150	271	Horizontal
6	5389.7349	34.73	7.92	54.00	19.27	150	360	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1.5 11A20_52_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.0800	35.66	7.50	54.00	18.34	150	200	Vertical
2	5134.2171	49.49	7.53	74.00	24.51	150	52	Vertical
3	5143.9420	34.98	7.54	54.00	19.02	150	186	Vertical
4	5145.2926	48.79	7.55	74.00	25.21	150	225	Vertical
5	5260.0000	101.83	7.70	68.30	-33.53	150	230	Vertical
6	5260.0000	91.28	7.70	0.00	-91.28	150	225	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1.6 11A20_52 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.0515	48.28	7.51	74.00	25.72	150	195	Horizontal
2	5125.9330	34.47	7.51	54.00	19.53	150	360	Horizontal
3	5139.0795	48.10	7.54	74.00	25.90	150	106	Horizontal
4	5139.3497	34.67	7.54	54.00	19.33	150	271	Horizontal
5	5260.0000	83.75	7.70	68.30	-15.45	150	200	Horizontal
6	5260.0000	73.37	7.70	0.00	-73.37	150	200	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1.7 11A20_64_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	101.11	7.78	68.30	-32.81	150	225	Vertical
2	5320.0000	92.00	7.78	0.00	-92.00	150	229	Vertical
3	5350.4252	37.33	7.84	54.00	16.67	150	229	Vertical
4	5351.1256	51.02	7.84	74.00	22.98	150	225	Vertical
5	5365.1326	49.93	7.87	74.00	24.07	150	225	Vertical
6	5375.5378	36.74	7.89	54.00	17.26	150	229	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.8 11A20_64 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	83.08	7.78	68.30	-14.78	150	203	Horizontal
2	5320.0000	72.94	7.78	0.00	-72.94	150	203	Horizontal
3	5352.8264	49.24	7.85	74.00	24.76	150	360	Horizontal
4	5357.4287	34.65	7.85	54.00	19.35	150	16	Horizontal
5	5375.9380	48.95	7.89	74.00	25.05	150	133	Horizontal
6	5377.0385	34.67	7.89	54.00	19.33	150	260	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.4.1.9 11A20_100_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5414.5873	53.26	7.96	74.00	20.74	150	227	Vertical
2	5432.5963	39.50	7.99	54.00	14.50	150	227	Vertical
3	5452.5863	39.92	8.02	54.00	14.08	150	231	Vertical
4	5461.5908	54.08	8.04	68.30	14.22	150	231	Vertical
5	5500.0000	102.13	8.10	68.30	-33.83	150	216	Vertical
6	5500.0000	91.93	8.10	0.00	-91.93	150	231	Vertical



4.4.1.10 11A20_100 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5424.9125	38.45	7.98	54.00	15.55	150	285	Horizontal
2	5449.9450	52.06	8.02	74.00	21.94	150	225	Horizontal
3	5456.9685	38.68	8.03	54.00	15.32	150	150	Horizontal
4	5464.3522	52.91	8.04	68.30	15.39	150	81	Horizontal
5	5500.0000	82.42	8.10	68.30	-14.12	150	178	Horizontal
6	5500.0000	72.93	8.10	0.00	-72.93	150	178	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.11 11A20_140_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	103.04	8.51	68.30	-34.74	150	212	Vertical
2	5725.0000	50.63	8.57	68.30	17.67	150	233	Vertical
3	5739.3547	52.07	8.60	68.30	16.23	150	219	Vertical
4	5758.3442	52.01	8.64	68.30	16.29	150	258	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4.1.12 11A20_140 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	84.06	8.51	68.30	-15.76	150	168	Horizontal
2	5725.0000	47.91	8.57	68.30	20.39	150	299	Horizontal
3	5737.4037	49.65	8.60	68.30	18.65	150	313	Horizontal
4	5767.3837	50.22	8.66	68.30	18.08	150	125	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1.13 11A20_149_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.7429	50.16	8.42	68.30	18.14	150	228	Vertical
2	5675.7179	51.14	8.47	87.33	36.19	150	228	Vertical
3	5720.8904	52.24	8.56	112.93	60.69	150	228	Vertical
4	5745.0000	102.16	8.61	0.00	-102.16	150	224	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.4.1.14 11A20_149 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.0230	49.38	8.42	68.30	18.92	150	248	Horizontal
2	5678.7294	49.24	8.48	89.56	40.32	150	120	Horizontal
3	5722.5713	49.45	8.56	116.76	67.31	150	328	Horizontal
4	5745.0000	82.25	8.61	0.00	-82.25	150	205	Horizontal



4.4.1.15 11A20_165_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	102.36	8.82	0.00	-102.36	150	230	Vertical
2	5853.5818	52.26	8.90	114.13	61.87	150	230	Vertical
3	5866.5308	51.87	8.94	107.67	55.80	150	230	Vertical
4	5941.5883	50.07	9.16	68.30	18.23	150	233	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.4.1.16 11A20_165 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	84.70	8.82	0.00	-84.70	150	200	Horizontal
2	5856.3732	49.49	8.91	110.52	61.03	150	112	Horizontal
3	5876.6883	50.70	8.97	104.05	53.35	150	148	Horizontal
4	5927.3987	49.27	9.12	68.30	19.03	150	330	Horizontal




4.4.1.17 11N20_MIMO_36_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5115.5578	35.35	7.50	54.00	18.65	150	25	Vertical
2	5118.8094	48.98	7.50	74.00	25.02	150	14	Vertical
3	5147.1236	36.11	7.55	54.00	17.89	150	360	Vertical
4	5149.4747	48.97	7.55	74.00	25.03	150	56	Vertical
5	5180.0000	99.84	7.61	68.30	-31.54	150	29	Vertical
6	5180.0000	88.84	7.61	0.00	-88.84	150	360	Vertical




4.4.1.18 11N20_MIMO_36 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.9585	48.95	7.50	74.00	25.05	150	306	Horizontal
2	5136.8684	34.97	7.53	54.00	19.03	150	264	Horizontal
3	5148.4242	35.09	7.55	54.00	18.91	150	239	Horizontal
4	5148.6243	48.54	7.55	74.00	25.46	150	0	Horizontal
5	5180.0000	71.54	7.61	0.00	-71.54	150	41	Horizontal
6	5180.0000	81.44	7.61	68.30	-13.14	150	23	Horizontal



4.4.1.19 11N20_MIMO_48_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	100.73	7.68	68.30	-32.43	150	208	Vertical
2	5240.0000	89.56	7.68	0.00	-89.56	150	208	Vertical
3	5359.0295	49.04	7.86	74.00	24.96	150	194	Vertical
4	5363.6218	35.07	7.87	54.00	18.93	150	237	Vertical
5	5388.2941	35.22	7.92	54.00	18.78	150	16	Vertical
6	5388.9245	48.69	7.92	74.00	25.31	150	203	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4.1.20 11N20_MIMO_48_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	82.85	7.68	68.30	-14.55	150	221	Horizontal
2	5240.0000	72.49	7.68	0.00	-72.49	150	250	Horizontal
3	5357.2286	34.86	7.85	54.00	19.14	150	280	Horizontal
4	5361.7309	48.33	7.86	74.00	25.67	150	230	Horizontal
5	5376.3182	34.92	7.89	54.00	19.08	150	179	Horizontal
6	5386.2231	48.66	7.91	74.00	25.34	150	199	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.21 11N20_MIMO_52_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.1181	48.39	7.50	74.00	25.61	150	243	Vertical
2	5128.5443	34.96	7.52	54.00	19.04	150	186	Vertical
3	5142.5013	48.48	7.54	74.00	25.52	150	162	Vertical
4	5142.7714	34.92	7.54	54.00	19.08	150	228	Vertical
5	5260.0000	101.15	7.70	68.30	-32.85	150	200	Vertical
6	5260.0000	89.52	7.70	0.00	-89.52	150	200	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1.22 11N20_MIMO_52 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.5303	48.56	7.50	74.00	25.44	150	60	Horizontal
2	5130.7954	34.70	7.52	54.00	19.30	150	116	Horizontal
3	5146.3732	34.99	7.55	54.00	19.01	150	31	Horizontal
4	5149.4347	48.31	7.55	74.00	25.69	150	88	Horizontal
5	5260.0000	82.83	7.70	68.30	-14.53	150	177	Horizontal
6	5260.0000	71.90	7.70	0.00	-71.90	150	177	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.23 11N20_MIMO_64_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	100.00	7.78	68.30	-31.70	150	210	Vertical
2	5320.0000	90.01	7.78	0.00	-90.01	150	202	Vertical
3	5351.0255	50.21	7.84	74.00	23.79	150	254	Vertical
4	5352.8764	36.37	7.85	54.00	17.63	150	210	Vertical
5	5361.8809	49.31	7.86	74.00	24.69	150	216	Vertical
6	5367.4337	35.51	7.87	54.00	18.49	150	202	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.24 11N20_MIMO_64_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	70.36	7.78	0.00	-70.36	150	230	Horizontal
2	5320.0000	82.33	7.78	68.30	-14.03	150	230	Horizontal
3	5351.9760	48.88	7.84	74.00	25.12	150	24	Horizontal
4	5352.7764	34.88	7.85	54.00	19.12	150	200	Horizontal
5	5373.1366	34.85	7.89	54.00	19.15	150	46	Horizontal
6	5374.5373	49.38	7.89	74.00	24.62	150	185	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.25 11N20_MIMO_100_Verical



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5440.7004	38.58	8.01	54.00	15.42	150	349	Vertical
2	5455.5878	53.28	8.03	74.00	20.72	150	40	Vertical
3	5456.9085	38.85	8.03	54.00	15.15	150	210	Vertical
4	5464.7724	52.08	8.04	68.30	16.22	150	233	Vertical
5	5500.0000	90.84	8.10	0.00	-90.84	150	199	Vertical
6	5500.0000	101.37	8.10	68.30	-33.07	150	203	Vertical

