



Test Mode UNII-2A_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.14	0.13	5.27	9.32	Complies
60	5300	5.09	0.13	5.22	9.32	Complies
64	5320	5.04	0.13	5.17	9.32	Complies



Date: 8.APR.2019 17:42:57




Date: 8.APR.2019 17:43:42




Date: 8.APR.2019 17:45:22

Test Mode UNII-2A_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.96	0.13	6.09	9.32	Complies
60	5300	5.82	0.13	5.95	9.32	Complies
64	5320	5.92	0.13	6.05	9.32	Complies



Date: 8.APR.2019 04:29:22



Date: 8.APR.2019 04:30:31




Date: 8.APR.2019 04:31:37

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.71	9.32	Complies
60	5300	8.61	9.32	Complies
64	5320	8.65	9.32	Complies

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.85	0.14	4.99	9.32	Complies
60	5300	4.82	0.14	4.96	9.32	Complies
64	5320	4.81	0.14	4.95	9.32	Complies



Date: 8.APR.2019 18:16:47




Date: 8.APR.2019 18:17:27




Date: 8.APR.2019 18:18:01

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.45	0.14	5.59	9.32	Complies
60	5300	5.49	0.14	5.63	9.32	Complies
64	5320	5.52	0.14	5.66	9.32	Complies



Date: 8.APR.2019 04:44:58



Date: 8.APR.2019 04:46:08





Date: 8.APR.2019 04:47:20

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.31	9.32	Complies
60	5300	8.32	9.32	Complies
64	5320	8.33	9.32	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
------------------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.13	0.30	1.43	9.32	Complies
62	5310	1.23	0.30	1.53	9.32	Complies





Date: 8.APR.2019 02:09:33

Date: 8.APR.2019 02:11:33

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
------------------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.47	0.30	1.77	9.32	Complies
62	5310	1.45	0.30	1.75	9.32	Complies



Date: 8.APR.2019 05:21:49


Date: 8.APR.2019 05:23:12

Test Mode	UNII-2A_TX N (HT40) Mode_Total
------------------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.61	9.32	Complies
62	5310	4.65	9.32	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
------------------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.85	0.13	5.98	9.32	Complies
116	5580	5.90	0.13	6.03	9.32	Complies
140	5700	6.01	0.13	6.14	9.32	Complies



Date: 8.APR.2019 17:46:07




Date: 8.APR.2019 17:46:35




Date: 8.APR.2019 17:47:04

Test Mode	UNII-2C_TX A Mode_Ant. 2
------------------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.76	0.13	5.89	9.32	Complies
116	5580	5.84	0.13	5.97	9.32	Complies
140	5700	5.59	0.13	5.72	9.32	Complies



Date: 8.APR.2019 04:32:50



Date: 8.APR.2019 04:33:54




Date: 8.APR.2019 04:35:52

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.95	9.32	Complies
116	5580	9.01	9.32	Complies
140	5700	8.95	9.32	Complies

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.64	0.14	5.78	9.32	Complies
116	5580	5.81	0.14	5.95	9.32	Complies
140	5700	5.69	0.14	5.83	9.32	Complies



Date: 8.APR.2019 18:18:38




Date: 8.APR.2019 18:19:10




Date: 8.APR.2019 18:19:51

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.41	0.14	5.55	9.32	Complies
116	5580	5.45	0.14	5.59	9.32	Complies
140	5700	5.18	0.14	5.32	9.32	Complies



Date: 8.APR.2019 04:48:22



Date: 8.APR.2019 04:49:34




Date: 8.APR.2019 04:50:57

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.68	9.32	Complies
116	5580	8.79	9.32	Complies
140	5700	8.60	9.32	Complies

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.65	0.30	1.95	9.32	Complies
110	5550	1.97	0.30	2.27	9.32	Complies
134	5670	2.18	0.30	2.48	9.32	Complies



Date: 8.APR.2019 02:13:32




Date: 8.APR.2019 02:15:04




Date: 8.APR.2019 02:17:00

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.19	0.30	1.49	9.32	Complies
110	5550	1.20	0.30	1.50	9.32	Complies
134	5670	1.19	0.30	1.49	9.32	Complies



Date: 8.APR.2019 05:25:32



Date: 8.APR.2019 05:27:01




Date: 8.APR.2019 05:28:31

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.74	9.32	Complies
110	5550	4.91	9.32	Complies
134	5670	5.02	9.32	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.85	0.13	2.98	28.32	Complies
157	5785	2.58	0.13	2.71	28.32	Complies
165	5825	1.86	0.13	1.99	28.32	Complies



Date: 8.APR.2019 17:47:37




Date: 8.APR.2019 17:48:06




Date: 8.APR.2019 17:48:42

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.54	0.13	2.67	28.32	Complies
157	5785	2.42	0.13	2.55	28.32	Complies
165	5825	2.23	0.13	2.36	28.32	Complies



Date: 8.APR.2019 04:37:13



Date: 8.APR.2019 04:38:41




Date: 8.APR.2019 04:40:06

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.84	28.32	Complies
157	5785	5.64	28.32	Complies
165	5825	5.19	28.32	Complies

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.55	0.14	2.69	28.32	Complies
157	5785	2.36	0.14	2.50	28.32	Complies
165	5825	2.03	0.14	2.17	28.32	Complies



Date: 8.APR.2019 18:20:27




Date: 8.APR.2019 18:21:20




Date: 8.APR.2019 18:22:11

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.21	0.14	2.35	28.32	Complies
157	5785	1.97	0.14	2.11	28.32	Complies
165	5825	1.75	0.14	1.89	28.32	Complies



Date: 8.APR.2019 04:52:28



Date: 8.APR.2019 04:54:08





Date: 8.APR.2019 04:55:30

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.54	28.32	Complies
157	5785	5.32	28.32	Complies
165	5825	5.05	28.32	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.81	0.30	-0.51	28.32	Complies
159	5795	-0.87	0.30	-0.57	28.32	Complies





Date: 8.APR.2019 02:19:06

Date: 8.APR.2019 02:20:47

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.77	0.30	-1.47	28.32	Complies
159	5795	-2.13	0.30	-1.83	28.32	Complies



Date: 8.APR.2019 05:30:26


Date: 8.APR.2019 05:31:55

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.05	28.32	Complies
159	5795	1.86	28.32	Complies

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.21	0.26	5.47	9.32	Complies
40	5200	5.34	0.26	5.60	9.32	Complies
48	5240	5.08	0.26	5.34	9.32	Complies



Date: 8.APR.2019 18:54:22




Date: 8.APR.2019 18:57:20




Date: 8.APR.2019 18:58:16

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.93	0.26	6.19	9.32	Complies
40	5200	6.07	0.26	6.33	9.32	Complies
48	5240	5.86	0.26	6.12	9.32	Complies



Date: 8.APR.2019 04:57:10



Date: 8.APR.2019 04:58:28





Date: 8.APR.2019 04:59:34

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.85	9.32	Complies
40	5200	8.99	9.32	Complies
48	5240	8.75	9.32	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.24	0.64	1.88	9.32	Complies
46	5230	0.94	0.64	1.58	9.32	Complies





Date: 8.APR.2019 02:23:10

Date: 8.APR.2019 02:24:56

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.23	0.64	2.87	9.32	Complies
46	5230	1.90	0.64	2.54	9.32	Complies



Date: 8.APR.2019 05:53:42


Date: 8.APR.2019 05:54:53

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.41	9.32	Complies
46	5230	5.09	9.32	Complies


Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.16	1.39	-0.77	9.32	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.56	1.39	-1.17	9.32	Complies




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.05	9.32	Complies


Test Mode UNII-1_TX AC (VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
55	5250	-4.25	1.26	-2.99	9.32	Complies



Test Mode UNII-1_TX AC (VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
55	5250	-2.60	1.26	-1.34	9.32	Complies




Test Mode UNII-1_TX AC (VHT160) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
55	5250	2.19	9.32	Complies

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.93	0.26	5.19	9.32	Complies
60	5300	4.90	0.26	5.16	9.32	Complies
64	5320	4.88	0.26	5.14	9.32	Complies



Date: 8.APR.2019 18:59:07




Date: 8.APR.2019 19:02:08




Date: 8.APR.2019 19:03:07

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.74	0.26	6.00	9.32	Complies
60	5300	5.68	0.26	5.94	9.32	Complies
64	5320	5.82	0.26	6.08	9.32	Complies



Date: 8.APR.2019 05:00:48



Date: 8.APR.2019 05:02:48





Date: 8.APR.2019 05:04:05

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.62	9.32	Complies
60	5300	8.57	9.32	Complies
64	5320	8.64	9.32	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.95	0.64	1.59	9.32	Complies
62	5310	0.94	0.64	1.58	9.32	Complies





Date: 8.APR.2019 02:26:26

Date: 8.APR.2019 02:28:07

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.81	0.64	2.45	9.32	Complies
62	5310	1.57	0.64	2.21	9.32	Complies



Date: 8.APR.2019 05:56:57


Date: 8.APR.2019 05:59:29

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.05	9.32	Complies
62	5310	4.91	9.32	Complies


Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.49	1.39	-1.10	9.32	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.45	1.39	-1.06	9.32	Complies






Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.93	9.32	Complies

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.76	0.26	6.02	9.32	Complies
116	5580	5.69	0.26	5.95	9.32	Complies
140	5700	5.82	0.26	6.08	9.32	Complies






Date: 8.APR.2019 19:04:14

Date: 8.APR.2019 19:05:14

Date: 8.APR.2019 12:11:05

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.52	0.26	5.78	9.32	Complies
116	5580	5.68	0.26	5.94	9.32	Complies
140	5700	5.33	0.26	5.59	9.32	Complies



Date: 8.APR.2019 05:05:20

Date: 8.APR.2019 05:06:38


Date: 8.APR.2019 05:07:43

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.91	9.32	Complies
116	5580	8.95	9.32	Complies
140	5700	8.85	9.32	Complies

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.37	0.64	2.01	9.32	Complies
110	5550	1.78	0.64	2.42	9.32	Complies
134	5670	1.75	0.64	2.39	9.32	Complies



Date: 8.APR.2019 02:29:40




Date: 8.APR.2019 02:31:08




Date: 8.APR.2019 02:32:39

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.55	0.64	2.19	9.32	Complies
110	5550	1.53	0.64	2.17	9.32	Complies
134	5670	1.46	0.64	2.10	9.32	Complies



Date: 8.APR.2019 06:00:50



Date: 8.APR.2019 06:02:20




Date: 8.APR.2019 06:03:52

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.11	9.32	Complies
110	5550	5.30	9.32	Complies
134	5670	5.25	9.32	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.27	1.39	-0.88	9.32	Complies
122	5610	-3.15	1.39	-1.76	9.32	Complies




Date: 8.APR.2019 04:13:38




Date: 8.APR.2019 04:17:47

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.59	1.39	-1.20	9.32	Complies
122	5610	-2.86	1.39	-1.47	9.32	Complies



Date: 8.APR.2019 06:12:45



Date: 8.APR.2019 06:14:55


Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.98	9.32	Complies
122	5610	1.40	9.32	Complies

Test Mode UNII-2C_TX AC (VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.77	1.26	-1.51	9.32	Complies

CH114




Date: 8.APR.2019 06:49:01

Test Mode UNII-2C_TX AC (VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.84	1.26	1.58	9.32	Complies

CH114




Date: 8.APR.2019 06:50:01

Test Mode UNII-2C_TX AC (VHT160) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.73	9.32	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.38	0.26	2.64	28.32	Complies
157	5785	2.07	0.26	2.33	28.32	Complies
165	5825	1.63	0.26	1.89	28.32	Complies



Date: 8.APR.2019 19:45:19




Date: 8.APR.2019 19:47:02




Date: 8.APR.2019 19:49:59

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.36	0.26	2.62	28.32	Complies
157	5785	2.18	0.26	2.44	28.32	Complies
165	5825	1.69	0.26	1.95	28.32	Complies



Date: 8.APR.2019 05:08:59



Date: 8.APR.2019 05:10:28




Date: 8.APR.2019 05:11:47

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.64	28.32	Complies
157	5785	5.39	28.32	Complies
165	5825	4.93	28.32	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.22	0.64	-0.58	28.32	Complies
159	5795	-1.25	0.64	-0.61	28.32	Complies




Date: 8.APR.2019 02:34:24




Date: 8.APR.2019 02:36:04

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.58	0.64	-0.94	28.32	Complies
159	5795	-1.54	0.64	-0.90	28.32	Complies



Date: 8.APR.2019 06:05:46




Date: 8.APR.2019 06:07:41

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.25	28.32	Complies
159	5795	2.25	28.32	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.50	1.39	-4.11	28.32	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.12	1.39	-4.73	28.32	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.40	28.32	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9964
120	5179.9952
102	5179.9952
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.9266

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9952
10	5179.9952
20	5179.9952
30	5179.9952
40	5179.9952
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.9266

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5259.9956
120	5259.9956
102	5259.9956
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8365

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9956
10	5259.9956
20	5259.9956
30	5259.9956
40	5259.9956
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8365

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5499.9960
120	5499.9960
102	5499.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7273

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9960
10	5499.9960
20	5499.9960
30	5499.9960
40	5499.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7273

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9952
120	5744.9956
102	5744.9952
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.8355

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9952
10	5744.9952
20	5744.9948
30	5744.9948
40	5744.9948
Maximum Deviation (MHz)	0.0052
Maximum Deviation (ppm)	0.9051

End of Test Report