





REPORT No.: SZ16030142W05

LTE Band 5 3MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 5 5MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 5 10MHz BW Mid Channel

QPSK



16QAM








REPORT No.: SZ16030142W05

LTE Band 5 1.4MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 5 3MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 5 5MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 5 10MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 1.4MHz BW Low Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 3MHz BW Low Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 5MHz BW Low Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 10MHz BW Low Channel

QPSK



16QAM






REPORT No.: SZ16030142W05

LTE Band 12 1.4MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 3MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 5MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 10MHz BW Mid Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 1.4MHz BW High Channel

QPSK



16QAM






REPORT No.: SZ16030142W05

LTE Band 12 3MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 5MHz BW High Channel

QPSK



16QAM







REPORT No.: SZ16030142W05

LTE Band 12 10MHz BW High Channel

QPSK



16QAM





2.6 Band Edge

2.6.1 Requirement

According to FCC section 27.53(g) (h), (g) For operations in the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

(h) For operations in the 1710–1755 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB.

According to FCC section 27.53(m) (4), (m) (4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees

2.6.2 Test Description

See section 2.1.2 of this report.

2.6.3 Test Result

The center frequency of spectrum is the band edge frequency and span is 2MHz, Record the max trace into the test report.

PASS. See the attached plots.



LTE Band 2

Channel Bandwidth: 1.4MHz

Channel	18607	RB Size 1	RB Offset 0	Channel	18607	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------



Channel Bandwidth: 1.4MHz

Channel	19192	RB Size 1	RB Offset 5	Channel	19192	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------







REPORT No.: SZ16030142W05

LTE Band 2

Channel Bandwidth: 3MHz



Channel Bandwidth: 3MHz





REPORT No.: SZ16030142W05

LTE Band 2

Channel Bandwidth: 5MHz



Channel Bandwidth: 5MHz





LTE Band 2

Channel Bandwidth: 10MHz

Channel	18650	RB Size 1	RB Offset 0	Channel	18650	RB Size 50	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 10MHz

Channel	19150	RB Size 1	RB Offset 49	Channel	19150	RB Size 50	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------







REPORT No.: SZ16030142W05

LTE Band 2

Channel Bandwidth: 15MHz



Channel Bandwidth: 15MHz







REPORT No.: SZ16030142W05

LTE Band 2

Channel Bandwidth: 20MHz



Channel Bandwidth: 20MHz





REPORT No.: SZ16030142W05

LTE Band 4


Channel Bandwidth: 1.4MHz

Channel	19957	RB Size 1	RB Offset 0	Channel	20393	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------



Channel Bandwidth: 1.4MHz

Channel	19957	RB Size 1	RB Offset 5	Channel	20393	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------






REPORT No.: SZ16030142W05

LTE Band 4

Channel Bandwidth: 3MHz

Channel	19965	RB Size 1	RB Offset 0	Channel	20385	RB Size 15	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 3MHz

Channel	19965	RB Size 1	RB Offset 14	Channel	20385	RB Size 15	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------





REPORT No.: SZ16030142W05

LTE Band 4


Channel Bandwidth: 5MHz

Channel	19975	RB Size 1	RB Offset 0	Channel	20375	RB Size 25	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 5MHz

Channel	19975	RB Size 1	RB Offset 24	Channel	20375	RB Size 25	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------





REPORT No.: SZ16030142W05

LTE Band 4

Channel Bandwidth: 10MHz

Channel	20000	RB Size 1	RB Offset 0	Channel	20350	RB Size 50	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 10MHz


Channel	20000	RB Size 1	RB Offset 49	Channel	20350	RB Size 50	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------






LTE Band 4

Channel Bandwidth: 15MHz



Channel Bandwidth: 15MHz





REPORT No.: SZ16030142W05

LTE Band 4

Channel Bandwidth: 20MHz

Channel	20050	RB Size 1	RB Offset 0	Channel	20300	RB Size 100	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-------------	-------------



Channel Bandwidth: 20MHz

Channel	20050	RB Size 1	RB Offset 99	Channel	20300	RB Size 100	RB Offset 0
---------	-------	-----------	--------------	---------	-------	-------------	-------------






REPORT No.: SZ16030142W05

LTE Band 5


Channel Bandwidth: 1.4MHz

Channel	20407	RB Size 1	RB Offset 0	Channel	20407	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------



Channel Bandwidth: 1.4MHz

Channel	20642	RB Size 1	RB Offset 5	Channel	20642	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------







REPORT No.: SZ16030142W05

LTE Band 5

Channel Bandwidth: 3MHz



Channel Bandwidth: 3MHz





REPORT No.: SZ16030142W05

LTE Band 5

Channel Bandwidth: 5MHz

Channel	20425	RB Size 1	RB Offset 0	Channel	20425	RB Size 25	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 5MHz

Channel	20625	RB Size 1	RB Offset 24	Channel	20625	RB Size 25	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------





LTE Band 5

Channel Bandwidth: 10MHz

Channel	20450	RB Size 1	RB Offset 0	Channel	20450	RB Size 50	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 10MHz

Channel	20600	RB Size 1	RB Offset 49	Channel	20600	RB Size 50	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------





REPORT No.: SZ16030142W05

LTE Band 12

Channel Bandwidth: 1.4MHz

Channel	23017	RB Size 1	RB Offset 0	Channel	23017	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------



Channel Bandwidth: 1.4MHz

Channel	23173	RB Size 1	RB Offset 5	Channel	23173	RB Size 6	RB Offset 0
---------	-------	-----------	-------------	---------	-------	-----------	-------------






REPORT No.: SZ16030142W05

LTE Band 12


Channel Bandwidth: 3MHz

Channel	23025	RB Size 1	RB Offset 0	Channel	23025	RB Size 15	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 3MHz

Channel	23165	RB Size 1	RB Offset 14	Channel	23165	RB Size 15	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------



MORLAB GROUP

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. ChinaTel: 86-755-36698555
Http://www.morlab.comFax: 86-755-36698525
E-mail: service@morlab.cn



REPORT No.: SZ16030142W05

LTE Band 12

Channel Bandwidth: 5MHz

Channel	23035	RB Size 1	RB Offset 0	Channel	23035	RB Size 25	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 5MHz

Channel	23155	RB Size 1	RB Offset 24	Channel	23155	RB Size 25	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------





LTE Band 12

Channel Bandwidth: 10MHz

Channel	23060	RB Size 1	RB Offset 0	Channel	23060	RB Size 50	RB Offset 0
---------	-------	-----------	-------------	---------	-------	------------	-------------



Channel Bandwidth: 10MHz

Channel	23130	RB Size 1	RB Offset 49	Channel	23130	RB Size 50	RB Offset 0
---------	-------	-----------	--------------	---------	-------	------------	-------------



2.7 Transmitter Radiated Power (EIRP/ERP)


2.7.1 Requirement

According to FCC section 27.50 (d), fixed, mobile and portable (hand-held) stations in the 1710-1755MHz band are limited to 1wat EIRP.


Portable stations (hand-held devices) operating in the 704-716MHz band are limited to 3watts ERP.

2.7.2 Test Description

Test Setup:



(For the test frequency from 30MHz to1GHz)



(For the test frequency above 1GHz)



The EUT, which is powered by the PC, is located in a 3m Full-Anechoic Chamber; the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Rohde& Schwarz	CMW500	1201.0002k50/ 124534/wk	2016.03.02	2017.03.01
Spectrum Analyzer	Rohde& Schwarz	FSL	10246	2016.03.02	2017.03.01
Spectrum Analyzer	Agilent	E4445A	MY44200685	2016.03.02	2017.03.01
Full-Anechoic Chamber	Albatross	9m*6m*6m	(n.a.)	2016.03.02	2017.03.01
Test Antenna - Bi-Log	Schwarzbeck	VULB 9163	9163-274	2016.03.02	2017.03.01
Test Antenna - Horn	Schwarzbeck	BBHA 9120C	9120C-384	2016.03.02	2017.03.01

2.7.3 Test Result

The EUT was verified under all configurations (RB size and offset) and the worst case radiated power reported for each modulation/channel bandwidth.

The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$



Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .

Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	
LTE Band 2	20MHz	L 18700	1860	QPSK	1	0	21.71
					100	0	22.66
				16-QAM	1	0	22.52
					100	0	21.59
		M 18900	1880	QPSK	1	0	23.75
					100	0	22.63
				16-QAM	1	0	22.88
					100	0	21.41
		H 19100	1900	QPSK	1	0	23.15
					100	0	22.45
				16-QAM	1	0	23.30
					100	0	23.71
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	
LTE Band 2	15MHz	L 18675	1857.5	QPSK	1	0	23.22
					75	0	22.49
				16-QAM	1	0	22.36
					75	0	23.01
		M 18900	1880	QPSK	1	0	23.12
					75	0	22.45
				16-QAM	1	0	22.92
					75	0	22.83
		H 19125	1902.5	QPSK	1	0	23.22
					75	0	22.63
				16-QAM	1	0	23.45
					75	0	22.57
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	



REPORT No.: SZ16030142W05

LTE Band 2	10MHz	L 18650	1855	QPSK	1	0	23.69
				16-QAM	50	0	22.41
					1	0	23.65
					50	0	21.33
		M 18900	1880	QPSK	1	0	23.48
				16-QAM	50	0	22.74
					1	0	23.13
					50	0	21.73
		H 19150	1905	QPSK	1	0	23.80
				16-QAM	50	0	22.47
					1	0	22.83
					50	0	21.87

Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	
LTE Band 2	5MHz	L 18625	1852.5	QPSK	1	0	23.02
				16-QAM	25	0	22.34
					1	0	23.71
					25	0	23.23
		M 18900	1880	QPSK	1	0	23.08
				16-QAM	25	0	22.51
					1	0	23.46
					25	0	22.58
		H 19175	1907.5	QPSK	1	0	22.70
				16-QAM	25	0	22.16
					1	0	22.79
					25	0	22.24
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	
LTE Band 2	3MHz	L 18615	1851.5	QPSK	1	0	23.59
				16-QAM	15	0	22.61
					1	0	23.48
					15	0	21.72
		M 18900	1880	QPSK	1	0	23.56
				16-QAM	15	0	22.78
					1	0	21.76
					15	0	21.64
		H 19185	1908.5	QPSK	1	0	23.76
				16-QAM	15	0	22.73
					1	0	22.72
					15	0	21.69
Band	Band Width	Channel	Freq.(MHz)	Modulation	RB Configuration		EIRP (dBm)
					RB Size	RB Offset	