



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	5.7008G	103.11	Inf	-Inf	3	Vertical	186	2.38	-
5700MHz	Pass	PK	5.6984G	113.15	Inf	-Inf	3	Vertical	186	2.38	-
5700MHz	Pass	PK	5.726G	65.94	68.20	-2.26	3	Vertical	186	2.38	-
5700MHz	Pass	AV	5.6992G	98.82	Inf	-Inf	3	Horizontal	168	2.35	-
5700MHz	Pass	PK	5.6976G	108.49	Inf	-Inf	3	Horizontal	168	2.35	-
5700MHz	Pass	PK	5.726G	61.07	68.20	-7.13	3	Horizontal	168	2.35	-
5700MHz	Pass	AV	11.39358G	43.21	54.00	-10.79	3	Vertical	128	2.33	-
5700MHz	Pass	PK	11.40084G	55.74	74.00	-18.26	3	Vertical	128	2.33	-
5700MHz	Pass	AV	11.40654G	43.40	54.00	-10.60	3	Horizontal	218	2.23	-
5700MHz	Pass	PK	11.39538G	55.82	74.00	-18.18	3	Horizontal	218	2.23	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	41.34	54.00	-12.66	3	Vertical	187	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.20	Inf	-Inf	3	Vertical	187	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	52.78	68.20	-15.42	3	Vertical	187	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	116.16	Inf	-Inf	3	Vertical	187	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9456G	55.79	68.20	-12.41	3	Vertical	187	2.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	41.32	54.00	-12.68	3	Horizontal	69	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	98.59	Inf	-Inf	3	Horizontal	69	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	53.11	68.20	-15.09	3	Horizontal	69	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	109.60	Inf	-Inf	3	Horizontal	69	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	55.39	68.20	-12.81	3	Horizontal	69	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44042G	43.23	54.00	-10.77	3	Vertical	223	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44438G	56.82	74.00	-17.18	3	Vertical	223	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4271G	43.30	54.00	-10.70	3	Horizontal	89	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44312G	56.18	74.00	-17.82	3	Horizontal	89	2.38	-
5745MHz	Pass	AV	5.7462G	104.04	Inf	-Inf	3	Vertical	177	1.50	-
5745MHz	Pass	PK	5.6478G	56.05	68.20	-12.15	3	Vertical	177	1.50	-
5745MHz	Pass	PK	5.7462G	113.69	Inf	-Inf	3	Vertical	177	1.50	-
5745MHz	Pass	PK	5.9826G	56.24	68.20	-11.96	3	Vertical	177	1.50	-
5745MHz	Pass	AV	5.7462G	99.04	Inf	-Inf	3	Horizontal	68	1.90	-
5745MHz	Pass	PK	5.6094G	54.69	68.20	-13.51	3	Horizontal	68	1.90	-
5745MHz	Pass	PK	5.7486G	109.20	Inf	-Inf	3	Horizontal	68	1.90	-
5745MHz	Pass	PK	5.9526G	55.48	68.20	-12.72	3	Horizontal	68	1.90	-
5745MHz	Pass	AV	11.50032G	43.13	54.00	-10.87	3	Vertical	105	2.43	-
5745MHz	Pass	PK	11.48856G	56.79	74.00	-17.21	3	Vertical	105	2.43	-
5745MHz	Pass	AV	11.50242G	43.16	54.00	-10.84	3	Horizontal	215	1.89	-
5745MHz	Pass	PK	11.49486G	56.01	74.00	-17.99	3	Horizontal	215	1.89	-
5785MHz	Pass	AV	5.7838G	105.98	Inf	-Inf	3	Vertical	182	2.37	-
5785MHz	Pass	PK	5.6086G	54.44	68.20	-13.76	3	Vertical	182	2.37	-
5785MHz	Pass	PK	5.7862G	115.83	Inf	-Inf	3	Vertical	182	2.37	-
5785MHz	Pass	PK	5.9254G	56.00	68.20	-12.20	3	Vertical	182	2.37	-
5785MHz	Pass	AV	5.7838G	101.73	Inf	-Inf	3	Horizontal	168	2.03	-
5785MHz	Pass	PK	5.6242G	54.94	68.20	-13.26	3	Horizontal	168	2.03	-
5785MHz	Pass	PK	5.7862G	111.93	Inf	-Inf	3	Horizontal	168	2.03	-
5785MHz	Pass	PK	5.977G	55.45	68.20	-12.75	3	Horizontal	168	2.03	-
5785MHz	Pass	AV	11.57498G	43.46	54.00	-10.54	3	Vertical	34	1.75	-
5785MHz	Pass	PK	11.5664G	56.49	74.00	-17.51	3	Vertical	34	1.75	-
5785MHz	Pass	AV	11.55764G	43.36	54.00	-10.64	3	Horizontal	164	1.16	-
5785MHz	Pass	PK	11.57474G	55.78	74.00	-18.22	3	Horizontal	164	1.16	-
5825MHz	Pass	AV	5.8238G	104.46	Inf	-Inf	3	Vertical	177	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.6102G	55.26	68.20	-12.94	3	Vertical	177	1.50	-
5825MHz	Pass	PK	5.825G	113.91	Inf	-Inf	3	Vertical	177	1.50	-
5825MHz	Pass	PK	5.951G	56.03	68.20	-12.17	3	Vertical	177	1.50	-
5825MHz	Pass	AV	5.8238G	98.91	Inf	-Inf	3	Horizontal	63	1.07	-
5825MHz	Pass	PK	5.645G	54.54	68.20	-13.66	3	Horizontal	63	1.07	-
5825MHz	Pass	PK	5.8262G	108.78	Inf	-Inf	3	Horizontal	63	1.07	-
5825MHz	Pass	PK	5.9882G	55.13	68.20	-13.07	3	Horizontal	63	1.07	-
5825MHz	Pass	AV	11.65804G	43.96	54.00	-10.04	3	Vertical	98	2.25	-
5825MHz	Pass	PK	11.64862G	56.69	74.00	-17.31	3	Vertical	98	2.25	-
5825MHz	Pass	AV	11.6599G	43.87	54.00	-10.13	3	Horizontal	334	2.17	-
5825MHz	Pass	PK	11.64478G	56.51	74.00	-17.49	3	Horizontal	334	2.17	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.53	54.00	-2.47	3	Vertical	161	2.36	-
5180MHz	Pass	AV	5.179G	101.68	Inf	-Inf	3	Vertical	161	2.36	-
5180MHz	Pass	PK	5.1488G	66.65	74.00	-7.35	3	Vertical	161	2.36	-
5180MHz	Pass	PK	5.1792G	110.96	Inf	-Inf	3	Vertical	161	2.36	-
5180MHz	Pass	AV	5.1496G	49.95	54.00	-4.05	3	Horizontal	56	1.00	-
5180MHz	Pass	AV	5.179G	98.82	Inf	-Inf	3	Horizontal	56	1.00	-
5180MHz	Pass	PK	5.1488G	64.15	74.00	-9.85	3	Horizontal	56	1.00	-
5180MHz	Pass	PK	5.1792G	108.66	Inf	-Inf	3	Horizontal	56	1.00	-
5180MHz	Pass	PK	10.3513G	55.87	68.20	-12.33	3	Vertical	264	1.14	-
5180MHz	Pass	PK	10.37146G	57.23	68.20	-10.97	3	Horizontal	226	2.24	-
5200MHz	Pass	AV	5.1496G	47.61	54.00	-6.39	3	Vertical	161	1.00	-
5200MHz	Pass	AV	5.1992G	104.04	Inf	-Inf	3	Vertical	161	1.00	-
5200MHz	Pass	PK	5.15G	63.78	74.00	-10.22	3	Vertical	161	1.00	-
5200MHz	Pass	PK	5.1988G	113.99	Inf	-Inf	3	Vertical	161	1.00	-
5200MHz	Pass	AV	5.15G	50.03	54.00	-3.97	3	Horizontal	57	1.00	-
5200MHz	Pass	AV	5.2012G	99.71	Inf	-Inf	3	Horizontal	57	1.00	-
5200MHz	Pass	PK	5.1496G	66.07	74.00	-7.93	3	Horizontal	57	1.00	-
5200MHz	Pass	PK	5.1976G	110.22	Inf	-Inf	3	Horizontal	57	1.00	-
5200MHz	Pass	PK	10.39106G	56.34	68.20	-11.86	3	Vertical	50	1.66	-
5200MHz	Pass	PK	10.39442G	56.16	68.20	-12.04	3	Horizontal	38	2.42	-
5240MHz	Pass	AV	5.1278G	43.47	54.00	-10.53	3	Vertical	159	1.82	-
5240MHz	Pass	AV	5.2388G	103.17	Inf	-Inf	3	Vertical	159	1.82	-
5240MHz	Pass	AV	5.3618G	41.64	54.00	-12.36	3	Vertical	159	1.82	-
5240MHz	Pass	PK	5.1488G	57.33	74.00	-16.67	3	Vertical	159	1.82	-
5240MHz	Pass	PK	5.2382G	113.10	Inf	-Inf	3	Vertical	159	1.82	-
5240MHz	Pass	PK	5.3516G	53.92	74.00	-20.08	3	Vertical	159	1.82	-
5240MHz	Pass	AV	5.0984G	43.44	54.00	-10.56	3	Horizontal	58	1.00	-
5240MHz	Pass	AV	5.2388G	99.44	Inf	-Inf	3	Horizontal	58	1.00	-
5240MHz	Pass	AV	5.3726G	41.44	54.00	-12.56	3	Horizontal	58	1.00	-
5240MHz	Pass	PK	5.1494G	55.74	74.00	-18.26	3	Horizontal	58	1.00	-
5240MHz	Pass	PK	5.2388G	109.72	Inf	-Inf	3	Horizontal	58	1.00	-
5240MHz	Pass	PK	5.3606G	54.46	74.00	-19.54	3	Horizontal	58	1.00	-
5240MHz	Pass	PK	10.4848G	57.13	68.20	-11.07	3	Vertical	46	1.39	-
5240MHz	Pass	PK	10.48312G	56.62	68.20	-11.58	3	Horizontal	130	1.36	-
5260MHz	Pass	AV	5.1178G	43.27	54.00	-10.73	3	Vertical	165	2.14	-
5260MHz	Pass	AV	5.2612G	102.78	Inf	-Inf	3	Vertical	165	2.14	-
5260MHz	Pass	AV	5.35G	41.74	54.00	-12.26	3	Vertical	165	2.14	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.1484G	54.93	74.00	-19.07	3	Vertical	165	2.14	-
5260MHz	Pass	PK	5.2612G	113.21	Inf	-Inf	3	Vertical	165	2.14	-
5260MHz	Pass	PK	5.3866G	54.37	74.00	-19.63	3	Vertical	165	2.14	-
5260MHz	Pass	AV	5.1214G	43.30	54.00	-10.70	3	Horizontal	51	1.11	-
5260MHz	Pass	AV	5.2612G	98.54	Inf	-Inf	3	Horizontal	51	1.11	-
5260MHz	Pass	AV	5.3542G	41.52	54.00	-12.48	3	Horizontal	51	1.11	-
5260MHz	Pass	PK	5.128G	55.55	74.00	-18.45	3	Horizontal	51	1.11	-
5260MHz	Pass	PK	5.2612G	108.59	Inf	-Inf	3	Horizontal	51	1.11	-
5260MHz	Pass	PK	5.3596G	54.19	74.00	-19.81	3	Horizontal	51	1.11	-
5260MHz	Pass	PK	10.52108G	56.59	68.20	-11.61	3	Vertical	133	1.99	-
5260MHz	Pass	PK	10.52138G	57.13	68.20	-11.07	3	Horizontal	144	2.18	-
5300MHz	Pass	AV	5.2988G	103.35	Inf	-Inf	3	Vertical	170	2.40	-
5300MHz	Pass	AV	5.35G	51.90	54.00	-2.10	3	Vertical	170	2.40	-
5300MHz	Pass	PK	5.2992G	113.20	Inf	-Inf	3	Vertical	170	2.40	-
5300MHz	Pass	PK	5.35G	67.34	74.00	-6.66	3	Vertical	170	2.40	-
5300MHz	Pass	AV	5.2988G	98.60	Inf	-Inf	3	Horizontal	52	1.00	-
5300MHz	Pass	AV	5.3504G	47.91	54.00	-6.09	3	Horizontal	52	1.00	-
5300MHz	Pass	PK	5.3012G	109.37	Inf	-Inf	3	Horizontal	52	1.00	-
5300MHz	Pass	PK	5.3504G	62.98	74.00	-11.02	3	Horizontal	52	1.00	-
5300MHz	Pass	PK	10.59454G	56.44	68.20	-11.76	3	Vertical	77	1.49	-
5300MHz	Pass	PK	10.60432G	56.42	74.00	-17.58	3	Horizontal	225	1.92	-
5320MHz	Pass	AV	5.3192G	100.68	Inf	-Inf	3	Vertical	157	1.49	-
5320MHz	Pass	AV	5.35G	50.70	54.00	-3.30	3	Vertical	157	1.49	-
5320MHz	Pass	PK	5.3216G	110.24	Inf	-Inf	3	Vertical	157	1.49	-
5320MHz	Pass	PK	5.3506G	63.98	74.00	-10.02	3	Vertical	157	1.49	-
5320MHz	Pass	AV	5.321G	96.37	Inf	-Inf	3	Horizontal	52	1.12	-
5320MHz	Pass	AV	5.35G	47.00	54.00	-7.00	3	Horizontal	52	1.12	-
5320MHz	Pass	PK	5.3226G	106.11	Inf	-Inf	3	Horizontal	52	1.12	-
5320MHz	Pass	PK	5.3506G	59.83	74.00	-14.17	3	Horizontal	52	1.12	-
5320MHz	Pass	AV	10.62638G	43.66	54.00	-10.34	3	Vertical	239	1.83	-
5320MHz	Pass	PK	10.6418G	56.48	74.00	-17.52	3	Vertical	239	1.83	-
5320MHz	Pass	AV	10.62794G	43.59	54.00	-10.41	3	Horizontal	139	2.14	-
5320MHz	Pass	PK	10.63454G	55.72	74.00	-18.28	3	Horizontal	139	2.14	-
5500MHz	Pass	AV	5.4592G	44.47	54.00	-9.53	3	Vertical	174	1.67	-
5500MHz	Pass	AV	5.499G	101.12	Inf	-Inf	3	Vertical	174	1.67	-
5500MHz	Pass	PK	5.4692G	66.50	68.20	-1.70	3	Vertical	174	1.67	-
5500MHz	Pass	PK	5.4986G	110.65	Inf	-Inf	3	Vertical	174	1.67	-
5500MHz	Pass	AV	5.4588G	42.12	54.00	-11.88	3	Horizontal	42	1.32	-
5500MHz	Pass	AV	5.499G	94.50	Inf	-Inf	3	Horizontal	42	1.32	-
5500MHz	Pass	PK	5.4668G	58.94	68.20	-9.26	3	Horizontal	42	1.32	-
5500MHz	Pass	PK	5.499G	104.20	Inf	-Inf	3	Horizontal	42	1.32	-
5500MHz	Pass	AV	10.99862G	44.76	54.00	-9.24	3	Vertical	64	2.24	-
5500MHz	Pass	PK	10.99376G	57.72	74.00	-16.28	3	Vertical	64	2.24	-
5500MHz	Pass	AV	10.99004G	44.23	54.00	-9.77	3	Horizontal	265	1.45	-
5500MHz	Pass	PK	10.98782G	57.45	74.00	-16.55	3	Horizontal	265	1.45	-
5580MHz	Pass	AV	5.4546G	41.64	54.00	-12.36	3	Vertical	185	2.38	-
5580MHz	Pass	AV	5.5788G	105.14	Inf	-Inf	3	Vertical	185	2.38	-
5580MHz	Pass	PK	5.4678G	53.90	68.20	-14.30	3	Vertical	185	2.38	-
5580MHz	Pass	PK	5.577G	115.02	Inf	-Inf	3	Vertical	185	2.38	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.7264G	54.85	68.20	-13.35	3	Vertical	185	2.38	-
5580MHz	Pass	AV	5.4528G	41.61	54.00	-12.39	3	Horizontal	128	2.34	-
5580MHz	Pass	AV	5.5788G	104.80	Inf	-Inf	3	Horizontal	128	2.34	-
5580MHz	Pass	PK	5.4624G	53.43	68.20	-14.77	3	Horizontal	128	2.34	-
5580MHz	Pass	PK	5.5806G	114.52	Inf	-Inf	3	Horizontal	128	2.34	-
5580MHz	Pass	PK	5.7294G	54.89	68.20	-13.31	3	Horizontal	128	2.34	-
5580MHz	Pass	AV	11.15256G	44.60	54.00	-9.40	3	Vertical	348	1.79	-
5580MHz	Pass	PK	11.1585G	57.95	74.00	-16.05	3	Vertical	348	1.79	-
5580MHz	Pass	AV	11.17416G	44.69	54.00	-9.31	3	Horizontal	154	1.81	-
5580MHz	Pass	PK	11.15808G	57.88	74.00	-16.12	3	Horizontal	154	1.81	-
5700MHz	Pass	AV	5.6992G	101.12	Inf	-Inf	3	Vertical	184	2.18	-
5700MHz	Pass	PK	5.7008G	110.73	Inf	-Inf	3	Vertical	184	2.18	-
5700MHz	Pass	PK	5.7256G	65.36	68.20	-2.84	3	Vertical	184	2.18	-
5700MHz	Pass	AV	5.6992G	100.02	Inf	-Inf	3	Horizontal	122	2.36	-
5700MHz	Pass	PK	5.7024G	110.18	Inf	-Inf	3	Horizontal	122	2.36	-
5700MHz	Pass	PK	5.7252G	65.74	68.20	-2.46	3	Horizontal	122	2.36	-
5700MHz	Pass	AV	11.39196G	43.28	54.00	-10.72	3	Vertical	76	2.25	-
5700MHz	Pass	PK	11.40918G	56.43	74.00	-17.57	3	Vertical	76	2.25	-
5700MHz	Pass	AV	11.39904G	43.34	54.00	-10.66	3	Horizontal	39	2.05	-
5700MHz	Pass	PK	11.41158G	56.02	74.00	-17.98	3	Horizontal	39	2.05	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	41.47	54.00	-12.53	3	Vertical	186	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	105.80	Inf	-Inf	3	Vertical	186	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.60	68.20	-14.60	3	Vertical	186	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	115.79	Inf	-Inf	3	Vertical	186	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	55.69	68.20	-12.51	3	Vertical	186	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	41.48	54.00	-12.52	3	Horizontal	125	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	105.06	Inf	-Inf	3	Horizontal	125	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.33	68.20	-14.87	3	Horizontal	125	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	115.01	Inf	-Inf	3	Horizontal	125	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	56.55	68.20	-11.65	3	Horizontal	125	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42716G	43.17	54.00	-10.83	3	Vertical	151	1.29	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42986G	56.17	74.00	-17.83	3	Vertical	151	1.29	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4379G	43.22	54.00	-10.78	3	Horizontal	269	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4304G	55.70	74.00	-18.30	3	Horizontal	269	1.71	-
5745MHz	Pass	AV	5.7462G	105.66	Inf	-Inf	3	Vertical	182	2.38	-
5745MHz	Pass	PK	5.6454G	54.94	68.20	-13.26	3	Vertical	182	2.38	-
5745MHz	Pass	PK	5.7438G	115.24	Inf	-Inf	3	Vertical	182	2.38	-
5745MHz	Pass	PK	5.9394G	55.89	68.20	-12.31	3	Vertical	182	2.38	-
5745MHz	Pass	AV	5.7438G	100.56	Inf	-Inf	3	Horizontal	169	2.29	-
5745MHz	Pass	PK	5.6226G	55.23	68.20	-12.97	3	Horizontal	169	2.29	-
5745MHz	Pass	PK	5.7474G	110.27	Inf	-Inf	3	Horizontal	169	2.29	-
5745MHz	Pass	PK	5.985G	55.85	68.20	-12.35	3	Horizontal	169	2.29	-
5745MHz	Pass	AV	11.48448G	43.17	54.00	-10.83	3	Vertical	354	1.65	-
5745MHz	Pass	PK	11.48724G	56.61	74.00	-17.39	3	Vertical	354	1.65	-
5745MHz	Pass	AV	11.47686G	43.31	54.00	-10.69	3	Horizontal	121	2.09	-
5745MHz	Pass	PK	11.50416G	55.41	74.00	-18.59	3	Horizontal	121	2.09	-
5785MHz	Pass	AV	5.7838G	104.32	Inf	-Inf	3	Vertical	178	1.50	-
5785MHz	Pass	PK	5.6206G	56.10	68.20	-12.10	3	Vertical	178	1.50	-
5785MHz	Pass	PK	5.7826G	114.11	Inf	-Inf	3	Vertical	178	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.929G	55.20	68.20	-13.00	3	Vertical	178	1.50	-
5785MHz	Pass	AV	5.7838G	98.14	Inf	-Inf	3	Horizontal	63	1.04	-
5785MHz	Pass	PK	5.6326G	55.18	68.20	-13.02	3	Horizontal	63	1.04	-
5785MHz	Pass	PK	5.7826G	108.43	Inf	-Inf	3	Horizontal	63	1.04	-
5785MHz	Pass	PK	5.9254G	55.81	68.20	-12.39	3	Horizontal	63	1.04	-
5785MHz	Pass	AV	11.57144G	43.39	54.00	-10.61	3	Vertical	283	1.41	-
5785MHz	Pass	PK	11.57018G	56.43	74.00	-17.57	3	Vertical	283	1.41	-
5785MHz	Pass	AV	11.56568G	43.48	54.00	-10.52	3	Horizontal	341	1.98	-
5785MHz	Pass	PK	11.58014G	56.09	74.00	-17.91	3	Horizontal	341	1.98	-
5825MHz	Pass	AV	5.8238G	105.47	Inf	-Inf	3	Vertical	184	2.33	-
5825MHz	Pass	PK	5.6222G	54.68	68.20	-13.52	3	Vertical	184	2.33	-
5825MHz	Pass	PK	5.8238G	115.54	Inf	-Inf	3	Vertical	184	2.33	-
5825MHz	Pass	PK	5.9702G	56.21	68.20	-11.99	3	Vertical	184	2.33	-
5825MHz	Pass	AV	5.8238G	101.90	Inf	-Inf	3	Horizontal	167	2.19	-
5825MHz	Pass	PK	5.5262G	54.53	68.20	-13.67	3	Horizontal	167	2.19	-
5825MHz	Pass	PK	5.8238G	111.50	Inf	-Inf	3	Horizontal	167	2.19	-
5825MHz	Pass	PK	5.933G	56.74	68.20	-11.46	3	Horizontal	167	2.19	-
5825MHz	Pass	AV	11.65798G	43.76	54.00	-10.24	3	Vertical	270	2.35	-
5825MHz	Pass	PK	11.64574G	57.37	74.00	-16.63	3	Vertical	270	2.35	-
5825MHz	Pass	AV	11.65072G	44.03	54.00	-9.97	3	Horizontal	326	1.91	-
5825MHz	Pass	PK	11.65366G	57.09	74.00	-16.91	3	Horizontal	326	1.91	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.26	54.00	-1.74	3	Vertical	162	1.01	-
5190MHz	Pass	AV	5.1928G	97.51	Inf	-Inf	3	Vertical	162	1.01	-
5190MHz	Pass	PK	5.148G	64.18	74.00	-9.82	3	Vertical	162	1.01	-
5190MHz	Pass	PK	5.1876G	106.34	Inf	-Inf	3	Vertical	162	1.01	-
5190MHz	Pass	AV	5.1496G	48.90	54.00	-5.10	3	Horizontal	57	1.00	-
5190MHz	Pass	AV	5.1884G	92.90	Inf	-Inf	3	Horizontal	57	1.00	-
5190MHz	Pass	PK	5.1496G	60.90	74.00	-13.10	3	Horizontal	57	1.00	-
5190MHz	Pass	PK	5.1928G	101.97	Inf	-Inf	3	Horizontal	57	1.00	-
5190MHz	Pass	PK	10.37622G	56.38	68.20	-11.82	3	Vertical	250	2.38	-
5190MHz	Pass	PK	10.36734G	55.87	68.20	-12.33	3	Horizontal	242	2.35	-
5230MHz	Pass	AV	5.1496G	48.71	54.00	-5.29	3	Vertical	169	2.42	-
5230MHz	Pass	AV	5.2328G	101.21	Inf	-Inf	3	Vertical	169	2.42	-
5230MHz	Pass	PK	5.15G	61.26	74.00	-12.74	3	Vertical	169	2.42	-
5230MHz	Pass	PK	5.226G	110.43	Inf	-Inf	3	Vertical	169	2.42	-
5230MHz	Pass	AV	5.1464G	47.02	54.00	-6.98	3	Horizontal	57	1.00	-
5230MHz	Pass	AV	5.2328G	97.40	Inf	-Inf	3	Horizontal	57	1.00	-
5230MHz	Pass	PK	5.15G	58.89	74.00	-15.11	3	Horizontal	57	1.00	-
5230MHz	Pass	PK	5.2264G	106.99	Inf	-Inf	3	Horizontal	57	1.00	-
5230MHz	Pass	PK	10.46168G	56.72	68.20	-11.48	3	Vertical	120	2.44	-
5230MHz	Pass	PK	10.44848G	57.00	68.20	-11.20	3	Horizontal	26	2.36	-
5270MHz	Pass	AV	5.2684G	100.78	Inf	-Inf	3	Vertical	167	2.49	-
5270MHz	Pass	AV	5.352G	51.21	54.00	-2.79	3	Vertical	167	2.49	-
5270MHz	Pass	PK	5.2684G	109.61	Inf	-Inf	3	Vertical	167	2.49	-
5270MHz	Pass	PK	5.35G	63.94	74.00	-10.06	3	Vertical	167	2.49	-
5270MHz	Pass	AV	5.2672G	95.80	Inf	-Inf	3	Horizontal	52	1.11	-
5270MHz	Pass	AV	5.35G	47.12	54.00	-6.88	3	Horizontal	52	1.11	-
5270MHz	Pass	PK	5.2728G	105.52	Inf	-Inf	3	Horizontal	52	1.11	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	5.3528G	59.08	74.00	-14.92	3	Horizontal	52	1.11	-
5270MHz	Pass	PK	10.54546G	57.28	68.20	-10.92	3	Vertical	169	1.36	-
5270MHz	Pass	PK	10.53922G	57.55	68.20	-10.65	3	Horizontal	255	1.41	-
5310MHz	Pass	AV	5.3076G	94.94	Inf	-Inf	3	Vertical	163	1.12	-
5310MHz	Pass	AV	5.35G	51.78	54.00	-2.22	3	Vertical	163	1.12	-
5310MHz	Pass	PK	5.314G	104.73	Inf	-Inf	3	Vertical	163	1.12	-
5310MHz	Pass	PK	5.3512G	65.14	74.00	-8.86	3	Vertical	163	1.12	-
5310MHz	Pass	AV	5.3124G	89.26	Inf	-Inf	3	Horizontal	44	1.14	-
5310MHz	Pass	AV	5.3504G	47.33	54.00	-6.67	3	Horizontal	44	1.14	-
5310MHz	Pass	PK	5.3116G	98.27	Inf	-Inf	3	Horizontal	44	1.14	-
5310MHz	Pass	PK	5.3504G	60.18	74.00	-13.82	3	Horizontal	44	1.14	-
5310MHz	Pass	AV	10.61112G	44.75	54.00	-9.25	3	Vertical	282	1.66	-
5310MHz	Pass	PK	10.6218G	56.49	74.00	-17.51	3	Vertical	282	1.66	-
5310MHz	Pass	AV	10.60536G	44.51	54.00	-9.49	3	Horizontal	202	1.42	-
5310MHz	Pass	PK	10.61826G	57.03	74.00	-16.97	3	Horizontal	202	1.42	-
5510MHz	Pass	AV	5.46G	46.99	54.00	-7.01	3	Vertical	188	2.44	-
5510MHz	Pass	AV	5.5076G	97.53	Inf	-Inf	3	Vertical	188	2.44	-
5510MHz	Pass	PK	5.4696G	65.80	68.20	-2.40	3	Vertical	188	2.44	-
5510MHz	Pass	PK	5.508G	106.58	Inf	-Inf	3	Vertical	188	2.44	-
5510MHz	Pass	AV	5.46G	48.17	54.00	-5.83	3	Horizontal	129	2.52	-
5510MHz	Pass	AV	5.508G	98.05	Inf	-Inf	3	Horizontal	129	2.52	-
5510MHz	Pass	PK	5.4696G	66.04	68.20	-2.16	3	Horizontal	129	2.52	-
5510MHz	Pass	PK	5.5084G	106.91	Inf	-Inf	3	Horizontal	129	2.52	-
5510MHz	Pass	AV	11.03122G	45.27	54.00	-8.73	3	Vertical	51	2.10	-
5510MHz	Pass	PK	11.03368G	57.72	74.00	-16.28	3	Vertical	51	2.10	-
5510MHz	Pass	AV	11.02732G	45.63	54.00	-8.37	3	Horizontal	321	1.46	-
5510MHz	Pass	PK	11.01154G	57.47	74.00	-16.53	3	Horizontal	321	1.46	-
5550MHz	Pass	AV	5.4576G	45.52	54.00	-8.48	3	Vertical	181	2.40	-
5550MHz	Pass	AV	5.5524G	101.89	Inf	-Inf	3	Vertical	181	2.40	-
5550MHz	Pass	PK	5.4688G	61.44	68.20	-6.76	3	Vertical	181	2.40	-
5550MHz	Pass	PK	5.5464G	110.79	Inf	-Inf	3	Vertical	181	2.40	-
5550MHz	Pass	AV	5.458G	46.15	54.00	-7.85	3	Horizontal	128	2.46	-
5550MHz	Pass	AV	5.5488G	101.72	Inf	-Inf	3	Horizontal	128	2.46	-
5550MHz	Pass	PK	5.4668G	64.92	68.20	-3.28	3	Horizontal	128	2.46	-
5550MHz	Pass	PK	5.5536G	110.63	Inf	-Inf	3	Horizontal	128	2.46	-
5550MHz	Pass	AV	11.09988G	45.59	54.00	-8.41	3	Vertical	105	2.15	-
5550MHz	Pass	PK	11.0991G	58.22	74.00	-15.78	3	Vertical	105	2.15	-
5550MHz	Pass	AV	11.1042G	46.00	54.00	-8.00	3	Horizontal	92	2.37	-
5550MHz	Pass	PK	11.10162G	57.20	74.00	-16.80	3	Horizontal	92	2.37	-
5670MHz	Pass	AV	5.6724G	101.62	Inf	-Inf	3	Vertical	181	2.43	-
5670MHz	Pass	PK	5.6754G	110.52	Inf	-Inf	3	Vertical	181	2.43	-
5670MHz	Pass	PK	5.7282G	66.84	68.20	-1.36	3	Vertical	181	2.43	-
5670MHz	Pass	AV	5.667G	100.84	Inf	-Inf	3	Horizontal	121	2.38	-
5670MHz	Pass	PK	5.6664G	110.00	Inf	-Inf	3	Horizontal	121	2.38	-
5670MHz	Pass	PK	5.7276G	66.37	68.20	-1.83	3	Horizontal	121	2.38	-
5670MHz	Pass	AV	11.352G	44.07	54.00	-9.93	3	Vertical	86	1.48	-
5670MHz	Pass	PK	11.32854G	56.41	74.00	-17.59	3	Vertical	86	1.48	-
5670MHz	Pass	AV	11.33058G	44.09	54.00	-9.91	3	Horizontal	81	1.02	-
5670MHz	Pass	PK	11.34414G	55.99	74.00	-18.01	3	Horizontal	81	1.02	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4364G	42.71	54.00	-11.29	3	Vertical	183	2.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	103.14	Inf	-Inf	3	Vertical	183	2.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	53.48	68.20	-14.72	3	Vertical	183	2.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	112.54	Inf	-Inf	3	Vertical	183	2.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	57.78	68.20	-10.42	3	Vertical	183	2.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	42.28	54.00	-11.72	3	Horizontal	122	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	102.45	Inf	-Inf	3	Horizontal	122	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	53.41	68.20	-14.79	3	Horizontal	122	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	112.22	Inf	-Inf	3	Horizontal	122	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8708G	57.69	68.20	-10.51	3	Horizontal	122	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40896G	44.03	54.00	-9.97	3	Vertical	165	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41208G	56.03	74.00	-17.97	3	Vertical	165	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41004G	44.21	54.00	-9.79	3	Horizontal	185	1.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4281G	56.04	74.00	-17.96	3	Horizontal	185	1.09	-
5755MHz	Pass	AV	5.7586G	101.41	Inf	-Inf	3	Vertical	175	1.50	-
5755MHz	Pass	PK	5.653G	66.79	70.42	-3.63	3	Vertical	175	1.50	-
5755MHz	Pass	PK	5.7586G	111.07	Inf	-Inf	3	Vertical	175	1.50	-
5755MHz	Pass	PK	5.9866G	55.96	68.20	-12.24	3	Vertical	175	1.50	-
5755MHz	Pass	AV	5.7502G	95.87	Inf	-Inf	3	Horizontal	40	1.00	-
5755MHz	Pass	PK	5.6506G	59.29	68.64	-9.35	3	Horizontal	40	1.00	-
5755MHz	Pass	PK	5.7514G	105.21	Inf	-Inf	3	Horizontal	40	1.00	-
5755MHz	Pass	PK	5.9338G	55.56	68.20	-12.64	3	Horizontal	40	1.00	-
5755MHz	Pass	AV	11.52266G	44.15	54.00	-9.85	3	Vertical	110	1.17	-
5755MHz	Pass	PK	11.51768G	56.07	74.00	-17.93	3	Vertical	110	1.17	-
5755MHz	Pass	AV	11.50862G	44.23	54.00	-9.77	3	Horizontal	314	1.51	-
5755MHz	Pass	PK	11.50208G	56.02	74.00	-17.98	3	Horizontal	314	1.51	-
5795MHz	Pass	AV	5.7974G	102.85	Inf	-Inf	3	Vertical	180	2.45	-
5795MHz	Pass	PK	5.6402G	56.17	68.20	-12.03	3	Vertical	180	2.45	-
5795MHz	Pass	PK	5.7974G	112.95	Inf	-Inf	3	Vertical	180	2.45	-
5795MHz	Pass	PK	5.927G	58.24	68.20	-9.96	3	Vertical	180	2.45	-
5795MHz	Pass	AV	5.7974G	98.89	Inf	-Inf	3	Horizontal	164	2.09	-
5795MHz	Pass	PK	5.6486G	54.87	68.20	-13.33	3	Horizontal	164	2.09	-
5795MHz	Pass	PK	5.7962G	108.28	Inf	-Inf	3	Horizontal	164	2.09	-
5795MHz	Pass	PK	5.9894G	56.88	68.20	-11.32	3	Horizontal	164	2.09	-
5795MHz	Pass	AV	11.5916G	45.04	54.00	-8.96	3	Vertical	126	1.82	-
5795MHz	Pass	PK	11.587G	56.63	74.00	-17.37	3	Vertical	126	1.82	-
5795MHz	Pass	AV	11.59254G	44.65	54.00	-9.35	3	Horizontal	194	1.50	-
5795MHz	Pass	PK	11.59404G	56.77	74.00	-17.23	3	Horizontal	194	1.50	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.35	54.00	-1.65	3	Vertical	192	1.18	-
5210MHz	Pass	AV	5.217G	92.13	Inf	-Inf	3	Vertical	192	1.18	-
5210MHz	Pass	AV	5.46G	42.14	54.00	-11.86	3	Vertical	192	1.18	-
5210MHz	Pass	PK	5.147G	64.71	74.00	-9.29	3	Vertical	192	1.18	-
5210MHz	Pass	PK	5.229G	102.82	Inf	-Inf	3	Vertical	192	1.18	-
5210MHz	Pass	PK	5.43G	55.29	74.00	-18.71	3	Vertical	192	1.18	-
5210MHz	Pass	AV	5.15G	51.93	54.00	-2.07	3	Horizontal	222	1.00	-
5210MHz	Pass	AV	5.204G	90.92	Inf	-Inf	3	Horizontal	222	1.00	-
5210MHz	Pass	AV	5.362G	42.03	54.00	-11.97	3	Horizontal	222	1.00	-
5210MHz	Pass	PK	5.148G	62.81	74.00	-11.19	3	Horizontal	222	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.203G	101.74	Inf	-Inf	3	Horizontal	222	1.00	-
5210MHz	Pass	PK	5.458G	53.74	74.00	-20.26	3	Horizontal	222	1.00	-
5210MHz	Pass	PK	10.4207G	57.32	68.20	-10.88	3	Vertical	244	1.45	-
5210MHz	Pass	PK	10.42528G	57.66	68.20	-10.54	3	Horizontal	77	2.40	-
5290MHz	Pass	AV	5.104G	43.73	54.00	-10.27	3	Vertical	170	2.67	-
5290MHz	Pass	AV	5.297G	90.81	Inf	-Inf	3	Vertical	170	2.67	-
5290MHz	Pass	AV	5.35G	50.92	54.00	-3.08	3	Vertical	170	2.67	-
5290MHz	Pass	PK	5.07G	55.53	74.00	-18.47	3	Vertical	170	2.67	-
5290MHz	Pass	PK	5.301G	99.56	Inf	-Inf	3	Vertical	170	2.67	-
5290MHz	Pass	PK	5.35G	61.18	74.00	-12.82	3	Vertical	170	2.67	-
5290MHz	Pass	AV	5.067G	43.40	54.00	-10.60	3	Horizontal	134	2.31	-
5290MHz	Pass	AV	5.282G	91.46	Inf	-Inf	3	Horizontal	134	2.31	-
5290MHz	Pass	AV	5.35G	52.16	54.00	-1.84	3	Horizontal	134	2.31	-
5290MHz	Pass	PK	5.081G	55.08	74.00	-18.92	3	Horizontal	134	2.31	-
5290MHz	Pass	PK	5.284G	100.62	Inf	-Inf	3	Horizontal	134	2.31	-
5290MHz	Pass	PK	5.353G	63.10	74.00	-10.90	3	Horizontal	134	2.31	-
5290MHz	Pass	PK	10.58086G	58.51	68.20	-9.69	3	Vertical	258	2.10	-
5290MHz	Pass	PK	10.58114G	58.16	68.20	-10.04	3	Horizontal	146	1.15	-
5530MHz	Pass	AV	5.458G	50.04	54.00	-3.96	3	Vertical	188	2.25	-
5530MHz	Pass	AV	5.535G	92.73	Inf	-Inf	3	Vertical	188	2.25	-
5530MHz	Pass	PK	5.468G	62.42	68.20	-5.78	3	Vertical	188	2.25	-
5530MHz	Pass	PK	5.524G	101.83	Inf	-Inf	3	Vertical	188	2.25	-
5530MHz	Pass	PK	5.779G	54.80	68.20	-13.40	3	Vertical	188	2.25	-
5530MHz	Pass	AV	5.46G	52.04	54.00	-1.96	3	Horizontal	129	2.48	-
5530MHz	Pass	AV	5.536G	94.37	Inf	-Inf	3	Horizontal	129	2.48	-
5530MHz	Pass	PK	5.469G	64.25	68.20	-3.95	3	Horizontal	129	2.48	-
5530MHz	Pass	PK	5.523G	103.23	Inf	-Inf	3	Horizontal	129	2.48	-
5530MHz	Pass	PK	5.743G	54.79	68.20	-13.41	3	Horizontal	129	2.48	-
5530MHz	Pass	AV	11.05842G	47.25	54.00	-6.75	3	Vertical	230	2.18	-
5530MHz	Pass	PK	11.06828G	58.92	74.00	-15.08	3	Vertical	230	2.18	-
5530MHz	Pass	AV	11.06084G	46.95	54.00	-7.05	3	Horizontal	289	2.28	-
5530MHz	Pass	PK	11.0604G	58.69	74.00	-15.31	3	Horizontal	289	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	42.67	54.00	-11.33	3	Vertical	188	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	99.43	Inf	-Inf	3	Vertical	188	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	53.08	68.20	-15.12	3	Vertical	188	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	108.99	Inf	-Inf	3	Vertical	188	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.35	68.20	-3.85	3	Vertical	188	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	42.79	54.00	-11.21	3	Horizontal	120	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	99.17	Inf	-Inf	3	Horizontal	120	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.90	68.20	-13.30	3	Horizontal	120	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	109.03	Inf	-Inf	3	Horizontal	120	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.37	68.20	-2.83	3	Horizontal	120	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38034G	46.46	54.00	-7.54	3	Vertical	131	1.53	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38016G	58.16	74.00	-15.84	3	Vertical	131	1.53	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38138G	46.44	54.00	-7.56	3	Horizontal	10	2.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38002G	58.71	74.00	-15.29	3	Horizontal	10	2.06	-
5775MHz	Pass	AV	5.7822G	98.95	Inf	-Inf	3	Vertical	188	2.19	-
5775MHz	Pass	PK	5.6502G	66.96	68.35	-1.39	3	Vertical	188	2.19	-
5775MHz	Pass	PK	5.7678G	108.40	Inf	-Inf	3	Vertical	188	2.19	-






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.9238G	62.09	69.09	-7.00	3	Vertical	188	2.19	-
5775MHz	Pass	AV	5.7798G	98.10	Inf	-Inf	3	Horizontal	115	2.76	-
5775MHz	Pass	PK	5.6478G	65.73	68.20	-2.47	3	Horizontal	115	2.76	-
5775MHz	Pass	PK	5.7678G	107.29	Inf	-Inf	3	Horizontal	115	2.76	-
5775MHz	Pass	PK	5.9274G	64.70	68.20	-3.50	3	Horizontal	115	2.76	-
5775MHz	Pass	AV	11.55028G	46.30	54.00	-7.70	3	Vertical	160	1.25	-
5775MHz	Pass	PK	11.5509G	58.89	74.00	-15.11	3	Vertical	160	1.25	-
5775MHz	Pass	AV	11.54538G	46.22	54.00	-7.78	3	Horizontal	26	1.30	-
5775MHz	Pass	PK	11.55078G	59.40	74.00	-14.60	3	Horizontal	26	1.30	-

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	50.61	54.00	-3.39	6.59	3	Vertical	79	2.88	-	44.02	31.80	9.06	34.27
AV	5.1812G	100.06	Inf	-Inf	6.46	3	Vertical	79	2.88	-	93.60	31.68	9.06	34.28
PK	5.1498G	65.08	74.00	-8.92	6.59	3	Vertical	79	2.88	-	58.49	31.80	9.06	34.27
PK	5.1812G	109.59	Inf	-Inf	6.46	3	Vertical	79	2.88	-	103.13	31.68	9.06	34.28

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.79	54.00	-2.21	6.59	3	Horizontal	175	2.68	-	45.20	31.80	9.06	34.27
AV	5.179G	101.12	Inf	-Inf	6.46	3	Horizontal	175	2.68	-	94.66	31.68	9.06	34.28
PK	5.1488G	65.94	74.00	-8.06	6.59	3	Horizontal	175	2.68	-	59.35	31.80	9.06	34.27
PK	5.1816G	110.70	Inf	-Inf	6.45	3	Horizontal	175	2.68	-	104.25	31.67	9.06	34.28



802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37464G	56.07	68.20	-12.13	16.72	3	Vertical	152	1.32	-	39.35	39.39	11.95	34.62



802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36008G	55.81	68.20	-12.39	16.69	3	Horizontal	195	1.87	-	39.12	39.37	11.95	34.63

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.38	54.00	-4.62	6.59	3	Vertical	170	1.05	-	42.79	31.80	9.06	34.27
AV	5.1988G	105.03	Inf	-Inf	6.38	3	Vertical	170	1.05	-	98.65	31.60	9.06	34.28
PK	5.1496G	62.68	74.00	-11.32	6.59	3	Vertical	170	1.05	-	56.09	31.80	9.06	34.27
PK	5.1992G	114.46	Inf	-Inf	6.38	3	Vertical	170	1.05	-	108.08	31.60	9.06	34.28

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.52	54.00	-8.48	6.59	3	Horizontal	52	1.08	-	38.93	31.80	9.06	34.27
AV	5.1984G	99.84	Inf	-Inf	6.39	3	Horizontal	52	1.08	-	93.45	31.61	9.06	34.28
PK	5.1496G	58.12	74.00	-15.88	6.59	3	Horizontal	52	1.08	-	51.53	31.80	9.06	34.27
PK	5.2036G	110.44	Inf	-Inf	6.37	3	Horizontal	52	1.08	-	104.07	31.59	9.06	34.28

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40114G	57.58	68.20	-10.62	16.78	3	Vertical	182	1.34	-	40.80	39.42	11.97	34.61



802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40026G	56.15	68.20	-12.05	16.78	3	Horizontal	167	2.01	-	39.37	39.42	11.97	34.61

802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.45	54.00	-10.55	6.59	3	Vertical	63	2.91	-	36.86	31.80	9.06	34.27
AV	5.2406G	100.75	Inf	-Inf	6.23	3	Vertical	63	2.91	-	94.52	31.44	9.08	34.29
AV	5.3774G	41.55	54.00	-12.45	6.27	3	Vertical	63	2.91	-	35.28	31.43	9.15	34.31
PK	5.1374G	55.37	74.00	-18.63	6.64	3	Vertical	63	2.91	-	48.73	31.85	9.06	34.27
PK	5.2418G	111.60	Inf	-Inf	6.22	3	Vertical	63	2.91	-	105.38	31.43	9.08	34.29
PK	5.3582G	53.66	74.00	-20.34	6.20	3	Vertical	63	2.91	-	47.46	31.37	9.14	34.31



802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	44.27	54.00	-9.73	6.60	3	Horizontal	135	2.35	-	37.67	31.81	9.06	34.27
AV	5.2388G	104.46	Inf	-Inf	6.23	3	Horizontal	135	2.35	-	98.23	31.44	9.08	34.29
AV	5.3522G	41.83	54.00	-12.17	6.19	3	Horizontal	135	2.35	-	35.64	31.36	9.14	34.31
PK	5.15G	57.28	74.00	-16.72	6.59	3	Horizontal	135	2.35	-	50.69	31.80	9.06	34.27
PK	5.2418G	115.57	Inf	-Inf	6.22	3	Horizontal	135	2.35	-	109.35	31.43	9.08	34.29
PK	5.351G	56.11	74.00	-17.89	6.18	3	Horizontal	135	2.35	-	49.93	31.35	9.14	34.31



802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4809G	56.71	68.20	-11.49	16.99	3	Vertical	155	1.00	-	39.72	39.53	12.01	34.55



### 802.11a\_Nss1,(6Mbps)\_1TX

13/08/2019

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47914G	56.94	68.20	-11.26	16.98	3	Horizontal	255	1.92	-	39.96	39.52	12.01	34.55



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	43.12	54.00	-10.88	6.63	3	Vertical	155	1.00	-	36.49	31.84	9.06	34.27
AV	5.2612G	103.10	Inf	-Inf	6.16	3	Vertical	155	1.00	-	96.94	31.36	9.09	34.29
AV	5.3506G	42.74	54.00	-11.26	6.18	3	Vertical	155	1.00	-	36.56	31.35	9.14	34.31
PK	5.1328G	56.07	74.00	-17.93	6.66	3	Vertical	155	1.00	-	49.41	31.87	9.06	34.27
PK	5.2606G	113.06	Inf	-Inf	6.16	3	Vertical	155	1.00	-	106.90	31.36	9.09	34.29
PK	5.3554G	55.73	74.00	-18.27	6.20	3	Vertical	155	1.00	-	49.53	31.37	9.14	34.31

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.122G	43.11	54.00	-10.89	6.70	3	Horizontal	58	1.01	-	36.41	31.91	9.06	34.27
AV	5.2588G	101.10	Inf	-Inf	6.16	3	Horizontal	58	1.01	-	94.94	31.36	9.09	34.29
AV	5.3512G	42.20	54.00	-11.80	6.18	3	Horizontal	58	1.01	-	36.02	31.35	9.14	34.31
PK	5.1124G	55.70	74.00	-18.30	6.74	3	Horizontal	58	1.01	-	48.96	31.95	9.06	34.27
PK	5.2612G	111.43	Inf	-Inf	6.16	3	Horizontal	58	1.01	-	105.27	31.36	9.09	34.29
PK	5.3614G	55.51	74.00	-18.49	6.22	3	Horizontal	58	1.01	-	49.29	31.38	9.15	34.31



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5113G	56.26	68.20	-11.94	17.06	3	Vertical	1	2.42	-	39.20	39.56	12.03	34.53






802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52942G	56.38	68.20	-11.82	17.11	3	Horizontal	7	2.33	-	39.27	39.59	12.04	34.52

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	103.65	Inf	-Inf	6.01	3	Vertical	164	1.00	-	97.64	31.20	9.11	34.30
AV	5.35G	50.74	54.00	-3.26	6.18	3	Vertical	164	1.00	-	44.56	31.35	9.14	34.31
PK	5.2988G	113.43	Inf	-Inf	6.01	3	Vertical	164	1.00	-	107.42	31.20	9.11	34.30
PK	5.3544G	63.44	74.00	-10.56	6.19	3	Vertical	164	1.00	-	57.25	31.36	9.14	34.31



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	99.10	Inf	-Inf	6.01	3	Horizontal	53	1.00	-	93.09	31.20	9.11	34.30
AV	5.35G	46.66	54.00	-7.34	6.18	3	Horizontal	53	1.00	-	40.48	31.35	9.14	34.31
PK	5.298G	109.15	Inf	-Inf	6.02	3	Horizontal	53	1.00	-	103.13	31.21	9.11	34.30
PK	5.3516G	60.18	74.00	-13.82	6.18	3	Horizontal	53	1.00	-	54.00	31.35	9.14	34.31



### 802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

### 5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59076G	56.29	68.20	-11.91	17.27	3	Vertical	106	1.03	-	39.02	39.67	12.08	34.48



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60606G	56.22	74.00	-17.78	17.31	3	Horizontal	66	1.86	-	38.91	39.69	12.09	34.47

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	102.01	Inf	-Inf	6.08	3	Vertical	164	1.00	-	95.93	31.26	9.12	34.30
AV	5.3502G	52.97	54.00	-1.03	6.18	3	Vertical	164	1.00	-	46.79	31.35	9.14	34.31
PK	5.3218G	111.54	Inf	-Inf	6.09	3	Vertical	164	1.00	-	105.45	31.27	9.12	34.30
PK	5.3508G	66.35	74.00	-7.65	6.18	3	Vertical	164	1.00	-	60.17	31.35	9.14	34.31

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	97.14	Inf	-Inf	6.08	3	Horizontal	54	1.01	-	91.06	31.26	9.12	34.30
AV	5.35G	48.36	54.00	-5.64	6.18	3	Horizontal	54	1.01	-	42.18	31.35	9.14	34.31
PK	5.3178G	106.90	Inf	-Inf	6.07	3	Horizontal	54	1.01	-	100.83	31.25	9.12	34.30
PK	5.35G	62.16	74.00	-11.84	6.18	3	Horizontal	54	1.01	-	55.98	31.35	9.14	34.31

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62608G	43.79	54.00	-10.21	17.35	3	Vertical	142	2.48	-	26.44	39.71	12.10	34.46
PK	10.62542G	56.71	74.00	-17.29	17.35	3	Vertical	142	2.48	-	39.36	39.71	12.10	34.46






802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64324G	43.60	54.00	-10.40	17.40	3	Horizontal	20	2.14	-	26.20	39.74	12.11	34.45
PK	10.63028G	56.33	74.00	-17.67	17.37	3	Horizontal	20	2.14	-	38.96	39.72	12.10	34.45

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.71	54.00	-6.29	6.70	3	Vertical	177	1.49	-	41.01	31.68	9.18	34.16
AV	5.501G	101.33	Inf	-Inf	6.94	3	Vertical	177	1.49	-	94.39	31.80	9.20	34.06
PK	5.4686G	64.80	68.20	-3.40	6.76	3	Vertical	177	1.49	-	58.04	31.71	9.19	34.14
PK	5.4982G	111.15	Inf	-Inf	6.92	3	Vertical	177	1.49	-	104.23	31.79	9.19	34.06



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	43.75	54.00	-10.25	6.70	3	Horizontal	43	1.20	-	37.05	31.68	9.18	34.16
AV	5.5012G	95.59	Inf	-Inf	6.94	3	Horizontal	43	1.20	-	88.65	31.80	9.20	34.06
PK	5.4694G	58.26	68.20	-9.94	6.76	3	Horizontal	43	1.20	-	51.50	31.71	9.19	34.14
PK	5.5008G	105.14	Inf	-Inf	6.94	3	Horizontal	43	1.20	-	98.20	31.80	9.20	34.06



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00048G	44.46	54.00	-9.54	18.31	3	Vertical	181	1.63	-	26.15	40.20	12.32	34.21
PK	10.99502G	57.13	74.00	-16.87	18.29	3	Vertical	181	1.63	-	38.84	40.19	12.31	34.21



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01356G	44.27	54.00	-9.73	18.29	3	Horizontal	160	1.33	-	25.98	40.18	12.32	34.21
PK	10.98926G	57.08	74.00	-16.92	18.28	3	Horizontal	160	1.33	-	38.80	40.19	12.31	34.22

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	41.54	54.00	-12.46	6.62	3	Vertical	178	2.38	-	34.92	31.64	9.18	34.20
AV	5.5812G	103.37	Inf	-Inf	6.57	3	Vertical	178	2.38	-	96.80	31.64	9.22	34.29
PK	5.463G	54.09	68.20	-14.11	6.72	3	Vertical	178	2.38	-	47.37	31.69	9.18	34.15
PK	5.5806G	114.42	Inf	-Inf	6.57	3	Vertical	178	2.38	-	107.85	31.64	9.22	34.29
PK	5.7282G	53.94	68.20	-14.26	6.90	3	Vertical	178	2.38	-	47.04	31.88	9.38	34.36

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	41.71	54.00	-12.29	6.70	3	Horizontal	130	2.45	-	35.01	31.68	9.18	34.16
AV	5.5812G	105.76	Inf	-Inf	6.57	3	Horizontal	130	2.45	-	99.19	31.64	9.22	34.29
PK	5.4636G	54.76	68.20	-13.44	6.72	3	Horizontal	130	2.45	-	48.04	31.69	9.18	34.15
PK	5.5806G	116.37	Inf	-Inf	6.57	3	Horizontal	130	2.45	-	109.80	31.64	9.22	34.29
PK	5.7252G	54.88	68.20	-13.32	6.90	3	Horizontal	130	2.45	-	47.98	31.88	9.38	34.36



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16174G	44.51	54.00	-9.49	18.18	3	Vertical	149	2.04	-	26.33	39.99	12.41	34.22
PK	11.16942G	57.18	74.00	-16.82	18.17	3	Vertical	149	2.04	-	39.01	39.98	12.41	34.22






802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15184G	44.67	54.00	-9.33	18.18	3	Horizontal	140	1.35	-	26.49	40.00	12.40	34.22
PK	11.1747G	57.64	74.00	-16.36	18.17	3	Horizontal	140	1.35	-	39.47	39.97	12.42	34.22

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	103.11	Inf	-Inf	6.80	3	Vertical	186	2.38	-	96.31	31.80	9.35	34.35
PK	5.6984G	113.15	Inf	-Inf	6.79	3	Vertical	186	2.38	-	106.36	31.80	9.34	34.35
PK	5.726G	65.94	68.20	-2.26	6.90	3	Vertical	186	2.38	-	59.04	31.88	9.38	34.36



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	98.82	Inf	-Inf	6.79	3	Horizontal	168	2.35	-	92.03	31.80	9.34	34.35
PK	5.6976G	108.49	Inf	-Inf	6.79	3	Horizontal	168	2.35	-	101.70	31.80	9.34	34.35
PK	5.726G	61.07	68.20	-7.13	6.90	3	Horizontal	168	2.35	-	54.17	31.88	9.38	34.36



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39358G	43.21	54.00	-10.79	18.00	3	Vertical	128	2.33	-	25.21	39.69	12.54	34.23
PK	11.40084G	55.74	74.00	-18.26	18.00	3	Vertical	128	2.33	-	37.74	39.68	12.55	34.23



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40654G	43.40	54.00	-10.60	17.99	3	Horizontal	218	2.23	-	25.41	39.67	12.55	34.23
PK	11.39538G	55.82	74.00	-18.18	18.00	3	Horizontal	218	2.23	-	37.82	39.69	12.54	34.23

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	41.34	54.00	-12.66	6.66	3	Vertical	187	2.53	-	34.68	31.66	9.18	34.18
AV	5.7212G	106.20	Inf	-Inf	6.88	3	Vertical	187	2.53	-	99.32	31.86	9.37	34.35
PK	5.462G	52.78	68.20	-15.42	6.71	3	Vertical	187	2.53	-	46.07	31.69	9.18	34.16
PK	5.7212G	116.16	Inf	-Inf	6.88	3	Vertical	187	2.53	-	109.28	31.86	9.37	34.35
PK	5.9456G	55.79	68.20	-12.41	7.67	3	Vertical	187	2.53	-	48.12	32.40	9.54	34.27

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	41.32	54.00	-12.68	6.55	3	Horizontal	69	1.00	-	34.77	31.60	9.18	34.23
AV	5.7212G	98.59	Inf	-Inf	6.88	3	Horizontal	69	1.00	-	91.71	31.86	9.37	34.35
PK	5.4656G	53.11	68.20	-15.09	6.74	3	Horizontal	69	1.00	-	46.37	31.70	9.19	34.15
PK	5.7224G	109.60	Inf	-Inf	6.89	3	Horizontal	69	1.00	-	102.71	31.87	9.37	34.35
PK	5.9768G	55.39	68.20	-12.81	7.75	3	Horizontal	69	1.00	-	47.64	32.40	9.55	34.20



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44042G	43.23	54.00	-10.77	17.97	3	Vertical	223	1.27	-	25.26	39.63	12.57	34.23
PK	11.44438G	56.82	74.00	-17.18	17.96	3	Vertical	223	1.27	-	38.86	39.62	12.57	34.23






802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4271G	43.30	54.00	-10.70	17.97	3	Horizontal	89	2.38	-	25.33	39.64	12.56	34.23
PK	11.44312G	56.18	74.00	-17.82	17.96	3	Horizontal	89	2.38	-	38.22	39.62	12.57	34.23

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.04	Inf	-Inf	6.98	3	Vertical	177	1.50	-	97.06	31.94	9.40	34.36
PK	5.6478G	56.05	68.20	-12.15	6.64	3	Vertical	177	1.50	-	49.41	31.70	9.28	34.34
PK	5.7462G	113.69	Inf	-Inf	6.98	3	Vertical	177	1.50	-	106.71	31.94	9.40	34.36
PK	5.9826G	56.24	68.20	-11.96	7.78	3	Vertical	177	1.50	-	48.46	32.40	9.56	34.18

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	99.04	Inf	-Inf	6.98	3	Horizontal	68	1.90	-	92.06	31.94	9.40	34.36
PK	5.6094G	54.69	68.20	-13.51	6.51	3	Horizontal	68	1.90	-	48.18	31.62	9.23	34.34
PK	5.7486G	109.20	Inf	-Inf	6.99	3	Horizontal	68	1.90	-	102.21	31.95	9.40	34.36
PK	5.9526G	55.48	68.20	-12.72	7.69	3	Horizontal	68	1.90	-	47.79	32.40	9.54	34.25

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50032G	43.13	54.00	-10.87	17.91	3	Vertical	105	2.43	-	25.22	39.55	12.60	34.24
PK	11.48856G	56.79	74.00	-17.21	17.93	3	Vertical	105	2.43	-	38.86	39.56	12.60	34.23

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50242G	43.16	54.00	-10.84	17.92	3	Horizontal	215	1.89	-	25.24	39.55	12.61	34.24
PK	11.49486G	56.01	74.00	-17.99	17.93	3	Horizontal	215	1.89	-	38.08	39.56	12.60	34.23

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	105.98	Inf	-Inf	7.13	3	Vertical	182	2.37	-	98.85	32.05	9.45	34.37
PK	5.6086G	54.44	68.20	-13.76	6.51	3	Vertical	182	2.37	-	47.93	31.62	9.23	34.34
PK	5.7862G	115.83	Inf	-Inf	7.14	3	Vertical	182	2.37	-	108.69	32.06	9.45	34.37
PK	5.9254G	56.00	68.20	-12.20	7.61	3	Vertical	182	2.37	-	48.39	32.40	9.53	34.32

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	101.73	Inf	-Inf	7.13	3	Horizontal	168	2.03	-	94.60	32.05	9.45	34.37
PK	5.6242G	54.94	68.20	-13.26	6.56	3	Horizontal	168	2.03	-	48.38	31.65	9.25	34.34
PK	5.7862G	111.93	Inf	-Inf	7.14	3	Horizontal	168	2.03	-	104.79	32.06	9.45	34.37
PK	5.977G	55.45	68.20	-12.75	7.75	3	Horizontal	168	2.03	-	47.70	32.40	9.55	34.20



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57498G	43.46	54.00	-10.54	17.86	3	Vertical	34	1.75	-	25.60	39.45	12.65	34.24
PK	11.5664G	56.49	74.00	-17.51	17.86	3	Vertical	34	1.75	-	38.63	39.46	12.64	34.24



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55764G	43.36	54.00	-10.64	17.88	3	Horizontal	164	1.16	-	25.48	39.48	12.64	34.24
PK	11.57474G	55.78	74.00	-18.22	17.86	3	Horizontal	164	1.16	-	37.92	39.45	12.65	34.24



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	104.46	Inf	-Inf	7.28	3	Vertical	177	1.50	-	97.18	32.17	9.48	34.37
PK	5.6102G	55.26	68.20	-12.94	6.52	3	Vertical	177	1.50	-	48.74	31.62	9.24	34.34
PK	5.825G	113.91	Inf	-Inf	7.28	3	Vertical	177	1.50	-	106.63	32.17	9.48	34.37
PK	5.951G	56.03	68.20	-12.17	7.68	3	Vertical	177	1.50	-	48.35	32.40	9.54	34.26

802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	98.91	Inf	-Inf	7.28	3	Horizontal	63	1.07	-	91.63	32.17	9.48	34.37
PK	5.645G	54.54	68.20	-13.66	6.63	3	Horizontal	63	1.07	-	47.91	31.69	9.28	34.34
PK	5.8262G	108.78	Inf	-Inf	7.29	3	Horizontal	63	1.07	-	101.49	32.18	9.48	34.37
PK	5.9882G	55.13	68.20	-13.07	7.79	3	Horizontal	63	1.07	-	47.34	32.40	9.56	34.17



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65804G	43.96	54.00	-10.04	17.80	3	Vertical	98	2.25	-	26.16	39.34	12.70	34.24
PK	11.64862G	56.69	74.00	-17.31	17.81	3	Vertical	98	2.25	-	38.88	39.36	12.69	34.24



802.11a\_Nss1,(6Mbps)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6599G	43.87	54.00	-10.13	17.80	3	Horizontal	334	2.17	-	26.07	39.34	12.70	34.24
PK	11.64478G	56.51	74.00	-17.49	17.81	3	Horizontal	334	2.17	-	38.70	39.36	12.69	34.24

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.53	54.00	-2.47	6.59	3	Vertical	161	2.36	-	44.94	31.80	9.06	34.27
AV	5.179G	101.68	Inf	-Inf	6.46	3	Vertical	161	2.36	-	95.22	31.68	9.06	34.28
PK	5.1488G	66.65	74.00	-7.35	6.59	3	Vertical	161	2.36	-	60.06	31.80	9.06	34.27
PK	5.1792G	110.96	Inf	-Inf	6.46	3	Vertical	161	2.36	-	104.50	31.68	9.06	34.28

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.95	54.00	-4.05	6.59	3	Horizontal	56	1.00	-	43.36	31.80	9.06	34.27
AV	5.179G	98.82	Inf	-Inf	6.46	3	Horizontal	56	1.00	-	92.36	31.68	9.06	34.28
PK	5.1488G	64.15	74.00	-9.85	6.59	3	Horizontal	56	1.00	-	57.56	31.80	9.06	34.27
PK	5.1792G	108.66	Inf	-Inf	6.46	3	Horizontal	56	1.00	-	102.20	31.68	9.06	34.28



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3513G	55.87	68.20	-12.33	16.66	3	Vertical	264	1.14	-	39.21	39.36	11.94	34.64






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37146G	57.23	68.20	-10.97	16.71	3	Horizontal	226	2.24	-	40.52	39.38	11.95	34.62

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.61	54.00	-6.39	6.59	3	Vertical	161	1.00	-	41.02	31.80	9.06	34.27
AV	5.1992G	104.04	Inf	-Inf	6.38	3	Vertical	161	1.00	-	97.66	31.60	9.06	34.28
PK	5.15G	63.78	74.00	-10.22	6.59	3	Vertical	161	1.00	-	57.19	31.80	9.06	34.27
PK	5.1988G	113.99	Inf	-Inf	6.38	3	Vertical	161	1.00	-	107.61	31.60	9.06	34.28

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.03	54.00	-3.97	6.59	3	Horizontal	57	1.00	-	43.44	31.80	9.06	34.27
AV	5.2012G	99.71	Inf	-Inf	6.38	3	Horizontal	57	1.00	-	93.33	31.60	9.06	34.28
PK	5.1496G	66.07	74.00	-7.93	6.59	3	Horizontal	57	1.00	-	59.48	31.80	9.06	34.27
PK	5.1976G	110.22	Inf	-Inf	6.39	3	Horizontal	57	1.00	-	103.83	31.61	9.06	34.28



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39106G	56.34	68.20	-11.86	16.76	3	Vertical	50	1.66	-	39.58	39.41	11.96	34.61



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39442G	56.16	68.20	-12.04	16.76	3	Horizontal	38	2.42	-	39.40	39.41	11.96	34.61

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1278G	43.47	54.00	-10.53	6.68	3	Vertical	159	1.82	-	36.79	31.89	9.06	34.27
AV	5.2388G	103.17	Inf	-Inf	6.23	3	Vertical	159	1.82	-	96.94	31.44	9.08	34.29
AV	5.3618G	41.64	54.00	-12.36	6.23	3	Vertical	159	1.82	-	35.41	31.39	9.15	34.31
PK	5.1488G	57.33	74.00	-16.67	6.59	3	Vertical	159	1.82	-	50.74	31.80	9.06	34.27
PK	5.2382G	113.10	Inf	-Inf	6.24	3	Vertical	159	1.82	-	106.86	31.45	9.08	34.29
PK	5.3516G	53.92	74.00	-20.08	6.18	3	Vertical	159	1.82	-	47.74	31.35	9.14	34.31

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0984G	43.44	54.00	-10.56	6.78	3	Horizontal	58	1.00	-	36.66	31.99	9.06	34.27
AV	5.2388G	99.44	Inf	-Inf	6.23	3	Horizontal	58	1.00	-	93.21	31.44	9.08	34.29
AV	5.3726G	41.44	54.00	-12.56	6.26	3	Horizontal	58	1.00	-	35.18	31.42	9.15	34.31
PK	5.1494G	55.74	74.00	-18.26	6.59	3	Horizontal	58	1.00	-	49.15	31.80	9.06	34.27
PK	5.2388G	109.72	Inf	-Inf	6.23	3	Horizontal	58	1.00	-	103.49	31.44	9.08	34.29
PK	5.3606G	54.46	74.00	-19.54	6.22	3	Horizontal	58	1.00	-	48.24	31.38	9.15	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4848G	57.13	68.20	-11.07	17.00	3	Vertical	46	1.39	-	40.13	39.53	12.02	34.55






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48312G	56.62	68.20	-11.58	17.00	3	Horizontal	130	1.36	-	39.62	39.53	12.02	34.55



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1178G	43.27	54.00	-10.73	6.72	3	Vertical	165	2.14	-	36.55	31.93	9.06	34.27
AV	5.2612G	102.78	Inf	-Inf	6.16	3	Vertical	165	2.14	-	96.62	31.36	9.09	34.29
AV	5.35G	41.74	54.00	-12.26	6.18	3	Vertical	165	2.14	-	35.56	31.35	9.14	34.31
PK	5.1484G	54.93	74.00	-19.07	6.60	3	Vertical	165	2.14	-	48.33	31.81	9.06	34.27
PK	5.2612G	113.21	Inf	-Inf	6.16	3	Vertical	165	2.14	-	107.05	31.36	9.09	34.29
PK	5.3866G	54.37	74.00	-19.63	6.31	3	Vertical	165	2.14	-	48.06	31.46	9.16	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1214G	43.30	54.00	-10.70	6.70	3	Horizontal	51	1.11	-	36.60	31.91	9.06	34.27
AV	5.2612G	98.54	Inf	-Inf	6.16	3	Horizontal	51	1.11	-	92.38	31.36	9.09	34.29
AV	5.3542G	41.52	54.00	-12.48	6.19	3	Horizontal	51	1.11	-	35.33	31.36	9.14	34.31
PK	5.128G	55.55	74.00	-18.45	6.68	3	Horizontal	51	1.11	-	48.87	31.89	9.06	34.27
PK	5.2612G	108.59	Inf	-Inf	6.16	3	Horizontal	51	1.11	-	102.43	31.36	9.09	34.29
PK	5.3596G	54.19	74.00	-19.81	6.21	3	Horizontal	51	1.11	-	47.98	31.38	9.14	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52108G	56.59	68.20	-11.61	17.09	3	Vertical	133	1.99	-	39.50	39.58	12.04	34.53

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52138G	57.13	68.20	-11.07	17.09	3	Horizontal	144	2.18	-	40.04	39.58	12.04	34.53

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	103.35	Inf	-Inf	6.01	3	Vertical	170	2.40	-	97.34	31.20	9.11	34.30
AV	5.35G	51.90	54.00	-2.10	6.18	3	Vertical	170	2.40	-	45.72	31.35	9.14	34.31
PK	5.2992G	113.20	Inf	-Inf	6.01	3	Vertical	170	2.40	-	107.19	31.20	9.11	34.30
PK	5.35G	67.34	74.00	-6.66	6.18	3	Vertical	170	2.40	-	61.16	31.35	9.14	34.31

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	98.60	Inf	-Inf	6.01	3	Horizontal	52	1.00	-	92.59	31.20	9.11	34.30
AV	5.3504G	47.91	54.00	-6.09	6.18	3	Horizontal	52	1.00	-	41.73	31.35	9.14	34.31
PK	5.3012G	109.37	Inf	-Inf	6.01	3	Horizontal	52	1.00	-	103.36	31.20	9.11	34.30
PK	5.3504G	62.98	74.00	-11.02	6.18	3	Horizontal	52	1.00	-	56.80	31.35	9.14	34.31

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59454G	56.44	68.20	-11.76	17.27	3	Vertical	77	1.49	-	39.17	39.67	12.08	34.48






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60432G	56.42	74.00	-17.58	17.31	3	Horizontal	225	1.92	-	39.11	39.69	12.09	34.47

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	100.68	Inf	-Inf	6.08	3	Vertical	157	1.49	-	94.60	31.26	9.12	34.30
AV	5.35G	50.70	54.00	-3.30	6.18	3	Vertical	157	1.49	-	44.52	31.35	9.14	34.31
PK	5.3216G	110.24	Inf	-Inf	6.08	3	Vertical	157	1.49	-	104.16	31.26	9.12	34.30
PK	5.3506G	63.98	74.00	-10.02	6.18	3	Vertical	157	1.49	-	57.80	31.35	9.14	34.31

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	96.37	Inf	-Inf	6.08	3	Horizontal	52	1.12	-	90.29	31.26	9.12	34.30
AV	5.35G	47.00	54.00	-7.00	6.18	3	Horizontal	52	1.12	-	40.82	31.35	9.14	34.31
PK	5.3226G	106.11	Inf	-Inf	6.09	3	Horizontal	52	1.12	-	100.02	31.27	9.12	34.30
PK	5.3506G	59.83	74.00	-14.17	6.18	3	Horizontal	52	1.12	-	53.65	31.35	9.14	34.31

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62638G	43.66	54.00	-10.34	17.35	3	Vertical	239	1.83	-	26.31	39.71	12.10	34.46
PK	10.6418G	56.48	74.00	-17.52	17.39	3	Vertical	239	1.83	-	39.09	39.73	12.11	34.45



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62794G	43.59	54.00	-10.41	17.36	3	Horizontal	139	2.14	-	26.23	39.72	12.10	34.46
PK	10.63454G	55.72	74.00	-18.28	17.37	3	Horizontal	139	2.14	-	38.35	39.72	12.10	34.45

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.47	54.00	-9.53	6.70	3	Vertical	174	1.67	-	37.77	31.68	9.18	34.16
AV	5.499G	101.12	Inf	-Inf	6.93	3	Vertical	174	1.67	-	94.19	31.80	9.19	34.06
PK	5.4692G	66.50	68.20	-1.70	6.76	3	Vertical	174	1.67	-	59.74	31.71	9.19	34.14
PK	5.4986G	110.65	Inf	-Inf	6.93	3	Vertical	174	1.67	-	103.72	31.80	9.19	34.06

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.12	54.00	-11.88	6.70	3	Horizontal	42	1.32	-	35.42	31.68	9.18	34.16
AV	5.499G	94.50	Inf	-Inf	6.93	3	Horizontal	42	1.32	-	87.57	31.80	9.19	34.06
PK	5.4668G	58.94	68.20	-9.26	6.75	3	Horizontal	42	1.32	-	52.19	31.70	9.19	34.14
PK	5.499G	104.20	Inf	-Inf	6.93	3	Horizontal	42	1.32	-	97.27	31.80	9.19	34.06



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99862G	44.76	54.00	-9.24	18.30	3	Vertical	64	2.24	-	26.46	40.20	12.31	34.21
PK	10.99376G	57.72	74.00	-16.28	18.29	3	Vertical	64	2.24	-	39.43	40.19	12.31	34.21






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99004G	44.23	54.00	-9.77	18.28	3	Horizontal	265	1.45	-	25.95	40.19	12.31	34.22
PK	10.98782G	57.45	74.00	-16.55	18.27	3	Horizontal	265	1.45	-	39.18	40.18	12.31	34.22

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	41.64	54.00	-12.36	6.67	3	Vertical	185	2.38	-	34.97	31.66	9.18	34.17
AV	5.5788G	105.14	Inf	-Inf	6.58	3	Vertical	185	2.38	-	98.56	31.64	9.22	34.28
PK	5.4678G	53.90	68.20	-14.30	6.75	3	Vertical	185	2.38	-	47.15	31.70	9.19	34.14
PK	5.577G	115.02	Inf	-Inf	6.59	3	Vertical	185	2.38	-	108.43	31.65	9.22	34.28
PK	5.7264G	54.85	68.20	-13.35	6.90	3	Vertical	185	2.38	-	47.95	31.88	9.38	34.36



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	41.61	54.00	-12.39	6.66	3	Horizontal	128	2.34	-	34.95	31.66	9.18	34.18
AV	5.5788G	104.80	Inf	-Inf	6.58	3	Horizontal	128	2.34	-	98.22	31.64	9.22	34.28
PK	5.4624G	53.43	68.20	-14.77	6.72	3	Horizontal	128	2.34	-	46.71	31.69	9.18	34.15
PK	5.5806G	114.52	Inf	-Inf	6.57	3	Horizontal	128	2.34	-	107.95	31.64	9.22	34.29
PK	5.7294G	54.89	68.20	-13.31	6.91	3	Horizontal	128	2.34	-	47.98	31.89	9.38	34.36



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15256G	44.60	54.00	-9.40	18.18	3	Vertical	348	1.79	-	26.42	40.00	12.40	34.22
PK	11.1585G	57.95	74.00	-16.05	18.18	3	Vertical	348	1.79	-	39.77	39.99	12.41	34.22



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17416G	44.69	54.00	-9.31	18.17	3	Horizontal	154	1.81	-	26.52	39.97	12.42	34.22
PK	11.15808G	57.88	74.00	-16.12	18.18	3	Horizontal	154	1.81	-	39.70	39.99	12.41	34.22

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	101.12	Inf	-Inf	6.79	3	Vertical	184	2.18	-	94.33	31.80	9.34	34.35
PK	5.7008G	110.73	Inf	-Inf	6.80	3	Vertical	184	2.18	-	103.93	31.80	9.35	34.35
PK	5.7256G	65.36	68.20	-2.84	6.90	3	Vertical	184	2.18	-	58.46	31.88	9.38	34.36



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	100.02	Inf	-Inf	6.79	3	Horizontal	122	2.36	-	93.23	31.80	9.34	34.35
PK	5.7024G	110.18	Inf	-Inf	6.81	3	Horizontal	122	2.36	-	103.37	31.81	9.35	34.35
PK	5.7252G	65.74	68.20	-2.46	6.90	3	Horizontal	122	2.36	-	58.84	31.88	9.38	34.36



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39196G	43.28	54.00	-10.72	18.00	3	Vertical	76	2.25	-	25.28	39.69	12.54	34.23
PK	11.40918G	56.43	74.00	-17.57	17.99	3	Vertical	76	2.25	-	38.44	39.67	12.55	34.23






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39904G	43.34	54.00	-10.66	18.00	3	Horizontal	39	2.05	-	25.34	39.68	12.55	34.23
PK	11.41158G	56.02	74.00	-17.98	17.98	3	Horizontal	39	2.05	-	38.04	39.66	12.55	34.23

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	41.47	54.00	-12.53	6.68	3	Vertical	186	2.41	-	34.79	31.67	9.18	34.17
AV	5.7188G	105.80	Inf	-Inf	6.88	3	Vertical	186	2.41	-	98.92	31.86	9.37	34.35
PK	5.462G	53.60	68.20	-14.60	6.71	3	Vertical	186	2.41	-	46.89	31.69	9.18	34.16
PK	5.7212G	115.79	Inf	-Inf	6.88	3	Vertical	186	2.41	-	108.91	31.86	9.37	34.35
PK	5.8748G	55.69	68.20	-12.51	7.44	3	Vertical	186	2.41	-	48.25	32.32	9.50	34.38

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	41.48	54.00	-12.52	6.66	3	Horizontal	125	2.43	-	34.82	31.66	9.18	34.18
AV	5.7188G	105.06	Inf	-Inf	6.88	3	Horizontal	125	2.43	-	98.18	31.86	9.37	34.35
PK	5.462G	53.33	68.20	-14.87	6.71	3	Horizontal	125	2.43	-	46.62	31.69	9.18	34.16
PK	5.7188G	115.01	Inf	-Inf	6.88	3	Horizontal	125	2.43	-	108.13	31.86	9.37	34.35
PK	5.966G	56.55	68.20	-11.65	7.73	3	Horizontal	125	2.43	-	48.82	32.40	9.55	34.22



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42716G	43.17	54.00	-10.83	17.97	3	Vertical	151	1.29	-	25.20	39.64	12.56	34.23
PK	11.42986G	56.17	74.00	-17.83	17.97	3	Vertical	151	1.29	-	38.20	39.64	12.56	34.23



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4379G	43.22	54.00	-10.78	17.97	3	Horizontal	269	1.71	-	25.25	39.63	12.57	34.23
PK	11.4304G	55.70	74.00	-18.30	17.97	3	Horizontal	269	1.71	-	37.73	39.64	12.56	34.23



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.66	Inf	-Inf	6.98	3	Vertical	182	2.38	-	98.68	31.94	9.40	34.36
PK	5.6454G	54.94	68.20	-13.26	6.63	3	Vertical	182	2.38	-	48.31	31.69	9.28	34.34
PK	5.7438G	115.24	Inf	-Inf	6.97	3	Vertical	182	2.38	-	108.27	31.93	9.40	34.36
PK	5.9394G	55.89	68.20	-12.31	7.64	3	Vertical	182	2.38	-	48.25	32.40	9.53	34.29

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	100.56	Inf	-Inf	6.97	3	Horizontal	169	2.29	-	93.59	31.93	9.40	34.36
PK	5.6226G	55.23	68.20	-12.97	6.56	3	Horizontal	169	2.29	-	48.67	31.65	9.25	34.34
PK	5.7474G	110.27	Inf	-Inf	6.98	3	Horizontal	169	2.29	-	103.29	31.94	9.40	34.36
PK	5.985G	55.85	68.20	-12.35	7.78	3	Horizontal	169	2.29	-	48.07	32.40	9.56	34.18

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48448G	43.17	54.00	-10.83	17.94	3	Vertical	354	1.65	-	25.23	39.57	12.60	34.23
PK	11.48724G	56.61	74.00	-17.39	17.94	3	Vertical	354	1.65	-	38.67	39.57	12.60	34.23






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47686G	43.31	54.00	-10.69	17.94	3	Horizontal	121	2.09	-	25.37	39.58	12.59	34.23
PK	11.50416G	55.41	74.00	-18.59	17.91	3	Horizontal	121	2.09	-	37.50	39.54	12.61	34.24



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	104.32	Inf	-Inf	7.13	3	Vertical	178	1.50	-	97.19	32.05	9.45	34.37
PK	5.6206G	56.10	68.20	-12.10	6.55	3	Vertical	178	1.50	-	49.55	31.64	9.25	34.34
PK	5.7826G	114.11	Inf	-Inf	7.13	3	Vertical	178	1.50	-	106.98	32.05	9.45	34.37
PK	5.929G	55.20	68.20	-13.00	7.62	3	Vertical	178	1.50	-	47.58	32.40	9.53	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	98.14	Inf	-Inf	7.13	3	Horizontal	63	1.04	-	91.01	32.05	9.45	34.37
PK	5.6326G	55.18	68.20	-13.02	6.59	3	Horizontal	63	1.04	-	48.59	31.67	9.26	34.34
PK	5.7826G	108.43	Inf	-Inf	7.13	3	Horizontal	63	1.04	-	101.30	32.05	9.45	34.37
PK	5.9254G	55.81	68.20	-12.39	7.61	3	Horizontal	63	1.04	-	48.20	32.40	9.53	34.32



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57144G	43.39	54.00	-10.61	17.87	3	Vertical	283	1.41	-	25.52	39.46	12.65	34.24
PK	11.57018G	56.43	74.00	-17.57	17.87	3	Vertical	283	1.41	-	38.56	39.46	12.65	34.24

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56568G	43.48	54.00	-10.52	17.86	3	Horizontal	341	1.98	-	25.62	39.46	12.64	34.24
PK	11.58014G	56.09	74.00	-17.91	17.86	3	Horizontal	341	1.98	-	38.23	39.45	12.65	34.24



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	105.47	Inf	-Inf	7.28	3	Vertical	184	2.33	-	98.19	32.17	9.48	34.37
PK	5.6222G	54.68	68.20	-13.52	6.55	3	Vertical	184	2.33	-	48.13	31.64	9.25	34.34
PK	5.8238G	115.54	Inf	-Inf	7.28	3	Vertical	184	2.33	-	108.26	32.17	9.48	34.37
PK	5.9702G	56.21	68.20	-11.99	7.74	3	Vertical	184	2.33	-	48.47	32.40	9.55	34.21

802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	101.90	Inf	-Inf	7.28	3	Horizontal	167	2.19	-	94.62	32.17	9.48	34.37
PK	5.5262G	54.53	68.20	-13.67	6.82	3	Horizontal	167	2.19	-	47.71	31.75	9.20	34.13
PK	5.8238G	111.50	Inf	-Inf	7.28	3	Horizontal	167	2.19	-	104.22	32.17	9.48	34.37
PK	5.933G	56.74	68.20	-11.46	7.63	3	Horizontal	167	2.19	-	49.11	32.40	9.53	34.30



802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65798G	43.76	54.00	-10.24	17.80	3	Vertical	270	2.35	-	25.96	39.34	12.70	34.24
PK	11.64574G	57.37	74.00	-16.63	17.81	3	Vertical	270	2.35	-	39.56	39.36	12.69	34.24






802.11ac VHT20\_Nss1,(MCS0)\_1TX

14/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65072G	44.03	54.00	-9.97	17.80	3	Horizontal	326	1.91	-	26.23	39.35	12.69	34.24
PK	11.65366G	57.09	74.00	-16.91	17.80	3	Horizontal	326	1.91	-	39.29	39.35	12.69	34.24

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.26	54.00	-1.74	6.59	3	Vertical	162	1.01	-	45.67	31.80	9.06	34.27
AV	5.1928G	97.51	Inf	-Inf	6.41	3	Vertical	162	1.01	-	91.10	31.63	9.06	34.28
PK	5.148G	64.18	74.00	-9.82	6.60	3	Vertical	162	1.01	-	57.58	31.81	9.06	34.27
PK	5.1876G	106.34	Inf	-Inf	6.43	3	Vertical	162	1.01	-	99.91	31.65	9.06	34.28

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.90	54.00	-5.10	6.59	3	Horizontal	57	1.00	-	42.31	31.80	9.06	34.27
AV	5.1884G	92.90	Inf	-Inf	6.43	3	Horizontal	57	1.00	-	86.47	31.65	9.06	34.28
PK	5.1496G	60.90	74.00	-13.10	6.59	3	Horizontal	57	1.00	-	54.31	31.80	9.06	34.27
PK	5.1928G	101.97	Inf	-Inf	6.41	3	Horizontal	57	1.00	-	95.56	31.63	9.06	34.28



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37622G	56.38	68.20	-11.82	16.72	3	Vertical	250	2.38	-	39.66	39.39	11.95	34.62

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36734G	55.87	68.20	-12.33	16.70	3	Horizontal	242	2.35	-	39.17	39.38	11.95	34.63

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.71	54.00	-5.29	6.59	3	Vertical	169	2.42	-	42.12	31.80	9.06	34.27
AV	5.2328G	101.21	Inf	-Inf	6.26	3	Vertical	169	2.42	-	94.95	31.47	9.08	34.29
PK	5.15G	61.26	74.00	-12.74	6.59	3	Vertical	169	2.42	-	54.67	31.80	9.06	34.27
PK	5.226G	110.43	Inf	-Inf	6.28	3	Vertical	169	2.42	-	104.15	31.50	9.07	34.29

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	47.02	54.00	-6.98	6.60	3	Horizontal	57	1.00	-	40.42	31.81	9.06	34.27
AV	5.2328G	97.40	Inf	-Inf	6.26	3	Horizontal	57	1.00	-	91.14	31.47	9.08	34.29
PK	5.15G	58.89	74.00	-15.11	6.59	3	Horizontal	57	1.00	-	52.30	31.80	9.06	34.27
PK	5.2264G	106.99	Inf	-Inf	6.27	3	Horizontal	57	1.00	-	100.72	31.49	9.07	34.29



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46168G	56.72	68.20	-11.48	16.93	3	Vertical	120	2.44	-	39.79	39.50	12.00	34.57






802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44848G	57.00	68.20	-11.20	16.91	3	Horizontal	26	2.36	-	40.09	39.48	12.00	34.57

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	100.78	Inf	-Inf	6.14	3	Vertical	167	2.49	-	94.64	31.33	9.10	34.29
AV	5.352G	51.21	54.00	-2.79	6.19	3	Vertical	167	2.49	-	45.02	31.36	9.14	34.31
PK	5.2684G	109.61	Inf	-Inf	6.14	3	Vertical	167	2.49	-	103.47	31.33	9.10	34.29
PK	5.35G	63.94	74.00	-10.06	6.18	3	Vertical	167	2.49	-	57.76	31.35	9.14	34.31



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	95.80	Inf	-Inf	6.13	3	Horizontal	52	1.11	-	89.67	31.33	9.09	34.29
AV	5.35G	47.12	54.00	-6.88	6.18	3	Horizontal	52	1.11	-	40.94	31.35	9.14	34.31
PK	5.2728G	105.52	Inf	-Inf	6.12	3	Horizontal	52	1.11	-	99.40	31.31	9.10	34.29
PK	5.3528G	59.08	74.00	-14.92	6.19	3	Horizontal	52	1.11	-	52.89	31.36	9.14	34.31



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54546G	57.28	68.20	-10.92	17.15	3	Vertical	169	1.36	-	40.13	39.61	12.05	34.51



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53922G	57.55	68.20	-10.65	17.14	3	Horizontal	255	1.41	-	40.41	39.60	12.05	34.51

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	94.94	Inf	-Inf	6.04	3	Vertical	163	1.12	-	88.90	31.22	9.12	34.30
AV	5.35G	51.78	54.00	-2.22	6.18	3	Vertical	163	1.12	-	45.60	31.35	9.14	34.31
PK	5.314G	104.73	Inf	-Inf	6.06	3	Vertical	163	1.12	-	98.67	31.24	9.12	34.30
PK	5.3512G	65.14	74.00	-8.86	6.18	3	Vertical	163	1.12	-	58.96	31.35	9.14	34.31

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3124G	89.26	Inf	-Inf	6.06	3	Horizontal	44	1.14	-	83.20	31.24	9.12	34.30
AV	5.3504G	47.33	54.00	-6.67	6.18	3	Horizontal	44	1.14	-	41.15	31.35	9.14	34.31
PK	5.3116G	98.27	Inf	-Inf	6.05	3	Horizontal	44	1.14	-	92.22	31.23	9.12	34.30
PK	5.3504G	60.18	74.00	-13.82	6.18	3	Horizontal	44	1.14	-	54.00	31.35	9.14	34.31



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61112G	44.75	54.00	-9.25	17.31	3	Vertical	282	1.66	-	27.44	39.69	12.09	34.47
PK	10.6218G	56.49	74.00	-17.51	17.35	3	Vertical	282	1.66	-	39.14	39.71	12.10	34.46






802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60536G	44.51	54.00	-9.49	17.31	3	Horizontal	202	1.42	-	27.20	39.69	12.09	34.47
PK	10.61826G	57.03	74.00	-16.97	17.33	3	Horizontal	202	1.42	-	39.70	39.70	12.09	34.46

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.99	54.00	-7.01	6.70	3	Vertical	188	2.44	-	40.29	31.68	9.18	34.16
AV	5.5076G	97.53	Inf	-Inf	6.90	3	Vertical	188	2.44	-	90.63	31.78	9.20	34.08
PK	5.4696G	65.80	68.20	-2.40	6.76	3	Vertical	188	2.44	-	59.04	31.71	9.19	34.14
PK	5.508G	106.58	Inf	-Inf	6.90	3	Vertical	188	2.44	-	99.68	31.78	9.20	34.08

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.17	54.00	-5.83	6.70	3	Horizontal	129	2.52	-	41.47	31.68	9.18	34.16
AV	5.508G	98.05	Inf	-Inf	6.90	3	Horizontal	129	2.52	-	91.15	31.78	9.20	34.08
PK	5.4696G	66.04	68.20	-2.16	6.76	3	Horizontal	129	2.52	-	59.28	31.71	9.19	34.14
PK	5.5084G	106.91	Inf	-Inf	6.90	3	Horizontal	129	2.52	-	100.01	31.78	9.20	34.08



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03122G	45.27	54.00	-8.73	18.28	3	Vertical	51	2.10	-	26.99	40.16	12.33	34.21
PK	11.03368G	57.72	74.00	-16.28	18.28	3	Vertical	51	2.10	-	39.44	40.16	12.33	34.21



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02732G	45.63	54.00	-8.37	18.28	3	Horizontal	321	1.46	-	27.35	40.16	12.33	34.21
PK	11.01154G	57.47	74.00	-16.53	18.29	3	Horizontal	321	1.46	-	39.18	40.18	12.32	34.21



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	45.52	54.00	-8.48	6.68	3	Vertical	181	2.40	-	38.84	31.67	9.18	34.17
AV	5.5524G	101.89	Inf	-Inf	6.70	3	Vertical	181	2.40	-	95.19	31.70	9.21	34.21
PK	5.4688G	61.44	68.20	-6.76	6.76	3	Vertical	181	2.40	-	54.68	31.71	9.19	34.14
PK	5.5464G	110.79	Inf	-Inf	6.73	3	Vertical	181	2.40	-	104.06	31.71	9.21	34.19

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	46.15	54.00	-7.85	6.68	3	Horizontal	128	2.46	-	39.47	31.67	9.18	34.17
AV	5.5488G	101.72	Inf	-Inf	6.71	3	Horizontal	128	2.46	-	95.01	31.70	9.21	34.20
PK	5.4668G	64.92	68.20	-3.28	6.75	3	Horizontal	128	2.46	-	58.17	31.70	9.19	34.14
PK	5.5536G	110.63	Inf	-Inf	6.69	3	Horizontal	128	2.46	-	103.94	31.69	9.21	34.21

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09988G	45.59	54.00	-8.41	18.23	3	Vertical	105	2.15	-	27.36	40.07	12.37	34.21
PK	11.0991G	58.22	74.00	-15.78	18.23	3	Vertical	105	2.15	-	39.99	40.07	12.37	34.21






802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1042G	46.00	54.00	-8.00	18.22	3	Horizontal	92	2.37	-	27.78	40.06	12.38	34.22
PK	11.10162G	57.20	74.00	-16.80	18.22	3	Horizontal	92	2.37	-	38.98	40.07	12.37	34.22



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	101.62	Inf	-Inf	6.70	3	Vertical	181	2.43	-	94.92	31.74	9.31	34.35
PK	5.6754G	110.52	Inf	-Inf	6.71	3	Vertical	181	2.43	-	103.81	31.75	9.31	34.35
PK	5.7282G	66.84	68.20	-1.36	6.90	3	Vertical	181	2.43	-	59.94	31.88	9.38	34.36

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.667G	100.84	Inf	-Inf	6.68	3	Horizontal	121	2.38	-	94.16	31.73	9.30	34.35
PK	5.6664G	110.00	Inf	-Inf	6.68	3	Horizontal	121	2.38	-	103.32	31.73	9.30	34.35
PK	5.7276G	66.37	68.20	-1.83	6.90	3	Horizontal	121	2.38	-	59.47	31.88	9.38	34.36



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.352G	44.07	54.00	-9.93	18.03	3	Vertical	86	1.48	-	26.04	39.74	12.52	34.23
PK	11.32854G	56.41	74.00	-17.59	18.05	3	Vertical	86	1.48	-	38.36	39.77	12.51	34.23



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33058G	44.09	54.00	-9.91	18.05	3	Horizontal	81	1.02	-	26.04	39.77	12.51	34.23
PK	11.34414G	55.99	74.00	-18.01	18.03	3	Horizontal	81	1.02	-	37.96	39.75	12.51	34.23

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4364G	42.71	54.00	-11.29	6.57	3	Vertical	183	2.51	-	36.14	31.61	9.18	34.22
AV	5.7088G	103.14	Inf	-Inf	6.84	3	Vertical	183	2.51	-	96.30	31.83	9.36	34.35
PK	5.4652G	53.48	68.20	-14.72	6.74	3	Vertical	183	2.51	-	46.74	31.70	9.19	34.15
PK	5.7124G	112.54	Inf	-Inf	6.85	3	Vertical	183	2.51	-	105.69	31.84	9.36	34.35
PK	5.8624G	57.78	68.20	-10.42	7.41	3	Vertical	183	2.51	-	50.37	32.29	9.50	34.38

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	42.28	54.00	-11.72	6.65	3	Horizontal	122	2.47	-	35.63	31.65	9.18	34.18
AV	5.7064G	102.45	Inf	-Inf	6.82	3	Horizontal	122	2.47	-	95.63	31.82	9.35	34.35
PK	5.4688G	53.41	68.20	-14.79	6.76	3	Horizontal	122	2.47	-	46.65	31.71	9.19	34.14
PK	5.7064G	112.22	Inf	-Inf	6.82	3	Horizontal	122	2.47	-	105.40	31.82	9.35	34.35
PK	5.8708G	57.69	68.20	-10.51	7.43	3	Horizontal	122	2.47	-	50.26	32.31	9.50	34.38



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40896G	44.03	54.00	-9.97	17.99	3	Vertical	165	1.54	-	26.04	39.67	12.55	34.23
PK	11.41208G	56.03	74.00	-17.97	17.98	3	Vertical	165	1.54	-	38.05	39.66	12.55	34.23



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41004G	44.21	54.00	-9.79	17.99	3	Horizontal	185	1.09	-	26.22	39.67	12.55	34.23
PK	11.4281G	56.04	74.00	-17.96	17.97	3	Horizontal	185	1.09	-	38.07	39.64	12.56	34.23

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	101.41	Inf	-Inf	7.04	3	Vertical	175	1.50	-	94.37	31.98	9.42	34.36
PK	5.653G	66.79	70.42	-3.63	6.65	3	Vertical	175	1.50	-	60.14	31.71	9.29	34.35
PK	5.7586G	111.07	Inf	-Inf	7.04	3	Vertical	175	1.50	-	104.03	31.98	9.42	34.36
PK	5.9866G	55.96	68.20	-12.24	7.79	3	Vertical	175	1.50	-	48.17	32.40	9.56	34.17

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	95.87	Inf	-Inf	7.00	3	Horizontal	40	1.00	-	88.87	31.95	9.41	34.36
PK	5.6506G	59.29	68.64	-9.35	6.63	3	Horizontal	40	1.00	-	52.66	31.70	9.28	34.35
PK	5.7514G	105.21	Inf	-Inf	7.00	3	Horizontal	40	1.00	-	98.21	31.95	9.41	34.36
PK	5.9338G	55.56	68.20	-12.64	7.63	3	Horizontal	40	1.00	-	47.93	32.40	9.53	34.30



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52266G	44.15	54.00	-9.85	17.90	3	Vertical	110	1.17	-	26.25	39.52	12.62	34.24
PK	11.51768G	56.07	74.00	-17.93	17.90	3	Vertical	110	1.17	-	38.17	39.53	12.61	34.24



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50862G	44.23	54.00	-9.77	17.91	3	Horizontal	314	1.51	-	26.32	39.54	12.61	34.24
PK	11.50208G	56.02	74.00	-17.98	17.92	3	Horizontal	314	1.51	-	38.10	39.55	12.61	34.24

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	102.85	Inf	-Inf	7.18	3	Vertical	180	2.45	-	95.67	32.09	9.46	34.37
PK	5.6402G	56.17	68.20	-12.03	6.61	3	Vertical	180	2.45	-	49.56	31.68	9.27	34.34
PK	5.7974G	112.95	Inf	-Inf	7.18	3	Vertical	180	2.45	-	105.77	32.09	9.46	34.37
PK	5.927G	58.24	68.20	-9.96	7.61	3	Vertical	180	2.45	-	50.63	32.40	9.53	34.32

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	98.89	Inf	-Inf	7.18	3	Horizontal	164	2.09	-	91.71	32.09	9.46	34.37
PK	5.6486G	54.87	68.20	-13.33	6.64	3	Horizontal	164	2.09	-	48.23	31.70	9.28	34.34
PK	5.7962G	108.28	Inf	-Inf	7.18	3	Horizontal	164	2.09	-	101.10	32.09	9.46	34.37
PK	5.9894G	56.88	68.20	-11.32	7.79	3	Horizontal	164	2.09	-	49.09	32.40	9.56	34.17

802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5916G	45.04	54.00	-8.96	17.85	3	Vertical	126	1.82	-	27.19	39.43	12.66	34.24
PK	11.587G	56.63	74.00	-17.37	17.85	3	Vertical	126	1.82	-	38.78	39.44	12.65	34.24



802.11ac VHT40\_Nss1,(MCS0)\_1TX

14/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59254G	44.65	54.00	-9.35	17.85	3	Horizontal	194	1.50	-	26.80	39.43	12.66	34.24
PK	11.59404G	56.77	74.00	-17.23	17.85	3	Horizontal	194	1.50	-	38.92	39.43	12.66	34.24

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.35	54.00	-1.65	6.59	3	Vertical	192	1.18	-	45.76	31.80	9.06	34.27
AV	5.217G	92.13	Inf	-Inf	6.32	3	Vertical	192	1.18	-	85.81	31.53	9.07	34.28
AV	5.46G	42.14	54.00	-11.86	6.70	3	Vertical	192	1.18	-	35.44	31.68	9.18	34.16
PK	5.147G	64.71	74.00	-9.29	6.60	3	Vertical	192	1.18	-	58.11	31.81	9.06	34.27
PK	5.229G	102.82	Inf	-Inf	6.26	3	Vertical	192	1.18	-	96.56	31.48	9.07	34.29
PK	5.43G	55.29	74.00	-18.71	6.54	3	Vertical	192	1.18	-	48.75	31.59	9.18	34.23

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.93	54.00	-2.07	6.59	3	Horizontal	222	1.00	-	45.34	31.80	9.06	34.27
AV	5.204G	90.92	Inf	-Inf	6.36	3	Horizontal	222	1.00	-	84.56	31.58	9.06	34.28
AV	5.362G	42.03	54.00	-11.97	6.23	3	Horizontal	222	1.00	-	35.80	31.39	9.15	34.31
PK	5.148G	62.81	74.00	-11.19	6.60	3	Horizontal	222	1.00	-	56.21	31.81	9.06	34.27
PK	5.203G	101.74	Inf	-Inf	6.37	3	Horizontal	222	1.00	-	95.37	31.59	9.06	34.28
PK	5.458G	53.74	74.00	-20.26	6.68	3	Horizontal	222	1.00	-	47.06	31.67	9.18	34.17

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4207G	57.32	68.20	-10.88	16.84	3	Vertical	244	1.45	-	40.48	39.45	11.98	34.59



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42528G	57.66	68.20	-10.54	16.84	3	Horizontal	77	2.40	-	40.82	39.45	11.98	34.59

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	43.73	54.00	-10.27	6.77	3	Vertical	170	2.67	-	36.96	31.98	9.06	34.27
AV	5.297G	90.81	Inf	-Inf	6.02	3	Vertical	170	2.67	-	84.79	31.21	9.11	34.30
AV	5.35G	50.92	54.00	-3.08	6.18	3	Vertical	170	2.67	-	44.74	31.35	9.14	34.31
PK	5.07G	55.53	74.00	-18.47	6.70	3	Vertical	170	2.67	-	48.83	31.85	9.06	34.21
PK	5.301G	99.56	Inf	-Inf	6.01	3	Vertical	170	2.67	-	93.55	31.20	9.11	34.30
PK	5.35G	61.18	74.00	-12.82	6.18	3	Vertical	170	2.67	-	55.00	31.35	9.14	34.31

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.067G	43.40	54.00	-10.60	6.69	3	Horizontal	134	2.31	-	36.71	31.84	9.06	34.21
AV	5.282G	91.46	Inf	-Inf	6.07	3	Horizontal	134	2.31	-	85.39	31.27	9.10	34.30
AV	5.35G	52.16	54.00	-1.84	6.18	3	Horizontal	134	2.31	-	45.98	31.35	9.14	34.31
PK	5.081G	55.08	74.00	-18.92	6.74	3	Horizontal	134	2.31	-	48.34	31.91	9.06	34.23
PK	5.284G	100.62	Inf	-Inf	6.06	3	Horizontal	134	2.31	-	94.56	31.26	9.10	34.30
PK	5.353G	63.10	74.00	-10.90	6.19	3	Horizontal	134	2.31	-	56.91	31.36	9.14	34.31

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58086G	58.51	68.20	-9.69	17.22	3	Vertical	258	2.10	-	41.29	39.64	12.07	34.49



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58114G	58.16	68.20	-10.04	17.24	3	Horizontal	146	1.15	-	40.92	39.66	12.07	34.49



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.04	54.00	-3.96	6.68	3	Vertical	188	2.25	-	43.36	31.67	9.18	34.17
AV	5.535G	92.73	Inf	-Inf	6.77	3	Vertical	188	2.25	-	85.96	31.73	9.20	34.16
PK	5.468G	62.42	68.20	-5.78	6.75	3	Vertical	188	2.25	-	55.67	31.70	9.19	34.14
PK	5.524G	101.83	Inf	-Inf	6.82	3	Vertical	188	2.25	-	95.01	31.75	9.20	34.13
PK	5.779G	54.80	68.20	-13.40	7.11	3	Vertical	188	2.25	-	47.69	32.04	9.44	34.37

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.04	54.00	-1.96	6.70	3	Horizontal	129	2.48	-	45.34	31.68	9.18	34.16
AV	5.536G	94.37	Inf	-Inf	6.78	3	Horizontal	129	2.48	-	87.59	31.73	9.21	34.16
PK	5.469G	64.25	68.20	-3.95	6.76	3	Horizontal	129	2.48	-	57.49	31.71	9.19	34.14
PK	5.523G	103.23	Inf	-Inf	6.83	3	Horizontal	129	2.48	-	96.40	31.75	9.20	34.12
PK	5.743G	54.79	68.20	-13.41	6.97	3	Horizontal	129	2.48	-	47.82	31.93	9.40	34.36



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05842G	47.25	54.00	-6.75	18.27	3	Vertical	230	2.18	-	28.98	40.14	12.34	34.21
PK	11.06828G	58.92	74.00	-15.08	18.25	3	Vertical	230	2.18	-	40.67	40.11	12.35	34.21



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06084G	46.95	54.00	-7.05	18.26	3	Horizontal	289	2.28	-	28.69	40.12	12.35	34.21
PK	11.0604G	58.69	74.00	-15.31	18.26	3	Horizontal	289	2.28	-	40.43	40.12	12.35	34.21

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	42.67	54.00	-11.33	6.70	3	Vertical	188	2.19	-	35.97	31.68	9.18	34.16
AV	5.6948G	99.43	Inf	-Inf	6.78	3	Vertical	188	2.19	-	92.65	31.79	9.34	34.35
PK	5.4632G	53.08	68.20	-15.12	6.72	3	Vertical	188	2.19	-	46.36	31.69	9.18	34.15
PK	5.6828G	108.99	Inf	-Inf	6.74	3	Vertical	188	2.19	-	102.25	31.77	9.32	34.35
PK	5.8508G	64.35	68.20	-3.85	7.36	3	Vertical	188	2.19	-	56.99	32.25	9.49	34.38

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	42.79	54.00	-11.21	6.61	3	Horizontal	120	2.41	-	36.18	31.63	9.18	34.20
AV	5.684G	99.17	Inf	-Inf	6.75	3	Horizontal	120	2.41	-	92.42	31.77	9.33	34.35
PK	5.4632G	54.90	68.20	-13.30	6.72	3	Horizontal	120	2.41	-	48.18	31.69	9.18	34.15
PK	5.684G	109.03	Inf	-Inf	6.75	3	Horizontal	120	2.41	-	102.28	31.77	9.33	34.35
PK	5.8508G	65.37	68.20	-2.83	7.36	3	Horizontal	120	2.41	-	58.01	32.25	9.49	34.38



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38034G	46.46	54.00	-7.54	18.02	3	Vertical	131	1.53	-	28.44	39.71	12.54	34.23
PK	11.38016G	58.16	74.00	-15.84	18.02	3	Vertical	131	1.53	-	40.14	39.71	12.54	34.23






802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38138G	46.44	54.00	-7.56	18.01	3	Horizontal	10	2.06	-	28.43	39.70	12.54	34.23
PK	11.38002G	58.71	74.00	-15.29	18.02	3	Horizontal	10	2.06	-	40.69	39.71	12.54	34.23



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7822G	98.95	Inf	-Inf	7.13	3	Vertical	188	2.19	-	91.82	32.05	9.45	34.37
PK	5.6502G	66.96	68.35	-1.39	6.63	3	Vertical	188	2.19	-	60.33	31.70	9.28	34.35
PK	5.7678G	108.40	Inf	-Inf	7.07	3	Vertical	188	2.19	-	101.33	32.00	9.43	34.36
PK	5.9238G	62.09	69.09	-7.00	7.61	3	Vertical	188	2.19	-	54.48	32.40	9.53	34.32

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	98.10	Inf	-Inf	7.11	3	Horizontal	115	2.76	-	90.99	32.04	9.44	34.37
PK	5.6478G	65.73	68.20	-2.47	6.64	3	Horizontal	115	2.76	-	59.09	31.70	9.28	34.34
PK	5.7678G	107.29	Inf	-Inf	7.07	3	Horizontal	115	2.76	-	100.22	32.00	9.43	34.36
PK	5.9274G	64.70	68.20	-3.50	7.62	3	Horizontal	115	2.76	-	57.08	32.40	9.53	34.31



802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55028G	46.30	54.00	-7.70	17.87	3	Vertical	160	1.25	-	28.43	39.48	12.63	34.24
PK	11.5509G	58.89	74.00	-15.11	17.87	3	Vertical	160	1.25	-	41.02	39.48	12.63	34.24

802.11ac VHT80\_Nss1,(MCS0)\_1TX

14/08/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54538G	46.22	54.00	-7.78	17.88	3	Horizontal	26	1.30	-	28.34	39.49	12.63	34.24
PK	11.55078G	59.40	74.00	-14.60	17.87	3	Horizontal	26	1.30	-	41.53	39.48	12.63	34.24




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	16.5956G	47.44	54.00	-6.56	14.76	3	Horizontal	0	1.50	-

Radiation-above 1GHz\_Mode 1


11/09/2019



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96254G	36.07	54.00	-17.93	2.02	3	Vertical	259	1.00	-	34.05	31.43	5.40	34.81
AV	7.4398G	40.41	54.00	-13.59	7.95	3	Vertical	251	1.22	-	32.46	36.40	6.66	35.11
AV	11.05869G	42.90	54.00	-11.10	13.69	3	Vertical	77	1.50	-	29.21	40.22	8.16	34.69
AV	16.5652G	47.35	54.00	-6.65	14.64	3	Vertical	290	1.50	-	32.71	38.83	10.52	34.71
PK	4.96144G	54.20	74.00	-19.80	2.01	3	Vertical	259	1.00	-	52.19	31.42	5.40	34.81
PK	7.4418G	47.82	74.00	-26.18	7.95	3	Vertical	251	1.22	-	39.87	36.40	6.66	35.11
PK	11.06211G	55.85	74.00	-18.15	13.69	3	Vertical	77	1.50	-	42.16	40.22	8.16	34.69
PK	16.5895G	60.69	74.00	-13.31	14.73	3	Vertical	290	1.50	-	45.96	38.89	10.52	34.68

Radiation-above 1GHz\_Mode 1

11/09/2019



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96198G	35.51	54.00	-18.49	2.01	3	Horizontal	282	2.61	-	33.50	31.42	5.40	34.81
AV	7.4411G	40.60	54.00	-13.40	7.95	3	Horizontal	239	2.86	-	32.65	36.40	6.66	35.11
AV	11.06192G	43.13	54.00	-10.87	13.69	3	Horizontal	81	1.50	-	29.44	40.22	8.16	34.69
AV	16.5956G	47.44	54.00	-6.56	14.76	3	Horizontal	0	1.50	-	32.68	38.91	10.53	34.68
PK	4.96006G	52.52	74.00	-21.48	2.01	3	Horizontal	282	2.61	-	50.51	31.42	5.40	34.81
PK	7.43992G	56.97	74.00	-17.03	7.95	3	Horizontal	239	2.86	-	49.02	36.40	6.66	35.11
PK	11.06175G	56.73	74.00	-17.27	13.69	3	Horizontal	81	1.50	-	43.04	40.22	8.16	34.69
PK	16.6058G	60.12	74.00	-13.88	14.80	3	Horizontal	0	1.50	-	45.32	38.94	10.53	34.67



Production Setting\_SISO

			Chain 0
2.4G	11b	CH1	17
		CH6	17
		CH11	17
	11g	CH1	14
		CH6	14
		CH11	14
	HT20	CH1	14
		CH6	14
		CH11	14
5G	11a	B1	14.5
		B2	14.5
		B3	14.5
		B4	14.5
	HT20 / VHT20	B1	13.5
		B2	13.5
		B3	13.5
		B4	13.5
	HT40 / VHT40	B1	13.5
		B2	13.5
		B3	13.5
		B4	13.5
	VHT80	B1	13
		B2	12
		B3	13
		B4	13