


802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170817
 EUT X_4TX
 Setting 25
 04-E-2
 FSP(100080)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.36818G	43.46	54.00	-10.54	16.04	3	H	280	1.90	-
PK	11.36518G	56.21	74.00	-17.79	16.04	3	H	280	1.90	-



802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170817
 EUT X_4TX
 Setting 25
 04-E-2
 FSP(100080)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5524G	42.36	54.00	-11.64	16.16	3	V	139	2.59	-
PK	11.54538G	55.47	74.00	-18.53	16.16	3	V	139	2.59	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170817
 EUT X_4TX
 Setting 25
 04-E-2
 FSP(100080)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54136G	42.29	54.00	-11.71	16.16	3	H	312	2.00	-
PK	11.54742G	55.32	74.00	-18.68	16.16	3	H	312	2.00	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.536G	43.50	54.00	-10.50	18.04	3	V	146	2.07	-
PK	15.53784G	57.17	74.00	-16.83	18.03	3	V	146	2.07	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53712G	43.75	54.00	-10.25	18.03	3	H	262	1.57	-
PK	15.53948G	58.05	74.00	-15.95	18.03	3	H	262	1.57	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5961G	43.36	54.00	-10.64	17.91	3	V	77	1.50	-
PK	15.59824G	56.19	74.00	-17.81	17.90	3	V	77	1.50	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60016G	44.44	54.00	-9.56	17.90	3	H	61	2.57	-
PK	15.59994G	57.93	74.00	-16.07	17.90	3	H	61	2.57	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72168G	43.43	54.00	-10.57	17.63	3	V	214	1.49	-
PK	15.71672G	56.15	74.00	-17.85	17.64	3	V	214	1.49	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72116G	43.39	54.00	-10.61	17.64	3	H	121	1.73	-
PK	15.71936G	56.46	74.00	-17.54	17.64	3	H	121	1.73	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圖)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78078G	43.09	54.00	-10.91	17.51	3	V	198	1.50	-
PK	15.78312G	56.19	74.00	-17.81	17.50	3	V	198	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7826G	43.19	54.00	-10.81	17.50	3	H	137	1.49	-
PK	15.77546G	56.33	74.00	-17.67	17.52	3	H	137	1.49	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6044G	41.44	54.00	-12.56	15.90	3	V	223	1.31	-
PK	10.60198G	54.24	74.00	-19.76	15.90	3	V	223	1.31	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60026G	41.38	54.00	-12.62	15.90	3	H	276	1.49	-
PK	10.60128G	54.69	74.00	-19.31	15.90	3	H	276	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63894G	41.10	54.00	-12.90	15.89	3	V	39	1.50	-
PK	10.6385G	54.27	74.00	-19.73	15.89	3	V	39	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64124G	41.66	54.00	-12.34	15.89	3	H	126	1.50	-
PK	10.64204G	54.32	74.00	-19.68	15.89	3	H	126	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00388G	41.23	54.00	-12.77	15.83	3	V	131	1.08	-
PK	11.00422G	54.67	74.00	-19.33	15.83	3	V	131	1.08	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0021G	41.18	54.00	-12.82	15.83	3	H	211	1.50	-
PK	11.00364G	54.58	74.00	-19.42	15.83	3	H	211	1.50	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16214G	41.16	54.00	-12.84	16.01	3	V	216	1.37	-
PK	11.16074G	55.00	74.00	-19.00	16.01	3	V	216	1.37	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16282G	41.26	54.00	-12.74	16.01	3	H	320	1.41	-
PK	11.15716G	54.72	74.00	-19.28	16.00	3	H	320	1.41	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40308G	42.07	54.00	-11.93	16.27	3	V	57	1.43	-
PK	11.40012G	55.94	74.00	-18.06	16.27	3	V	57	1.43	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40144G	42.29	54.00	-11.71	16.27	3	H	237	1.71	-
PK	11.40348G	55.88	74.00	-18.12	16.27	3	H	237	1.71	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4403G	43.27	54.00	-10.73	16.31	3	V	7	1.59	-
PK	11.43652G	56.32	74.00	-17.68	16.31	3	V	7	1.59	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43594G	42.25	54.00	-11.75	16.31	3	H	69	1.96	-
PK	11.4439G	55.80	74.00	-18.20	16.31	3	H	69	1.96	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44364G	42.08	54.00	-11.92	16.31	3	V	18	1.33	-
PK	11.44164G	55.24	74.00	-18.76	16.31	3	V	18	1.33	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43598G	42.26	54.00	-11.74	16.31	3	H	310	2.37	-
PK	11.43682G	55.30	74.00	-18.70	16.31	3	H	310	2.37	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56728G	42.66	54.00	-11.34	16.45	3	V	179	1.56	-
PK	11.57266G	55.74	74.00	-18.26	16.45	3	V	179	1.56	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56982G	41.71	54.00	-12.29	16.45	3	H	302	1.37	-
PK	11.57286G	54.66	74.00	-19.34	16.45	3	H	302	1.37	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65318G	42.28	54.00	-11.72	16.54	3	V	214	1.23	-
PK	11.65328G	55.27	74.00	-18.73	16.54	3	V	214	1.23	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6475G	42.24	54.00	-11.76	16.54	3	H	92	1.39	-
PK	11.65378G	55.28	74.00	-18.72	16.54	3	H	92	1.39	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.569188G	44.16	54.00	-9.84	17.96	3	V	222	1.73	-
PK	15.570724G	57.48	74.00	-16.52	17.96	3	V	222	1.73	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.569464G	44.06	54.00	-9.94	17.96	3	H	182	2.32	-
PK	15.5697G	57.89	74.00	-16.11	17.96	3	H	182	2.32	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.690248G	43.78	54.00	-10.22	17.70	3	V	292	1.77	-
PK	15.690812G	57.40	74.00	-16.60	17.70	3	V	292	1.77	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.689988G	43.92	54.00	-10.08	17.70	3	H	283	1.77	-
PK	15.689252G	57.24	74.00	-16.76	17.70	3	H	283	1.77	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.809732G	42.98	54.00	-11.02	17.44	3	V	227	1.76	-
PK	15.810004G	56.40	74.00	-17.60	17.44	3	V	227	1.76	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.810256G	42.97	54.00	-11.03	17.44	3	H	22	2.05	-
PK	15.80964G	57.09	74.00	-16.91	17.44	3	H	22	2.05	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.93006G	43.09	54.00	-10.91	17.18	3	V	217	1.09	-
PK	15.92956G	56.78	74.00	-17.22	17.18	3	V	217	1.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.930248G	42.81	54.00	-11.19	17.18	3	H	275	1.15	-
PK	15.929096G	56.30	74.00	-17.70	17.18	3	H	275	1.15	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02096G	41.52	54.00	-12.48	15.85	3	V	266	1.92	-
PK	11.019696G	54.55	74.00	-19.45	15.85	3	V	266	1.92	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.020464G	41.43	54.00	-12.57	15.85	3	H	69	1.74	-
PK	11.01978G	54.66	74.00	-19.34	15.85	3	H	69	1.74	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.100836G	41.34	54.00	-12.66	15.94	3	V	202	1.83	-
PK	11.099164G	54.82	74.00	-19.18	15.94	3	V	202	1.83	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09982G	41.33	54.00	-12.67	15.94	3	H	145	2.16	-
PK	11.09924G	55.29	74.00	-18.71	15.94	3	H	145	2.16	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.339292G	41.58	54.00	-12.42	16.20	3	V	78	1.51	-
PK	11.339476G	55.14	74.00	-18.86	16.20	3	V	78	1.51	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.340544G	41.62	54.00	-12.38	16.20	3	H	18	1.09	-
PK	11.339768G	54.74	74.00	-19.26	16.20	3	H	18	1.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42056G	42.04	54.00	-11.96	16.29	3	V	356	1.50	-
PK	11.420272G	55.07	74.00	-18.93	16.29	3	V	356	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.419376G	42.06	54.00	-11.94	16.29	3	H	69	1.51	-
PK	11.420244G	55.66	74.00	-18.34	16.29	3	H	69	1.51	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.509896G	41.61	54.00	-12.39	16.39	3	V	271	2.33	-
PK	11.510516G	54.69	74.00	-19.31	16.39	3	V	271	2.33	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.510188G	41.63	54.00	-12.37	16.39	3	H	257	2.10	-
PK	11.509536G	55.17	74.00	-18.83	16.39	3	H	257	2.10	-



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.589276G	41.82	54.00	-12.18	16.47	3	V	130	1.05	-
PK	11.590728G	55.39	74.00	-18.61	16.47	3	V	130	1.05	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58964G	41.76	54.00	-12.24	16.47	3	H	138	1.49	-
PK	11.589392G	55.18	74.00	-18.82	16.47	3	H	138	1.49	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.629876G	43.33	54.00	-10.67	17.83	3	V	79	1.85	-
PK	15.629528G	56.87	74.00	-17.13	17.83	3	V	79	1.85	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.629676G	43.36	54.00	-10.64	17.83	3	H	80	2.22	-
PK	15.630564G	56.49	74.00	-17.51	17.83	3	H	80	2.22	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.869604G	42.43	54.00	-11.57	17.31	3	V	159	1.95	-
PK	15.87008G	56.81	74.00	-17.19	17.31	3	V	159	1.95	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.869536G	42.36	54.00	-11.64	17.31	3	H	346	1.70	-
PK	15.86916G	56.92	74.00	-17.08	17.31	3	H	346	1.70	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.059912G	41.19	54.00	-12.81	15.90	3	V	308	1.04	-
PK	11.05942G	54.55	74.00	-19.45	15.89	3	V	308	1.04	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圖)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.059572G	41.16	54.00	-12.84	15.89	3	H	60	1.81	-
PK	11.060564G	54.68	74.00	-19.32	15.90	3	H	60	1.81	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.220592G	41.13	54.00	-12.87	16.07	3	V	271	1.16	-
PK	11.220608G	54.37	74.00	-19.63	16.07	3	V	271	1.16	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.219848G	41.01	54.00	-12.99	16.07	3	H	8	2.00	-
PK	11.220864G	54.64	74.00	-19.36	16.07	3	H	8	2.00	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.379692G	41.88	54.00	-12.12	16.24	3	V	46	1.68	-
PK	11.380784G	54.96	74.00	-19.04	16.25	3	V	46	1.68	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.379952G	41.66	54.00	-12.34	16.24	3	H	186	1.00	-
PK	11.380608G	54.67	74.00	-19.33	16.24	3	H	186	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54924G	41.51	54.00	-12.49	16.43	3	V	174	1.03	-
PK	11.550548G	54.87	74.00	-19.13	16.43	3	V	174	1.03	-



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.550964G	41.60	54.00	-12.40	16.43	3	H	13	1.75	-
PK	11.549256G	55.01	74.00	-18.99	16.43	3	H	13	1.75	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.539812G	43.56	54.00	-10.44	18.03	3	V	47	2.43	-
PK	15.540212G	57.60	74.00	-16.40	18.03	3	V	47	2.43	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.539812G	43.61	54.00	-10.39	18.03	3	H	342	1.58	-
PK	15.539424G	57.25	74.00	-16.75	18.03	3	H	342	1.58	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圖)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59958G	43.18	54.00	-10.82	17.90	3	V	182	1.57	-
PK	15.60026G	56.90	74.00	-17.10	17.90	3	V	182	1.57	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.599512G	43.21	54.00	-10.79	17.90	3	H	52	1.84	-
PK	15.600812G	56.79	74.00	-17.21	17.90	3	H	52	1.84	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.719812G	43.29	54.00	-10.71	17.64	3	V	304	2.44	-
PK	15.719284G	56.86	74.00	-17.14	17.64	3	V	304	2.44	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.719184G	43.28	54.00	-10.72	17.64	3	H	216	1.00	-
PK	15.720544G	56.83	74.00	-17.17	17.64	3	H	216	1.00	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.779376G	43.00	54.00	-11.00	17.51	3	V	153	1.45	-
PK	15.779124G	56.15	74.00	-17.85	17.51	3	V	153	1.45	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.780624G	43.17	54.00	-10.83	17.51	3	H	108	1.88	-
PK	15.779468G	56.18	74.00	-17.82	17.51	3	H	108	1.88	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.900376G	42.67	54.00	-11.33	17.25	3	V	42	1.38	-
PK	15.900872G	56.09	74.00	-17.91	17.25	3	V	42	1.38	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.900804G	42.67	54.00	-11.33	17.25	3	H	323	1.47	-
PK	15.900388G	55.90	74.00	-18.10	17.25	3	H	323	1.47	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.959912G	42.16	54.00	-11.84	17.12	3	V	65	1.22	-
PK	15.960084G	55.67	74.00	-18.33	17.12	3	V	65	1.22	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.959692G	42.15	54.00	-11.85	17.12	3	H	126	2.15	-
PK	15.960076G	55.36	74.00	-18.64	17.12	3	H	126	2.15	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.999356G	41.09	54.00	-12.91	15.83	3	V	308	1.75	-
PK	10.999436G	53.99	74.00	-20.01	15.83	3	V	308	1.75	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.999936G	41.05	54.00	-12.95	15.83	3	H	355	1.34	-
PK	11.000168G	54.10	74.00	-19.90	15.83	3	H	355	1.34	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.160504G	41.44	54.00	-12.56	16.00	3	V	135	1.48	-
PK	11.160824G	54.93	74.00	-19.07	16.01	3	V	135	1.48	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.160668G	41.29	54.00	-12.71	16.01	3	H	264	1.37	-
PK	11.15904G	55.10	74.00	-18.90	16.00	3	H	264	1.37	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.400544G	41.88	54.00	-12.12	16.27	3	V	82	1.23	-
PK	11.40014G	55.57	74.00	-18.43	16.27	3	V	82	1.23	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.399512G	41.94	54.00	-12.06	16.27	3	H	355	1.14	-
PK	11.399336G	54.99	74.00	-19.01	16.27	3	H	355	1.14	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.439692G	42.02	54.00	-11.98	16.31	3	V	146	1.19	-
PK	11.439088G	56.28	74.00	-17.72	16.31	3	V	146	1.19	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.440964G	42.14	54.00	-11.86	16.31	3	H	220	2.16	-
PK	11.439408G	56.06	74.00	-17.94	16.31	3	H	220	2.16	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.490784G	41.70	54.00	-12.30	16.36	3	V	313	1.43	-
PK	11.49092G	54.96	74.00	-19.04	16.37	3	V	313	1.43	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.490684G	41.70	54.00	-12.30	16.36	3	H	287	1.00	-
PK	11.48936G	54.67	74.00	-19.33	16.36	3	H	287	1.00	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56932G	41.61	54.00	-12.39	16.45	3	V	107	1.30	-
PK	11.57092G	55.51	74.00	-18.49	16.45	3	V	107	1.30	-



802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56932G	41.51	54.00	-12.49	16.45	3	H	70	1.95	-
PK	11.57064G	55.19	74.00	-18.81	16.45	3	H	70	1.95	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.650068G	41.93	54.00	-12.07	16.54	3	V	72	2.13	-
PK	11.650928G	55.30	74.00	-18.70	16.54	3	V	72	2.13	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.650484G	41.82	54.00	-12.18	16.54	3	H	161	2.28	-
PK	11.650584G	55.44	74.00	-18.56	16.54	3	H	161	2.28	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.570148G	43.39	54.00	-10.61	17.96	3	V	228	2.39	-
PK	15.570604G	57.37	74.00	-16.63	17.96	3	V	228	2.39	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.569356G	43.52	54.00	-10.48	17.96	3	H	145	2.43	-
PK	15.569208G	56.83	74.00	-17.17	17.96	3	H	145	2.43	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69034G	43.36	54.00	-10.64	17.70	3	V	272	2.29	-
PK	15.690696G	56.47	74.00	-17.53	17.70	3	V	272	2.29	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.689996G	43.30	54.00	-10.70	17.70	3	H	119	1.08	-
PK	15.689504G	56.75	74.00	-17.25	17.70	3	H	119	1.08	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80934G	42.64	54.00	-11.36	17.44	3	V	36	1.56	-
PK	15.810876G	55.93	74.00	-18.07	17.44	3	V	36	1.56	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.809736G	42.63	54.00	-11.37	17.44	3	H	227	1.90	-
PK	15.809828G	56.46	74.00	-17.54	17.44	3	H	227	1.90	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.929452G	42.56	54.00	-11.44	17.18	3	V	295	1.26	-
PK	15.93G	55.59	74.00	-18.41	17.18	3	V	295	1.26	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.930152G	42.74	54.00	-11.26	17.18	3	H	91	1.38	-
PK	15.92968G	56.46	74.00	-17.54	17.18	3	H	91	1.38	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.020068G	41.02	54.00	-12.98	15.85	3	V	80	1.85	-
PK	11.020408G	54.41	74.00	-19.59	15.85	3	V	80	1.85	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.019912G	41.16	54.00	-12.84	15.85	3	H	358	1.37	-
PK	11.020704G	54.86	74.00	-19.14	15.85	3	H	358	1.37	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.100368G	41.22	54.00	-12.78	15.94	3	V	91	1.36	-
PK	11.099956G	54.38	74.00	-19.62	15.94	3	V	91	1.36	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.100544G	41.24	54.00	-12.76	15.94	3	H	232	2.13	-
PK	11.099808G	54.74	74.00	-19.26	15.94	3	H	232	2.13	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33916G	41.53	54.00	-12.47	16.20	3	V	143	1.22	-
PK	11.339036G	55.03	74.00	-18.97	16.20	3	V	143	1.22	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.340584G	41.48	54.00	-12.52	16.20	3	H	110	2.49	-
PK	11.340944G	54.69	74.00	-19.31	16.20	3	H	110	2.49	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.419248G	42.00	54.00	-12.00	16.29	3	V	333	2.08	-
PK	11.420564G	55.10	74.00	-18.90	16.29	3	V	333	2.08	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.420292G	41.92	54.00	-12.08	16.29	3	H	260	1.76	-
PK	11.420724G	55.34	74.00	-18.66	16.29	3	H	260	1.76	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.509856G	41.56	54.00	-12.44	16.39	3	V	147	1.62	-
PK	11.510508G	54.55	74.00	-19.45	16.39	3	V	147	1.62	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.509636G	41.60	54.00	-12.40	16.39	3	H	240	1.04	-
PK	11.509344G	55.21	74.00	-18.79	16.39	3	H	240	1.04	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.590748G	41.68	54.00	-12.32	16.47	3	V	45	2.00	-
PK	11.589132G	54.93	74.00	-19.07	16.47	3	V	45	2.00	-



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	41.79	54.00	-12.21	16.47	3	H	258	2.46	-
PK	11.589448G	55.33	74.00	-18.67	16.47	3	H	258	2.46	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.629336G	43.20	54.00	-10.80	17.83	3	V	225	1.56	-
PK	15.630376G	56.80	74.00	-17.20	17.83	3	V	225	1.56	-



802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.629448G	43.32	54.00	-10.68	17.83	3	H	57	1.99	-
PK	15.629416G	56.41	74.00	-17.59	17.83	3	H	57	1.99	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.869676G	42.40	54.00	-11.60	17.31	3	V	355	2.27	-
PK	15.870832G	55.70	74.00	-18.30	17.31	3	V	355	2.27	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.870252G	42.43	54.00	-11.57	17.31	3	H	350	1.76	-
PK	15.86938G	55.82	74.00	-18.18	17.31	3	H	350	1.76	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05912G	41.22	54.00	-12.78	15.89	3	V	106	2.17	-
PK	11.059388G	54.58	74.00	-19.42	15.89	3	V	106	2.17	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05948G	41.17	54.00	-12.83	15.89	3	H	96	1.78	-
PK	11.060008G	55.47	74.00	-18.53	15.90	3	H	96	1.78	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21936G	41.02	54.00	-12.98	16.07	3	V	82	1.65	-
PK	11.219064G	54.16	74.00	-19.84	16.07	3	V	82	1.65	-



802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.220664G	41.12	54.00	-12.88	16.07	3	H	60	1.59	-
PK	11.219824G	54.45	74.00	-19.55	16.07	3	H	60	1.59	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.379688G	41.68	54.00	-12.32	16.24	3	V	47	1.85	-
PK	11.379096G	54.81	74.00	-19.19	16.24	3	V	47	1.85	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170818
 EUT_X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.380924G	41.82	54.00	-12.18	16.25	3	H	64	1.09	-
PK	11.380268G	55.34	74.00	-18.66	16.24	3	H	64	1.09	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.549836G	41.72	54.00	-12.28	16.43	3	V	34	1.57	-
PK	11.549048G	54.92	74.00	-19.08	16.43	3	V	34	1.57	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX



20170818
 EUT X_4TX
 Setting 29
 02-J-6
 FSP(100015)
 (Omni/小圆)Skynet-DTO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54906G	41.57	54.00	-12.43	16.43	3	H	106	1.50	-
PK	11.550224G	54.81	74.00	-19.19	16.43	3	H	106	1.50	-




For Radio 3
For set 2 antenna
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.1496G	53.93	54.00	-0.07	9.03	3	V	262	1.51	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 21
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1498G	53.96	54.00	-0.04	9.03	3	V	313	1.73	-
AV	5.1854G	99.88	Inf	-Inf	9.12	3	V	313	1.73	-
PK	5.1482G	66.99	74.00	-7.01	9.03	3	V	313	1.73	-
PK	5.1876G	109.86	Inf	-Inf	9.13	3	V	313	1.73	-



802.11ac VHT20_Nss1,(MCS0)_1TX 5200MHz_TX




20170619
EUT X 1TX ANT Dipole
Setting 31
02-W-3-10
FSU
Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	53.93	54.00	-0.07	9.03	3	V	262	1.51	-
AV	5.2052G	102.48	Inf	-Inf	9.17	3	V	262	1.51	-
PK	5.14G	68.62	74.00	-5.38	9.01	3	V	262	1.51	-
PK	5.2036G	113.54	Inf	-Inf	9.17	3	V	262	1.51	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 35
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1482G	47.32	54.00	-6.68	9.03	3	V	242	1.48	-
AV	5.2454G	103.15	Inf	-Inf	9.25	3	V	242	1.48	-
AV	5.3672G	47.04	54.00	-6.96	9.46	3	V	242	1.48	-
PK	5.1128G	59.39	74.00	-14.61	8.94	3	V	242	1.48	-
PK	5.2472G	114.17	Inf	-Inf	9.25	3	V	242	1.48	-
PK	5.3636G	59.28	74.00	-14.72	9.46	3	V	242	1.48	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 35
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.70	54.00	-7.30	9.03	3	V	204	2.33	-
AV	5.263G	103.91	Inf	-Inf	9.28	3	V	204	2.33	-
AV	5.3548G	47.78	54.00	-6.22	9.44	3	V	204	2.33	-
PK	5.1286G	59.23	74.00	-14.77	8.98	3	V	204	2.33	-
PK	5.2642G	114.35	Inf	-Inf	9.28	3	V	204	2.33	-
PK	5.3578G	59.97	74.00	-14.03	9.45	3	V	204	2.33	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 26.5
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3032G	103.17	Inf	-Inf	9.36	3	V	199	2.28	-
AV	5.350005G	53.62	54.00	-0.38	9.44	3	V	199	2.28	-
PK	5.3036G	114.06	Inf	-Inf	9.36	3	V	199	2.28	-
PK	5.3504G	69.54	74.00	-4.46	9.44	3	V	199	2.28	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 21
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3144G	100.21	Inf	-Inf	9.37	3	V	198	2.43	-
AV	5.3502G	53.82	54.00	-0.18	9.44	3	V	198	2.43	-
PK	5.3278G	110.61	Inf	-Inf	9.40	3	V	198	2.43	-
PK	5.3508G	67.72	74.00	-6.28	9.44	3	V	198	2.43	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 20
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	51.24	54.00	-2.76	9.68	3	V	260	1.49	-
AV	5.4948G	100.77	Inf	-Inf	9.78	3	V	260	1.49	-
PK	5.4592G	65.76	74.00	-8.24	9.68	3	V	260	1.49	-
PK	5.4676G	68.09	68.20	-0.11	9.70	3	V	260	1.49	-
PK	5.4948G	110.45	Inf	-Inf	9.78	3	V	260	1.49	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 35
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4568G	47.57	54.00	-6.43	9.67	3	V	283	1.40	-
AV	5.5832G	104.13	Inf	-Inf	9.86	3	V	283	1.40	-
PK	5.4496G	60.17	74.00	-13.83	9.65	3	V	283	1.40	-
PK	5.4648G	60.17	68.20	-8.03	9.69	3	V	283	1.40	-
PK	5.5768G	115.36	Inf	-Inf	9.86	3	V	283	1.40	-
PK	5.7336G	59.35	68.20	-8.85	9.91	3	V	283	1.40	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 17.5
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	99.57	Inf	-Inf	9.90	3	V	259	1.61	-
PK	5.701G	109.02	Inf	-Inf	9.90	3	V	259	1.61	-
PK	5.7251G	68.18	68.20	-0.02	9.91	3	V	259	1.61	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TX




20170619
 EUT X 1TX ANT Dipole
 Setting 35
 02-W-3-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4344G	47.10	54.00	-6.90	9.61	3	V	255	1.38	-
AV	5.7236G	104.29	Inf	-Inf	9.90	3	V	255	1.38	-
PK	5.4296G	58.59	74.00	-15.41	9.60	3	V	255	1.38	-
PK	5.4608G	58.60	68.20	-9.60	9.68	3	V	255	1.38	-
PK	5.7224G	115.16	Inf	-Inf	9.90	3	V	255	1.38	-
PK	5.984G	60.16	68.20	-8.04	10.18	3	V	255	1.38	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 35
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.748G	103.12	Inf	-Inf	9.91	3	V	256	1.51	-
PK	5.648G	60.12	68.20	-8.08	9.89	3	V	256	1.51	-
PK	5.742G	113.42	Inf	-Inf	9.91	3	V	256	1.51	-
PK	5.952G	60.09	68.20	-8.11	10.13	3	V	256	1.51	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 35
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.78G	103.44	Inf	-Inf	9.92	3	V	282	1.35	-
PK	5.559G	60.74	68.20	-7.46	9.84	3	V	282	1.35	-
PK	5.782G	113.96	Inf	-Inf	9.92	3	V	282	1.35	-
PK	5.928G	59.49	68.20	-8.71	10.10	3	V	282	1.35	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 35
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.831G	103.15	Inf	-Inf	9.96	3	V	283	1.23	-
PK	5.595G	60.00	68.20	-8.20	9.88	3	V	283	1.23	-
PK	5.822G	113.96	Inf	-Inf	9.95	3	V	283	1.23	-
PK	5.937G	60.40	68.20	-7.80	10.11	3	V	283	1.23	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 14.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.55	54.00	-0.45	9.03	3	V	244	1.51	-
AV	5.1948G	91.64	Inf	-Inf	9.15	3	V	244	1.51	-
PK	5.149995G	65.61	74.00	-8.39	9.03	3	V	244	1.51	-
PK	5.1948G	100.90	Inf	-Inf	9.15	3	V	244	1.51	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 26.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.92	54.00	-0.08	9.03	3	V	277	1.60	-
AV	5.2356G	99.60	Inf	-Inf	9.23	3	V	277	1.60	-
PK	5.1468G	66.10	74.00	-7.90	9.03	3	V	277	1.60	-
PK	5.2428G	109.31	Inf	-Inf	9.24	3	V	277	1.60	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 25.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2748G	99.69	Inf	-Inf	9.30	3	V	283	1.94	-
AV	5.350005G	53.85	54.00	-0.15	9.44	3	V	283	1.94	-
PK	5.2824G	109.52	Inf	-Inf	9.32	3	V	283	1.94	-
PK	5.3508G	66.22	74.00	-7.78	9.44	3	V	283	1.94	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 14.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3232G	93.24	Inf	-Inf	9.39	3	V	286	2.01	-
AV	5.350005G	53.37	54.00	-0.63	9.44	3	V	286	2.01	-
PK	5.3224G	102.64	Inf	-Inf	9.39	3	V	286	2.01	-
PK	5.350005G	66.37	74.00	-7.63	9.44	3	V	286	2.01	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 15.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.67	54.00	-3.33	9.68	3	V	249	1.40	-
AV	5.5004G	94.64	Inf	-Inf	9.79	3	V	249	1.40	-
PK	5.46G	64.65	74.00	-9.35	9.68	3	V	249	1.40	-
PK	5.4696G	68.00	68.20	-0.20	9.71	3	V	249	1.40	-
PK	5.5048G	103.62	Inf	-Inf	9.79	3	V	249	1.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 26
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	53.30	54.00	-0.70	9.68	3	V	274	1.40	-
AV	5.5372G	100.75	Inf	-Inf	9.82	3	V	274	1.40	-
PK	5.454G	66.05	74.00	-7.95	9.67	3	V	274	1.40	-
PK	5.4684G	66.49	68.20	-1.71	9.70	3	V	274	1.40	-
PK	5.5332G	110.63	Inf	-Inf	9.82	3	V	274	1.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 20
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6644G	99.00	Inf	-Inf	9.89	3	V	273	1.35	-
AV	5.7252G	54.22	Inf	-Inf	9.91	3	V	273	1.35	-
PK	5.6644G	108.23	Inf	-Inf	9.89	3	V	273	1.35	-
PK	5.7252G	68.13	68.20	-0.07	9.91	3	V	273	1.35	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 35
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.44G	47.97	54.00	-6.03	9.63	3	V	273	1.33	-
AV	5.7184G	101.44	Inf	-Inf	9.90	3	V	273	1.33	-
PK	5.4352G	59.59	74.00	-14.41	9.62	3	V	273	1.33	-
PK	5.4688G	58.96	68.20	-9.24	9.71	3	V	273	1.33	-
PK	5.7232G	111.29	Inf	-Inf	9.90	3	V	273	1.33	-
PK	5.9584G	59.46	68.20	-8.74	10.14	3	V	273	1.33	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 30
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.764G	100.67	Inf	-Inf	9.91	3	V	273	1.33	-
PK	5.651G	68.76	68.94	-0.18	9.89	3	V	273	1.33	-
PK	5.762G	110.60	Inf	-Inf	9.91	3	V	273	1.33	-
PK	5.97G	60.13	68.20	-8.07	10.16	3	V	273	1.33	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 35
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	101.34	Inf	-Inf	9.92	3	V	249	1.37	-
PK	5.647G	60.88	68.20	-7.32	9.89	3	V	249	1.37	-
PK	5.802G	110.79	Inf	-Inf	9.92	3	V	249	1.37	-
PK	5.925G	61.49	68.20	-6.71	10.09	3	V	249	1.37	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 14
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.83	54.00	-0.17	9.03	3	V	295	1.52	-
AV	5.234G	88.31	Inf	-Inf	9.22	3	V	295	1.52	-
AV	5.442G	47.56	54.00	-6.44	9.63	3	V	295	1.52	-
PK	5.149995G	65.26	74.00	-8.74	9.03	3	V	295	1.52	-
PK	5.234G	98.26	Inf	-Inf	9.22	3	V	295	1.52	-
PK	5.425G	59.19	74.00	-14.81	9.59	3	V	295	1.52	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 11.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	46.56	54.00	-7.44	9.03	3	V	253	1.52	-
AV	5.314G	85.05	Inf	-Inf	9.37	3	V	253	1.52	-
AV	5.350005G	53.72	54.00	-0.28	9.44	3	V	253	1.52	-
PK	5.1316G	59.02	74.00	-14.98	8.99	3	V	253	1.52	-
PK	5.278G	96.14	Inf	-Inf	9.31	3	V	253	1.52	-
PK	5.350005G	65.86	74.00	-8.14	9.44	3	V	253	1.52	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 13.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.91	54.00	-0.09	9.68	3	V	247	1.46	-
AV	5.5084G	89.50	Inf	-Inf	9.80	3	V	247	1.46	-
AV	5.726G	47.74	Inf	-Inf	9.91	3	V	247	1.46	-
PK	5.458G	64.88	74.00	-9.12	9.68	3	V	247	1.46	-
PK	5.4692G	66.79	68.20	-1.41	9.71	3	V	247	1.46	-
PK	5.518G	100.44	Inf	-Inf	9.81	3	V	247	1.46	-
PK	5.726G	59.30	68.20	-8.90	9.91	3	V	247	1.46	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 22
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	50.99	54.00	-3.01	9.68	3	V	274	1.40	-
AV	5.589G	97.05	Inf	-Inf	9.87	3	V	274	1.40	-
AV	5.725G	54.99	Inf	-Inf	9.91	3	V	274	1.40	-
PK	5.454G	61.99	74.00	-12.01	9.67	3	V	274	1.40	-
PK	5.469G	63.66	68.20	-4.54	9.71	3	V	274	1.40	-
PK	5.598G	108.15	Inf	-Inf	9.88	3	V	274	1.40	-
PK	5.727G	67.34	68.20	-0.86	9.91	3	V	274	1.40	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170620
 EUT X 1TX ANT Dipole
 Setting 30
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.08	54.00	-0.92	9.68	3	V	247	1.41	-
AV	5.6684G	98.06	Inf	-Inf	9.89	3	V	247	1.41	-
PK	5.444G	65.78	74.00	-8.22	9.64	3	V	247	1.41	-
PK	5.462G	66.63	68.20	-1.57	9.69	3	V	247	1.41	-
PK	5.678G	110.13	Inf	-Inf	9.90	3	V	247	1.41	-
PK	5.9288G	63.16	68.20	-5.04	10.10	3	V	247	1.41	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170620
 EUT X 1TX ANT Dipole
 Setting 24.5
 02-B-2-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.754G	96.21	Inf	-Inf	9.91	3	V	250	1.49	-
PK	5.648G	67.82	68.20	-0.38	9.89	3	V	250	1.49	-
PK	5.763G	107.29	Inf	-Inf	9.91	3	V	250	1.49	-
PK	5.932G	60.30	68.20	-7.90	10.10	3	V	250	1.49	-




For set 3 antenna
Band Edge Emission
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	PK	5.727G	68.19	68.20	-0.01	9.91	3	H	73	2.15	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170715
 EUT X_1TX
 Setting 19
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1498G	53.40	54.00	-0.60	9.03	3	V	95	2.03	-
AV	5.1856G	101.20	Inf	-Inf	9.12	3	V	95	2.03	-
PK	5.149995G	66.44	74.00	-7.56	9.03	3	V	95	2.03	-
PK	5.1874G	111.08	Inf	-Inf	9.13	3	V	95	2.03	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170715
 EUT X_1TX
 Setting 19
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.47	54.00	-0.53	9.03	3	H	86	2.05	-
AV	5.188G	101.48	Inf	-Inf	9.13	3	H	86	2.05	-
PK	5.149995G	68.29	74.00	-5.71	9.03	3	H	86	2.05	-
PK	5.186G	111.14	Inf	-Inf	9.12	3	H	86	2.05	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170715
 EUT X_1TX
 Setting 28.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	52.93	54.00	-1.07	9.03	3	V	87	1.64	-
AV	5.2032G	103.80	Inf	-Inf	9.17	3	V	87	1.64	-
PK	5.149995G	67.23	74.00	-6.77	9.03	3	V	87	1.64	-
PK	5.2016G	114.29	Inf	-Inf	9.16	3	V	87	1.64	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170715
 EUT X_1TX
 Setting 28.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.39	54.00	-0.61	9.03	3	H	82	1.90	-
AV	5.2052G	105.47	Inf	-Inf	9.17	3	H	82	1.90	-
PK	5.14G	68.26	74.00	-5.74	9.01	3	H	82	1.90	-
PK	5.206G	115.92	Inf	-Inf	9.17	3	H	82	1.90	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	47.22	54.00	-6.78	9.03	3	V	83	2.09	-
AV	5.2454G	105.11	Inf	-Inf	9.25	3	V	83	2.09	-
AV	5.3642G	47.49	54.00	-6.51	9.46	3	V	83	2.09	-
PK	5.126G	59.68	74.00	-14.32	8.97	3	V	83	2.09	-
PK	5.246G	115.91	Inf	-Inf	9.25	3	V	83	2.09	-
PK	5.381G	58.97	74.00	-15.03	9.49	3	V	83	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	47.80	54.00	-6.20	9.03	3	H	85	1.81	-
AV	5.2484G	105.96	Inf	-Inf	9.25	3	H	85	1.81	-
AV	5.3606G	47.74	54.00	-6.26	9.45	3	H	85	1.81	-
PK	5.1362G	59.71	74.00	-14.29	9.00	3	H	85	1.81	-
PK	5.2466G	116.06	Inf	-Inf	9.25	3	H	85	1.81	-
PK	5.366G	59.52	74.00	-14.48	9.46	3	H	85	1.81	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	46.77	54.00	-7.23	9.03	3	V	88	2.08	-
AV	5.2684G	105.11	Inf	-Inf	9.29	3	V	88	2.08	-
AV	5.3566G	47.53	54.00	-6.47	9.45	3	V	88	2.08	-
PK	5.1208G	59.55	74.00	-14.45	8.96	3	V	88	2.08	-
PK	5.257G	115.96	Inf	-Inf	9.27	3	V	88	2.08	-
PK	5.350005G	60.87	74.00	-13.13	9.44	3	V	88	2.08	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.92	54.00	-7.08	9.03	3	H	81	1.72	-
AV	5.2654G	106.30	Inf	-Inf	9.28	3	H	81	1.72	-
AV	5.350005G	47.86	54.00	-6.14	9.44	3	H	81	1.72	-
PK	5.1484G	59.08	74.00	-14.92	9.03	3	H	81	1.72	-
PK	5.2636G	117.27	Inf	-Inf	9.28	3	H	81	1.72	-
PK	5.374G	59.75	74.00	-14.25	9.48	3	H	81	1.72	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170715
 EUT X_1TX
 Setting 26.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2944G	103.32	Inf	-Inf	9.34	3	V	85	1.58	-
AV	5.3504G	51.88	54.00	-2.12	9.44	3	V	85	1.58	-
PK	5.3012G	113.71	Inf	-Inf	9.35	3	V	85	1.58	-
PK	5.3516G	66.92	74.00	-7.08	9.44	3	V	85	1.58	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170715
 EUT X_1TX
 Setting 26.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2972G	105.45	Inf	-Inf	9.34	3	H	73	1.64	-
AV	5.350005G	53.20	54.00	-0.80	9.44	3	H	73	1.64	-
PK	5.3064G	116.03	Inf	-Inf	9.36	3	H	73	1.64	-
PK	5.350005G	69.06	74.00	-4.94	9.44	3	H	73	1.64	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170715
 EUT X_1TX
 Setting 20
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3256G	99.97	Inf	-Inf	9.39	3	V	77	1.43	-
AV	5.3502G	52.13	54.00	-1.87	9.44	3	V	77	1.43	-
PK	5.3266G	110.13	Inf	-Inf	9.40	3	V	77	1.43	-
PK	5.3514G	66.61	74.00	-7.39	9.44	3	V	77	1.43	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170715
 EUT X_1TX
 Setting 20
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3282G	102.22	Inf	-Inf	9.40	3	H	75	2.42	-
AV	5.350005G	53.09	54.00	-0.91	9.44	3	H	75	2.42	-
PK	5.3262G	112.28	Inf	-Inf	9.39	3	H	75	2.42	-
PK	5.3502G	66.59	74.00	-7.41	9.44	3	H	75	2.42	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170715
 EUT X_1TX
 Setting 18
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.81	54.00	-6.19	9.68	3	V	75	1.50	-
AV	5.4948G	99.73	Inf	-Inf	9.78	3	V	75	1.50	-
PK	5.42G	59.85	74.00	-14.15	9.57	3	V	75	1.50	-
PK	5.4672G	66.15	68.20	-2.05	9.70	3	V	75	1.50	-
PK	5.4988G	109.29	Inf	-Inf	9.79	3	V	75	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170715
 EUT X_1TX
 Setting 18
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	48.74	54.00	-5.26	9.68	3	H	68	1.54	-
AV	5.4944G	100.20	Inf	-Inf	9.77	3	H	68	1.54	-
PK	5.4572G	61.72	74.00	-12.28	9.67	3	H	68	1.54	-
PK	5.4692G	67.93	68.20	-0.27	9.71	3	H	68	1.54	-
PK	5.4936G	109.79	Inf	-Inf	9.77	3	H	68	1.54	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.412G	47.69	54.00	-6.31	9.55	3	V	71	1.50	-
AV	5.5832G	103.97	Inf	-Inf	9.86	3	V	71	1.50	-
PK	5.3832G	59.68	74.00	-14.32	9.49	3	V	71	1.50	-
PK	5.468G	61.60	68.20	-6.60	9.70	3	V	71	1.50	-
PK	5.5864G	114.51	Inf	-Inf	9.87	3	V	71	1.50	-
PK	5.7256G	60.44	68.20	-7.76	9.91	3	V	71	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4128G	47.62	54.00	-6.38	9.55	3	H	73	1.42	-
AV	5.5744G	104.41	Inf	-Inf	9.86	3	H	73	1.42	-
PK	5.4568G	60.17	74.00	-13.83	9.67	3	H	73	1.42	-
PK	5.468G	61.47	68.20	-6.73	9.70	3	H	73	1.42	-
PK	5.5864G	114.83	Inf	-Inf	9.87	3	H	73	1.42	-
PK	5.7456G	59.63	68.20	-8.57	9.91	3	H	73	1.42	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170715
 EUT X_1TX
 Setting 17.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6948G	100.65	Inf	-Inf	9.90	3	V	73	1.61	-
PK	5.6924G	110.72	Inf	-Inf	9.90	3	V	73	1.61	-
PK	5.7252G	66.80	68.20	-1.40	9.91	3	V	73	1.61	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170715
 EUT X_1TX
 Setting 17.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6936G	98.78	Inf	-Inf	9.90	3	H	71	1.49	-
PK	5.6924G	108.47	Inf	-Inf	9.90	3	H	71	1.49	-
PK	5.7252G	67.87	68.20	-0.33	9.91	3	H	71	1.49	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	47.32	54.00	-6.68	9.66	3	V	74	1.50	-
AV	5.7236G	104.40	Inf	-Inf	9.90	3	V	74	1.50	-
PK	5.4476G	59.46	74.00	-14.54	9.65	3	V	74	1.50	-
PK	5.468G	58.83	68.20	-9.37	9.70	3	V	74	1.50	-
PK	5.7224G	114.71	Inf	-Inf	9.90	3	V	74	1.50	-
PK	5.9432G	59.89	68.20	-8.31	10.12	3	V	74	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4488G	47.42	54.00	-6.58	9.65	3	H	74	1.49	-
AV	5.726G	102.72	Inf	-Inf	9.91	3	H	74	1.49	-
PK	5.4464G	59.78	74.00	-14.22	9.65	3	H	74	1.49	-
PK	5.460005G	58.38	68.20	-9.82	9.68	3	H	74	1.49	-
PK	5.726G	113.07	Inf	-Inf	9.91	3	H	74	1.49	-
PK	5.9804G	60.11	68.20	-8.09	10.17	3	H	74	1.49	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.742G	105.41	Inf	-Inf	9.91	3	V	72	1.42	-
PK	5.531G	60.02	68.20	-8.18	9.82	3	V	72	1.42	-
PK	5.747G	116.49	Inf	-Inf	9.91	3	V	72	1.42	-
PK	5.979G	60.08	68.20	-8.12	10.17	3	V	72	1.42	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.742G	103.33	Inf	-Inf	9.91	3	H	73	2.44	-
PK	5.538G	60.12	68.20	-8.08	9.82	3	H	73	2.44	-
PK	5.747G	114.08	Inf	-Inf	9.91	3	H	73	2.44	-
PK	5.966G	60.05	68.20	-8.15	10.15	3	H	73	2.44	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.779G	103.20	Inf	-Inf	9.92	3	V	77	1.50	-
PK	5.612G	60.49	68.20	-7.71	9.88	3	V	77	1.50	-
PK	5.782G	113.98	Inf	-Inf	9.92	3	V	77	1.50	-
PK	5.949G	60.24	68.20	-7.96	10.13	3	V	77	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	103.15	Inf	-Inf	9.92	3	H	71	1.75	-
PK	5.56G	59.42	68.20	-8.78	9.84	3	H	71	1.75	-
PK	5.786G	113.84	Inf	-Inf	9.92	3	H	71	1.75	-
PK	5.952G	60.16	68.20	-8.04	10.13	3	H	71	1.75	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	105.84	Inf	-Inf	9.95	3	V	70	1.89	-
PK	5.591G	60.24	68.20	-7.96	9.87	3	V	70	1.89	-
PK	5.822G	116.32	Inf	-Inf	9.95	3	V	70	1.89	-
PK	5.972G	60.20	68.20	-8.00	10.16	3	V	70	1.89	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	104.75	Inf	-Inf	9.95	3	H	69	1.49	-
PK	5.58G	59.68	68.20	-8.52	9.86	3	H	69	1.49	-
PK	5.82G	115.52	Inf	-Inf	9.95	3	H	69	1.49	-
PK	5.952G	59.77	68.20	-8.43	10.13	3	H	69	1.49	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170715
 EUT X_1TX
 Setting 13
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	52.46	54.00	-1.54	9.03	3	V	68	2.03	-
AV	5.2024G	92.57	Inf	-Inf	9.16	3	V	68	2.03	-
PK	5.149995G	64.82	74.00	-9.18	9.03	3	V	68	2.03	-
PK	5.2024G	102.12	Inf	-Inf	9.16	3	V	68	2.03	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170715
 EUT X_1TX
 Setting 13
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.05	54.00	-0.95	9.03	3	H	77	1.90	-
AV	5.2032G	93.09	Inf	-Inf	9.17	3	H	77	1.90	-
PK	5.149995G	65.35	74.00	-8.65	9.03	3	H	77	1.90	-
PK	5.2064G	102.79	Inf	-Inf	9.17	3	H	77	1.90	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170715
 EUT X_1TX
 Setting 25
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.89	54.00	-0.11	9.03	3	V	81	2.05	-
AV	5.239G	101.41	Inf	-Inf	9.23	3	V	81	2.05	-
AV	5.3746G	48.06	54.00	-5.94	9.48	3	V	81	2.05	-
PK	5.1496G	66.11	74.00	-7.89	9.03	3	V	81	2.05	-
PK	5.2474G	111.17	Inf	-Inf	9.25	3	V	81	2.05	-
PK	5.368G	59.72	74.00	-14.28	9.47	3	V	81	2.05	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170715
EUT X_1TX
Setting 25
02-R-1-10
FSU
Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.44	54.00	-0.56	9.03	3	H	69	1.31	-
AV	5.2396G	101.29	Inf	-Inf	9.24	3	H	69	1.31	-
AV	5.3698G	48.18	54.00	-5.82	9.47	3	H	69	1.31	-
PK	5.149G	65.15	74.00	-8.85	9.03	3	H	69	1.31	-
PK	5.2426G	111.06	Inf	-Inf	9.24	3	H	69	1.31	-
PK	5.3536G	60.32	74.00	-13.68	9.44	3	H	69	1.31	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170715
 EUT X_1TX
 Setting 24.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	47.49	54.00	-6.51	9.03	3	V	65	1.97	-
AV	5.2592G	101.43	Inf	-Inf	9.27	3	V	65	1.97	-
AV	5.350005G	52.71	54.00	-1.29	9.44	3	V	65	1.97	-
PK	5.1428G	59.51	74.00	-14.49	9.02	3	V	65	1.97	-
PK	5.2868G	111.27	Inf	-Inf	9.32	3	V	65	1.97	-
PK	5.3504G	65.28	74.00	-8.72	9.44	3	V	65	1.97	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170715
 EUT X_1TX
 Setting 24.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1482G	47.83	54.00	-6.17	9.03	3	H	71	1.96	-
AV	5.2772G	103.34	Inf	-Inf	9.31	3	H	71	1.96	-
AV	5.3504G	53.91	54.00	-0.09	9.44	3	H	71	1.96	-
PK	5.1416G	59.04	74.00	-14.96	9.01	3	H	71	1.96	-
PK	5.279G	112.81	Inf	-Inf	9.31	3	H	71	1.96	-
PK	5.3504G	67.09	74.00	-6.91	9.44	3	H	71	1.96	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170715
 EUT X_1TX
 Setting 13.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3224G	92.71	Inf	-Inf	9.39	3	V	77	1.59	-
AV	5.3504G	51.66	54.00	-2.34	9.44	3	V	77	1.59	-
PK	5.3224G	102.33	Inf	-Inf	9.39	3	V	77	1.59	-
PK	5.350005G	64.62	74.00	-9.38	9.44	3	V	77	1.59	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170715
 EUT X_1TX
 Setting 13.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3148G	94.47	Inf	-Inf	9.38	3	H	69	1.49	-
AV	5.350005G	53.30	54.00	-0.70	9.44	3	H	69	1.49	-
PK	5.3268G	103.68	Inf	-Inf	9.40	3	H	69	1.49	-
PK	5.350005G	65.61	74.00	-8.39	9.44	3	H	69	1.49	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170715
 EUT X_1TX
 Setting 14.5
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.61	54.00	-4.39	9.68	3	V	70	1.50	-
AV	5.4988G	93.79	Inf	-Inf	9.79	3	V	70	1.50	-
PK	5.4596G	63.81	74.00	-10.19	9.68	3	V	70	1.50	-
PK	5.468G	67.58	68.20	-0.62	9.70	3	V	70	1.50	-
PK	5.4988G	103.12	Inf	-Inf	9.79	3	V	70	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170715
 EUT X_1TX
 Setting 14.5
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.51	54.00	-3.49	9.68	3	H	72	1.45	-
AV	5.4944G	93.91	Inf	-Inf	9.77	3	H	72	1.45	-
PK	5.46G	63.15	74.00	-10.85	9.68	3	H	72	1.45	-
PK	5.468G	67.29	68.20	-0.91	9.70	3	H	72	1.45	-
PK	5.4936G	103.28	Inf	-Inf	9.77	3	H	72	1.45	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170715
 EUT X_1TX
 Setting 25.5
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	52.58	54.00	-1.42	9.68	3	V	69	1.75	-
AV	5.5368G	101.63	Inf	-Inf	9.82	3	V	69	1.75	-
PK	5.4582G	65.09	74.00	-8.91	9.68	3	V	69	1.75	-
PK	5.469G	65.78	68.20	-2.42	9.71	3	V	69	1.75	-
PK	5.5536G	111.20	Inf	-Inf	9.84	3	V	69	1.75	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170715
 EUT X_1TX
 Setting 25.5
 02-R-1-10
 FSU
 Skynet-NP (大方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	53.30	54.00	-0.70	9.68	3	H	78	2.05	-
AV	5.5392G	101.28	Inf	-Inf	9.83	3	H	78	2.05	-
PK	5.4588G	66.63	74.00	-7.37	9.68	3	H	78	2.05	-
PK	5.4696G	67.86	68.20	-0.34	9.71	3	H	78	2.05	-
PK	5.5374G	110.85	Inf	-Inf	9.82	3	H	78	2.05	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170715
 EUT X_1TX
 Setting 23
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6748G	101.36	Inf	-Inf	9.89	3	V	75	1.74	-
PK	5.6718G	110.45	Inf	-Inf	9.89	3	V	75	1.74	-
PK	5.7252G	67.89	68.20	-0.31	9.91	3	V	75	1.74	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170715
 EUT X_1TX
 Setting 23
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6716G	99.51	Inf	-Inf	9.89	3	H	72	1.74	-
PK	5.666G	108.98	Inf	-Inf	9.89	3	H	72	1.74	-
PK	5.7252G	66.75	68.20	-1.45	9.91	3	H	72	1.74	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4112G	48.13	54.00	-5.87	9.55	3	V	76	1.61	-
AV	5.698G	102.01	Inf	-Inf	9.90	3	V	76	1.61	-
PK	5.459995G	59.41	74.00	-14.59	9.68	3	V	76	1.61	-
PK	5.4604G	59.41	68.20	-8.79	9.68	3	V	76	1.61	-
PK	5.7016G	111.68	Inf	-Inf	9.90	3	V	76	1.61	-
PK	5.9308G	60.44	68.20	-7.76	10.10	3	V	76	1.61	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4208G	48.27	54.00	-5.73	9.58	3	H	70	1.49	-
AV	5.6992G	100.19	Inf	-Inf	9.90	3	H	70	1.49	-
PK	5.4328G	59.51	74.00	-14.49	9.61	3	H	70	1.49	-
PK	5.4616G	59.15	68.20	-9.05	9.69	3	H	70	1.49	-
PK	5.692G	109.76	Inf	-Inf	9.90	3	H	70	1.49	-
PK	5.9248G	59.85	68.35	-8.50	10.09	3	H	70	1.49	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170715
 EUT X_1TX
 Setting 29.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.744G	102.56	Inf	-Inf	9.91	3	V	74	1.46	-
PK	5.651G	68.60	68.94	-0.34	9.89	3	V	74	1.46	-
PK	5.748G	112.27	Inf	-Inf	9.91	3	V	74	1.46	-
PK	5.944G	60.19	68.20	-8.01	10.12	3	V	74	1.46	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170715
 EUT X_1TX
 Setting 29.5
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.744G	101.10	Inf	-Inf	9.91	3	H	66	1.50	-
PK	5.653G	67.90	70.42	-2.52	9.89	3	H	66	1.50	-
PK	5.743G	110.53	Inf	-Inf	9.91	3	H	66	1.50	-
PK	5.98G	60.17	68.20	-8.03	10.17	3	H	66	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.811G	102.53	Inf	-Inf	9.94	3	V	73	1.97	-
PK	5.548G	60.50	68.20	-7.70	9.83	3	V	73	1.97	-
PK	5.809G	112.73	Inf	-Inf	9.93	3	V	73	1.97	-
PK	5.924G	61.67	68.94	-7.27	10.09	3	V	73	1.97	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170715
 EUT X_1TX
 Setting 30
 02-R-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	100.64	Inf	-Inf	9.92	3	H	66	1.81	-
PK	5.65G	60.38	68.20	-7.82	9.89	3	H	66	1.81	-
PK	5.808G	110.65	Inf	-Inf	9.93	3	H	66	1.81	-
PK	5.934G	62.04	68.20	-6.16	10.11	3	H	66	1.81	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170715
 EUT X_1TX
 Setting 11
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.48	54.00	-0.52	9.03	3	V	73	2.03	-
AV	5.234G	87.66	Inf	-Inf	9.22	3	V	73	2.03	-
AV	5.403G	47.87	54.00	-6.13	9.53	3	V	73	2.03	-
PK	5.149995G	64.62	74.00	-9.38	9.03	3	V	73	2.03	-
PK	5.197G	97.03	Inf	-Inf	9.15	3	V	73	2.03	-
PK	5.351G	59.92	74.00	-14.08	9.44	3	V	73	2.03	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170715
 EUT X_1TX
 Setting 11
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.95	54.00	-0.05	9.03	3	H	70	1.87	-
AV	5.247G	88.85	Inf	-Inf	9.25	3	H	70	1.87	-
AV	5.413G	47.68	54.00	-6.32	9.56	3	H	70	1.87	-
PK	5.149995G	64.92	74.00	-9.08	9.03	3	H	70	1.87	-
PK	5.198G	98.67	Inf	-Inf	9.15	3	H	70	1.87	-
PK	5.361G	59.27	74.00	-14.73	9.45	3	H	70	1.87	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170715
 EUT X_1TX
 Setting 9
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.095G	47.24	54.00	-6.76	8.90	3	V	76	2.07	-
AV	5.269G	85.82	Inf	-Inf	9.29	3	V	76	2.07	-
AV	5.350005G	53.54	54.00	-0.46	9.44	3	V	76	2.07	-
PK	5.13G	59.29	74.00	-14.71	8.99	3	V	76	2.07	-
PK	5.278G	97.00	Inf	-Inf	9.31	3	V	76	2.07	-
PK	5.353G	64.85	74.00	-9.15	9.44	3	V	76	2.07	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170715
 EUT X_1TX
 Setting 9
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.138G	47.45	54.00	-6.55	9.00	3	H	66	1.50	-
AV	5.319G	86.45	Inf	-Inf	9.38	3	H	66	1.50	-
AV	5.350005G	53.91	54.00	-0.09	9.44	3	H	66	1.50	-
PK	5.102G	58.83	74.00	-15.17	8.92	3	H	66	1.50	-
PK	5.278G	97.10	Inf	-Inf	9.31	3	H	66	1.50	-
PK	5.353G	64.55	74.00	-9.45	9.44	3	H	66	1.50	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170715
 EUT X_1TX
 Setting 13
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.79	54.00	-0.21	9.68	3	V	70	1.62	-
AV	5.554G	90.02	Inf	-Inf	9.84	3	V	70	1.62	-
PK	5.454G	64.27	74.00	-9.73	9.67	3	V	70	1.62	-
PK	5.466G	67.34	68.20	-0.86	9.70	3	V	70	1.62	-
PK	5.538G	99.73	Inf	-Inf	9.82	3	V	70	1.62	-
PK	5.758G	59.31	68.20	-8.89	9.91	3	V	70	1.62	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170715
 EUT X_1TX
 Setting 13
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45998G	53.44	54.00	-0.56	9.68	3	H	74	1.50	-
AV	5.495G	88.96	Inf	-Inf	9.78	3	H	74	1.50	-
PK	5.452G	63.33	74.00	-10.67	9.66	3	H	74	1.50	-
PK	5.469G	68.11	68.20	-0.09	9.71	3	H	74	1.50	-
PK	5.538G	100.06	Inf	-Inf	9.82	3	H	74	1.50	-
PK	5.751G	59.50	68.20	-8.70	9.91	3	H	74	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170715
 EUT X_1TX
 Setting 24
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.23	54.00	-1.77	9.68	3	V	68	1.73	-
AV	5.588G	98.24	Inf	-Inf	9.87	3	V	68	1.73	-
PK	5.459G	64.67	74.00	-9.33	9.68	3	V	68	1.73	-
PK	5.469G	64.89	68.20	-3.31	9.71	3	V	68	1.73	-
PK	5.598G	109.80	Inf	-Inf	9.88	3	V	68	1.73	-
PK	5.735G	67.96	68.20	-0.24	9.91	3	V	68	1.73	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170715
 EUT X_1TX
 Setting 24
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4599G	53.91	54.00	-0.09	9.68	3	H	73	2.15	-
AV	5.589G	97.56	Inf	-Inf	9.87	3	H	73	2.15	-
PK	5.453G	65.06	74.00	-8.94	9.66	3	H	73	2.15	-
PK	5.463G	66.40	68.20	-1.80	9.69	3	H	73	2.15	-
PK	5.598G	108.88	Inf	-Inf	9.88	3	H	73	2.15	-
PK	5.727G	68.19	68.20	-0.01	9.91	3	H	73	2.15	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170715
 EUT X_1TX
 Setting 29.5
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.89	54.00	-0.11	9.68	3	V	67	1.54	-
AV	5.6732G	99.70	Inf	-Inf	9.89	3	V	67	1.54	-
PK	5.459995G	65.14	74.00	-8.86	9.68	3	V	67	1.54	-
PK	5.468G	66.98	68.20	-1.22	9.70	3	V	67	1.54	-
PK	5.6756G	111.47	Inf	-Inf	9.90	3	V	67	1.54	-
PK	5.9288G	62.82	68.20	-5.38	10.10	3	V	67	1.54	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170715
 EUT X_1TX
 Setting 29.5
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.94	54.00	-0.06	9.68	3	H	79	1.49	-
AV	5.6732G	97.90	Inf	-Inf	9.89	3	H	79	1.49	-
PK	5.459995G	66.73	74.00	-7.27	9.68	3	H	79	1.49	-
PK	5.4656G	67.88	68.20	-0.32	9.70	3	H	79	1.49	-
PK	5.6756G	109.20	Inf	-Inf	9.90	3	H	79	1.49	-
PK	5.9252G	63.24	68.20	-4.96	10.10	3	H	79	1.49	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170715
 EUT X_1TX
 Setting 24.5
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.754G	98.24	Inf	-Inf	9.91	3	V	72	1.70	-
PK	5.648G	68.11	68.20	-0.09	9.89	3	V	72	1.70	-
PK	5.763G	108.93	Inf	-Inf	9.91	3	V	72	1.70	-
PK	5.932G	61.27	68.20	-6.93	10.10	3	V	72	1.70	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170715
 EUT X_1TX
 Setting 24.5
 02-Z-1-10
 FSU
 Skynet-NP (六方)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.754G	96.20	Inf	-Inf	9.91	3	H	67	1.63	-
PK	5.653G	68.14	70.42	-2.28	9.89	3	H	67	1.63	-
PK	5.754G	105.55	Inf	-Inf	9.91	3	H	67	1.63	-
PK	5.925G	62.25	68.20	-5.95	10.09	3	H	67	1.63	-




For Harmonic
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	15.96324G	53.92	54.00	-0.08	18.14	3	V	60	1.85	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53382G	48.96	54.00	-5.04	17.79	3	V	62	1.50	-
PK	15.53646G	62.43	74.00	-11.57	17.79	3	V	62	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53874G	50.07	54.00	-3.93	17.80	3	H	33	1.50	-
PK	15.53526G	63.52	74.00	-10.48	17.79	3	H	33	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60708G	48.07	54.00	-5.93	17.85	3	V	61	1.50	-
PK	15.60456G	60.99	74.00	-13.01	17.85	3	V	61	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60108G	49.39	54.00	-4.61	17.85	3	H	35	1.50	-
PK	15.59544G	62.11	74.00	-11.89	17.84	3	H	35	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72072G	49.93	54.00	-4.07	17.94	3	V	68	1.50	-
PK	15.71238G	63.27	74.00	-10.73	17.94	3	V	68	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71562G	48.24	54.00	-5.76	17.94	3	H	64	1.50	-
PK	15.72672G	61.67	74.00	-12.33	17.95	3	H	64	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78372G	50.78	54.00	-3.22	17.99	3	V	59	1.82	-
PK	15.77556G	63.89	74.00	-10.11	17.99	3	V	59	1.82	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78156G	50.82	54.00	-3.18	17.99	3	H	37	2.89	-
PK	15.7839G	64.78	74.00	-9.22	17.99	3	H	37	2.89	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90396G	51.77	54.00	-2.23	18.09	3	V	59	1.50	-
PK	15.90192G	66.03	74.00	-7.97	18.09	3	V	59	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90054G	50.72	54.00	-3.28	18.09	3	H	47	1.50	-
PK	15.90402G	64.56	74.00	-9.44	18.09	3	H	47	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96324G	53.92	54.00	-0.08	18.14	3	V	60	1.85	-
PK	15.95562G	67.86	74.00	-6.14	18.13	3	V	60	1.85	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-J-5
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9561G	52.10	54.00	-1.90	18.13	3	H	46	1.50	-
PK	15.96324G	65.19	74.00	-8.81	18.14	3	H	46	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00222G	44.10	54.00	-9.90	15.80	3	V	354	1.50	-
PK	11.00282G	56.84	74.00	-17.16	15.80	3	V	354	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0021G	43.89	54.00	-10.11	15.80	3	H	330	1.50	-
PK	10.99502G	56.66	74.00	-17.34	15.79	3	H	330	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15802G	44.25	54.00	-9.75	15.90	3	V	317	2.66	-
PK	11.1588G	57.18	74.00	-16.82	15.90	3	V	317	2.66	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1582G	46.09	54.00	-7.91	15.90	3	H	331	1.50	-
PK	11.16048G	59.61	74.00	-14.39	15.91	3	H	331	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39994G	46.79	54.00	-7.21	16.06	3	V	322	1.50	-
PK	11.3982G	60.36	74.00	-13.64	16.06	3	V	322	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40012G	48.02	54.00	-5.98	16.06	3	H	83	2.12	-
PK	11.3979G	60.65	74.00	-13.35	16.06	3	H	83	2.12	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44036G	45.19	54.00	-8.81	16.09	3	V	320	1.43	-
PK	11.43784G	57.72	74.00	-16.28	16.09	3	V	320	1.43	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43802G	45.88	54.00	-8.12	16.09	3	H	78	1.56	-
PK	11.44066G	59.22	74.00	-14.78	16.09	3	H	78	1.56	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.48796G	43.88	54.00	-10.12	16.12	3	V	337	1.59	-
PK	11.48448G	57.82	74.00	-16.18	16.12	3	V	337	1.59	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4926G	44.87	54.00	-9.13	16.13	3	H	78	1.55	-
PK	11.49532G	58.18	74.00	-15.82	16.13	3	H	78	1.55	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5679G	42.91	54.00	-11.09	16.17	3	V	299	2.20	-
PK	11.57072G	57.09	74.00	-16.91	16.18	3	V	299	2.20	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56838G	44.78	54.00	-9.22	16.18	3	H	78	1.46	-
PK	11.56976G	58.27	74.00	-15.73	16.18	3	H	78	1.46	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64622G	44.45	54.00	-9.55	16.23	3	V	316	2.60	-
PK	11.6473G	57.62	74.00	-16.38	16.23	3	V	316	2.60	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64664G	45.96	54.00	-8.04	16.23	3	H	75	1.51	-
PK	11.65936G	58.80	74.00	-15.20	16.24	3	H	75	1.51	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57532G	49.73	54.00	-4.27	17.83	3	V	63	1.50	-
PK	15.5664G	61.94	74.00	-12.06	17.82	3	V	63	1.50	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57452G	49.88	54.00	-4.12	17.83	3	H	35	1.50	-
PK	15.56528G	61.75	74.00	-12.25	17.82	3	H	35	1.50	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6852G	48.95	54.00	-5.05	17.92	3	V	69	1.50	-
PK	15.69764G	61.34	74.00	-12.66	17.93	3	V	69	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69548G	48.32	54.00	-5.68	17.92	3	H	64	1.50	-
PK	15.68988G	61.19	74.00	-12.81	17.92	3	H	64	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80736G	49.90	54.00	-4.10	18.01	3	V	69	1.87	-
PK	15.81968G	62.71	74.00	-11.29	18.02	3	V	69	1.87	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80124G	49.93	54.00	-4.07	18.01	3	H	36	1.50	-
PK	15.8192G	62.15	74.00	-11.85	18.02	3	H	36	1.50	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61952G	45.35	54.00	-8.65	15.22	3	V	45	2.63	-
AV	15.93468G	51.72	54.00	-2.28	18.12	3	V	69	1.89	-
PK	10.61968G	57.85	74.00	-16.15	15.22	3	V	45	2.63	-
PK	15.9324G	64.36	74.00	-9.64	18.12	3	V	69	1.89	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62544G	45.97	54.00	-8.03	15.23	3	H	57	1.50	-
AV	15.9346G	50.93	54.00	-3.07	18.12	3	H	29	1.89	-
PK	10.62372G	57.80	74.00	-16.20	15.23	3	H	57	1.50	-
PK	15.93848G	63.53	74.00	-10.47	18.12	3	H	29	1.89	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0164G	44.52	54.00	-9.48	15.81	3	V	356	1.37	-
PK	11.01616G	56.51	74.00	-17.49	15.81	3	V	356	1.37	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01696G	44.37	54.00	-9.63	15.81	3	H	318	2.98	-
PK	11.01848G	57.14	74.00	-16.86	15.81	3	H	318	2.98	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09976G	43.79	54.00	-10.21	15.87	3	V	326	1.50	-
PK	11.0999G	56.45	74.00	-17.55	15.87	3	V	326	1.50	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0998G	45.34	54.00	-8.66	15.87	3	H	82	2.53	-
PK	11.1064G	57.60	74.00	-16.40	15.87	3	H	82	2.53	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	45.30	54.00	-8.70	16.02	3	V	321	1.50	-
PK	11.33808G	57.27	74.00	-16.73	16.02	3	V	321	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3404G	46.07	54.00	-7.93	16.02	3	H	330	1.55	-
PK	11.34772G	58.03	74.00	-15.97	16.03	3	H	330	1.55	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41664G	45.13	54.00	-8.87	16.07	3	V	320	1.43	-
PK	11.42912G	57.53	74.00	-16.47	16.08	3	V	320	1.43	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41164G	46.42	54.00	-7.58	16.07	3	H	79	1.61	-
PK	11.41088G	58.58	74.00	-15.42	16.07	3	H	79	1.61	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50732G	44.70	54.00	-9.30	16.13	3	V	303	2.97	-
PK	11.51788G	57.20	74.00	-16.80	16.14	3	V	303	2.97	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50456G	44.00	54.00	-10.00	16.13	3	H	79	1.54	-
PK	11.50936G	56.38	74.00	-17.62	16.14	3	H	79	1.54	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58956G	44.81	54.00	-9.19	16.19	3	V	305	2.24	-
PK	11.5888G	57.11	74.00	-16.89	16.19	3	V	305	2.24	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58968G	44.28	54.00	-9.72	16.19	3	H	77	1.49	-
PK	11.59908G	56.57	74.00	-17.43	16.20	3	H	77	1.49	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6344G	48.79	54.00	-5.21	17.87	3	V	101	1.90	-
PK	15.638G	61.60	74.00	-12.40	17.88	3	V	101	1.90	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.636G	49.46	54.00	-4.54	17.88	3	H	35	2.99	-
PK	15.63528G	62.13	74.00	-11.87	17.87	3	H	35	2.99	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63304G	48.80	54.00	-5.20	17.87	3	V	318	2.14	-
PK	15.62756G	61.36	74.00	-12.64	17.87	3	V	318	2.14	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62748G	49.01	54.00	-4.99	17.87	3	H	40	1.41	-
PK	15.63624G	61.51	74.00	-12.49	17.88	3	H	40	1.41	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06992G	43.57	54.00	-10.43	15.85	3	V	10	2.29	-
PK	11.06952G	55.45	74.00	-18.55	15.85	3	V	10	2.29	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06744G	43.61	54.00	-10.39	15.84	3	H	205	1.86	-
PK	11.0648G	55.53	74.00	-18.47	15.84	3	H	205	1.86	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06992G	43.47	54.00	-10.53	15.85	3	V	262	1.50	-
PK	11.05008G	55.66	74.00	-18.34	15.83	3	V	262	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05496G	43.59	54.00	-10.41	15.84	3	H	359	1.50	-
PK	11.06468G	55.96	74.00	-18.04	15.84	3	H	359	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38336G	43.37	54.00	-10.63	16.05	3	V	324	1.50	-
PK	11.38948G	55.95	74.00	-18.05	16.06	3	V	324	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38632G	45.26	54.00	-8.74	16.05	3	H	80	2.15	-
PK	11.37108G	57.38	74.00	-16.62	16.04	3	H	80	2.15	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54388G	43.78	54.00	-10.22	16.16	3	V	50	2.65	-
PK	11.55316G	55.81	74.00	-18.19	16.17	3	V	50	2.65	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170624
 EUT X 1TX ANT(Patch大方)
 Setting 30
 04-P-1
 FSP(100304)
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54852G	44.03	54.00	-9.97	16.16	3	H	76	1.58	-
PK	11.54852G	56.74	74.00	-17.26	16.16	3	H	76	1.58	-




For set 4 antenna
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.149995G	53.98	54.00	-0.02	9.03	3	V	264	2.20	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 22.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.98	54.00	-0.02	9.03	3	V	264	2.20	-
AV	5.1854G	101.32	Inf	-Inf	9.12	3	V	264	2.20	-
PK	5.148G	68.40	74.00	-5.60	9.03	3	V	264	2.20	-
PK	5.1856G	111.72	Inf	-Inf	9.12	3	V	264	2.20	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 22.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.73	54.00	-1.27	9.03	3	H	255	2.17	-
AV	5.177G	99.68	Inf	-Inf	9.10	3	H	255	2.17	-
PK	5.1498G	67.89	74.00	-6.11	9.03	3	H	255	2.17	-
PK	5.1758G	110.46	Inf	-Inf	9.10	3	H	255	2.17	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.64	54.00	-0.36	9.03	3	V	264	2.09	-
AV	5.2032G	102.86	Inf	-Inf	9.17	3	V	264	2.09	-
PK	5.149995G	68.22	74.00	-5.78	9.03	3	V	264	2.09	-
PK	5.204G	113.59	Inf	-Inf	9.17	3	V	264	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.09	54.00	-2.91	9.03	3	H	250	2.27	-
AV	5.1944G	100.35	Inf	-Inf	9.15	3	H	250	2.27	-
PK	5.1492G	66.39	74.00	-7.61	9.03	3	H	250	2.27	-
PK	5.2016G	110.69	Inf	-Inf	9.16	3	H	250	2.27	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.02	54.00	-6.98	9.03	3	V	275	2.05	-
AV	5.2484G	103.40	Inf	-Inf	9.25	3	V	275	2.05	-
AV	5.3816G	47.52	54.00	-6.48	9.49	3	V	275	2.05	-
PK	5.0936G	59.31	74.00	-14.69	8.89	3	V	275	2.05	-
PK	5.2478G	113.70	Inf	-Inf	9.25	3	V	275	2.05	-
PK	5.369G	60.29	74.00	-13.71	9.47	3	V	275	2.05	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.132G	46.93	54.00	-7.07	8.99	3	H	252	2.35	-
AV	5.2454G	101.87	Inf	-Inf	9.25	3	H	252	2.35	-
AV	5.381G	47.38	54.00	-6.62	9.49	3	H	252	2.35	-
PK	5.1398G	60.04	74.00	-13.96	9.01	3	H	252	2.35	-
PK	5.2436G	112.61	Inf	-Inf	9.24	3	H	252	2.35	-
PK	5.3522G	60.44	74.00	-13.56	9.44	3	H	252	2.35	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1274G	46.94	54.00	-7.06	8.98	3	V	262	2.16	-
AV	5.263G	103.53	Inf	-Inf	9.28	3	V	262	2.16	-
AV	5.4016G	47.42	54.00	-6.58	9.52	3	V	262	2.16	-
PK	5.1346G	59.68	74.00	-14.32	9.00	3	V	262	2.16	-
PK	5.266G	114.56	Inf	-Inf	9.29	3	V	262	2.16	-
PK	5.359G	60.12	74.00	-13.88	9.45	3	V	262	2.16	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1454G	46.93	54.00	-7.07	9.02	3	H	252	2.23	-
AV	5.2546G	101.83	Inf	-Inf	9.26	3	H	252	2.23	-
AV	5.4016G	47.45	54.00	-6.55	9.52	3	H	252	2.23	-
PK	5.1418G	59.89	74.00	-14.11	9.01	3	H	252	2.23	-
PK	5.2564G	112.83	Inf	-Inf	9.27	3	H	252	2.23	-
PK	5.3614G	60.16	74.00	-13.84	9.45	3	H	252	2.23	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 28
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3032G	103.36	Inf	-Inf	9.36	3	V	264	2.13	-
AV	5.350005G	53.85	54.00	-0.15	9.44	3	V	264	2.13	-
PK	5.304G	114.21	Inf	-Inf	9.36	3	V	264	2.13	-
PK	5.3504G	70.12	74.00	-3.88	9.44	3	V	264	2.13	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 28
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3052G	102.03	Inf	-Inf	9.36	3	H	263	2.18	-
AV	5.350005G	53.04	54.00	-0.96	9.44	3	H	263	2.18	-
PK	5.3036G	112.82	Inf	-Inf	9.36	3	H	263	2.18	-
PK	5.3512G	69.21	74.00	-4.79	9.44	3	H	263	2.18	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 20.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	99.87	Inf	-Inf	9.39	3	V	271	2.12	-
AV	5.3502G	53.12	54.00	-0.88	9.44	3	V	271	2.12	-
PK	5.3276G	109.91	Inf	-Inf	9.40	3	V	271	2.12	-
PK	5.3502G	67.85	74.00	-6.15	9.44	3	V	271	2.12	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 20.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	98.46	Inf	-Inf	9.39	3	H	265	2.07	-
AV	5.350005G	52.66	54.00	-1.34	9.44	3	H	265	2.07	-
PK	5.3262G	108.56	Inf	-Inf	9.39	3	H	265	2.07	-
PK	5.3508G	66.46	74.00	-7.54	9.44	3	H	265	2.07	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 19
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.04	54.00	-4.96	9.68	3	V	263	2.08	-
AV	5.4944G	99.17	Inf	-Inf	9.77	3	V	263	2.08	-
PK	5.4556G	64.23	74.00	-9.77	9.67	3	V	263	2.08	-
PK	5.4698G	67.94	68.20	-0.26	9.71	3	V	263	2.08	-
PK	5.4962G	108.92	Inf	-Inf	9.78	3	V	263	2.08	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 19
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	48.88	54.00	-5.12	9.68	3	H	264	2.07	-
AV	5.4944G	98.99	Inf	-Inf	9.77	3	H	264	2.07	-
PK	5.4598G	62.61	74.00	-11.39	9.68	3	H	264	2.07	-
PK	5.4688G	68.11	68.20	-0.09	9.71	3	H	264	2.07	-
PK	5.492G	108.78	Inf	-Inf	9.77	3	H	264	2.07	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4168G	47.33	54.00	-6.67	9.57	3	V	274	1.24	-
AV	5.5768G	101.99	Inf	-Inf	9.86	3	V	274	1.24	-
PK	5.4456G	59.92	74.00	-14.08	9.64	3	V	274	1.24	-
PK	5.4632G	60.18	68.20	-8.02	9.69	3	V	274	1.24	-
PK	5.5816G	112.68	Inf	-Inf	9.86	3	V	274	1.24	-
PK	5.7392G	60.25	68.20	-7.95	9.91	3	V	274	1.24	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.38	54.00	-6.62	9.68	3	H	261	2.13	-
AV	5.5832G	103.11	Inf	-Inf	9.86	3	H	261	2.13	-
PK	5.3896G	60.37	74.00	-13.63	9.50	3	H	261	2.13	-
PK	5.4656G	59.60	68.20	-8.60	9.70	3	H	261	2.13	-
PK	5.584G	114.11	Inf	-Inf	9.87	3	H	261	2.13	-
PK	5.7656G	61.08	68.20	-7.12	9.91	3	H	261	2.13	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 17.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	98.29	Inf	-Inf	9.90	3	V	286	1.91	-
PK	5.6964G	107.84	Inf	-Inf	9.90	3	V	286	1.91	-
PK	5.7252G	67.27	68.20	-0.93	9.91	3	V	286	1.91	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 17.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	98.10	Inf	-Inf	9.90	3	H	252	2.07	-
PK	5.696G	107.81	Inf	-Inf	9.90	3	H	252	2.07	-
PK	5.7252G	66.42	68.20	-1.78	9.91	3	H	252	2.07	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4392G	47.38	54.00	-6.62	9.63	3	V	264	1.92	-
AV	5.714G	100.70	Inf	-Inf	9.90	3	V	264	1.92	-
PK	5.4356G	59.68	74.00	-14.32	9.62	3	V	264	1.92	-
PK	5.4608G	58.99	68.20	-9.21	9.68	3	V	264	1.92	-
PK	5.7152G	111.22	Inf	-Inf	9.90	3	V	264	1.92	-
PK	5.96G	60.47	68.20	-7.73	10.14	3	V	264	1.92	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.426G	47.26	54.00	-6.74	9.59	3	H	266	1.97	-
AV	5.7152G	101.99	Inf	-Inf	9.90	3	H	266	1.97	-
PK	5.4332G	59.66	74.00	-14.34	9.61	3	H	266	1.97	-
PK	5.4644G	58.56	68.20	-9.64	9.69	3	H	266	1.97	-
PK	5.7164G	112.57	Inf	-Inf	9.90	3	H	266	1.97	-
PK	5.9324G	60.64	68.20	-7.56	10.11	3	H	266	1.97	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.739G	101.08	Inf	-Inf	9.91	3	V	286	1.89	-
PK	5.527G	61.47	68.20	-6.73	9.81	3	V	286	1.89	-
PK	5.742G	111.86	Inf	-Inf	9.91	3	V	286	1.89	-
PK	5.959G	60.41	68.20	-7.79	10.14	3	V	286	1.89	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.739G	100.41	Inf	-Inf	9.91	3	H	257	2.18	-
PK	5.584G	60.33	68.20	-7.87	9.87	3	H	257	2.18	-
PK	5.742G	111.38	Inf	-Inf	9.91	3	H	257	2.18	-
PK	5.953G	61.20	68.20	-7.00	10.13	3	H	257	2.18	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	101.67	Inf	-Inf	9.92	3	V	272	1.79	-
PK	5.576G	60.40	68.20	-7.80	9.86	3	V	272	1.79	-
PK	5.789G	112.63	Inf	-Inf	9.92	3	V	272	1.79	-
PK	5.95G	60.34	68.20	-7.86	10.13	3	V	272	1.79	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.78G	102.04	Inf	-Inf	9.92	3	H	257	2.23	-
PK	5.603G	60.73	68.20	-7.47	9.88	3	H	257	2.23	-
PK	5.782G	113.15	Inf	-Inf	9.92	3	H	257	2.23	-
PK	5.969G	60.24	68.20	-7.96	10.16	3	H	257	2.23	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	99.95	Inf	-Inf	9.95	3	V	283	1.27	-
PK	5.613G	60.44	68.20	-7.76	9.88	3	V	283	1.27	-
PK	5.822G	110.63	Inf	-Inf	9.95	3	V	283	1.27	-
PK	5.976G	60.84	68.20	-7.36	10.17	3	V	283	1.27	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	99.60	Inf	-Inf	9.95	3	H	242	1.62	-
PK	5.633G	60.28	68.20	-7.92	9.89	3	H	242	1.62	-
PK	5.822G	110.42	Inf	-Inf	9.95	3	H	242	1.62	-
PK	5.978G	60.78	68.20	-7.42	10.17	3	H	242	1.62	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.42	54.00	-0.58	9.03	3	V	265	2.21	-
AV	5.1844G	92.10	Inf	-Inf	9.12	3	V	265	2.21	-
PK	5.1492G	65.89	74.00	-8.11	9.03	3	V	265	2.21	-
PK	5.1848G	101.98	Inf	-Inf	9.12	3	V	265	2.21	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.63	54.00	-2.37	9.03	3	H	256	2.18	-
AV	5.1788G	90.92	Inf	-Inf	9.11	3	H	256	2.18	-
PK	5.1484G	64.26	74.00	-9.74	9.03	3	H	256	2.18	-
PK	5.1772G	100.76	Inf	-Inf	9.10	3	H	256	2.18	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 27
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	53.71	54.00	-0.29	9.03	3	V	266	2.18	-
AV	5.2388G	100.32	Inf	-Inf	9.23	3	V	266	2.18	-
PK	5.1484G	66.59	74.00	-7.41	9.03	3	V	266	2.18	-
PK	5.2464G	111.04	Inf	-Inf	9.25	3	V	266	2.18	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 27
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.21	54.00	-2.79	9.03	3	H	255	2.24	-
AV	5.2416G	98.32	Inf	-Inf	9.24	3	H	255	2.24	-
PK	5.1496G	63.55	74.00	-10.45	9.03	3	H	255	2.24	-
PK	5.2464G	108.69	Inf	-Inf	9.25	3	H	255	2.24	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 25.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1458G	47.45	54.00	-6.55	9.02	3	V	278	2.16	-
AV	5.2592G	99.47	Inf	-Inf	9.27	3	V	278	2.16	-
AV	5.350005G	53.18	54.00	-0.82	9.44	3	V	278	2.16	-
PK	5.1464G	59.59	74.00	-14.41	9.03	3	V	278	2.16	-
PK	5.2628G	109.08	Inf	-Inf	9.28	3	V	278	2.16	-
PK	5.3504G	67.93	74.00	-6.07	9.44	3	V	278	2.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 25.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	47.48	54.00	-6.52	9.03	3	H	254	2.24	-
AV	5.2592G	98.56	Inf	-Inf	9.27	3	H	254	2.24	-
AV	5.3504G	51.84	54.00	-2.16	9.44	3	H	254	2.24	-
PK	5.1254G	59.55	74.00	-14.45	8.97	3	H	254	2.24	-
PK	5.2532G	107.87	Inf	-Inf	9.26	3	H	254	2.24	-
PK	5.3522G	64.46	74.00	-9.54	9.44	3	H	254	2.24	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3028G	92.62	Inf	-Inf	9.35	3	V	272	2.15	-
AV	5.350005G	53.46	54.00	-0.54	9.44	3	V	272	2.15	-
PK	5.3048G	102.06	Inf	-Inf	9.36	3	V	272	2.15	-
PK	5.3516G	65.04	74.00	-8.96	9.44	3	V	272	2.15	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3216G	91.77	Inf	-Inf	9.39	3	H	269	2.08	-
AV	5.3504G	52.93	54.00	-1.07	9.44	3	H	269	2.08	-
PK	5.318G	101.21	Inf	-Inf	9.38	3	H	269	2.08	-
PK	5.3504G	64.52	74.00	-9.48	9.44	3	H	269	2.08	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.04	54.00	-3.96	9.68	3	V	266	1.94	-
AV	5.4968G	91.94	Inf	-Inf	9.78	3	V	266	1.94	-
PK	5.46G	63.74	74.00	-10.26	9.68	3	V	266	1.94	-
PK	5.468G	67.78	68.20	-0.42	9.70	3	V	266	1.94	-
PK	5.4972G	102.04	Inf	-Inf	9.78	3	V	266	1.94	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.17	54.00	-3.83	9.68	3	H	265	2.09	-
AV	5.4992G	91.87	Inf	-Inf	9.79	3	H	265	2.09	-
PK	5.46G	64.24	74.00	-9.76	9.68	3	H	265	2.09	-
PK	5.4692G	68.15	68.20	-0.05	9.71	3	H	265	2.09	-
PK	5.496G	101.96	Inf	-Inf	9.78	3	H	265	2.09	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 26
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.51	54.00	-1.49	9.68	3	V	273	1.05	-
AV	5.5392G	99.25	Inf	-Inf	9.83	3	V	273	1.05	-
PK	5.4594G	65.46	74.00	-8.54	9.68	3	V	273	1.05	-
PK	5.469G	67.76	68.20	-0.44	9.71	3	V	273	1.05	-
PK	5.5356G	108.37	Inf	-Inf	9.82	3	V	273	1.05	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 26
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	52.03	54.00	-1.97	9.68	3	H	263	2.24	-
AV	5.5392G	99.39	Inf	-Inf	9.83	3	H	263	2.24	-
PK	5.454G	64.20	74.00	-9.80	9.67	3	H	263	2.24	-
PK	5.4696G	65.53	68.20	-2.67	9.71	3	H	263	2.24	-
PK	5.5356G	108.71	Inf	-Inf	9.82	3	H	263	2.24	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 21.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6756G	96.98	Inf	-Inf	9.90	3	V	277	1.92	-
PK	5.6864G	107.31	Inf	-Inf	9.90	3	V	277	1.92	-
PK	5.7256G	66.97	68.20	-1.23	9.91	3	V	277	1.92	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 21.5
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6592G	97.16	Inf	-Inf	9.89	3	H	255	2.10	-
PK	5.6864G	107.06	Inf	-Inf	9.90	3	H	255	2.10	-
PK	5.7256G	67.75	68.20	-0.45	9.91	3	H	255	2.10	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4244G	47.93	54.00	-6.07	9.59	3	V	280	1.93	-
AV	5.6992G	100.10	Inf	-Inf	9.90	3	V	280	1.93	-
PK	5.4208G	59.95	74.00	-14.05	9.58	3	V	280	1.93	-
PK	5.4652G	59.56	68.20	-8.64	9.70	3	V	280	1.93	-
PK	5.7052G	109.54	Inf	-Inf	9.90	3	V	280	1.93	-
PK	5.9608G	60.32	68.20	-7.88	10.15	3	V	280	1.93	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4208G	47.90	54.00	-6.10	9.58	3	H	237	2.21	-
AV	5.6992G	99.53	Inf	-Inf	9.90	3	H	237	2.21	-
PK	5.44G	59.83	74.00	-14.17	9.63	3	H	237	2.21	-
PK	5.4688G	59.30	68.20	-8.90	9.71	3	H	237	2.21	-
PK	5.6932G	109.25	Inf	-Inf	9.90	3	H	237	2.21	-
PK	5.968G	60.48	68.20	-7.72	10.16	3	H	237	2.21	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.767G	98.12	Inf	-Inf	9.91	3	V	271	1.26	-
PK	5.649G	66.90	68.20	-1.30	9.89	3	V	271	1.26	-
PK	5.772G	108.66	Inf	-Inf	9.91	3	V	271	1.26	-
PK	5.943G	60.27	68.20	-7.93	10.12	3	V	271	1.26	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.764G	99.15	Inf	-Inf	9.91	3	H	255	2.15	-
PK	5.649G	67.04	68.20	-1.16	9.89	3	H	255	2.15	-
PK	5.772G	109.65	Inf	-Inf	9.91	3	H	255	2.15	-
PK	5.971G	60.49	68.20	-7.71	10.16	3	H	255	2.15	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	99.18	Inf	-Inf	9.92	3	V	262	2.07	-
PK	5.64G	60.81	68.20	-7.39	9.89	3	V	262	2.07	-
PK	5.788G	108.87	Inf	-Inf	9.92	3	V	262	2.07	-
PK	5.939G	60.49	68.20	-7.71	10.11	3	V	262	2.07	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-R-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	100.21	Inf	-Inf	9.92	3	H	244	2.23	-
PK	5.578G	60.15	68.20	-8.05	9.86	3	H	244	2.23	-
PK	5.783G	109.44	Inf	-Inf	9.92	3	H	244	2.23	-
PK	5.956G	60.38	68.20	-7.82	10.14	3	H	244	2.23	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.85	54.00	-0.15	9.03	3	V	262	2.07	-
AV	5.248G	89.75	Inf	-Inf	9.25	3	V	262	2.07	-
AV	5.459G	47.78	54.00	-6.22	9.68	3	V	262	2.07	-
PK	5.149995G	66.02	74.00	-7.98	9.03	3	V	262	2.07	-
PK	5.238G	99.23	Inf	-Inf	9.23	3	V	262	2.07	-
PK	5.352G	59.70	74.00	-14.30	9.44	3	V	262	2.07	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 15
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	52.47	54.00	-1.53	9.03	3	H	250	2.25	-
AV	5.242G	87.49	Inf	-Inf	9.24	3	H	250	2.25	-
AV	5.441G	47.83	54.00	-6.17	9.63	3	H	250	2.25	-
PK	5.149G	63.40	74.00	-10.60	9.03	3	H	250	2.25	-
PK	5.244G	97.30	Inf	-Inf	9.24	3	H	250	2.25	-
PK	5.359G	60.11	74.00	-13.89	9.45	3	H	250	2.25	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 13
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.106G	47.78	54.00	-6.22	8.93	3	V	259	2.16	-
AV	5.269G	87.68	Inf	-Inf	9.29	3	V	259	2.16	-
AV	5.350005G	53.96	54.00	-0.04	9.44	3	V	259	2.16	-
PK	5.076G	59.61	74.00	-14.39	8.84	3	V	259	2.16	-
PK	5.278G	98.98	Inf	-Inf	9.31	3	V	259	2.16	-
PK	5.350005G	66.00	74.00	-8.00	9.44	3	V	259	2.16	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 13
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.11G	47.32	54.00	-6.68	8.93	3	H	246	2.11	-
AV	5.314G	86.24	Inf	-Inf	9.37	3	H	246	2.11	-
AV	5.351G	53.44	54.00	-0.56	9.44	3	H	246	2.11	-
PK	5.123G	58.93	74.00	-15.07	8.97	3	H	246	2.11	-
PK	5.298G	96.53	Inf	-Inf	9.35	3	H	246	2.11	-
PK	5.350005G	65.41	74.00	-8.59	9.44	3	H	246	2.11	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 14.5
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	53.84	54.00	-0.16	9.68	3	V	265	2.10	-
AV	5.554G	88.12	Inf	-Inf	9.84	3	V	265	2.10	-
PK	5.448G	65.23	74.00	-8.77	9.65	3	V	265	2.10	-
PK	5.468G	68.17	68.20	-0.03	9.70	3	V	265	2.10	-
PK	5.537G	98.77	Inf	-Inf	9.82	3	V	265	2.10	-
PK	5.769G	60.68	68.20	-7.52	9.91	3	V	265	2.10	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 14.5
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	53.81	54.00	-0.19	9.68	3	H	263	2.17	-
AV	5.508G	88.48	Inf	-Inf	9.80	3	H	263	2.17	-
PK	5.45G	63.81	74.00	-10.19	9.66	3	H	263	2.17	-
PK	5.469G	67.39	68.20	-0.81	9.71	3	H	263	2.17	-
PK	5.518G	99.42	Inf	-Inf	9.81	3	H	263	2.17	-
PK	5.726G	60.20	68.20	-8.00	9.91	3	H	263	2.17	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 25
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	52.27	54.00	-1.73	9.66	3	V	272	1.48	-
AV	5.589G	95.59	Inf	-Inf	9.87	3	V	272	1.48	-
PK	5.45998G	64.70	74.00	-9.30	9.68	3	V	272	1.48	-
PK	5.468G	66.26	68.20	-1.94	9.70	3	V	272	1.48	-
PK	5.598G	106.96	Inf	-Inf	9.88	3	V	272	1.48	-
PK	5.726G	68.14	68.20	-0.06	9.91	3	V	272	1.48	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 25
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45987G	53.50	54.00	-0.50	9.68	3	H	260	1.94	-
AV	5.589G	97.09	Inf	-Inf	9.87	3	H	260	1.94	-
PK	5.456G	64.79	74.00	-9.21	9.67	3	H	260	1.94	-
PK	5.468G	66.05	68.20	-2.15	9.70	3	H	260	1.94	-
PK	5.598G	107.89	Inf	-Inf	9.88	3	H	260	1.94	-
PK	5.727G	68.13	68.20	-0.07	9.91	3	H	260	1.94	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	53.49	54.00	-0.51	9.68	3	V	280	1.92	-
AV	5.6684G	98.20	Inf	-Inf	9.89	3	V	280	1.92	-
PK	5.459995G	65.57	74.00	-8.43	9.68	3	V	280	1.92	-
PK	5.4692G	66.15	68.20	-2.05	9.71	3	V	280	1.92	-
PK	5.678G	108.53	Inf	-Inf	9.90	3	V	280	1.92	-
PK	5.9252G	61.30	68.20	-6.90	10.10	3	V	280	1.92	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 30
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.51	54.00	-0.49	9.68	3	H	258	2.13	-
AV	5.6684G	97.21	Inf	-Inf	9.89	3	H	258	2.13	-
PK	5.4584G	66.00	74.00	-8.00	9.68	3	H	258	2.13	-
PK	5.462G	66.35	68.20	-1.85	9.69	3	H	258	2.13	-
PK	5.678G	107.79	Inf	-Inf	9.90	3	H	258	2.13	-
PK	5.9336G	61.61	68.20	-6.59	10.11	3	H	258	2.13	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 26
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.754G	95.12	Inf	-Inf	9.91	3	V	283	2.06	-
PK	5.653G	70.10	70.42	-0.32	9.89	3	V	283	2.06	-
PK	5.763G	106.27	Inf	-Inf	9.91	3	V	283	2.06	-
PK	5.923G	63.62	69.68	-6.06	10.09	3	V	283	2.06	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170712
 EUT X 1TX ANT(Patch/小方)
 Setting 26
 02-Z-1-10
 FSU
 Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.753G	93.70	Inf	-Inf	9.91	3	H	250	2.16	-
PK	5.65G	66.97	68.20	-1.23	9.89	3	H	250	2.16	-
PK	5.762G	104.61	Inf	-Inf	9.91	3	H	250	2.16	-
PK	5.925G	62.40	68.20	-5.80	10.09	3	H	250	2.16	-




For set 5 antenna
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	5.7252G	53.93	54.00	-0.07	9.91	3	V	272	1.50	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170721
 EUT X 1TX
 Setting 20
 02-J-6-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.76	54.00	-0.24	9.03	3	V	265	1.92	-
AV	5.1882G	102.23	Inf	-Inf	9.13	3	V	265	1.92	-
PK	5.1494G	66.78	74.00	-7.22	9.03	3	V	265	1.92	-
PK	5.1866G	111.85	Inf	-Inf	9.13	3	V	265	1.92	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170721
 EUT X 1TX
 Setting 20
 02-J-6-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.76	54.00	-6.24	9.03	3	H	193	1.05	-
AV	5.177G	91.00	Inf	-Inf	9.10	3	H	193	1.05	-
PK	5.1496G	60.60	74.00	-13.40	9.03	3	H	193	1.05	-
PK	5.1762G	101.21	Inf	-Inf	9.10	3	H	193	1.05	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170721
 EUT X 1TX
 Setting 27
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.28	54.00	-0.72	9.03	3	V	269	1.98	-
AV	5.2032G	104.43	Inf	-Inf	9.17	3	V	269	1.98	-
PK	5.149995G	69.71	74.00	-4.29	9.03	3	V	269	1.98	-
PK	5.2064G	114.92	Inf	-Inf	9.17	3	V	269	1.98	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170721
 EUT X 1TX
 Setting 27
 02-J-6-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.28	54.00	-6.72	9.03	3	H	196	1.68	-
AV	5.1972G	92.21	Inf	-Inf	9.15	3	H	196	1.68	-
PK	5.1488G	60.15	74.00	-13.85	9.03	3	H	196	1.68	-
PK	5.1968G	102.54	Inf	-Inf	9.15	3	H	196	1.68	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	47.11	54.00	-6.89	9.03	3	V	268	1.92	-
AV	5.2454G	104.43	Inf	-Inf	9.25	3	V	268	1.92	-
AV	5.3726G	46.97	54.00	-7.03	9.47	3	V	268	1.92	-
PK	5.1422G	59.25	74.00	-14.75	9.02	3	V	268	1.92	-
PK	5.2346G	115.60	Inf	-Inf	9.23	3	V	268	1.92	-
PK	5.3564G	59.08	74.00	-14.92	9.45	3	V	268	1.92	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-J-6-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.111G	46.39	54.00	-7.61	8.94	3	H	319	1.92	-
AV	5.2454G	93.32	Inf	-Inf	9.25	3	H	319	1.92	-
AV	5.36G	46.74	54.00	-7.26	9.45	3	H	319	1.92	-
PK	5.1332G	59.29	74.00	-14.71	8.99	3	H	319	1.92	-
PK	5.2472G	104.30	Inf	-Inf	9.25	3	H	319	1.92	-
PK	5.3882G	58.85	74.00	-15.15	9.50	3	H	319	1.92	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1454G	46.67	54.00	-7.33	9.02	3	V	267	2.00	-
AV	5.2546G	105.01	Inf	-Inf	9.26	3	V	267	2.00	-
AV	5.350005G	48.43	54.00	-5.57	9.44	3	V	267	2.00	-
PK	5.1454G	59.34	74.00	-14.66	9.02	3	V	267	2.00	-
PK	5.257G	116.14	Inf	-Inf	9.27	3	V	267	2.00	-
PK	5.356G	61.12	74.00	-12.88	9.45	3	V	267	2.00	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-J-6-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	46.34	54.00	-7.66	9.03	3	H	317	1.89	-
AV	5.2654G	93.63	Inf	-Inf	9.28	3	H	317	1.89	-
AV	5.4052G	46.79	54.00	-7.21	9.53	3	H	317	1.89	-
PK	5.1178G	58.93	74.00	-15.07	8.95	3	H	317	1.89	-
PK	5.257G	104.96	Inf	-Inf	9.27	3	H	317	1.89	-
PK	5.3656G	59.37	74.00	-14.63	9.46	3	H	317	1.89	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170721
 EUT X 1TX
 Setting 25
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2944G	103.51	Inf	-Inf	9.34	3	V	300	1.96	-
AV	5.350005G	53.44	54.00	-0.56	9.44	3	V	300	1.96	-
PK	5.2968G	114.19	Inf	-Inf	9.34	3	V	300	1.96	-
PK	5.3508G	69.06	74.00	-4.94	9.44	3	V	300	1.96	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170721
 EUT X 1TX
 Setting 25
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2968G	91.34	Inf	-Inf	9.34	3	H	351	2.94	-
AV	5.3512G	47.00	54.00	-7.00	9.44	3	H	351	2.94	-
PK	5.2968G	102.04	Inf	-Inf	9.34	3	H	351	2.94	-
PK	5.3516G	58.88	74.00	-15.12	9.44	3	H	351	2.94	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170721
 EUT X 1TX
 Setting 18.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3232G	99.21	Inf	-Inf	9.39	3	V	294	2.13	-
AV	5.3502G	53.26	54.00	-0.74	9.44	3	V	294	2.13	-
PK	5.321G	109.40	Inf	-Inf	9.39	3	V	294	2.13	-
PK	5.3508G	66.07	74.00	-7.93	9.44	3	V	294	2.13	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170721
 EUT X 1TX
 Setting 18.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3144G	88.80	Inf	-Inf	9.37	3	H	115	1.28	-
AV	5.350005G	47.45	54.00	-6.55	9.44	3	H	115	1.28	-
PK	5.3152G	98.58	Inf	-Inf	9.38	3	H	115	1.28	-
PK	5.3538G	59.41	74.00	-14.59	9.44	3	H	115	1.28	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170721
 EUT X 1TX
 Setting 15
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	49.03	54.00	-4.97	9.68	3	V	305	2.15	-
AV	5.4692G	53.13	54.00	-0.87	9.71	3	V	305	2.15	-
AV	5.4946G	99.80	Inf	-Inf	9.78	3	V	305	2.15	-
PK	5.4598G	61.34	74.00	-12.66	9.68	3	V	305	2.15	-
PK	5.4672G	68.13	74.00	-5.87	9.70	3	V	305	2.15	-
PK	5.5064G	109.73	Inf	-Inf	9.80	3	V	305	2.15	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170721
 EUT X 1TX
 Setting 15
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	46.83	54.00	-7.17	9.68	3	H	128	1.50	-
AV	5.4692G	47.34	54.00	-6.66	9.71	3	H	128	1.50	-
AV	5.5056G	87.92	Inf	-Inf	9.80	3	H	128	1.50	-
PK	5.4566G	59.56	74.00	-14.44	9.67	3	H	128	1.50	-
PK	5.4688G	60.55	74.00	-13.45	9.71	3	H	128	1.50	-
PK	5.5062G	97.86	Inf	-Inf	9.80	3	H	128	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	47.72	54.00	-6.28	9.68	3	V	318	2.20	-
AV	5.4648G	47.97	54.00	-6.03	9.69	3	V	318	2.20	-
AV	5.5856G	104.29	Inf	-Inf	9.87	3	V	318	2.20	-
AV	5.7256G	47.30	54.00	-6.70	9.91	3	V	318	2.20	-
PK	5.4568G	60.68	74.00	-13.32	9.67	3	V	318	2.20	-
PK	5.4696G	60.07	74.00	-13.93	9.71	3	V	318	2.20	-
PK	5.584G	114.82	Inf	-Inf	9.87	3	V	318	2.20	-
PK	5.74G	59.43	74.00	-14.57	9.91	3	V	318	2.20	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4472G	46.87	54.00	-7.13	9.65	3	H	132	1.34	-
AV	5.4632G	46.89	54.00	-7.11	9.69	3	H	132	1.34	-
AV	5.5832G	92.51	Inf	-Inf	9.86	3	H	132	1.34	-
AV	5.7784G	47.44	54.00	-6.56	9.92	3	H	132	1.34	-
PK	5.4384G	58.90	74.00	-15.10	9.62	3	H	132	1.34	-
PK	5.468G	57.85	74.00	-16.15	9.70	3	H	132	1.34	-
PK	5.5816G	103.68	Inf	-Inf	9.86	3	H	132	1.34	-
PK	5.7712G	59.68	74.00	-14.32	9.91	3	H	132	1.34	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170721
 EUT X 1TX
 Setting 17.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	97.02	Inf	-Inf	9.90	3	V	272	1.50	-
AV	5.7252G	53.93	54.00	-0.07	9.91	3	V	272	1.50	-
PK	5.6956G	106.47	Inf	-Inf	9.90	3	V	272	1.50	-
PK	5.7252G	66.43	74.00	-7.57	9.91	3	V	272	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170721
 EUT X 1TX
 Setting 17.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	88.23	Inf	-Inf	9.90	3	H	128	1.68	-
AV	5.7252G	49.04	54.00	-4.96	9.91	3	H	128	1.68	-
PK	5.698G	97.99	Inf	-Inf	9.90	3	H	128	1.68	-
PK	5.7256G	61.10	74.00	-12.90	9.91	3	H	128	1.68	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4368G	46.98	54.00	-7.02	9.62	3	V	326	1.95	-
AV	5.7152G	102.54	Inf	-Inf	9.90	3	V	326	1.95	-
PK	5.4224G	59.56	74.00	-14.44	9.58	3	V	326	1.95	-
PK	5.4632G	58.31	68.20	-9.89	9.69	3	V	326	1.95	-
PK	5.7164G	113.69	Inf	-Inf	9.90	3	V	326	1.95	-
PK	5.9888G	59.96	68.20	-8.24	10.18	3	V	326	1.95	-



802.11ac VHT20_Nss1,(MCS0)_1TX 5720MHz Straddle 5.47-5.725GHz_TX




20170721
EUT X 1TX
Setting 30
02-R-1-10
FSU
ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4476G	46.84	54.00	-7.16	9.65	3	H	129	1.37	-
AV	5.726G	93.27	Inf	-Inf	9.91	3	H	129	1.37	-
PK	5.4224G	58.75	74.00	-15.25	9.58	3	H	129	1.37	-
PK	5.4644G	58.60	74.00	-15.40	9.69	3	H	129	1.37	-
PK	5.7284G	103.65	Inf	-Inf	9.91	3	H	129	1.37	-
PK	5.942G	60.51	68.20	-7.69	10.12	3	H	129	1.37	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	102.94	Inf	-Inf	9.91	3	V	319	2.09	-
PK	5.517G	59.71	68.20	-8.49	9.81	3	V	319	2.09	-
PK	5.742G	114.04	Inf	-Inf	9.91	3	V	319	2.09	-
PK	5.959G	59.96	68.20	-8.24	10.14	3	V	319	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	93.21	Inf	-Inf	9.91	3	H	129	1.33	-
PK	5.631G	59.22	68.20	-8.98	9.89	3	H	129	1.33	-
PK	5.742G	103.96	Inf	-Inf	9.91	3	H	129	1.33	-
PK	5.975G	59.73	68.20	-8.47	10.16	3	H	129	1.33	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.782G	102.63	Inf	-Inf	9.92	3	V	321	2.09	-
PK	5.586G	60.23	68.20	-7.97	9.87	3	V	321	2.09	-
PK	5.782G	113.87	Inf	-Inf	9.92	3	V	321	2.09	-
PK	5.978G	60.59	68.20	-7.61	10.17	3	V	321	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.788G	92.93	Inf	-Inf	9.92	3	H	130	1.34	-
PK	5.623G	60.36	68.20	-7.84	9.88	3	H	130	1.34	-
PK	5.782G	103.30	Inf	-Inf	9.92	3	H	130	1.34	-
PK	5.952G	60.83	68.20	-7.37	10.13	3	H	130	1.34	-



802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	100.29	Inf	-Inf	9.95	3	V	321	1.50	-
PK	5.603G	59.67	68.20	-8.53	9.88	3	V	321	1.50	-
PK	5.822G	111.52	Inf	-Inf	9.95	3	V	321	1.50	-
PK	5.985G	60.52	68.20	-7.68	10.18	3	V	321	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	92.88	Inf	-Inf	9.95	3	H	127	1.36	-
PK	5.588G	59.91	68.20	-8.29	9.87	3	H	127	1.36	-
PK	5.822G	104.45	Inf	-Inf	9.95	3	H	127	1.36	-
PK	5.973G	60.33	68.20	-7.87	10.16	3	H	127	1.36	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170721
 EUT X 1TX
 Setting 14.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.50	54.00	-0.50	9.03	3	V	263	1.78	-
AV	5.2028G	95.03	Inf	-Inf	9.17	3	V	263	1.78	-
PK	5.149995G	65.36	74.00	-8.64	9.03	3	V	263	1.78	-
PK	5.2024G	104.54	Inf	-Inf	9.16	3	V	263	1.78	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170721
 EUT X 1TX
 Setting 14.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.00	54.00	-6.00	9.03	3	H	189	1.64	-
AV	5.2032G	83.46	Inf	-Inf	9.17	3	H	189	1.64	-
PK	5.1492G	59.84	74.00	-14.16	9.03	3	H	189	1.64	-
PK	5.2064G	92.92	Inf	-Inf	9.17	3	H	189	1.64	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170721
 EUT X 1TX
 Setting 25
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.92	54.00	-0.08	9.03	3	V	264	1.93	-
AV	5.2348G	101.23	Inf	-Inf	9.23	3	V	264	1.93	-
AV	5.3518G	47.81	54.00	-6.19	9.44	3	V	264	1.93	-
PK	5.1484G	66.07	74.00	-7.93	9.03	3	V	264	1.93	-
PK	5.2468G	111.09	Inf	-Inf	9.25	3	V	264	1.93	-
PK	5.353G	59.97	74.00	-14.03	9.44	3	V	264	1.93	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170721
 EUT X 1TX
 Setting 25
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.24	54.00	-5.76	9.03	3	H	314	1.99	-
AV	5.239G	90.25	Inf	-Inf	9.23	3	H	314	1.99	-
AV	5.359G	47.37	54.00	-6.63	9.45	3	H	314	1.99	-
PK	5.149995G	59.35	74.00	-14.65	9.03	3	H	314	1.99	-
PK	5.2426G	100.73	Inf	-Inf	9.24	3	H	314	1.99	-
PK	5.3596G	58.72	74.00	-15.28	9.45	3	H	314	1.99	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170721
 EUT X 1TX
 Setting 23
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1206G	47.14	54.00	-6.86	8.96	3	V	259	2.00	-
AV	5.2592G	100.48	Inf	-Inf	9.27	3	V	259	2.00	-
AV	5.350005G	52.83	54.00	-1.17	9.44	3	V	259	2.00	-
PK	5.1248G	58.59	74.00	-15.41	8.97	3	V	259	2.00	-
PK	5.2826G	110.11	Inf	-Inf	9.32	3	V	259	2.00	-
PK	5.3504G	66.45	74.00	-7.55	9.44	3	V	259	2.00	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170721
 EUT X 1TX
 Setting 23
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	46.93	54.00	-7.07	9.02	3	H	313	2.01	-
AV	5.2592G	90.01	Inf	-Inf	9.27	3	H	313	2.01	-
AV	5.3588G	47.64	54.00	-6.36	9.45	3	H	313	2.01	-
PK	5.1212G	59.11	74.00	-14.89	8.96	3	H	313	2.01	-
PK	5.258G	99.39	Inf	-Inf	9.27	3	H	313	2.01	-
PK	5.357G	59.56	74.00	-14.44	9.45	3	H	313	2.01	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170721
 EUT X 1TX
 Setting 12
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2968G	93.05	Inf	-Inf	9.34	3	V	301	1.95	-
AV	5.350005G	53.29	54.00	-0.71	9.44	3	V	301	1.95	-
PK	5.2972G	102.25	Inf	-Inf	9.34	3	V	301	1.95	-
PK	5.352G	63.83	74.00	-10.17	9.44	3	V	301	1.95	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170721
 EUT X 1TX
 Setting 12
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3148G	80.68	Inf	-Inf	9.38	3	H	357	1.95	-
AV	5.3572G	47.42	54.00	-6.58	9.45	3	H	357	1.95	-
PK	5.2972G	89.75	Inf	-Inf	9.34	3	H	357	1.95	-
PK	5.3648G	59.41	74.00	-14.59	9.46	3	H	357	1.95	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170721
 EUT X 1TX
 Setting 14
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	51.15	54.00	-2.85	9.68	3	V	321	2.14	-
AV	5.5156G	95.73	Inf	-Inf	9.80	3	V	321	2.14	-
PK	5.4596G	63.76	74.00	-10.24	9.68	3	V	321	2.14	-
PK	5.4696G	67.69	68.20	-0.51	9.71	3	V	321	2.14	-
PK	5.5228G	104.73	Inf	-Inf	9.81	3	V	321	2.14	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170721
 EUT X 1TX
 Setting 14
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4388G	47.74	54.00	-6.26	9.62	3	H	128	1.44	-
AV	5.5156G	84.13	Inf	-Inf	9.80	3	H	128	1.44	-
PK	5.4508G	59.78	74.00	-14.22	9.66	3	H	128	1.44	-
PK	5.4696G	61.45	68.20	-6.75	9.71	3	H	128	1.44	-
PK	5.5184G	93.28	Inf	-Inf	9.81	3	H	128	1.44	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170721
 EUT X 1TX
 Setting 23.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	52.91	54.00	-1.09	9.67	3	V	316	2.11	-
AV	5.538G	100.46	Inf	-Inf	9.82	3	V	316	2.11	-
PK	5.4572G	64.74	74.00	-9.26	9.67	3	V	316	2.11	-
PK	5.4692G	67.47	68.20	-0.73	9.71	3	V	316	2.11	-
PK	5.538G	110.36	Inf	-Inf	9.82	3	V	316	2.11	-
PK	5.7324G	59.17	68.20	-9.03	9.91	3	V	316	2.11	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170721
 EUT X 1TX
 Setting 23.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	48.19	54.00	-5.81	9.67	3	H	129	1.31	-
AV	5.534G	88.30	Inf	-Inf	9.82	3	H	129	1.31	-
PK	5.3596G	59.95	74.00	-14.05	9.45	3	H	129	1.31	-
PK	5.4604G	59.09	68.20	-9.11	9.68	3	H	129	1.31	-
PK	5.534G	97.73	Inf	-Inf	9.82	3	H	129	1.31	-
PK	5.7324G	58.64	68.20	-9.56	9.91	3	H	129	1.31	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170721
 EUT X 1TX
 Setting 22.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6748G	98.70	Inf	-Inf	9.89	3	V	302	2.06	-
PK	5.6796G	108.18	Inf	-Inf	9.90	3	V	302	2.06	-
PK	5.7252G	67.82	68.20	-0.38	9.91	3	V	302	2.06	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170721
 EUT X 1TX
 Setting 22.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6632G	86.69	Inf	-Inf	9.89	3	H	129	1.50	-
PK	5.6864G	96.75	Inf	-Inf	9.90	3	H	129	1.50	-
PK	5.7268G	61.93	68.20	-6.27	9.91	3	H	129	1.50	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4112G	47.38	54.00	-6.62	9.55	3	V	272	1.50	-
AV	5.6992G	98.61	Inf	-Inf	9.90	3	V	272	1.50	-
PK	5.4508G	58.57	74.00	-15.43	9.66	3	V	272	1.50	-
PK	5.4628G	59.46	68.20	-8.74	9.69	3	V	272	1.50	-
PK	5.698G	108.24	Inf	-Inf	9.90	3	V	272	1.50	-
PK	5.9308G	59.49	68.20	-8.71	10.10	3	V	272	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4388G	47.73	54.00	-6.27	9.62	3	H	129	1.49	-
AV	5.6992G	89.80	Inf	-Inf	9.90	3	H	129	1.49	-
PK	5.4208G	59.08	74.00	-14.92	9.58	3	H	129	1.49	-
PK	5.4676G	58.14	68.20	-10.06	9.70	3	H	129	1.49	-
PK	5.7232G	99.22	Inf	-Inf	9.90	3	H	129	1.49	-
PK	5.9464G	60.06	68.20	-8.14	10.12	3	H	129	1.49	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170721
 EUT X 1TX
 Setting 29.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	100.58	Inf	-Inf	9.91	3	V	204	2.04	-
PK	5.65G	67.08	68.20	-1.12	9.89	3	V	204	2.04	-
PK	5.762G	110.94	Inf	-Inf	9.91	3	V	204	2.04	-
PK	5.951G	59.91	68.20	-8.29	10.13	3	V	204	2.04	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170721
 EUT X 1TX
 Setting 29.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.757G	91.01	Inf	-Inf	9.91	3	H	129	1.30	-
PK	5.643G	60.58	68.20	-7.62	9.89	3	H	129	1.30	-
PK	5.764G	101.00	Inf	-Inf	9.91	3	H	129	1.30	-
PK	5.982G	59.44	68.20	-8.76	10.17	3	H	129	1.30	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	100.50	Inf	-Inf	9.92	3	V	328	2.15	-
PK	5.647G	61.51	68.20	-6.69	9.89	3	V	328	2.15	-
PK	5.809G	109.82	Inf	-Inf	9.93	3	V	328	2.15	-
PK	5.926G	64.41	68.20	-3.79	10.10	3	V	328	2.15	-



802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170721
 EUT X 1TX
 Setting 30
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	91.37	Inf	-Inf	9.92	3	H	130	1.36	-
PK	5.637G	59.84	68.20	-8.36	9.89	3	H	130	1.36	-
PK	5.786G	100.72	Inf	-Inf	9.92	3	H	130	1.36	-
PK	5.961G	59.62	68.20	-8.58	10.15	3	H	130	1.36	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170721
 EUT X 1TX
 Setting 13
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.62	54.00	-0.38	9.03	3	V	266	1.88	-
AV	5.233G	89.95	Inf	-Inf	9.22	3	V	266	1.88	-
AV	5.405G	47.47	54.00	-6.53	9.53	3	V	266	1.88	-
PK	5.149995G	64.72	74.00	-9.28	9.03	3	V	266	1.88	-
PK	5.198G	100.08	Inf	-Inf	9.15	3	V	266	1.88	-
PK	5.395G	59.39	74.00	-14.61	9.51	3	V	266	1.88	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170721
 EUT X 1TX
 Setting 13
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	48.21	54.00	-5.79	9.02	3	H	316	1.98	-
AV	5.24G	79.67	Inf	-Inf	9.24	3	H	316	1.98	-
AV	5.402G	47.42	54.00	-6.58	9.53	3	H	316	1.98	-
PK	5.147G	59.98	74.00	-14.02	9.03	3	H	316	1.98	-
PK	5.238G	89.55	Inf	-Inf	9.23	3	H	316	1.98	-
PK	5.409G	59.59	74.00	-14.41	9.54	3	H	316	1.98	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170721
 EUT X 1TX
 Setting 9
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.095G	46.96	54.00	-7.04	8.90	3	V	310	2.17	-
AV	5.268G	86.93	Inf	-Inf	9.29	3	V	310	2.17	-
AV	5.350005G	53.66	54.00	-0.34	9.44	3	V	310	2.17	-
PK	5.116G	58.36	74.00	-15.64	8.95	3	V	310	2.17	-
PK	5.277G	97.52	Inf	-Inf	9.31	3	V	310	2.17	-
PK	5.352G	65.24	74.00	-8.76	9.44	3	V	310	2.17	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170721
 EUT X 1TX
 Setting 9
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.086G	46.98	54.00	-7.02	8.87	3	H	313	1.99	-
AV	5.255G	75.78	Inf	-Inf	9.26	3	H	313	1.99	-
AV	5.423G	47.51	54.00	-6.49	9.58	3	H	313	1.99	-
PK	5.146G	58.78	74.00	-15.22	9.02	3	H	313	1.99	-
PK	5.278G	85.97	Inf	-Inf	9.31	3	H	313	1.99	-
PK	5.381G	58.69	74.00	-15.31	9.49	3	H	313	1.99	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170721
 EUT X 1TX
 Setting 12.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.73	54.00	-0.27	9.68	3	V	324	2.12	-
AV	5.508G	90.94	Inf	-Inf	9.80	3	V	324	2.12	-
PK	5.459G	64.53	74.00	-9.47	9.68	3	V	324	2.12	-
PK	5.469G	66.99	68.20	-1.21	9.71	3	V	324	2.12	-
PK	5.517G	101.03	Inf	-Inf	9.81	3	V	324	2.12	-
PK	5.751G	59.06	68.20	-9.14	9.91	3	V	324	2.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170721
 EUT X 1TX
 Setting 12.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	48.18	54.00	-5.82	9.68	3	H	128	1.50	-
AV	5.509G	79.50	Inf	-Inf	9.80	3	H	128	1.50	-
PK	5.457G	59.42	74.00	-14.58	9.67	3	H	128	1.50	-
PK	5.465G	59.87	68.20	-8.33	9.70	3	H	128	1.50	-
PK	5.518G	89.87	Inf	-Inf	9.81	3	H	128	1.50	-
PK	5.777G	59.15	68.20	-9.05	9.92	3	H	128	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170721
 EUT X 1TX
 Setting 21.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.62	54.00	-0.38	9.68	3	V	316	2.23	-
AV	5.589G	97.41	Inf	-Inf	9.87	3	V	316	2.23	-
PK	5.452G	64.60	74.00	-9.40	9.66	3	V	316	2.23	-
PK	5.468G	65.65	68.20	-2.55	9.70	3	V	316	2.23	-
PK	5.598G	108.38	Inf	-Inf	9.88	3	V	316	2.23	-
PK	5.726G	66.94	68.20	-1.26	9.91	3	V	316	2.23	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170721
 EUT X 1TX
 Setting 21.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	48.10	54.00	-5.90	9.68	3	H	131	1.32	-
AV	5.59G	84.64	Inf	-Inf	9.87	3	H	131	1.32	-
PK	5.431G	59.52	74.00	-14.48	9.60	3	H	131	1.32	-
PK	5.465G	59.12	68.20	-9.08	9.70	3	H	131	1.32	-
PK	5.598G	95.62	Inf	-Inf	9.88	3	H	131	1.32	-
PK	5.742G	60.96	68.20	-7.24	9.91	3	H	131	1.32	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170721
 EUT X 1TX
 Setting 28.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	53.55	54.00	-0.45	9.68	3	V	310	1.95	-
AV	5.6708G	97.82	Inf	-Inf	9.89	3	V	310	1.95	-
PK	5.4524G	65.77	74.00	-8.23	9.66	3	V	310	1.95	-
PK	5.4668G	68.07	68.20	-0.13	9.70	3	V	310	1.95	-
PK	5.6708G	107.77	Inf	-Inf	9.89	3	V	310	1.95	-
PK	5.954G	61.75	68.20	-6.45	10.14	3	V	310	1.95	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170721
 EUT X 1TX
 Setting 28.5
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	48.15	54.00	-5.85	9.66	3	H	127	1.75	-
AV	5.6684G	87.87	Inf	-Inf	9.89	3	H	127	1.75	-
PK	5.4356G	59.75	74.00	-14.25	9.62	3	H	127	1.75	-
PK	5.4644G	59.57	68.20	-8.63	9.69	3	H	127	1.75	-
PK	5.678G	96.60	Inf	-Inf	9.90	3	H	127	1.75	-
PK	5.9264G	60.27	68.20	-7.93	10.10	3	H	127	1.75	-



802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170721
 EUT X 1TX
 Setting 24
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.755G	96.23	Inf	-Inf	9.91	3	V	208	2.14	-
PK	5.65G	67.76	68.20	-0.44	9.89	3	V	208	2.14	-
PK	5.763G	107.81	Inf	-Inf	9.91	3	V	208	2.14	-
PK	5.931G	62.07	68.20	-6.13	10.10	3	V	208	2.14	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170721
 EUT X 1TX
 Setting 24
 02-R-1-10
 FSU
 ANT Omni Skynet-CO

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.754G	86.49	Inf	-Inf	9.91	3	H	129	1.33	-
PK	5.644G	60.06	68.20	-8.14	9.89	3	H	129	1.33	-
PK	5.763G	98.27	Inf	-Inf	9.91	3	H	129	1.33	-
PK	5.985G	59.99	68.20	-8.21	10.18	3	H	129	1.33	-




For set 6 antenna
Band Edge Emission
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.149995G	53.99	54.00	-0.01	9.03	3	V	102	2.75	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170720
EUT X 1TX
Setting 21
02-R-1-10
FSU
Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.63	54.00	-1.37	9.03	3	V	163	1.91	-
AV	5.1856G	99.94	Inf	-Inf	9.12	3	V	163	1.91	-
PK	5.148G	66.90	74.00	-7.10	9.03	3	V	163	1.91	-
PK	5.1876G	110.16	Inf	-Inf	9.13	3	V	163	1.91	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170720
EUT X 1TX
Setting 21
02-R-1-10
FSU
Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.78	54.00	-6.22	9.03	3	H	159	1.15	-
AV	5.1854G	91.28	Inf	-Inf	9.12	3	H	159	1.15	-
PK	5.149995G	61.27	74.00	-12.73	9.03	3	H	159	1.15	-
PK	5.1862G	101.59	Inf	-Inf	9.13	3	H	159	1.15	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX



20170720
EUT X 1TX
Setting 27
02-R-1-10
FSU
Scan Radio

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.20	54.00	-0.80	9.03	3	V	307	2.80	-
AV	5.1948G	101.28	Inf	-Inf	9.15	3	V	307	2.80	-
PK	5.1496G	69.06	74.00	-4.94	9.03	3	V	307	2.80	-
PK	5.1948G	111.97	Inf	-Inf	9.15	3	V	307	2.80	-