



## MET Laboratories, Inc. *Safety Certification - EMI - Telecom Environmental Simulation*

914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313

33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372

3162 BELICK STREET • SANTA CLARA, CALIFORNIA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372

13501 MCCALLEN PASS • AUSTIN, TX 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

November 21, 2016

ARRIS Group, Inc.  
3871 Lakefield Drive Suite 300  
Suwanee, GA 30024

Dear Tony Figueiredo,

Enclosed is the EMC Wireless test report for compliance testing of the ARRIS Group, Inc., TG3482 as tested to the requirements of Title 47 of the CFR, Ch. 1 (10-1-06 ed.), Title 47 of the CFR, Part 15.407, Subpart E (UNII 3).

Thank you for using the services of MET Laboratories, Inc. If you have any questions regarding these results or if MET can be of further service to you, please feel free to contact me.

Sincerely yours,  
MET LABORATORIES, INC.

Jennifer Warnell  
Documentation Department

Reference: (\ARRIS Group, Inc.\ EMC89082A-FCC407 UNII 3 Rev. 1)

Certificates and reports shall not be reproduced except in full, without the written permission of MET Laboratories, Inc.



## MET Laboratories, Inc. *Safety Certification - EMI - Telecom Environmental Simulation*

914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313

33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372

3162 BELICK STREET • SANTA CLARA, CALIFORNIA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372

13501 MCCALLEN PASS • AUSTIN, TX 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

### Electromagnetic Compatibility Criteria Test Report

for the

**ARRIS Group, Inc.  
Model TG3482**

**Tested under**  
The FCC Certification Rules  
contained in  
Title 47 of the CFR  
15.407 Subpart E

**MET Report: EMC89082A-FCC407 UNII 3 Rev. 1**

November 21, 2016

#### **Prepared For:**

**ARRIS Group, Inc.  
3871 Lakefield Drive Suite 300  
Suwanee, GA 30024**

**Prepared By:  
MET Laboratories, Inc.**  
914 W. Patapsco Ave.  
Baltimore, MD 21230

## Electromagnetic Compatibility Criteria Test Report

for the

**ARRIS Group, Inc.**  
**Model TG3482**

**Tested under**  
The FCC Certification Rules  
contained in  
Title 47 of the CFR  
15.407 Subpart E



Hadid Jones, Project Engineer  
Electromagnetic Compatibility Lab



Jennifer Warnell  
Documentation Department

**Engineering Statement:** The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of Parts 15B, 15.407, of the FCC Rules under normal use and maintenance.



Asad Bajwa,  
Director, Electromagnetic Compatibility Lab

## Report Status Sheet

Revision	Report Date	Reason for Revision
Ø	September 27, 2016	Initial Issue.
1	November 21, 2016	Engineer provided corrections.

## Table of Contents

<b>I.</b>	<b>Executive Summary .....</b>	<b>1</b>
	A. Purpose of Test .....	2
	B. Executive Summary .....	2
<b>II.</b>	<b>Equipment Configuration .....</b>	<b>3</b>
	A. Overview.....	4
	B. References.....	5
	C. Test Site .....	5
	D. Description of Test Sample .....	5
	E. Equipment Configuration.....	6
	F. Support Equipment .....	6
	G. Ports and Cabling Information.....	6
	H. Mode of Operation.....	7
	I. Method of Monitoring EUT Operation .....	7
	J. Modifications .....	7
	a)     Modifications to EUT .....	7
	b)     Modifications to Test Standard .....	7
	K. Disposition of EUT .....	7
<b>III.</b>	<b>Electromagnetic Compatibility Criteria for Intentional Radiators.....</b>	<b>8</b>
	§ 15.203 Antenna Requirement .....	9
	§ 15.403(i) 26 dB Bandwidth .....	10
	§ 15.407(a)(3) Maximum Conducted Output Power .....	24
	§ 15.407(a)(3) Maximum Power Spectral Density .....	86
	§ 15.407(b)(4) & (6 - 7) Undesirable Emissions .....	148
	§ 15.407(b)(6) Conducted Emissions .....	174
	§ 15.407(e) 6 dB Bandwidth.....	177
	§ 15.247(i) Maximum Permissible Exposure .....	191
<b>IV.</b>	<b>Test Equipment .....</b>	<b>192</b>
<b>V.</b>	<b>Certification &amp; User's Manual Information .....</b>	<b>194</b>
	A. Certification Information .....	195
	B. Label and User's Manual Information .....	199

## List of Tables

Table 1. Executive Summary of EMC Part 15.407 Compliance Testing .....	2
Table 2. EUT Summary.....	4
Table 3. References .....	5
Table 4. Equipment Configuration .....	6
Table 5. Support Equipment.....	6
Table 6. Ports and Cabling Information .....	6
Table 7. Occupied Bandwidth, Test Results, 4x8.....	11
Table 8. Occupied Bandwidth, Test Results, 6x8.....	11
Table 9. Conducted Output Power, Test Results, 4x8 .....	25
Table 10. Conducted Output Power, Test Results, 6x8 .....	25
Table 11. Power Spectral Density, Test Results, 4x8.....	87
Table 12. Power Spectral Density, Test Results, 6x8.....	87
Table 13. Conducted Limits for Intentional Radiators from FCC Part 15 § 15.207(a) .....	174
Table 14. Conducted Emissions, 15.207(a), Phase Line, Test Results .....	175
Table 15. Conducted Emissions, 15.207(a), Neutral Line, Test Results .....	176
Table 16. 6 dB Occupied Bandwidth, Test Results, 4x8 .....	178
Table 17. 6 dB Occupied Bandwidth, Test Results, 6x8 .....	178
Table 18. Test Equipment List .....	193

## List of Figures

Figure 1. Block Diagram of Test Configuration.....	5
--	---

## List of Plots

Plot 1. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M .....	12
Plot 2. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M .....	12
Plot 3. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M.....	12
Plot 4. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0.....	13
Plot 5. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, NSS1 MCS0.....	13
Plot 6. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0.....	13
Plot 7. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0.....	14
Plot 8. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0.....	14
Plot 9. 26 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0.....	15
Plot 10. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0.....	16
Plot 11. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0.....	16
Plot 12. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0.....	16
Plot 13. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0.....	17
Plot 14. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0.....	17
Plot 15. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M.....	18
Plot 16. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M.....	18
Plot 17. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M.....	18
Plot 18. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0.....	19
Plot 19. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, NSS1 MCS0.....	19
Plot 20. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0.....	19
Plot 21. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0 .....	20
Plot 22. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0 .....	20
Plot 23. 26 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0 .....	21
Plot 24. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0.....	22
Plot 25. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0.....	22
Plot 26. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0.....	22

Plot 27. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0.....	23
Plot 28. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0.....	23
Plot 29. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH3 .....	26
Plot 30. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH3 .....	26
Plot 31. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH3 .....	26
Plot 32. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH4 .....	27
Plot 33. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH4 .....	27
Plot 34. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH4 .....	27
Plot 35. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH5 .....	28
Plot 36. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH5 .....	28
Plot 37. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH5 .....	28
Plot 38. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH6 .....	29
Plot 39. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH6 .....	29
Plot 40. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH6 .....	29
Plot 41. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3 .....	30
Plot 42. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3 .....	30
Plot 43. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3 .....	30
Plot 44. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4 .....	31
Plot 45. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4 .....	31
Plot 46. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4 .....	31
Plot 47. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5 .....	32
Plot 48. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5 .....	32
Plot 49. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5 .....	32
Plot 50. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6 .....	33
Plot 51. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6 .....	33
Plot 52. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6 .....	33
Plot 53. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3 .....	34
Plot 54. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3 .....	34
Plot 55. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4 .....	35
Plot 56. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4 .....	35
Plot 57. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5 .....	36
Plot 58. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5 .....	36
Plot 59. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6 .....	37
Plot 60. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6 .....	37
Plot 61. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH3 .....	38
Plot 62. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH4 .....	39
Plot 63. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH5 .....	40
Plot 64. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH6 .....	41
Plot 65. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3 .....	42
Plot 66. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3 .....	42
Plot 67. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3 .....	42
Plot 68. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4 .....	43
Plot 69. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4 .....	43
Plot 70. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4 .....	43
Plot 71. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5 .....	44
Plot 72. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5 .....	44
Plot 73. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5 .....	44
Plot 74. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6 .....	45
Plot 75. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6 .....	45
Plot 76. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6 .....	45
Plot 77. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3 .....	46
Plot 78. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3 .....	46
Plot 79. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4 .....	47
Plot 80. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4 .....	47
Plot 81. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5 .....	48
Plot 82. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5 .....	48

Plot 83. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6 .....	49
Plot 84. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6 .....	49
Plot 85. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH2 .....	50
Plot 86. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH2 .....	50
Plot 87. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH2 .....	50
Plot 88. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH3 .....	51
Plot 89. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH3 .....	51
Plot 90. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH3 .....	51
Plot 91. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH4 .....	52
Plot 92. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH4 .....	52
Plot 93. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH4 .....	52
Plot 94. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH5 .....	53
Plot 95. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH5 .....	53
Plot 96. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH5 .....	53
Plot 97. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH6 .....	54
Plot 98. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH6 .....	54
Plot 99. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH6 .....	54
Plot 100. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH7 .....	55
Plot 101. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH7 .....	55
Plot 102. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH7 .....	55
Plot 103. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2 .....	56
Plot 104. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2 .....	56
Plot 105. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2 .....	56
Plot 106. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3 .....	57
Plot 107. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3 .....	57
Plot 108. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3 .....	57
Plot 109. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4 .....	58
Plot 110. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4 .....	58
Plot 111. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4 .....	58
Plot 112. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5 .....	59
Plot 113. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5 .....	59
Plot 114. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5 .....	59
Plot 115. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6 .....	60
Plot 116. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6 .....	60
Plot 117. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6 .....	60
Plot 118. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7 .....	61
Plot 119. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7 .....	61
Plot 120. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7 .....	61
Plot 121. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2 .....	62
Plot 122. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2 .....	62
Plot 123. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3 .....	63
Plot 124. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3 .....	63
Plot 125. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4 .....	64
Plot 126. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4 .....	64
Plot 127. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5 .....	65
Plot 128. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5 .....	65
Plot 129. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6 .....	66
Plot 130. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6 .....	66
Plot 131. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7 .....	67
Plot 132. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7 .....	67
Plot 133. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH2 .....	68
Plot 134. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH3 .....	69
Plot 135. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH4 .....	70
Plot 136. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH5 .....	71
Plot 137. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH6 .....	72
Plot 138. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH7 .....	73

Plot 139. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2 .....	74
Plot 140. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2 .....	74
Plot 141. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2 .....	74
Plot 142. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3 .....	75
Plot 143. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3 .....	75
Plot 144. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3 .....	75
Plot 145. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4 .....	76
Plot 146. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4 .....	76
Plot 147. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4 .....	76
Plot 148. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5 .....	77
Plot 149. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5 .....	77
Plot 150. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5 .....	77
Plot 151. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6 .....	78
Plot 152. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6 .....	78
Plot 153. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6 .....	78
Plot 154. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7 .....	79
Plot 155. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7 .....	79
Plot 156. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7 .....	79
Plot 157. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2 .....	80
Plot 158. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2 .....	80
Plot 159. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3 .....	81
Plot 160. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3 .....	81
Plot 161. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4 .....	82
Plot 162. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4 .....	82
Plot 163. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5 .....	83
Plot 164. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5 .....	83
Plot 165. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6 .....	84
Plot 166. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6 .....	84
Plot 167. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7 .....	85
Plot 168. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7 .....	85
Plot 169. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH3 .....	88
Plot 170. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH3 .....	88
Plot 171. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH3 .....	88
Plot 172. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH4 .....	89
Plot 173. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH4 .....	89
Plot 174. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH4 .....	89
Plot 175. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH5 .....	90
Plot 176. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH5 .....	90
Plot 177. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH5 .....	90
Plot 178. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH6 .....	91
Plot 179. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH6 .....	91
Plot 180. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH6 .....	91
Plot 181. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3 .....	92
Plot 182. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3 .....	92
Plot 183. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3 .....	92
Plot 184. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4 .....	93
Plot 185. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4 .....	93
Plot 186. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4 .....	93
Plot 187. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5 .....	94
Plot 188. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5 .....	94
Plot 189. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5 .....	94
Plot 190. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6 .....	95
Plot 191. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6 .....	95
Plot 192. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6 .....	95
Plot 193. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3 .....	96
Plot 194. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3 .....	96

Plot 195. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4 .....	97
Plot 196. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4 .....	97
Plot 197. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5 .....	98
Plot 198. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5 .....	98
Plot 199. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6 .....	99
Plot 200. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6 .....	99
Plot 201. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH3 .....	100
Plot 202. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH4 .....	101
Plot 203. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH5 .....	102
Plot 204. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH6 .....	103
Plot 205. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3 .....	104
Plot 206. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3 .....	104
Plot 207. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3 .....	104
Plot 208. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4 .....	105
Plot 209. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4 .....	105
Plot 210. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4 .....	105
Plot 211. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5 .....	106
Plot 212. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5 .....	106
Plot 213. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5 .....	106
Plot 214. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6 .....	107
Plot 215. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6 .....	107
Plot 216. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6 .....	107
Plot 217. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3 .....	108
Plot 218. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3 .....	108
Plot 219. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4 .....	109
Plot 220. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4 .....	109
Plot 221. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5 .....	110
Plot 222. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5 .....	110
Plot 223. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6 .....	111
Plot 224. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6 .....	111
Plot 225. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH2 .....	112
Plot 226. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH2 .....	112
Plot 227. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH2 .....	112
Plot 228. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH3 .....	113
Plot 229. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH3 .....	113
Plot 230. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH3 .....	113
Plot 231. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH4 .....	114
Plot 232. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH4 .....	114
Plot 233. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH4 .....	114
Plot 234. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH5 .....	115
Plot 235. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH5 .....	115
Plot 236. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH5 .....	115
Plot 237. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH6 .....	116
Plot 238. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH6 .....	116
Plot 239. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH6 .....	116
Plot 240. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH7 .....	117
Plot 241. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH7 .....	117
Plot 242. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH7 .....	117
Plot 243. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2 .....	118
Plot 244. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2 .....	118
Plot 245. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2 .....	118
Plot 246. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3 .....	119
Plot 247. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3 .....	119
Plot 248. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3 .....	119
Plot 249. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4 .....	120
Plot 250. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4 .....	120

Plot 251. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4 .....	120
Plot 252. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5 .....	121
Plot 253. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5 .....	121
Plot 254. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5 .....	121
Plot 255. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6 .....	122
Plot 256. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6 .....	122
Plot 257. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6 .....	122
Plot 258. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7 .....	123
Plot 259. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7 .....	123
Plot 260. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7 .....	123
Plot 261. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2 .....	124
Plot 262. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2 .....	124
Plot 263. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3 .....	125
Plot 264. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3 .....	125
Plot 265. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4 .....	126
Plot 266. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4 .....	126
Plot 267. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5 .....	127
Plot 268. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5 .....	127
Plot 269. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6 .....	128
Plot 270. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6 .....	128
Plot 271. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7 .....	129
Plot 272. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7 .....	129
Plot 273. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH2 .....	130
Plot 274. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH3 .....	131
Plot 275. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH4 .....	132
Plot 276. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH5 .....	133
Plot 277. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH6 .....	134
Plot 278. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH7 .....	135
Plot 279. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2 .....	136
Plot 280. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2 .....	136
Plot 281. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2 .....	136
Plot 282. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3 .....	137
Plot 283. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3 .....	137
Plot 284. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3 .....	137
Plot 285. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4 .....	138
Plot 286. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4 .....	138
Plot 287. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4 .....	138
Plot 288. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5 .....	139
Plot 289. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5 .....	139
Plot 290. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5 .....	139
Plot 291. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6 .....	140
Plot 292. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6 .....	140
Plot 293. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6 .....	140
Plot 294. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7 .....	141
Plot 295. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7 .....	141
Plot 296. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7 .....	141
Plot 297. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2 .....	142
Plot 298. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2 .....	142
Plot 299. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3 .....	143
Plot 300. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3 .....	143
Plot 301. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4 .....	144
Plot 302. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4 .....	144
Plot 303. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5 .....	145
Plot 304. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5 .....	145
Plot 305. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6 .....	146
Plot 306. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6 .....	146

Plot 307. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7.....	147
Plot 308. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7.....	147
Plot 309. Radiated Spurious Emissions, 30 MHz – 1 GHz, Radio Off .....	149
Plot 310. Radiated Spurious Emissions, 30 MHz – 1 GHz, Radio On .....	149
Plot 311. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M.....	150
Plot 312. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M.....	150
Plot 313. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0.....	151
Plot 314. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0.....	151
Plot 315. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0.....	152
Plot 316. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0.....	152
Plot 317. Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0.....	153
Plot 318. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 .....	154
Plot 319. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 .....	154
Plot 320. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 .....	155
Plot 321. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 .....	155
Plot 322. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M.....	156
Plot 323. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M.....	156
Plot 324. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0.....	157
Plot 325. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0.....	157
Plot 326. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0.....	158
Plot 327. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0.....	158
Plot 328. Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0.....	159
Plot 329. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 .....	160
Plot 330. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 .....	160
Plot 331. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 .....	161
Plot 332. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 .....	161
Plot 333. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, 1 GHz – 7 GHz .....	162
Plot 334. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, 1 GHz – 7 GHz .....	162
Plot 335. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz...	163
Plot 336. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz...	163
Plot 337. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz...	164
Plot 338. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz...	164
Plot 339. Radiated Spurious Emissions, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz...	165
Plot 340. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0, 1 GHz – 7 GHz .....	166
Plot 341. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0, 1 GHz – 7 GHz .....	166
Plot 342. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0, 1 GHz – 7 GHz .....	167
Plot 343. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0, 1 GHz – 7 GHz .....	167
Plot 344. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, 1 GHz – 7 GHz .....	168
Plot 345. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, 1 GHz – 7 GHz .....	168
Plot 346. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz...	169
Plot 347. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz...	169
Plot 348. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz...	170
Plot 349. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz...	170
Plot 350. Radiated Spurious Emissions, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz...	171
Plot 351. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0, 1 GHz – 7 GHz .....	172
Plot 352. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0, 1 GHz – 7 GHz .....	172
Plot 353. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0, 1 GHz – 7 GHz .....	173
Plot 354. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0, 1 GHz – 7 GHz .....	173
Plot 355. Conducted Emissions, 15.207(a), Phase Line .....	175
Plot 356. Conducted Emissions, 15.207(a), Neutral Line .....	176
Plot 357. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M.....	179
Plot 358. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M.....	179
Plot 359. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M.....	179
Plot 360. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0.....	180
Plot 361. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, NSS1 MCS0.....	180
Plot 362. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0.....	180

Plot 363. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0 .....	181
Plot 364. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0 .....	181
Plot 365. 6 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0 .....	182
Plot 366. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0.....	183
Plot 367. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0.....	183
Plot 368. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0.....	183
Plot 369. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0.....	184
Plot 370. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0.....	184
Plot 371. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M.....	185
Plot 372. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M.....	185
Plot 373. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M.....	185
Plot 374. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0 .....	186
Plot 375. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, NSS1 MCS0 .....	186
Plot 376. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0 .....	186
Plot 377. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0 .....	187
Plot 378. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0 .....	187
Plot 379. 6 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0 .....	188
Plot 380. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0.....	189
Plot 381. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0.....	189
Plot 382. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0.....	189
Plot 383. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0.....	190
Plot 384. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0.....	190

## List of Terms and Abbreviations

<b>AC</b>	Alternating Current
<b>ACF</b>	Antenna Correction Factor
<b>Cal</b>	Calibration
<i>d</i>	Measurement Distance
<b>dB</b>	Decibels
<b>dB<math>\mu</math>A</b>	Decibels above one microamp
<b>dB<math>\mu</math>V</b>	Decibels above one microvolt
<b>dB<math>\mu</math>A/m</b>	Decibels above one microamp per meter
<b>dB<math>\mu</math>V/m</b>	Decibels above one microvolt per meter
<b>DC</b>	Direct Current
<b>E</b>	Electric Field
<b>DSL</b>	Digital Subscriber Line
<b>ESD</b>	Electrostatic Discharge
<b>EUT</b>	Equipment Under Test
<i>f</i>	Frequency
<b>FCC</b>	Federal Communications Commission
<b>GRP</b>	Ground Reference Plane
<b>H</b>	Magnetic Field
<b>HCP</b>	Horizontal Coupling Plane
<b>Hz</b>	Hertz
<b>IEC</b>	International Electrotechnical Commission
<b>kHz</b>	Kilohertz
<b>kPa</b>	Kilopascal
<b>kV</b>	Kilovolt
<b>LISN</b>	Line Impedance Stabilization Network
<b>MHz</b>	Megahertz
<b><math>\mu</math>H</b>	Microhenry
$\mu$	Microfarad
$\mu$ s	Microseconds
<b>PRF</b>	Pulse Repetition Frequency
<b>RF</b>	Radio Frequency
<b>RMS</b>	Root-Mean-Square
<b>TWT</b>	Traveling Wave Tube
<b>V/m</b>	Volts per meter
<b>VCP</b>	Vertical Coupling Plane

## I. Executive Summary

## A. Purpose of Test

An EMC evaluation was performed to determine compliance of the ARRIS Group, Inc. TG3482, with the requirements of Part 15, §15.407. All references are to the most current version of Title 47 of the Code of Federal Regulations in effect. In accordance with §2.1033, the following data is presented in support of the Certification of the TG3482. ARRIS Group, Inc. should retain a copy of this document which should be kept on file for at least two years after the manufacturing of the TG3482, has been **permanently** discontinued.

## B. Executive Summary

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with Part 15, §15.407, in accordance with ARRIS Group, Inc., purchase order number AR1079104. All tests were conducted using measurement procedure ANSI C63.4-2014.

FCC Reference	Description	Results
§15.203	Antenna Requirement	Compliant
§15.403(i)	26 dB Bandwidth	Compliant
§15.407 (a)(3)	Maximum Conducted Output Power	Compliant
§15.407 (a)(3)	Maximum Power Spectral Density	Compliant
§15.407 (b)(4)& (6 - 7)	Undesirable Emissions	Compliant
§15.407(b)(6)	Conducted Emission Limits	Compliant
§15.407(e)	6 dB Bandwidth	Compliant
§15.407(f)	RF Exposure	Compliant

**Table 1. Executive Summary of EMC Part 15.407 Compliance Testing**

## II. Equipment Configuration

## A. Overview

MET Laboratories, Inc. was contracted by ARRIS Group, Inc. to perform testing on the TG3482, under ARRIS Group, Inc.'s purchase order number AR1079104.

This document describes the test setups, test methods, required test equipment, and the test limit criteria used to perform compliance testing of the ARRIS Group, Inc. TG3482.

The results obtained relate only to the item(s) tested.

<b>Model(s) Tested:</b>	TG3482
<b>Model(s) Covered:</b>	TG3482
<b>EUT Specifications:</b>	Primary Power: 115 VAC, 60 Hz
	FCC ID: UIDTG3482ER
	Type of Modulations: OFDM
	Equipment Code: NII
	Max. RF Output Power: 27.07dBm @ 5795MHz
	EUT Frequency Ranges: 5745MHz – 5825MHz
<b>Analysis:</b>	The results obtained relate only to the item(s) tested.
<b>Environmental Test Conditions:</b>	Temperature: 15-35° C
	Relative Humidity: 30-60%
	Barometric Pressure: 860-1060 mbar
<b>Type of Filing:</b>	Original
<b>Evaluated by:</b>	Hadid Jones
<b>Report Date(s):</b>	November 21, 2016

**Table 2. EUT Summary**

## B. References

<b>CFR 47, Part 15, Subpart E</b>	Unlicensed National Information Infrastructure Devices (UNII)
<b>ANSI C63.4:2014</b>	Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical And Electronic Equipment in the Range of 9 kHz to 40 GHz
<b>ISO/IEC 17025:2005</b>	General Requirements for the Competence of Testing and Calibration Laboratories
<b>ANSI C63.10-2013</b>	American National Standard for Testing Unlicensed Wireless Devices

**Table 3. References**


## C. Test Site

All testing was performed at MET Laboratories, Inc., 914 W. Patapsco Ave., Baltimore, MD 21230. All equipment used in making physical determinations is accurate and bears recent traceability to the National Institute of Standards and Technology.

Radiated Emissions measurements were performed in a 3 meter semi-anechoic chamber (equivalent to an Open Area Test Site). In accordance with §2.948(a)(3), a complete site description is contained at MET Laboratories.

## D. Description of Test Sample

The ARRIS Group, Inc. TG3482 Telephony Wireless Gateway supporting DOCSIS 3.1, Equipment Under Test (EUT), along with its 8x8 802.11ac Dual Band Wireless radios. The IoT subsystem is capable of supporting personal area networks based on ZigBee, Thread and BTLE.



**Figure 1. Block Diagram of Test Configuration**

## Equipment Configuration

The EUT was set up as outlined in Figure 1, Block Diagram of Test Setup. All cards, racks, etc., incorporated as part of the EUT is included in the following list.

Ref. ID	Name / Description	Model Number	Part Number	Serial Number	Revision
--	TG3482	TG3482	--	--	--

**Table 4. Equipment Configuration**

## E. Support Equipment

Support equipment necessary for the operation and testing of the EUT is included in the following list.

Ref. ID	Name / Description	Manufacturer	Model Number
2s	Laptop	Assorted	N/A

**Table 5. Support Equipment**

## F. Ports and Cabling Information

Ref. ID	Port Name on EUT	Cable Description	Qty.	Length (m)	Shielded (Y/N)	Termination Point
2C	USB	USB-to-Serial	1	1	No	--
3C	AC Input	2 conductor, 18 AWG	1	2	No	(115v/60hz)

**Table 6. Ports and Cabling Information**

## G. Mode of Operation

The provided instructions and software will configure the TG3482 for operation at each required test mode.

## H. Method of Monitoring EUT Operation

The measured emission value is over the specified FCC limits.

## I. Modifications

### a) Modifications to EUT

No modifications were made to the EUT.

### b) Modifications to Test Standard

No modifications were made to the test standard.

## J. Disposition of EUT

The test sample including all support equipment submitted to the Electro-Magnetic Compatibility Lab for testing was returned to ARRIS Group, Inc. upon completion of testing.

### **III. Electromagnetic Compatibility Criteria for Intentional Radiators**

## Electromagnetic Compatibility Criteria for Intentional Radiators

### § 15.203 Antenna Requirement

**Test Requirement:** **§ 15.203:** An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The structure and application of the EUT were analyzed to determine compliance with Section 15.203 of the Rules. Section 15.203 states that the subject device must meet at least one of the following criteria:

- a.) Antenna must be permanently attached to the unit.
- b.) Antenna must use a unique type of connector to attach to the EUT.
- c.) Unit must be professionally installed. Installer shall be responsible for verifying that the correct antenna is employed with the unit.

**Results:** The EUT as tested is compliant the criteria of §15.203. The EUT has an integral antenna.

A modified sample was used for conducted testing where applicable.

**Test Engineer(s):** Hadid Jones

**Test Date(s):** 08/12/16

## Electromagnetic Compatibility Criteria for Intentional Radiators

### § 15. 403(i)      26 dB Bandwidth

**Test Requirements:** **§ 15.403(i):** For purposes of this subpart the emission bandwidth shall be determined by measuring the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, that are 26 dB down relative to the maximum level of the modulated carrier. Determination of the emissions bandwidth is based on the use of measurement instrumentation employing a peak detector function with an instrument resolution bandwidth approximately equal to 1.0 percent of the emission bandwidth of the device under measurement.

**Test Procedure:** The transmitter was set to low, mid, and high operating frequencies at the highest output power and connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured with the spectrum analyzer using a RBW approximately equal to 1% of the total emission bandwidth,  $VBW > RBW$ . The 26 dB Bandwidth was measured and recorded.

**Test Results**      The 26 dB Bandwidth was compliant with the requirements of this section.

**Test Engineer(s):** Hadid Jones

**Test Date(s):** 08/12/16



## 26 dB Occupied Bandwidth


4x8				
Frequency	Bandwidth	Mode	26dB	99 %
Ch 5745M	BW 20M	a mode	20.86	16.51
Ch 5745M	BW 20M	ac mode	21.34	17.74
Ch 5745M	BW 20M	n mode	21.3	17.71
Ch 5805M	BW 20M	a mode	21.04	16.49
Ch 5805M	BW 20M	ac mode	21.5	17.72
Ch 5805M	BW 20M	n mode	21.61	17.72
Ch 5825M	BW 20M	a mode	20.5	16.48
Ch 5825M	BW 20M	ac mode	21.72	17.72
Ch 5825M	BW 20M	n mode	21.33	17.72
Ch 5755M	BW 40M	ac mode	40.08	36.09
Ch 5755M	BW 40M	n mode	39.59	36.12
Ch 5795M	BW 40M	ac mode	39.51	36.07
Ch 5795M	BW 40M	n mode	39.3	36.1
Ch 5775M	BW 80M	ac mode	79.83	75.3

Table 7. Occupied Bandwidth, Test Results, 4x8


6x8				
Frequency	Bandwidth	Mode	26dB	99 %
Ch 5745M	BW 20M	a mode	21.09	16.46
Ch 5745M	BW 20M	ac mode	21.92	17.72
Ch 5745M	BW 20M	n mode	21.8	17.7
Ch 5805M	BW 20M	a mode	20.73	16.52
Ch 5805M	BW 20M	ac mode	21.92	17.72
Ch 5805M	BW 20M	n mode	21.63	17.72
Ch 5825M	BW 20M	a mode	20.24	16.51
Ch 5825M	BW 20M	ac mode	21.93	17.73
Ch 5825M	BW 20M	n mode	21.84	17.7
Ch 5755M	BW 40M	ac mode	40.4	36.12
Ch 5755M	BW 40M	n mode	40.26	36.12
Ch 5795M	BW 40M	ac mode	39.85	36.1
Ch 5795M	BW 40M	n mode	39.57	36.13
Ch 5775M	BW 80M	ac mode	80.35	75.28

Table 8. Occupied Bandwidth, Test Results, 6x8


## 26 dB Occupied Bandwidth, 802.11a 20 MHz, 4x8



Plot 1. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M




Plot 2. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M




Plot 3. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M


## 26 dB Occupied Bandwidth, 802.11ac 20 MHz, 4x8



Plot 4. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0




Plot 5. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, NSS1 MCS0




Plot 6. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0

## 26 dB Occupied Bandwidth, 802.11ac 40 MHz, 4x8




Plot 7. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0




Plot 8. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0

## 26 dB Occupied Bandwidth, 802.11ac 80 MHz, 4x8




Plot 9. 26 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0


## 26 dB Occupied Bandwidth, 802.11n 20 MHz, 4x8



Plot 10. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0




Plot 11. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0




Plot 12. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0

## 26 dB Occupied Bandwidth, 802.11n 40 MHz, 4x8




Plot 13. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0




Plot 14. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0


## 26 dB Occupied Bandwidth, 802.11a, 20 MHz, 6x8



Plot 15. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M




Plot 16. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M




Plot 17. 26 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M


## 26 dB Occupied Bandwidth, 802.11ac 20 MHz, 6x8



Plot 18. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0




Plot 19. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, NSS1 MCS0




Plot 20. 26 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0

## 26 dB Occupied Bandwidth, 802.11ac 40 MHz, 6x8




Plot 21. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0




Plot 22. 26 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0

## 26 dB Occupied Bandwidth, 802.11ac 80 MHz, 6x8




Plot 23. 26 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0


## 26 dB Occupied Bandwidth, 802.11n 20 MHz, 6x8



Plot 24. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0




Plot 25. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0




Plot 26. 26 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0

## 26 dB Occupied Bandwidth, 802.11n 40 MHz, 6x8



Plot 27. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0



Plot 28. 26 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0

## Electromagnetic Compatibility Criteria for Intentional Radiators

### §15. 407(a)(3) Maximum Conducted Output Power

**Test Requirements:** §15.407(a)(3): For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power.

**Test Procedure:** The EUT was connected to a spectrum analyzer through a cable and attenuator. Measurements were taken with the EUT set to transmit continuously on its low, mid, and high channels. Its power was measured according to measurement method SA-1, as described in 789033 D02 General UNII Test Procedures v01.

The unit was placed in MIMO configuration.

The directional gain presented in the measured composite gain of all antennas.

A modified sample, having coaxial pigtails in place of the antenna, was used for testing.

**Test Results:** The EUT as tested is compliant with the requirements of this section.

**Test Engineer(s):** Hadid Jones

**Test Date(s):** 08/21/16




4x8											
Frequency	Bandwidth	Mode	Port 3 Data (dBm)	Port 4 Data (dBm)	Port 5 Data (dBm)	Port 6 Data (dBm)	Sum (dBm)	Limit (dBm)	Antenna Gain (dbi)	Final limit (dBm)	Margin dB
Ch 5745M	BW 20M	a mode	18.61	18.65	18.8	18.67	24.71	30	6.1	29.9	-5.19
Ch 5745M	BW 20M	ac mode	19.55	17.01	17.99	20.67	25.06	30	6.1	29.9	-4.84
Ch 5745M	BW 20M	n mode	19.02	18.68	18.27	19.71	24.98	30	6.1	29.9	-4.92
Ch 5805M	BW 20M	a mode	18.21	18.63	18.74	19.64	24.86	30	6.1	29.9	-5.04
Ch 5805M	BW 20M	ac mode	19.76	19.94	18.88	19.83	25.65	30	6.1	29.9	-4.25
Ch 5805M	BW 20M	n mode	19.53	17.53	18.91	20.09	25.19	30	6.1	29.9	-4.71
Ch 5825M	BW 20M	a mode	18.72	18.73	18.88	19.86	25.1	30	6.1	29.9	-4.8
Ch 5825M	BW 20M	ac mode	19.29	18.59	18.93	20.14	25.3	30	6.1	29.9	-4.6
Ch 5825M	BW 20M	n mode	19.05	18.26	18.44	19.45	24.85	30	6.1	29.9	-5.05
Ch 5755M	BW 40M	ac mode	18.45	19.37	19.3	20.35	25.45	30	6.1	29.9	-4.45
Ch 5755M	BW 40M	n mode	18.44	19.29	20.12	21.35	25.96	30	6.1	29.9	-3.94
Ch 5795M	BW 40M	ac mode	19.5	19.48	19.34	21.45	26.06	30	6.1	29.9	-3.84
Ch 5795M	BW 40M	n mode	19.61	18.35	19.9	20.64	25.73	30	6.1	29.9	-4.17
Ch 5775M	BW 80M	ac mode	18.71	16.82	17.04	17.48	23.6	30	6.1	29.9	-6.3

**Table 9. Conducted Output Power, Test Results, 4x8**


6x8													
Frequency	Bandwidth	Mode	Port 2 Data (dBm)	Port 3 Data (dBm)	Port 4 Data (dBm)	Port 5 Data (dBm)	Port 6 Data (dBm)	Port 7 Data (dBm)	Sum (dBm)	Limit (dBm)	Antenna Gain (dbi)	Final limit	Margin dB
Ch 5745M	BW 20M	a mode	17.52	19.01	18.97	18.53	18.4	18.27	26.26	30	6.8	29.2	-2.94
Ch 5745M	BW 20M	ac mode	16.06	18.74	18.48	18.3	18.96	16.86	25.81	30	6.8	29.2	-3.39
Ch 5745M	BW 20M	n mode	17.3	19.95	18.16	18.59	19.8	17.84	26.5	30	6.8	29.2	-2.7
Ch 5805M	BW 20M	a mode	16.17	18.13	17.29	17.11	16.52	17.65	24.98	30	6.8	29.2	-4.22
Ch 5805M	BW 20M	ac mode	16.48	19.37	18.64	19.35	20.89	17.82	26.76	30	6.8	29.2	-2.44
Ch 5805M	BW 20M	n mode	18.17	19.49	18.58	19.41	19.78	18.92	26.88	30	6.8	29.2	-2.32
Ch 5825M	BW 20M	a mode	14.05	17.85	15.85	16.4	17.63	17.46	24.51	30	6.8	29.2	-4.69
Ch 5825M	BW 20M	ac mode	15.05	20.07	19.7	19.6	14.68	20.1	26.54	30	6.8	29.2	-2.66
Ch 5825M	BW 20M	n mode	14.89	19.64	18.69	18.38	19.67	19.27	26.47	30	6.8	29.2	-2.73
Ch 5755M	BW 40M	ac mode	16.47	18.91	18.31	19.03	19.29	17.94	26.21	30	6.8	29.2	-2.99
Ch 5755M	BW 40M	n mode	16.26	19.55	19.06	20.47	20.31	17.73	26.92	30	6.8	29.2	-2.28
Ch 5795M	BW 40M	ac mode	15.33	19.66	18.54	20.28	19.94	17.87	26.68	30	6.8	29.2	-2.52
Ch 5795M	BW 40M	n mode	18.01	19.62	18.23	19.98	20.56	18.68	27.07	30	6.8	29.2	-2.13
Ch 5775M	BW 80M	ac mode	17.81	19.88	19.12	18.54	19.12	17.56	26.53	30	6.8	29.2	-2.67

**Table 10. Conducted Output Power, Test Results, 6x8**


## Conducted Output Power, 802.11a, 4x8, CH3



Plot 29. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH3




Plot 30. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH3




Plot 31. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH3


## Conducted Output Power, 802.11a, 4x8, CH4



Plot 32. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH4




Plot 33. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH4




Plot 34. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH4


## Conducted Output Power, 802.11a, 4x8, CH5



Plot 35. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH5




Plot 36. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH5




Plot 37. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH5


## Conducted Output Power, 802.11a, 4x8, CH6



**Plot 38. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH6**




**Plot 39. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH6**




**Plot 40. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH6**


### Conducted Output Power, 802.11ac 20 MHz, 4x8, CH3



**Plot 41. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3**




**Plot 42. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3**




**Plot 43. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3**


### Conducted Output Power, 802.11ac 20 MHz, 4x8, CH4



**Plot 44. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4**




**Plot 45. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4**




**Plot 46. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4**


### Conducted Output Power, 802.11ac 20 MHz, 4x8, CH5



Plot 47. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5




Plot 48. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5




Plot 49. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5


### Conducted Output Power, 802.11ac 20 MHz, 4x8, CH6



Plot 50. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6




Plot 51. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6




Plot 52. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6

### Conducted Output Power, 802.11ac 40 MHz, 4x8, CH3




**Plot 53. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3**




**Plot 54. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3**

### Conducted Output Power, 802.11ac 40 MHz, 4x8, CH4




**Plot 55. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4**




**Plot 56. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4**

## Conducted Output Power, 802.11ac 40 MHz, 4x8, CH5




**Plot 57. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5**




**Plot 58. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5**

## Conducted Output Power, 802.11ac 40 MHz, 4x8, CH6




**Plot 59. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6**




**Plot 60. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6**

### Conducted Output Power, 802.11ac 80 MHz, 4x8, CH3




Plot 61. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH3

### Conducted Output Power, 802.11ac 80 MHz, 4x8, CH4




**Plot 62. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH4**

## Conducted Output Power, 802.11ac 80 MHz, 4x8, CH5




Plot 63. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH5

## Conducted Output Power, 802.11ac 80 MHz, 4x8, CH6




**Plot 64. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH6**


### Conducted Output Power, 802.11n 20 MHz, 4x8, CH3



**Plot 65. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3**




**Plot 66. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3**




**Plot 67. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3**


### Conducted Output Power, 802.11n 20 MHz, 4x8, CH4



**Plot 68. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4**




**Plot 69. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4**




**Plot 70. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4**


## Conducted Output Power, 802.11n 20 MHz, 4x8, CH5



Plot 71. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5




Plot 72. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5




Plot 73. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5


## Conducted Output Power, 802.11n 20 MHz, 4x8, CH6



Plot 74. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6




Plot 75. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6




Plot 76. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6

### Conducted Output Power, 802.11n 40 MHz, 4x8, CH3




Plot 77. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3




Plot 78. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3

## Conducted Output Power, 802.11n, 4x8, CH4




Plot 79. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4




Plot 80. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4

## Conducted Output Power, 802.11n, 4x8, CH5




Plot 81. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5




Plot 82. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5

## Conducted Output Power, 802.11n, 4x8, CH6




Plot 83. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6




Plot 84. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6


## Conducted Output Power, 802.11a, 6x8, CH2



Plot 85. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH2




Plot 86. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH2




Plot 87. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH2


## Conducted Output Power, 802.11a, 6x8, CH3



Plot 88. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH3




Plot 89. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH3




Plot 90. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH3


## Conducted Output Power, 802.11a, 6x8, CH4



Plot 91. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH4




Plot 92. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH4




Plot 93. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH4


## Conducted Output Power, 802.11a, 6x8, CH5



Plot 94. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH5




Plot 95. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH5




Plot 96. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH5


## Conducted Output Power, 802.11a, 6x8, CH6



**Plot 97. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH6**




**Plot 98. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH6**




**Plot 99. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH6**


## Conducted Output Power, 802.11a, 6x8, CH7



Plot 100. Conducted Output Power, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH7




Plot 101. Conducted Output Power, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH7




Plot 102. Conducted Output Power, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH7


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH2



Plot 103. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2




Plot 104. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2




Plot 105. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH3



Plot 106. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3




Plot 107. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3




Plot 108. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH4



Plot 109. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4




Plot 110. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4




Plot 111. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH5



Plot 112. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5




Plot 113. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5




Plot 114. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH6



**Plot 115. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6**




**Plot 116. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6**




**Plot 117. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6**


### Conducted Output Power, 802.11ac 20 MHz, 6x8, CH7



Plot 118. Conducted Output Power, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7




Plot 119. Conducted Output Power, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7




Plot 120. Conducted Output Power, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7

## Conducted Output Power, 802.11ac 40 MHz, 6x8, CH2




Plot 121. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2




Plot 122. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2

### Conducted Output Power, 802.11ac 40 MHz, 6x8, CH3




Plot 123. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3




Plot 124. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3

### Conducted Output Power, 802.11ac 40 MHz, 6x8, CH4




Plot 125. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4




Plot 126. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4

## Conducted Output Power, 802.11ac 40 MHz, 6x8, CH5




Plot 127. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5




Plot 128. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5

## Conducted Output Power, 802.11ac 40 MHz, 6x8, CH6




Plot 129. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6




Plot 130. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6

## Conducted Output Power, 802.11ac 40 MHz, 6x8, CH7




Plot 131. Conducted Output Power, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7




Plot 132. Conducted Output Power, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7

### Conducted Output Power, 802.11ac 80 MHz, 6x8, CH2




Plot 133. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH2

### Conducted Output Power, 802.11ac 80 MHz, 6x8, CH3




Plot 134. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH3

## Conducted Output Power, 802.11ac 80 MHz, 6x8, CH4




Plot 135. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH4

### Conducted Output Power, 802.11ac 80 MHz, 6x8, CH5




Plot 136. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH5

### Conducted Output Power, 802.11ac 80 MHz, 6x8, CH6




Plot 137. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH6

### Conducted Output Power, 802.11ac 80 MHz, 6x8, CH7




Plot 138. Conducted Output Power, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH7


### Conducted Output Power, 802.11n 20 MHz, 6x8, CH2



Plot 139. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2




Plot 140. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2




Plot 141. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2


### Conducted Output Power, 802.11n 20 MHz, 6x8, CH3



Plot 142. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3




Plot 143. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3




Plot 144. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3


### Conducted Output Power, 802.11n 20 MHz, 6x8, CH4



Plot 145. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4




Plot 146. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4




Plot 147. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4


## Conducted Output Power, 802.11n 20 MHz, 6x8, CH5



Plot 148. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5




Plot 149. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5




Plot 150. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5


## Conducted Output Power, 802.11n 20 MHz, 6x8, CH6



Plot 151. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6




Plot 152. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6




Plot 153. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6


## Conducted Output Power, 802.11n 20 MHz, 6x8, CH7



Plot 154. Conducted Output Power, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7




Plot 155. Conducted Output Power, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7




Plot 156. Conducted Output Power, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7

## Conducted Output Power, 802.11n 40 MHz, 6x8, CH2




Plot 157. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2




Plot 158. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2

### Conducted Output Power, 802.11n 40 MHz, 6x8, CH3




Plot 159. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3




Plot 160. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3

## Conducted Output Power, 802.11n, 6x8, CH4




Plot 161. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4




Plot 162. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4

## Conducted Output Power, 802.11n, 6x8, CH5




Plot 163. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5




Plot 164. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5

## Conducted Output Power, 802.11n, 6x8, CH6




Plot 165. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6




Plot 166. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6

## Conducted Output Power, 802.11n, 6x8, CH7



Plot 167. Conducted Output Power, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7



Plot 168. Conducted Output Power, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7

## Electromagnetic Compatibility Criteria for Intentional Radiators

### §15.407(a)(3) Maximum Power Spectral Density

**Test Requirements:** §15.407(a)(3): In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band.

If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power.

**Test Procedure:** The EUT was connected to a spectrum analyzer through a cable and attenuator. Measurements were taken with the EUT set to transmit continuously on its low, mid, and high channels. Its power was measured according KDB 789033 D02 General UNII Test Procedures v01. A 1 MHz RBW was used during testing, as this provides a worst-case scenario.

The unit was placed in MIMO configuration.

The directional gain presented in the measured composite gain of all antennas.

A modified sample, having coaxial pigtails in place of the antenna, was used for testing.

**Test Results:** The EUT as tested is compliant with the requirements of this section.

**Test Engineer(s):** Hadid Jones

**Test Date(s):** 08/21/16




4x8											
Center Frequency	Bandwidth	Mode	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Sum of Ports	Limit (dBm)	Antenna Gain (dBi)	Final limit (dBm)	Margin dB
Ch 5745M	BW 20M	a mode	5.92	7.25	8.08	8.86	13.69	30	6.1	29.9	-16.21
Ch 5745M	BW 20M	ac mode	8.38	6.5	6.43	8.17	13.49	30	6.1	29.9	-16.41
Ch 5745M	BW 20M	n mode	6.59	6.16	7	7.74	12.94	30	6.1	29.9	-16.96
Ch 5805M	BW 20M	a mode	8.18	6.56	8.32	7.31	13.67	30	6.1	29.9	-16.23
Ch 5805M	BW 20M	ac mode	8.72	6.36	5.87	7.18	13.2	30	6.1	29.9	-16.7
Ch 5805M	BW 20M	n mode	6.84	7.2	5.91	7.16	12.83	30	6.1	29.9	-17.07
Ch 5825M	BW 20M	a mode	7.38	6.33	5.78	7.53	12.84	30	6.1	29.9	-17.06
Ch 5825M	BW 20M	ac mode	6.54	7.16	6.05	7.38	12.84	30	6.1	29.9	-17.06
Ch 5825M	BW 20M	n mode	6.45	6.16	6.91	7.6	12.84	30	6.1	29.9	-17.06
Ch 5755M	BW 40M	ac mode	4.827	4.32	4.64	5.51	10.87	30	6.1	29.9	-19.03
Ch 5755M	BW 40M	n mode	3.98	3.1	4.4	4.99	10.2	30	6.1	29.9	-19.7
Ch 5795M	BW 40M	ac mode	5.17	4.36	4.95	6.97	11.5	30	6.1	29.9	-18.4
Ch 5795M	BW 40M	n mode	4.71	3.27	4.74	5.94	10.79	30	6.1	29.9	-19.11
Ch 5775M	BW 80M	ac mode	1.64	0.68	-0.007	0.972	6.89	30	6.1	29.9	-23.01

**Table 11. Power Spectral Density, Test Results, 4x8**


6x8													
Center Frequency	Bandwidth	Mode	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Sum of Ports	Limit (dBm)	Antenna Gain (dBi)	Final limit	Margin dB
Ch 5745M	BW 20M	a mode	5.06	6.68	6.68	8.57	7.33	8.22	15.02	30	6.8	29.2	-14.18
Ch 5745M	BW 20M	ac mode	3.46	5.23	6.32	4.33	5.11	4.49	12.7	30	6.8	29.2	-16.5
Ch 5745M	BW 20M	n mode	6.1	5.95	6.21	6.34	7.95	5.53	14.21	30	6.8	29.2	-14.99
Ch 5805M	BW 20M	a mode	3.091	6.29	5.55	5.74	5.79	7.1	13.54	30	6.8	29.2	-15.66
Ch 5805M	BW 20M	ac mode	3.91	6.82	5.91	6.61	6.6	5.94	13.85	30	6.8	29.2	-15.35
Ch 5805M	BW 20M	n mode	5.31	7.37	6.11	5.78	6.39	7.21	14.21	30	6.8	29.2	-14.99
Ch 5825M	BW 20M	a mode	4.59	6.63	6.11	5.42	5.26	8.32	14.02	30	6.8	29.2	-15.18
Ch 5825M	BW 20M	ac mode	5.76	7.09	7.19	3.94	6.48	8.07	14.39	30	6.8	29.2	-14.81
Ch 5825M	BW 20M	n mode	4.17	7.14	5.83	6.8	6.5	7.05	14.14	30	6.8	29.2	-15.06
Ch 5755M	BW 40M	ac mode	2.34	5.11	3.82	3.85	4.91	2.9	11.72	30	6.8	29.2	-17.48
Ch 5755M	BW 40M	n mode	2.57	5.37	3.99	4.89	5.65	3.37	12.23	30	6.8	29.2	-16.97
Ch 5795M	BW 40M	ac mode	2.43	2.23	2.58	4.67	4.56	3.69	11.26	30	6.8	29.2	-17.94
Ch 5795M	BW 40M	n mode	3.14	4.98	4.48	5.16	5.65	5.2	12.62	30	6.8	29.2	-16.58
Ch 5775M	BW 80M	ac mode	-2.5	-1.15	-0.9	-1.54	0.32	-0.63	6.8	30	6.8	29.2	-22.4

**Table 12. Power Spectral Density, Test Results, 6x8**


### Power Spectral Density, 802.11a, 4x8, CH3



Plot 169. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH3




Plot 170. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH3




Plot 171. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH3


## Power Spectral Density, 802.11a, 4x8, CH4



Plot 172. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH4




Plot 173. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH4




Plot 174. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH4


## Power Spectral Density, 802.11a, 4x8, CH5



Plot 175. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH5




Plot 176. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH5




Plot 177. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH5


## Power Spectral Density, 802.11a, 4x8, CH6



Plot 178. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, CH6




Plot 179. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M, CH6




Plot 180. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, CH6


### Power Spectral Density, 802.11ac 20 MHz, 4x8, CH3



Plot 181. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3




Plot 182. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3




Plot 183. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3


## Power Spectral Density, 802.11ac 20 MHz, 4x8, CH4



Plot 184. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4




Plot 185. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4




Plot 186. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4


## Power Spectral Density, 802.11ac 20 MHz, 4x8, CH5



Plot 187. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5




Plot 188. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5




Plot 189. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5


## Power Spectral Density, 802.11ac 20 MHz, 4x8, CH6



Plot 190. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6




Plot 191. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6




Plot 192. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11ac 40 MHz, 4x8, CH3




Plot 193. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3




Plot 194. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3

## Power Spectral Density, 802.11ac 40 MHz, 4x8, CH4




Plot 195. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4




Plot 196. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4

## Power Spectral Density, 802.11ac 40 MHz, 4x8, CH5




Plot 197. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5




Plot 198. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5

## Power Spectral Density, 802.11ac 40 MHz, 4x8, CH6




Plot 199. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6




Plot 200. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11ac 80 MHz, 4x8, CH3




Plot 201. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH3

## Power Spectral Density, 802.11ac 80 MHz, 4x8, CH4




Plot 202. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH4

## Power Spectral Density, 802.11ac 80 MHz, 4x8, CH5




Plot 203. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH5

## Power Spectral Density, 802.11ac 80 MHz, 4x8, CH6




Plot 204. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, MCS0 NSS1, CH6


### Power Spectral Density, 802.11n 20 MHz, 4x8, CH3



Plot 205. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH3




Plot 206. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH3




Plot 207. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH3


## Power Spectral Density, 802.11n 20 MHz, 4x8, CH4



Plot 208. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH4




Plot 209. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH4




Plot 210. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH4


## Power Spectral Density, 802.11n 20 MHz, 4x8, CH5



Plot 211. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH5




Plot 212. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH5




Plot 213. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH5


## Power Spectral Density, 802.11n 20 MHz, 4x8, CH6



Plot 214. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0 NSS1, CH6




Plot 215. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0 NSS1, CH6




Plot 216. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11n 40 MHz, 4x8, CH3




Plot 217. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH3




Plot 218. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH3

## Power Spectral Density, 802.11n, 4x8, CH4




Plot 219. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH4




Plot 220. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH4

## Power Spectral Density, 802.11n, 4x8, CH5




Plot 221. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH5




Plot 222. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH5

## Power Spectral Density, 802.11n, 4x8, CH6




Plot 223. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0 NSS1, CH6




Plot 224. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0 NSS1, CH6


## Power Spectral Density, 802.11a, 6x8, CH2



Plot 225. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH2




Plot 226. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH2




Plot 227. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH2


## Power Spectral Density, 802.11a, 6x8, CH3



Plot 228. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH3




Plot 229. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH3




Plot 230. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH3


## Power Spectral Density, 802.11a, 6x8, CH4



Plot 231. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH4




Plot 232. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH4




Plot 233. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH4


## Power Spectral Density, 802.11a, 6x8, CH5



Plot 234. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH5




Plot 235. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH5




Plot 236. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH5


## Power Spectral Density, 802.11a, 6x8, CH6



Plot 237. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH6




Plot 238. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH6




Plot 239. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH6


## Power Spectral Density, 802.11a, 6x8, CH7



Plot 240. Power Spectral Density, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, CH7




Plot 241. Power Spectral Density, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M, CH7




Plot 242. Power Spectral Density, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, CH7


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH2



Plot 243. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2




Plot 244. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2




Plot 245. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH3



Plot 246. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3




Plot 247. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3




Plot 248. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH4



Plot 249. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4




Plot 250. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4




Plot 251. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH5



Plot 252. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5




Plot 253. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5




Plot 254. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH6



Plot 255. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6




Plot 256. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6




Plot 257. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6


## Power Spectral Density, 802.11ac 20 MHz, 6x8, CH7



Plot 258. Power Spectral Density, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7




Plot 259. Power Spectral Density, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7




Plot 260. Power Spectral Density, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH2




Plot 261. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2




Plot 262. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH3




Plot 263. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3




Plot 264. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH4




Plot 265. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4




Plot 266. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH5




Plot 267. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5




Plot 268. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH6




Plot 269. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6




Plot 270. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11ac 40 MHz, 6x8, CH7




Plot 271. Power Spectral Density, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7




Plot 272. Power Spectral Density, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH2




Plot 273. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH2

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH3




Plot 274. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH3

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH4




Plot 275. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH4

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH5




Plot 276. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH5

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH6



Plot 277. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11ac 80 MHz, 6x8, CH7




Plot 278. Power Spectral Density, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, MCS0 NSS1, CH7


## Power Spectral Density, 802.11n 20 MHz, 6x8, CH2



Plot 279. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH2




Plot 280. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH2




Plot 281. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH2


### Power Spectral Density, 802.11n 20 MHz, 6x8, CH3



Plot 282. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH3




Plot 283. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH3




Plot 284. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH3


## Power Spectral Density, 802.11n 20 MHz, 6x8, CH4



Plot 285. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH4




Plot 286. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH4




Plot 287. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH4


## Power Spectral Density, 802.11n 20 MHz, 6x8, CH5



Plot 288. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH5




Plot 289. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH5




Plot 290. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH5


## Power Spectral Density, 802.11n 20 MHz, 6x8, CH6



Plot 291. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH6




Plot 292. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH6




Plot 293. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH6


## Power Spectral Density, 802.11n 20 MHz, 6x8, CH7



Plot 294. Power Spectral Density, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0 NSS1, CH7




Plot 295. Power Spectral Density, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0 NSS1, CH7




Plot 296. Power Spectral Density, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0 NSS1, CH7

## Power Spectral Density, 802.11n 40 MHz, 6x8, CH2




Plot 297. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH2




Plot 298. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH2

### Power Spectral Density, 802.11n 40 MHz, 6x8, CH3




**Plot 299. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH3**




**Plot 300. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH3**

## Power Spectral Density, 802.11n, 6x8, CH4



**Plot 301. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH4**




**Plot 302. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH4**

## Power Spectral Density, 802.11n, 6x8, CH5



**Plot 303. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH5**




**Plot 304. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH5**

## Power Spectral Density, 802.11n, 6x8, CH6




Plot 305. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH6




Plot 306. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH6

## Power Spectral Density, 802.11n, 6x8, CH7



Plot 307. Power Spectral Density, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0 NSS1, CH7



Plot 308. Power Spectral Density, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0 NSS1, CH7

## Electromagnetic Compatibility Criteria for Intentional Radiators

### §15.407(b)(4) & (6 – 7) Undesirable Emissions

**Test Requirements:** § 15.407(b)(4): For transmitters operating in the 5.725-5.85 GHz band: All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

§ 15.407(b)(6): Unwanted emissions below 1 GHz must comply with the general field strength limits set forth in Section 15.209. Further, any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in Section 15.207.

§ 15.407(b)(7): The provisions of Section 15.205 of this part apply to intentional radiators operating under this section.

**Test Procedure:** The EUT was placed on a non-conducting stand on a turntable in a chamber. To find the maximum emission the EUT was set to transmit on low, mid, and high channels. Additionally, the turntable was rotated 360 degrees, the EUT was oriented through its three orthogonal axes, and the receive antenna height was varied in order to maximize emissions.

For frequencies from 30 MHz to 1 GHz, measurements were first made using a peak detector with a 100 kHz resolution bandwidth. Emissions which exceeded the limits were re-measured using a quasi-peak detector with a 120 kHz resolution bandwidth.

Above 1 GHz, measurements were made pursuant the method described in FCC KDB 789033 D02 General UNII Test Procedure New Rules v01. The equation,  $EIRP = E + 20 \log D - 104.8$  was used to convert field strength to EIRP ( $E$  = field strength (dB $\mu$ V/m) and  $D$  = Reference measurement distance).

For emissions above 1 GHz and in restricted bands, measurements of the field strength were made with a peak detector and an average detector and compared with the limits of 15.209.

As an alternative, according to FCC KDB 789033 D02 General UNII Test Procedure New Rules v01, all emissions above 1 GHz that comply with the peak and average limits of 15.209 satisfy the requirements of unwanted emissions in 15.407.

**Test Results:** For below 1 GHz, the EUT was compliant the requirements of this section. The worst case was reported.


For above 1 GHz, the EUT was compliant with the requirements of this section.

Only the noise floor was observed above 18GHz


**Test Engineer(s):** Hadid Jones

**Test Date(s):** 08/12/16

## Radiated Spurious Emissions




Plot 309. Radiated Spurious Emissions, 30 MHz – 1 GHz, Radio Off




Plot 310. Radiated Spurious Emissions, 30 MHz – 1 GHz, Radio On

## Radiated Spurious Emissions, Mask, 802.11a, 4x8




**Plot 311. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M**




**Plot 312. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M**

### Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, 4x8




**Plot 313. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0**




**Plot 314. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0**

### Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, 4x8




**Plot 315. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0**




**Plot 316. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0**

## Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, 4x8




Plot 317. Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0

### Radiated Spurious Emissions, Mask, 802.11n 20 MHz, 4x8




**Plot 318. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0**




**Plot 319. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0**

### Radiated Spurious Emissions, Mask, 802.11n 40 MHz, 4x8




**Plot 320. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0**




**Plot 321. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0**

### Radiated Spurious Emissions, Mask, 802.11a, 6x8




Plot 322. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M




Plot 323. Radiated Spurious Emissions, Mask, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M

### Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, 6x8




**Plot 324. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0**




**Plot 325. Radiated Spurious Emissions, Mask, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0**

### Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, 6x8




**Plot 326. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0**




**Plot 327. Radiated Spurious Emissions, Mask, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0**

## Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, 6x8




Plot 328. Radiated Spurious Emissions, Mask, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0

## Radiated Spurious Emissions, Mask, 802.11n 20 MHz, 6x8




**Plot 329. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0**




**Plot 330. Radiated Spurious Emissions, Mask, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0**

## Radiated Spurious Emissions, Mask, 802.11n 40 MHz, 6x8




**Plot 331. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0**




**Plot 332. Radiated Spurious Emissions, Mask, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0**

## Radiated Spurious Emissions, 802.11a, 4x8




Plot 333. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M, 1 GHz – 7 GHz




Plot 334. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 20 MHz, 4x8




Plot 335. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz




Plot 336. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 40 MHz, 4x8




Plot 337. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz




Plot 338. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 80 MHz, 4x8




Plot 339. Radiated Spurious Emissions, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11n 20 MHz, 4x8




Plot 340. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0, 1 GHz – 7 GHz




Plot 341. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11n 40 MHz, 4x8




Plot 342. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0, 1 GHz – 7 GHz




Plot 343. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11a, 6x8




Plot 344. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M, 1 GHz – 7 GHz




Plot 345. Radiated Spurious Emissions, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 20 MHz, 6x8




Plot 346. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz




Plot 347. Radiated Spurious Emissions, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 40 MHz, 6x8




Plot 348. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz




Plot 349. Radiated Spurious Emissions, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11ac 80 MHz, 6x8




Plot 350. Radiated Spurious Emissions, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11n 20 MHz, 6x8




Plot 351. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0, 1 GHz – 7 GHz




Plot 352. Radiated Spurious Emissions, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0, 1 GHz – 7 GHz

## Radiated Spurious Emissions, 802.11n 40 MHz, 6x8



**Plot 353. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0, 1 GHz – 7 GHz**



**Plot 354. Radiated Spurious Emissions, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0, 1 GHz – 7 GHz**

## Electromagnetic Compatibility Criteria for Intentional Radiators

### § 15.407(b)(6)      Conducted Emissions

**Test Requirement(s):**    **§ 15.407 (b)(6):** Any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in §15.207.

**§ 15.207 (a):** For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30MHz, shall not exceed the limits in the following table, as measured using a 50  $\mu$ H/50  $\Sigma$  line impedance stabilization network (LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

Frequency range (MHz)	§ 15.207(a), Conducted Limit (dB $\mu$ V)	
	Quasi-Peak	Average
* 0.15- 0.45	66 – 56	56 - 46
0.45 - 0.5	56	46
0.5 - 30	60	50

**Table 13. Conducted Limits for Intentional Radiators from FCC Part 15 § 15.207(a)**

**Test Procedure:**

The EUT was placed on a non-metallic table inside a screen room. The EUT was situated such that the back of the EUT was 0.4 m from one wall of the vertical ground plane, and the remaining sides of the EUT were no closer than 0.8 m from any other conductive surface. The EUT was powered from a 50  $\Omega$ /50  $\mu$ H Line Impedance Stabilization Network (LISN). The EMC receiver scanned the frequency range from 150 kHz to 30 MHz. Conducted Emissions measurements were made in accordance with *ANSI C63.4-2014 "Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40 GHz"*. Scans were performed with the transmitter on.

**Test Results:**

The EUT was compliant with requirements of this section.


**Test Engineer(s):**      Hadid Jones

**Test Date(s):**      08/21/16

### 15.207(a) Conducted Emissions Test Results

Frequency (MHz)	Uncorrected Meter Reading (dB $\mu$ V) QP	Cable Loss (dB)	Corrected Measurement (dB $\mu$ V) QP	Limit (dB $\mu$ V) QP	Margin (dB) QP	Uncorrected Meter Reading (dB $\mu$ V) Avg.	Cable Loss (dB)	Corrected Measurement (dB $\mu$ V) AVG	Limit (dB $\mu$ V) AVG	Margin (dB) AVG
0.155	58.48	0	58.48	65.73	-7.25	51.78	0	51.78	55.73	-3.95
2.53	49.96	0	49.96	56	-6.04	37.71	0	37.71	46	-8.29
6.79	48.6	0	48.6	60	-11.4	35.93	0	35.93	50	-14.07
20.18	51.66	0	51.66	60	-8.34	46.63	0	46.63	50	-3.37
24.5	40.2	0	40.2	60	-19.8	35.44	0	35.44	50	-14.56
26.88	40.32	0	40.32	60	-19.68	34.78	0	34.78	50	-15.22

Table 14. Conducted Emissions, 15.207(a), Phase Line, Test Results




Plot 355. Conducted Emissions, 15.207(a), Phase Line

## 15.207(a) Conducted Emissions Test Results

Frequency (MHz)	Uncorrected Meter Reading (dB $\mu$ V) QP	Cable Loss (dB)	Corrected Measurement (dB $\mu$ V) QP	Limit (dB $\mu$ V) QP	Margin (dB) QP	Uncorrected Meter Reading (dB $\mu$ V) Avg.	Cable Loss (dB)	Corrected Measurement (dB $\mu$ V) AVG	Limit (dB $\mu$ V) AVG	Margin (dB) AVG
0.3	46.23	0	46.23	60.24	-14.01	29.56	0	29.56	50.24	-20.68
2.504	47.3	0	47.3	56	-8.7	35.11	0	35.11	46	-10.89
6.6	48.26	0	48.26	60	-11.74	37.59	0	37.59	50	-12.41
20.68	52.32	0	52.32	60	-7.68	46.24	0	46.24	50	-3.76
23.99	46.05	0	46.05	60	-13.95	39.54	0	39.54	50	-10.46
27.32	41.89	0	41.89	60	-18.11	36.44	0	36.44	50	-13.56

Table 15. Conducted Emissions, 15.207(a), Neutral Line, Test Results



Plot 356. Conducted Emissions, 15.207(a), Neutral Line

## Electromagnetic Compatibility Criteria for Intentional Radiators

### § 15. 407(e)      6 dB Bandwidth


**Test Requirements:**    **§ 15.407(e):** Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

**Test Procedure:**    The transmitter was set to low, mid, and high operating frequencies at the highest output power and connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured with the spectrum analyzer using a RBW approximately equal to 1% of the total emission bandwidth, VBW > RBW. The 6 dB Bandwidth was measured and recorded.

**Test Results**                  The 6 dB Bandwidth was compliant with the requirements of this section.

**Test Engineer(s):**               Hadid Jones

**Test Date(s):**                    08/23/16




4x8			
Frequency	Bandwidth	Mode	6dB
Ch 5745M	BW 20M	a mode	16.45
Ch 5745M	BW 20M	ac mode	17.84
Ch 5745M	BW 20M	n mode	17.7
Ch 5805M	BW 20M	a mode	16.53
Ch 5805M	BW 20M	ac mode	17.65
Ch 5805M	BW 20M	n mode	17.61
Ch 5825M	BW 20M	a mode	16.43
Ch 5825M	BW 20M	ac mode	17.7
Ch 5825M	BW 20M	n mode	17.65
Ch 5755M	BW 40M	ac mode	36.46
Ch 5755M	BW 40M	n mode	36.45
Ch 5795M	BW 40M	ac mode	36.35
Ch 5795M	BW 40M	n mode	36.39
Ch 5775M	BW 80M	ac mode	75.74

**Table 16. 6 dB Occupied Bandwidth, Test Results, 4x8**


6x8			
Frequency	Bandwidth	Mode	6dB
Ch 5745M	BW 20M	a mode	16.45
Ch 5745M	BW 20M	ac mode	17.73
Ch 5745M	BW 20M	n mode	17.62
Ch 5805M	BW 20M	a mode	16.42
Ch 5805M	BW 20M	ac mode	17.67
Ch 5805M	BW 20M	n mode	17.67
Ch 5825M	BW 20M	a mode	16.43
Ch 5825M	BW 20M	ac mode	17.63
Ch 5825M	BW 20M	n mode	17.64
Ch 5755M	BW 40M	ac mode	36.47
Ch 5755M	BW 40M	n mode	36.45
Ch 5795M	BW 40M	ac mode	36.52
Ch 5795M	BW 40M	n mode	36.37
Ch 5775M	BW 80M	ac mode	76.24

**Table 17. 6 dB Occupied Bandwidth, Test Results, 6x8**


## 6 dB Occupied Bandwidth, 802.11a, 4x8



Plot 357. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 4x8, 6M




Plot 358. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 4x8, 6M




Plot 359. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 4x8, 6M


## 6 dB Occupied Bandwidth, 802.11ac 20 MHz, 4x8



Plot 360. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 4x8, NSS1 MCS0




Plot 361. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 4x8, NSS1 MCS0




Plot 362. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 4x8, NSS1 MCS0

## 6 dB Occupied Bandwidth, 802.11ac 40 MHz, 4x8




Plot 363. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 4x8, NSS1 MCS0




Plot 364. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 4x8, NSS1 MCS0

## 6 dB Occupied Bandwidth, 802.11ac 80 MHz, 4x8




Plot 365. 6 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 4x8, NSS1 MCS0


## 6 dB Occupied Bandwidth, 802.11n 20 MHz, 4x8



Plot 366. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 4x8, MCS0




Plot 367. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 4x8, MCS0




Plot 368. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 4x8, MCS0

## 6 dB Occupied Bandwidth, 802.11n 40 MHz, 4x8




Plot 369. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 4x8, MCS0




Plot 370. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 4x8, MCS0


## 6 dB Occupied Bandwidth, 802.11a, 6x8



Plot 371. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5745 MHz, 6x8, 6M




Plot 372. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5805 MHz, 6x8, 6M




Plot 373. 6 dB Occupied Bandwidth, 802.11a 20 MHz, Channel 5825 MHz, 6x8, 6M


## 6 dB Occupied Bandwidth, 802.11ac 20 MHz, 6x8



Plot 374. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5745 MHz, 6x8, NSS1 MCS0




Plot 375. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5805 MHz, 6x8, NSS1 MCS0




Plot 376. 6 dB Occupied Bandwidth, 802.11ac 20 MHz, Channel 5825 MHz, 6x8, NSS1 MCS0

## 6 dB Occupied Bandwidth, 802.11ac 40 MHz, 6x8




Plot 377. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5755 MHz, 6x8, NSS1 MCS0




Plot 378. 6 dB Occupied Bandwidth, 802.11ac 40 MHz, Channel 5795 MHz, 6x8, NSS1 MCS0

## 6 dB Occupied Bandwidth, 802.11ac 80 MHz, 6x8




Plot 379. 6 dB Occupied Bandwidth, 802.11ac 80 MHz, Channel 5775 MHz, 6x8, NSS1 MCS0


## 6 dB Occupied Bandwidth, 802.11n 20 MHz, 6x8



Plot 380. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5745 MHz, 6x8, MCS0




Plot 381. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5805 MHz, 6x8, MCS0




Plot 382. 6 dB Occupied Bandwidth, 802.11n 20 MHz, Channel 5825 MHz, 6x8, MCS0

## 6 dB Occupied Bandwidth, 802.11n 40 MHz, 6x8



Plot 383. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5755 MHz, 6x8, MCS0



Plot 384. 6 dB Occupied Bandwidth, 802.11n 40 MHz, Channel 5795 MHz, 6x8, MCS0

## Electromagnetic Compatibility Criteria for Intentional Radiators

### § 15.407(f) Maximum Permissible Exposure

**Test Requirement(s):**

**§15.407(f):** U-NII devices are subject to the radio frequency radiation exposure requirements specified in §1.1307(b), §2.1091 and §2.1093 of this chapter, as appropriate. All equipment shall be considered to operate in a “general population/uncontrolled” environment.

**RF Exposure Requirements:**

**§1.1307(b)(1) and §1.1307(b)(2):** Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission’s guidelines.

**RF Radiation Exposure Limit:**

**§1.1310:** As specified in this section, the Maximum Permissible Exposure (MPE) Limit shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in Sec. 1.1307(b), except in the case of portable devices which shall be evaluated according to the provisions of Sec. 2.1093 of this chapter.

MPE Limit: EUT's operating frequencies @ 5725 - 5850 MHz; **Limit for Uncontrolled exposure: 1 mW/cm<sup>2</sup> or 10 W/m<sup>2</sup>**

Equation from page 18 of OET 65, Edition 97-01

$$S = PG / 4\pi R^2 \quad \text{or} \quad R = \sqrt{(PG / 4\pi S)}$$

where,  
 S = Power Density (mW/cm<sup>2</sup>)  
 P = Power Input to antenna (mW)  
 G = Antenna Gain (numeric value)  
 R = Distance (cm)

**Test Results:**

FCC									
Frequency (MHz)	Con. Pwr. (dBm)	Con. Pwr. (mW)	Ant. Gain (dBi)	Ant. Gain numeric	Pwr. Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Margin	Distance (cm)	Result
5795	27.07	509.331	6.8	4.786	0.48499	1	0.51501	20	Pass

The safe distance where Power Density is less than the MPE Limit listed above was found to be 20 cm.

## IV. Test Equipment

## Test Equipment

Calibrated test equipment utilized during testing was maintained in a current state of calibration per the requirements of ISO/IEC 17025:2005.

MET Asset #	Equipment	Manufacturer	Model	Last Cal Date	Cal Due Date	
1T4751	ANTENNA - BILOG	SUNOL SCIENCES	JB6	2/26/2016	8/26/2017	
1T4409	EMI RECEIVER	ROHDE & SCHWARZ	ESIB7	10/29/2014	10/29/2016	
1T4818	COMB GENERATOR	COM-POWER	CGO-520	SEE NOTE		
1T4483	ANTENNA; HORN	ETS-LINDGREN	3117	10/8/2015	4/8/2017	
1T4442	PRE-AMPLIFIER, MICROWAVE	MITEQ	AFS42-01001800-30-10P	SEE NOTE		
1T6658	SPECTRUM ANALYZER	AGILENT TECHNOLOGIES	E4407B	12/9/2015	12/9/2016	
1T4745	ANTENNA, HORN	ETS-LINDGREN	3116	6/27/2015	12/27/2016	
1T4752	PRE-AMPLIFIER	MITEQ	JS44-18004000-35-8P	SEE NOTE		
1T4300A	SEMI-ANECHOIC CHAMBER # 1 (FCC)	EMC TEST SYSTEMS	NONE	1/31/2014	01/31/2017	
1T4504	SHIELDED ROOM	UNIVERSAL SHIELDING CORP	N/A	NOT REQUIRED		
1T4563	LISN (10 AMP)	SOLAR ELECTRONICS COMPANY	9322-50-R-10-BNC	8/27/2015	2/27/2017	

**Table 18. Test Equipment List**

Note: Functionally tested equipment is verified using calibrated instrumentation at the time of testing.

## V. Certification & User's Manual Information

## Certification & User's Manual Information

### K. Certification Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart I — Marketing of Radio frequency devices:

#### § 2.801 Radio-frequency device defined.

As used in this part, a radio-frequency device is any device which in its operation is capable of emitting radio-frequency energy by radiation, conduction, or other means. Radio-frequency devices include, but are not limited to:

- (a) The various types of radio communication transmitting devices described throughout this chapter.
- (b) *The incidental, unintentional and intentional radiators defined in Part 15 of this chapter.*
- (c) The industrial, scientific, and medical equipment described in Part 18 of this chapter.
- (d) Any part or component thereof which in use emits radio-frequency energy by radiation, conduction, or other means.

#### § 2.803 Marketing of radio frequency devices prior to equipment authorization.

- (a) Except as provided elsewhere in this chapter, no person shall sell or lease, or offer for sale or lease (including advertising for sale or lease), or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any radio frequency device unless:
  - (1) In the case of a device subject to certification, such device has been authorized by the Commission in accordance with the rules in this chapter and is properly identified and labeled as required by §2.925 and other relevant sections in this chapter; or
  - (2) In the case of a device that is not required to have a grant of equipment authorization issued by the Commission, but which must comply with the specified technical standards prior to use, such device also complies with all applicable administrative (including verification of the equipment or authorization under a Declaration of Conformity, where required), technical, labeling and identification requirements specified in this chapter.
- (d) Notwithstanding the provisions of paragraph (a) of this section, the offer for sale solely to business, commercial, industrial, scientific or medical users (but not an offer for sale to other parties or to end users located in a residential environment) of a radio frequency device that is in the conceptual, developmental, design or pre-production stage is permitted prior to equipment authorization or, for devices not subject to the equipment authorization requirements, prior to a determination of compliance with the applicable technical requirements *provided* that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to the FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or to centers of distribution.

- (e)(1) Notwithstanding the provisions of paragraph (a) of this section, prior to equipment authorization or determination of compliance with the applicable technical requirements any radio frequency device may be operated, but not marketed, for the following purposes and under the following conditions:
- (i) *Compliance testing;*
  - (ii) Demonstrations at a trade show provided the notice contained in paragraph (c) of this section is displayed in a conspicuous location on, or immediately adjacent to, the device;
  - (iii) Demonstrations at an exhibition conducted at a business, commercial, industrial, scientific or medical location, but excluding locations in a residential environment, provided the notice contained in paragraphs (c) or (d) of this section, as appropriate, is displayed in a conspicuous location on, or immediately adjacent to, the device;
  - (iv) Evaluation of product performance and determination of customer acceptability, provided such operation takes place at the manufacturer's facilities during developmental, design or pre-production stages; or
  - (v) Evaluation of product performance and determination of customer acceptability where customer acceptability of a radio frequency device cannot be determined at the manufacturer's facilities because of size or unique capability of the device, provided the device is operated at a business, commercial, industrial, scientific or medical user's site, but not at a residential site, during the development, design or pre-production stages.
- (e)(2) For the purpose of paragraphs (e)(1)(iv) and (e)(1)(v) of this section, the term *manufacturer's facilities* includes the facilities of the party responsible for compliance with the regulations and the manufacturer's premises, as well as the facilities of other entities working under the authorization of the responsible party in connection with the development and manufacture, but not the marketing, of the equipment.
- (f) For radio frequency devices subject to verification and sold solely to business, commercial, industrial, scientific and medical users (excluding products sold to other parties or for operation in a residential environment), parties responsible for verification of the devices shall have the option of ensuring compliance with the applicable technical specifications of this chapter at each end user's location after installation, provided that the purchase or lease agreement includes a proviso that such a determination of compliance be made and is the responsibility of the party responsible for verification of the equipment.

## Certification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart J — Equipment Authorization Procedures:

### § 2.901 Basis and Purpose

- (a) In order to carry out its responsibilities under the Communications Act and the various treaties and international regulations, and in order to promote efficient use of the radio spectrum, the Commission has developed technical standards for radio frequency equipment and parts or components thereof. The technical standards applicable to individual types of equipment are found in that part of the rules governing the service wherein the equipment is to be operated.<sup>1</sup> *In addition to the technical standards provided, the rules governing the service may require that such equipment be verified by the manufacturer or importer,* be authorized under a Declaration of Conformity, or receive an equipment authorization from the Commission by one of the following procedures: certification or registration.
- (b) The following sections describe the verification procedure, the procedure for a Declaration of Conformity, and the procedures to be followed in obtaining certification from the Commission and the conditions attendant to such a grant.

### § 2.907 Certification.

- (a) Certification is an equipment authorization issued by the Commission, based on representation and test data submitted by the applicant.
- (b) Certification attaches to all units subsequently marketed by the grantee which are identical (see Section 2.908) to the sample tested except for permissive changes or other variations authorized by the Commission pursuant to Section 2.1043.

---

<sup>1</sup> In this case, the equipment is subject to the rules of Part 15. More specifically, the equipment falls under Subpart B (of Part 15), which deals with unintentional radiators.

## Certification & User's Manual Information

### § 2.948 Description of measurement facilities.

- (a) Each party making measurements of equipment that is subject to an equipment authorization under Part 15 or Part 18 of this chapter, regardless of whether the measurements are filed with the Commission or kept on file by the party responsible for compliance of equipment marketed within the U.S. or its possessions, shall compile a description of the measurement facilities employed.
  - (1) If the measured equipment is subject to the verification procedure, the description of the measurement facilities shall be retained by the party responsible for verification of the equipment.
    - (i) *If the equipment is verified through measurements performed by an independent laboratory, it is acceptable for the party responsible for verification of the equipment to rely upon the description of the measurement facilities retained by or placed on file with the Commission by that laboratory. In this situation, the party responsible for the verification of the equipment is not required to retain a duplicate copy of the description of the measurement facilities.*
    - (ii) If the equipment is verified based on measurements performed at the installation site of the equipment, no specific site calibration data is required. It is acceptable to retain the description of the measurement facilities at the site at which the measurements were performed.
  - (2) If the equipment is to be authorized by the Commission under the certification procedure, the description of the measurement facilities shall be filed with the Commission's Laboratory in Columbia, Maryland. The data describing the measurement facilities need only be filed once but must be updated as changes are made to the measurement facilities or as otherwise described in this section. At least every three years, the organization responsible for filing the data with the Commission shall certify that the data on file is current.

## Certification & User's Manual Information

### Label and User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart A — General:

#### § 15.19 Labeling requirements.

(a) *In addition to the requirements in Part 2 of this chapter, a device subject to certification or verification shall be labeled as follows:*

- (1) Receivers associated with the operation of a licensed radio service, e.g., FM broadcast under Part 73 of this chapter, land mobile operation under Part 90, etc., shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

- (2) A stand-alone cable input selector switch, shall bear the following statement in a conspicuous location on the device:

This device is verified to comply with Part 15 of the FCC Rules for use with cable television service.

- (3) All other devices shall bear the following statement in a conspicuous location on the device:

*This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.*

- (4) Where a device is constructed in two or more sections connected by wires and marketed together, the statement specified under paragraph (a) of this section is required to be affixed only to the main control unit.

- (5) When the device is so small or for such use that it is not practicable to place the statement specified under paragraph (a) of this section on it, the information required by this paragraph shall be placed in a prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed. However, the FCC identifier or the unique identifier, as appropriate, must be displayed on the device.

#### § 15.21 Information to user.

The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## Verification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart B — Unintentional Radiators:

### § 15.105 Information to the user.

- (a) For a Class A digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at own expense.

- (b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

# End of Report