



Test Report Serial Number: **45461350R1.3**
Test Report Date: **9 August 2016**
Project Number: **1350**

EMC Test Report - New Filing

Applicant:



4RF Limited
PO Box 13-506
Wellington, New Zealand 6032
New Zealand

FCC ID:

UIPSQ757M160

Product Model Number / HVIN

SQ757M160

IC Registration Number

-

Product Name / PMN

Aprisa SR & Aprisa SR+

In Accordance With:

FCC 47 CFR §2.1093

Radiofrequency Radiation Exposure Evaluation: Portable Devices

Health Canada Safety Code 6

Limits of Human Exposure to Radiofrequency Electromagnetic Energy in the Frequency Range from 3kHz to 300GHz

Approved By:

Ben Hewson, President

Celltech Labs Inc.
21-364 Lougheed Rd.
Kelowna, BC, V1X 7R8
Canada



Test Lab Certificate: 2470.01



**Industry
Canada**

IC Registration 3874A-1



FCC Registration: 714830

This report shall not be reproduced in any form without the expressed written consent of Celltech Labs Inc.

TABLE OF CONTENTS

1.0 REVISION LOG	3
2.0 TEST RESULT SUMMARY	4
3.0 PASS/FAIL CRITERIA.....	4
4.0 SCOPE	5
5.0 REFERENCES	5
6.0 FACILITIES AND ACCREDITATIONS	6
7.0 GENERAL INFORMATION	6
APPENDIX A - RF CONDUCTED OUTPUT POWER.....	7
APPENDIX B - OCCUPIED BANDWIDTH	22
APPENDIX C - BAND EDGE.....	41
APPENDIX D - EMISSIONS IN 1559 – 1610MHZ BAND	81
APPENDIX E - CONDUCTED SPURIOUS EMISSIONS AT THE ANTENNA TERMINAL	86
APPENDIX F - RADIATED TX SPURIOUS EMISSIONS	95
APPENDIX G - RECEIVER RADIATED EMISSIONS.....	102
APPENDIX H - FREQUENCY STABILITY	105
APPENDIX I - EQUIPMENT LIST AND CALIBRATION	189
APPENDIX J - MEASUREMENT UNCERTAINTY.....	190
APPENDIX K - SETUP PHOTOS.....	191
APPENDIX L - EXTERNAL PHOTOS	196
APPENDIX M - INTERNAL PHOTOS	199
APPENDIX N - LABEL LOCATION	200
APPENDIX O - LABEL SAMPLE.....	201

1.0 REVISION LOG



Tested By:	Art Voss		
Prepared By:	Art Voss		
Reviewed By:	Ben Hewson		
Issue Number	Description	By	Issue Date
1.0	Initial Release	Art Voss	22 July 2016
1.1	Corrections per TCB	Art Voss	3 August 2016
1.2	Corrections per TCB	Art Voss	5 August 2016
1.3	Corrections per TCB	Art Voss	9 August 2016

2.0 TEST RESULT SUMMARY

TEST SUMMARY					
Referenced Standard(s):		FCC CFR Title 47 Parts 2, 27, 15B			
Appendix	Description of Test	Procedure Reference	Limit Reference	Test Date	Result
A	Conducted Power (Fundamental)	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.50(b)(1) §2.1046	30 June 2016	Pass
B	Occupied Bandwidth	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§2.1049	30 June 2016	Pass
C	Band Edge	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.53(c)	5 July 2016	Pass
D	Emissions in 1550-1610MHz Band	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.53(f)	14 July 2016	Pass
E	Conducted TX Spurious Emissions	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.53(c) §2.1051	15 July 2016	Pass
F	Radiated TX Spurious Emissions	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.53(c) §2.1053	14 July 2016	Pass
G	Radiated Receiver Emissions	ANSI C63.4:2014	§15 Subpart B	14 July 2016	Pass
H	Frequency Stability	ANSI/TIA/EIA-603-D ANSI C63.4:2014	§27.54 §2.1055	22 July 2016	Pass

3.0 PASS/FAIL CRITERIA

Unless otherwise noted in the Appendices, the pass/fail criteria are the limits set forth in the reference standards. The DUT is considered to have passed the requirements if the data collected during the described measurement procedure is no greater than the specified limits as defined. The pass/fail statements made in this report only apply to the unit(s) tested.

<p>I attest to the accuracy of the data reported herein and that all tests and measurements were performed by me or by trained personnel under my direct supervision. The results of this investigation are based solely on the test sample(s) provided by the client and were not modified in any manner by Celltech Labs Inc. This test report has been completed in accordance with ISO/IEC 17025.</p>	<div style="text-align: center;">  <hr/> Art Voss, P.Eng. Technical Manager Celltech Labs Inc. <hr/> 9 August 2016 Date </div> <div style="text-align: right; margin-top: 10px;">  </div>
---	--

4.0 SCOPE

This report outlines the measurements made and results collected during electromagnetic emissions testing of the:

4RF Aprisa Model SQ757M160 transceiver FCC ID: UIPSQ757M160, SR and SR+ Variants

The measurement results were applied against the applicable EMC requirements and limits outlined in the technical rules and regulations set forth in the Federal Communication’s Commission Code of Federal Regulations Title 47 Part 2, Part 15 Subpart B and Part 27.

Note: The SR is identical to the SR+ with the exception that it has one less interface port and has a different marketing name. The RF Section, Control, Processing and Power Supply circuitry are the same.

5.0 REFERENCES

Normative References	
ANSI / ISO 17025:2005	General Requirements for competence of testing and calibration laboratories
IEEE/ANSI C63.4:2014	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
ANSI/TIA/EIA-603-D	Land Mobile FM or PM Communication Equipment Measurement and Performance Standards
CFR Title 47 Part 2	Code of Federal Regulations Title 47: Telecommunication Part 2: Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
CFR Title 47 Part 27	Code of Federal Regulations Title 47: Telecommunication Part 27: Miscellaneous Wireless Communications Services
CFR Title 47 Part 15	Code of Federal Regulations Title 47: Telecommunication Part 15: Radio Frequency Devices Subpart B: Unintentional Radiators

6.0 FACILITIES AND ACCREDITATIONS

The facilities used in collecting the test results outlined in this report are located at 21-364 Lougheed Road, Kelowna, British Columbia, Canada V1X 7R8. The radiated emissions site conforms to the requirements set forth in ANSI C63.4 and is filed and listed with Industry Canada under File Number IC 3874A-1. Celltech test site is listed with the FCC as an accredited test facility. Celltech is accredited to ISO 17025, through accrediting body A2LA and with certificate 2470.01.

7.0 GENERAL INFORMATION

Client Information	
Applicant Name	4RF Limited
Applicant Address	26 Glover St.
	Welling, New Zealand, 6032
	New Zealand
DUT Information	
Device Identifier(s):	FCC ID: UIPSQ757M160
Device Type:	Licensed Non-Broadcast Station Transmitter (TNB)
Type of Equipment:	Digital Transceiver
Device Model(s) / HVIN:	SQ757M160
Device Marketing Name / PMN:	Aprisa SR and Aprisa SR+
Firmware Version ID Number / FVIN:	n/a
Host Marketing Name / HMN:	n/a
Test Sample Serial No.:	T/A Sample - Identical Prototype
Transmit Frequency Range:	757-758MHz, 787-788MHz
Number of Channels:	n/a
Manuf. Max. Rated Output Power:	QPSK: 37dBm, 16QAM: 35dBm, 64QAM: 34dBm
Manuf. Max. Rated BW/Data Rate:	350kHz, 250kbps
Antenna Make and Model:	ZDA Communications US LLC M/N ZDAFP750-10-60D
Antenna Type and Gain:	Dual Polarization Flat Panel 10dBi
Maximum Antenna Gain:	18dBi
Modulation:	QPKS, 16QAM, 64QAM
Mode:	Periodic Burst
Emission Designator:	12K5G1D, 25K0G1D, 50K0G1D 12K5D1D, 25K0D1D, 50K0D1D
DUT Power Source:	10-30VDC External
Deviation(s) from standard/procedure:	None
Modification of DUT:	None

APPENDIX A - RF Conducted Output Power

Test Conditions

Normative Reference	FCC 47 CFR §2.1046, §27.50(b)(9), KDB 971168 D01v02r01
----------------------------	--

Limits

47 CFR §27.50(b)(9)	30Watts ERP
---------------------	-------------


Environmental Conditions (Typical)

Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List

Asset Number	Manufacturer	Model Number	Description
00241	R&S	FSU40	Spectrum Analyzer

Set-Up Drawing



Peak Power (QPKS)




*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 36.93 dBm
 *Att 30 dB *SWT 500 ms 757.500000000 MHz

Ref 40 dBm

*Att 30 dB

1 PK
VIEW



Center 757.5 MHz


20 kHz/

Span 200 kHz

Date: 4.AUG.2016 11:48:06

Reference Only

Frequency:	757.5MHz
Bandwidth:	12.5kHz
Modulation:	QPSK



Date: 4.AUG.2016 12:07:42

Peak Power (QPKS)




*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 36.52 dBm
 *Att 30 dB *SWT 500 ms 757.500000000 MHz

Ref 40 dBm

*Att 30 dB

1 PK
VIEW




Center 757.5 MHz 20 kHz/ Span 200 kHz

Date: 4.AUG.2016 11:46:08

Reference Only

Frequency:	757.5MHz
Bandwidth:	25kHz
Modulation:	QPSK



Date: 4.AUG.2016 11:44:58

Peak Power (QPKS)




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz 36.69 dBm
 *Att 30 dB
 *SWT 500 ms 757.500800000 MHz

Ref 40 dBm

*Att 30 dB

1 PK
VIEW




Center 757.5008 MHz 20 kHz/ Span 200 kHz

Date: 4.AUG.2016 11:37:42

Reference Only

Frequency:	757.5MHz
Bandwidth:	50kHz
Modulation:	QPSK



Peak Power (16QAM)




*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 34.66 dBm
 *Att 30 dB *SWT 500 ms 757.500800000 MHz

Ref 40 dBm

*Att 30 dB

*SWT 500 ms


757.500800000 MHz



Date: 9.AUG.2016 15:04:30

Reference Only

Frequency:	757.5MHz
Bandwidth:	12.5kHz
Modulation:	16QAM



Peak Power (16QAM)




*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 33.48 dBm
 *SWT 500 ms 757.50280000 MHz

Ref 40 dBm

*Att 30 dB

1 PK
VIEW



Center 757.5028 MHz 20 kHz/ Span 200 kHz

Date: 9.AUG.2016 15:08:48


Reference Only

Frequency:	757.5MHz
Bandwidth:	25kHz
Modulation:	16QAM

Peak Power (16QAM)



*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 33.80 dBm
 *Att 30 dB *SWT 500 ms 787.496000000 MHz




Date: 9.AUG.2016 15:07:41

Reference Only

Frequency:	787.5MHz
Bandwidth:	25kHz
Modulation:	16QAM

Peak Power (16QAM)



Date: 9.AUG.2016 15:10:50

Reference Only


Frequency:	757.5MHz
Bandwidth:	50kHz
Modulation:	16QAM

Peak Power (16QAM)



Ref 40 dBm *Att 30 dB *RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz 34.10 dBm
 *SWT 500 ms 787.504800000 MHz

1 PK
VIEW



Center 787.5048 MHz 20 kHz/ Span 200 kHz

Date: 9.AUG.2016 15:12:09

Reference Only

Frequency:	787.5MHz
Bandwidth:	50kHz
Modulation:	16QAM


Peak Power (64QAM)



*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz 33.13 dBm
 *SWT 500 ms 757.500400000 MHz

Ref 40 dBm *Att 30 dB

1 PK
VIEW



Center 757.5004 MHz 20 kHz/ Span 200 kHz

Date: 9.AUG.2016 15:42:45

Reference Only

Frequency:	757.5MHz
Bandwidth:	50kHz
Modulation:	64QAM

§27.50(b)(9) Peak Output Power of Fundamental

Freq (MHz)	Bandwidth (kHz)	Modulation	[E _{Meas}] (dBm)	Antenna Gain* [G _T] (dBi)	Antenna Gain Correction* [G _C]	Cable Loss [L _C] (dB)	ERP (dBm)	ERP (W)	Limit (dBm)	Limit (W)	Margin (dB)	Margin (W)
757.5	12.5	QPSK	36.93	10	-2.15	0.47	44.31	26.98	44.80	30.00	0.49	3.02
787.5	12.5	QPSK	36.71	10	-2.15	0.47	44.09	25.64	44.80	30.00	0.71	4.36
757.5	25	QPSK	36.52	10	-2.15	0.47	43.90	24.55	44.80	30.00	0.90	5.45
787.5	25	QPSK	36.39	10	-2.15	0.47	43.77	23.82	44.80	30.00	1.03	6.18
757.5	50	QPSK	36.69	10	-2.15	0.47	44.07	25.53	44.80	30.00	0.73	4.47
787.5	50	QPSK	36.73	10	-2.15	0.47	44.11	25.76	44.80	30.00	0.69	4.24
757.5	12.5	16QAM***	34.66	10	-2.15	0.47	42.04	16.00	44.80	30.00	2.76	14.00
787.5	12.5	16QAM***	33.62	10	-2.15	0.47	41.00	12.59	44.80	30.00	3.80	17.41
757.5	25	16QAM***	33.48	10	-2.15	0.47	40.86	12.19	44.80	30.00	3.94	17.81
787.5	25	16QAM***	33.80	10	-2.15	0.47	41.18	13.12	44.80	30.00	3.62	16.88
757.5	50	16QAM***	34.11	10	-2.15	0.47	41.49	14.09	44.80	30.00	3.31	15.91
787.5	50	16QAM***	34.10	10	-2.15	0.47	41.48	14.06	44.80	30.00	3.32	15.94
787.5	50	64QAM***	33.13	10	-2.15	0.47	40.51	11.25	44.80	30.00	4.29	18.75

ERP = P_{Meas} + G_T + G_C - L_C

Margin = Limit - ERP

* The Gain of the ZDAP750-10-60D used for compliance to §27.53(f) is assumed for this calculation

** Correction to dBd

*** The output power setting is automatically reduced to: 16QAM = 35dBm, 64QAM = 34dBm

Result:	Complies
----------------	-----------------

APPENDIX B - Occupied Bandwidth

Test Conditions

Normative Reference	FCC 47 CFR §2.1049, KDB 971168 D01v02r01
----------------------------	--

Limits

47 CFR §2.1049	The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured...
----------------	---


Environmental Conditions (Typical)

Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List

Asset Number	Manufacturer	Model Number	Description
00241	R&S	FSU40	Spectrum Analyzer

Set-Up Drawing




Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 32.44 dBm
 *Att 30 dB *SWT 500 ms 757.500000000 MHz

Ref 40 dBm Offset 30 dB



Center 757.5 MHz 5 kHz/ Span 50 kHz

Date: 30.JUN.2016 11:32:52

Channel Frequency:	757.500
Rated Bandwidth:	12.5kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	12.2kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies


Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 35.05 dBm
 *SWT 500 ms 787.496900000 MHz

Ref 40 dBm *Att 30 dB

1 PK
VIEW



Center 787.5 MHz 5 kHz/ Span 50 kHz

Date: 4.JUL.2016 12:13:54

Channel Frequency:	787.500
Rated Bandwidth:	12.5kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	12.2kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies

Occupied Bandwidth




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 29.22 dBm
 *SWT 500 ms 757.500000000 MHz

Ref 40 dBm

*Att 30 dB

1 PK
VIEW



Center 757.5 MHz 5 kHz/ Span 50 kHz

Date: 30.JUN.2016 11:34:25


Channel Frequency:	757.500
Rated Bandwidth:	12.5kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	12.1kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz *VBW 3 kHz *SWT 500 ms Marker 1 [T1] 787.497200000 MHz

1 PK
VIEW



Center 787.5 MHz 5 kHz/ Span 50 kHz

Date: 4.JUL.2016 12:15:52


Channel Frequency:	787.500
Rated Bandwidth:	12.5kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	12.1kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies

Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 30.33 dBm
 *Att 30 dB *SWT 500 ms 757.500000000 MHz

Ref 40 dBm Offset 30 dB



Center 757.5 MHz 5 kHz/ Span 50 kHz

Date: 30.JUN.2016 11:40:21


Channel Frequency:	757.500
Rated Bandwidth:	12.5kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	12.2kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] 31.93 dBm
 VBW 3 kHz 787.503200000 MHz
 *SWT 500 ms

1 PK
VIEW



Date: 4.JUL.2016 12:17:14

Channel Frequency:	787.500
Rated Bandwidth:	12.5kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	12.3kHz
Authorized Bandwidth:	12.5kHz
Result:	Complies

Occupied Bandwidth




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 30.21 dBm
 *Att 30 dB *SWT 500 ms 757.495300000 MHz

Ref 40 dBm

*Att 30 dB

*SWT 500 ms

757.495300000 MHz



Center 757.5 MHz

5 kHz/

Span 50 kHz

Date: 4.JUL.2016 15:29:26


Channel Frequency:	757.500
Rated Bandwidth:	25kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	24.4kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] VBW 3 kHz 32.52 dBm
 *SWT 500 ms 787.504500000 MHz

1 PK VIEW




Date: 4.JUL.2016 15:31:30

Channel Frequency:	787.500
Rated Bandwidth:	25kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	24.6kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] 30.21 dBm
 VBW 3 kHz *SWT 500 ms 757.495300000 MHz




Date: 4.JUL.2016 15:29:26

Channel Frequency:	757.500
Rated Bandwidth:	25kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	24.4kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 30.17 dBm
 *Att 30 dB *SWT 500 ms 787.501200000 MHz




Date: 4.JUL.2016 15:33:54

Channel Frequency:	787.500
Rated Bandwidth:	25kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	24.3kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz *VBW 3 kHz *SWT 500 ms Marker 1 [T1] 29.02 dBm 757.501500000 MHz



Date: 4.JUL.2016 15:26:30


Channel Frequency:	757.500
Rated Bandwidth:	25kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	24.1kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] VBW 3 kHz 29.45 dBm
 *SWT 500 ms 787.495300000 MHz

1 PK
VIEW



Date: 4.JUL.2016 15:36:01


Channel Frequency:	787.500
Rated Bandwidth:	25kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	24.2kHz
Authorized Bandwidth:	25kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] 30.22 dBm
 VBW 3 kHz *SWT 500 ms 757.486650000 MHz

1 PK
VIEW



Center 757.5 MHz 7.5 kHz/ Span 75 kHz

Date: 4.JUL.2016 15:47:41

Channel Frequency:	757.500
Rated Bandwidth:	50kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	48.6kHz
Authorized Bandwidth:	50kHz
Result:	Complies

Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 29.43 dBm
 *Att 30 dB *SWT 500 ms 787.486950000 MHz


Ref 40 dBm

*Att 30 dB

*SWT 500 ms

787.486950000 MHz

1 PK
VIEW



Center 787.5 MHz

7.5 kHz/

Span 75 kHz

Date: 4.JUL.2016 15:52:03


Channel Frequency:	787.500
Rated Bandwidth:	50kHz
Modulation:	QPSK
Measured Occupied Bandwidth:	48.5kHz
Authorized Bandwidth:	50kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] VBW 3 kHz 26.80 dBm
 *SWT 500 ms 757.502700000 MHz

1 PK
VIEW




Date: 4.JUL.2016 15:48:56

Channel Frequency:	757.500
Rated Bandwidth:	50kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	48.6kHz
Authorized Bandwidth:	50kHz
Result:	Complies

Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz 27.76 dBm
 *Att 30 dB *SWT 500 ms 787.488600000 MHz




Date: 4.JUL.2016 15:53:24

Channel Frequency:	787.500
Rated Bandwidth:	50kHz
Modulation:	16QAM
Measured Occupied Bandwidth:	48.5kHz
Authorized Bandwidth:	50kHz
Result:	Complies

Occupied Bandwidth



Ref 40 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] 27.39 dBm
 *VBW 3 kHz *SWT 500 ms 757.490550000 MHz




Date: 4.JUL.2016 15:50:11

Channel Frequency:	757.500
Rated Bandwidth:	50kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	48.2kHz
Authorized Bandwidth:	50kHz
Result:	Complies

Occupied Bandwidth



*RBW 1 kHz Marker 1 [T1] 26.63 dBm
 VBW 3 kHz
 *Att 30 dB *SWT 500 ms 787.490100000 MHz
 Ref 40 dBm



Date: 4.JUL.2016 15:55:00

Channel Frequency:	787.500
Rated Bandwidth:	50kHz
Modulation:	64QAM
Measured Occupied Bandwidth:	48.2kHz
Authorized Bandwidth:	50kHz
Result:	Complies

APPENDIX C - Band Edge

Test Conditions

Normative Reference FCC 47 CFR §27.53(c), KDB 971168 D01v02r01

Limits

47 CFR §27.53(c)

c) For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee’s frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

- (1) On any frequency outside the 746– 758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;
- (2) On any frequency outside the 776– 788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

Environmental Conditions (Typical)

Temperature 25°C


Humidity <60%

Barometric Pressure 101 +/- 3kPa

Equipment List

Asset Number	Manufacturer	Model Number	Description
00241	R&S	FSU40	Spectrum Analyzer


Set-Up Drawing



Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] VBW 10 kHz 40.09 dBm
 *SWT 500 ms 757.010880000 MHz



Date: 5.JUL.2016 15:04:22

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Modulation:	QPSK
Bandwidth:	12.5kHz

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] VBW 10 kHz 39.52 dBm *SWT 500 ms 757.011840000 MHz



Date: 5.JUL.2016 14:56:23

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

	Channel Frequency:	757.0125
	Modulation:	16QAM
	Bandwidth:	12.5kHz

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 MHz Marker 1 [T2] 39.21 dBm
 *SWT 500 ms 757.002660000 MHz




Date: 5.JUL.2016 15:02:10

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Modulation:	64QAM
Bandwidth:	12.5kHz

Upper Band Edge Emissions



Date: 5.JUL.2016 15:11:34

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.9875
Modulation:	QPSK
Bandwidth:	12.5kHz

Upper Band Edge Emissions



*RBW 3 kHz Marker 1 [T2]
 VBW 10 kHz 39.30 dBm
 *Att 30 dB 758.000340000 MHz
 *SWT 500 ms

Ref 50 dBm



Date: 5.JUL.2016 15:13:44

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Modulation:	16QAM
Bandwidth:	12.5kHz

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] 39.68 dBm
 VBW 10 kHz 757.982700000 MHz
 *SWT 500 ms



Date: 5.JUL.2016 15:16:33

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Modulation:	64QAM
Bandwidth:	12.5kHz

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] 40.11 dBm
 *VBW 10 kHz 787.008480000 MHz
 *SWT 500 ms




Date: 5.JUL.2016 15:36:21

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.0125
Modulation:	QPSK
Bandwidth:	12.5kHz

Lower Band Edge Emissions



Date: 5.JUL.2016 15:38:52

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.0125
Modulation:	16QAM
Bandwidth:	12.5kHz

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] 39.05 dBm
 *VBW 10 kHz 787.005000000 MHz
 *SWT 500 ms



Date: 5.JUL.2016 15:41:16

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.0125
Modulation:	64QAM
Bandwidth:	12.5kHz

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] 40.12 dBm
 *VBW 10 kHz 787.98324000 MHz
 *SWT 500 ms



Date: 5.JUL.2016 15:21:13

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.9875
Modulation:	QPSK
Bandwidth:	12.5kHz

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T2] 39.59 dBm
 *VBW 10 kHz 787.980120000 MHz
 *SWT 500 ms



Date: 5.JUL.2016 15:23:44

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.9875
Modulation:	16QAM
Bandwidth:	12.5kHz


Upper Band Edge Emissions



*RBW 3 kHz Marker 1 [T2]
 VBW 10 kHz 38.91 dBm
 *Att 30 dB 787.978680000 MHz
 *SWT 500 ms

Ref 50 dBm

1 PK VIEW
 2 PK VIEW



Center 787.9875 MHz 3 kHz/ Span 30 kHz

Date: 5.JUL.2016 15:26:16

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.9875
Modulation:	64QAM
Bandwidth:	12.5kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 39.15 dBm
 *SWT 500 ms 757.020050000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW



Date: 15.JUL.2016 12:00:36

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Modulation:	QPSK
Bandwidth:	25kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.67 dBm
 *SWT 500 ms 757.018750000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW



Center 757.01875 MHz

5 kHz/

Span 50 kHz

Date: 15.JUL.2016 12:03:52

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Modulation:	16QAM
Bandwidth:	25kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.39 dBm
 *SWT 500 ms 757.017050000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW



Date: 15.JUL.2016 12:06:12

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Modulation:	64QAM
Bandwidth:	25kHz

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 39.14 dBm
 *SWT 500 ms 757.981950000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW



Date: 15.JUL.2016 12:18:58

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Modulation:	QPSK
Bandwidth:	25kHz

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.59 dBm
 *SWT 500 ms 757.981050000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW



Date: 15.JUL.2016 12:21:21

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.98125
Modulation:	16QAM
Bandwidth:	25kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.06 dBm
 *Att 30 dB 757.981350000 MHz
 *SWT 500 ms

Ref 50 dBm



Date: 15.JUL.2016 12:23:33

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Modulation:	64QAM
Bandwidth:	25kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 39.14 dBm
 *SWT 500 ms 787.018150000 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Center 787.01875 MHz

5 kHz/

Span 50 kHz

Date: 15.JUL.2016 12:28:02

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	787.01875
Modulation:	QPSK
Bandwidth:	25kHz

Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.66 dBm
 *Att 30 dB *SWT 500 ms 787.017550000 MHz

Ref 50 dBm



Date: 15.JUL.2016 12:30:31

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.01875
Modulation:	16QAM
Bandwidth:	25kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2] 37.95 dBm
 VBW 3 kHz
 *SWT 500 ms 787.017050000 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Center 787.01875 MHz 5 kHz/ Span 50 kHz

Date: 15.JUL.2016 12:32:33

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.01875
Modulation:	64QAM
Bandwidth:	25kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 39.13 dBm
 *SWT 500 ms 787.981750000 MHz



Date: 15.JUL.2016 12:35:51

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.98125
Modulation:	QPSK
Bandwidth:	25kHz

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.66 dBm
 *SWT 500 ms 787.981850000 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Center 787.98125 MHz 5 kHz/ Span 50 kHz

Date: 15.JUL.2016 12:38:12

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.98125
Modulation:	16QAM
Bandwidth:	25kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.30 dBm
 *SWT 500 ms 787.983250000 MHz



Date: 15.JUL.2016 12:40:20

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.98125
Modulation:	64QAM
Bandwidth:	25kHz

Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.94 dBm
 *SWT 500 ms 757.037900000 MHz



Date: 15.JUL.2016 12:56:35

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Modulation:	QPSK
Bandwidth:	50kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.55 dBm
 *SWT 500 ms 757.037900000 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Date: 15.JUL.2016 12:58:34

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Modulation:	16QAM
Bandwidth:	50kHz

Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.04 dBm
 *SWT 500 ms 757.042300000 MHz



Date: 15.JUL.2016 13:00:28

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Modulation:	64QAM
Bandwidth:	50kHz

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.92 dBm
 *SWT 500 ms 757.963900000 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Date: 15.JUL.2016 13:03:54

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.96250
Modulation:	QPSK
Bandwidth:	50kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.52 dBm
 *SWT 500 ms 757.964300000 MHz

Ref 50 dBm *Att 30 dB



Date: 15.JUL.2016 13:05:54

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Modulation:	16QAM
Bandwidth:	50kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.14 dBm
 *SWT 500 ms 757.963500000 MHz



Date: 15.JUL.2016 13:07:49

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Modulation:	64QAM
Bandwidth:	50kHz

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 38.03 dBm
 *SWT 500 ms 787.036500000 MHz

Ref 50 dBm

*Att 30 dB

1 PK
VIEW

2 PK
VIEW




Date: 15.JUL.2016 13:11:09

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.03750
Modulation:	QPSK
Bandwidth:	50kHz



Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.62 dBm
 *Att 30 dB *SWT 500 ms 787.038500000 MHz

Ref 50 dBm

*Att 30 dB

*SWT 500 ms

787.038500000 MHz



Date: 15.JUL.2016 13:13:10

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

	Channel Frequency:	787.03750
	Modulation:	16QAM
	Bandwidth:	50kHz

Lower Band Edge Emissions



Ref 50 dBm * Att 30 dB * RBW 1 kHz Marker 1 [T2] 37.36 dBm
 VBW 3 kHz * SWT 500 ms 787.03870000 MHz



Date: 15.JUL.2016 13:15:17

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.03750
Modulation:	64QAM
Bandwidth:	50kHz

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T2] 38.21 dBm
 *VBW 3 kHz *SWT 500 ms 787.961700000 MHz




Date: 15.JUL.2016 13:18:51

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.96250
Modulation:	QPSK
Bandwidth:	50kHz

Upper Band Edge Emissions



Date: 15.JUL.2016 13:21:05

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.96250
Modulation:	16QAM
Bandwidth:	50kHz

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T2]
 VBW 3 kHz 37.80 dBm
 *SWT 500 ms 787.961900000 MHz



Date: 15.JUL.2016 13:23:01

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.96250
Modulation:	64QAM
Bandwidth:	50kHz

§27.53(c) Band Edge Emissions

47 CFR §27.53(c)	(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;
KDB 971168 D02	In general, scaling of RBW is appropriate only when the signal is noise-like and is relatively flat across the spectrum under measurement.

Scaling of RBW

For 3kHz Instrument RBW, Limit = 43 + 10Log(P) + 10Log(30kHz/3kHz) = 53 + 10Log(P)

For 1kHz Instrument RBW, Limit = 43 + 10Log(P) + 10Log(30kHz/1kHz) = 57.8 + 10Log(P)

Measurement Results

Freq (MHz)	DUT BW (kHz)	DUT Modulation	Instrument RBW (kHz)	In Band (dBm)	Band Edge (dBm)	Attenuation [dB]	Limit (W)	Margin (dB)
757.0125	12.5	QPSK	3.0	40.1	-18.8	58.9	53.0	5.89
757.0125	12.5	16QAM	3.0	39.5	-23.2	62.7	53.0	9.72
757.0125	12.5	64QAM	3.0	39.2	-23.0	62.2	53.0	9.17
757.9875	12.5	QPSK	3.0	40.1	-20.5	60.6	53.0	7.61
757.9875	12.5	16QAM	3.0	39.3	-23.6	62.9	53.0	9.90
757.9875	12.5	64QAM	3.0	39.7	-23.2	62.9	53.0	9.90
787.0125	12.5	QPSK	3.0	40.1	-18.6	58.7	53.0	5.71
787.0125	12.5	16QAM	3.0	39.3	-22.1	61.4	53.0	8.40
787.0125	12.5	64QAM	3.0	39.0	-22.7	61.7	53.0	8.70
787.9875	12.5	QPSK	3.0	40.1	-19.8	59.9	53.0	6.92
787.9875	12.5	16QAM	3.0	39.6	-24.6	64.2	53.0	11.20
787.9875	12.5	64QAM	3.0	38.9	-24.4	63.3	53.0	10.30

§27.53(c) Band Edge Emissions Cont.

Freq (MHz)	DUT BW (kHz)	DUT Modulation	Instrument RBW (kHz)	In Band [P _{Meas}] (dBm)	Band Edge [P _{BE}] (dBm)	Attenuation [dB]	Limit (W)	Margin (dB)
757.01875	25	QPSK	1.0	39.2	-28.0	67.2	57.8	9.35
757.01875	25	16QAM	1.0	38.7	-31.1	69.8	57.8	12.00
757.01875	25	64QAM	1.0	38.4	-30.9	69.3	57.8	11.50
757.98125	25	QPSK	1.0	39.1	-28.5	67.6	57.8	9.80
757.98125	25	16QAM	1.0	38.6	-30.5	69.1	57.8	11.30
757.98125	25	64QAM	1.0	38.1	-30.9	69.0	57.8	11.20
787.01875	25	QPSK	1.0	39.1	-29.9	69.0	57.8	11.24
787.01875	25	16QAM	1.0	38.7	-30.5	69.2	57.8	11.40
787.01875	25	64QAM	1.0	38.0	-33.5	71.5	57.8	13.70
787.98125	25	QPSK	1.0	39.1	-29.8	68.9	57.8	11.10
787.98125	25	16QAM	1.0	38.7	-33.5	72.2	57.8	14.40
787.98125	25	64QAM	1.0	38.3	-34.1	72.4	57.8	14.60
757.0375	50	QPSK	1.0	37.9	-28.6	66.5	57.8	8.70
757.0375	50	16QAM	1.0	37.6	-31.5	69.1	57.8	11.30
757.0375	50	64QAM	1.0	37.0	-35.1	72.1	57.8	14.30
757.9625	50	QPSK	1.0	37.9	-29.8	67.7	57.8	9.90
757.9625	50	16QAM	1.0	37.5	-32.1	69.6	57.8	11.80
757.9625	50	64QAM	1.0	37.1	-36.1	73.2	57.8	15.40
787.0375	50	QPSK	1.0	38.0	-28.5	66.5	57.8	8.70
787.0375	50	16QAM	1.0	37.6	-32.0	69.6	57.8	11.80
787.0375	50	64QAM	1.0	37.4	-30.5	67.9	57.8	10.10
787.9625	50	QPSK	1.0	38.2	-29.7	67.9	57.8	10.10
787.9625	50	16QAM	1.0	37.7	-35.1	72.8	57.8	15.00
787.9625	50	64QAM	1.0	37.8	-34.5	72.3	57.8	14.50

Margin = Limit - Attenuation

Result: Complies

APPENDIX D - Emissions in 1559 – 1610MHz Band

Test Conditions	
Normative Reference	FCC 47 CFR §27.53(c)
Procedure Reference	ANSI/TIA/EIA-603-D, ANSI C63.4


Limits	
FCC §27.53(c)	For operations in the 746–763 MHz, 775–793 MHz, and 805–806 MHz bands, emissions in the band 1559–1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals...

Environmental Conditions (Typical)	
Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List			
Asset Number	Manufacturer	Model Number	Description
00051	HP	8566B	Spectrum Analyzer
00049	HP	85650A	Quasi-peak Adapter
00047	HP	85685A	RF Preselector
00072	EMCO	2075	Mini-mast
00073	EMCO	2080	Turn Table
00071	EMCO	2090	Multi-Device Controller
00265	Miteq	JS32-00104000-58-5P	Microwave L/N Amplifier
00241	R&S	FSU40	Spectrum Analyzer
00050	Chase	CBL-6111A	Bilog Antenna
00275	Coaxis	LMR400	25m Cable
00276	Coaxis	LMR400	4m Cable
00278	TILE	34G3	TILE Test Software
00034	ETS	3115	Double Ridged Guide Horn

CNR: Calibration Not Required

COU: Calibrate On Use




Compliance to 27.53(f)



*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 25.32 dBμV
 *SWT 500 ms 1.575060000 GHz

Ref 90 dBμV *Att 10 dB

1 PK
VIEW



Center 1.57492 GHz 7 MHz/ Span 70 MHz

Date: 14.JUL.2016 14:44:14

Plot for Reference Only

Transmit Frequency:	787.5MHz
Modulation:	CW
Transmit Antenna:	ZDAFP750-10-60D
Transmit Antenna Polarization:	Vertical
Receive Antenna Polarization:	Vertical

Compliance to 27.53(f)




*RBW 100 kHz Marker 1 [T1]
VBW 300 kHz 11.71 dBμV
*SWT 500 ms 1.62000000 GHz

Ref 70 dBμV

*Att 0 dB

1 PK
VIEW

2 PK
VIEW



Start 1.55 GHz

7 MHz/

Stop 1.62 GHz

Date: 14.JUL.2016 14:19:07

Plot for Reference Only

Transmit Frequency:	787.5MHz
Modulation:	CW
Transmit Antenna:	ZDAFP750-10-60D
Transmit Antenna Polarization:	Vertical
Receive Antenna Polarization:	Horizontal

§27.53(f) Emissions within 1559 to 1610MHz Band

Freq (MHz)	DUT Freq (MHz)	DUT Modulation	Transmit Antenna	Transmit Antenna Polarization	Receive Antenna Polarization	Measured Emission [E _{Meas}] (dBuV)	Measured Distance [D] (m)	Receive** Antenna Factor [AF] (dB)	Cable Loss [L _c] (dB)	Transmit Antenna Gain [G _T] (dBi)	EIRP (dBW/MHz)	Limit (dBW/MHz)	Margin (dB)
1575	787.5	CW	ZDAFP750-10-60D	Vertical	Vertical	25.3	3.0	25.5	4.1	10.0	-89.88	-75.00	14.88
		Horizontal*			11.7	3.0	25.5	4.1	10.0	-103.49	-75.00	28.49	

* Essentially no Emission Detected

** Calibrated at 3m

$$E(\text{dBuV/m}) = E_{\text{Meas}} + L_c + AF - G_T$$

$$\text{EIRP}(\text{dBm}) = E(\text{dBuV/m}) + 20\text{Log}(D) - 104.8$$

$$\text{EIRP}(\text{dBW}) = \text{EIRP}(\text{dBm}) - 30$$

*** This term = 0, receive antenna calibrated at 3m

Result: Complies

APPENDIX E - Conducted Spurious Emissions at the Antenna Terminal

Test Conditions

Normative Reference	FCC 47 CFR §27.53(c), KDB 971168 D01v02r01
----------------------------	---

Limits

47 CFR §27.53(c)	<p>c) For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee’s frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:</p> <p>(1) On any frequency outside the 746– 758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;</p> <p>(2) On any frequency outside the 776– 788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;</p>
-------------------	---


Environmental Conditions (Typical)

Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List

Asset Number	Manufacturer	Model Number	Description
00241	R&S	FSU40	Spectrum Analyzer

Set-Up Drawing



Conducted Spurious Emissions




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -24.95 dBm
 *SWT 1 s 1.575800000 GHz

Ref 40 dBm

*Att 20 dB

1 PK
VIEW



Start 788 MHz

121.2 MHz/

Stop 2 GHz

Date: 15.JUL.2016 14:44:58

Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	788MHz - 2GHz

Conducted Spurious Emissions




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -24.84 dBm
 *SWT 1 s 1.575920000 GHz

Ref 40 dBm

*Att 20 dB

1 PK
MAXH



Date: 15.JUL.2016 14:46:28

Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	2nd Harmonic

Conducted Spurious Emissions




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -25.68 dBm
 *SWT 1 s 2.363867500 GHz

Ref 40 dBm

*Att 20 dB

1 PK
MAXH



Center 2.3638875 GHz 500 kHz/ Span 5 MHz

Date: 15.JUL.2016 14:48:14

Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	3rd Harmonic

Conducted Spurious Emissions




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -29.67 dBm
 *SWT 1 s 2.000000000 GHz

Ref 40 dBm

*Att 20 dB

1 PK
VIEW



Date: 15.JUL.2016 14:50:40


Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	2-4GHz

Conducted Spurious Emissions



*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -29.67 dBm
 *SWT 1 s 2.000000000 GHz



Date: 15.JUL.2016 14:50:40

Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	2-4GHz

Conducted Spurious Emissions



*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -29.67 dBm
 *Att 20 dB 4.000000000 GHz
 *SWT 1 s

Ref 40 dBm


*Att 20 dB

*SWT 1 s

4.000000000 GHz

40 Offset 30 dB

1 PK
VIEW



Start 4 GHz

200 MHz/

Stop 6 GHz

Date: 15.JUL.2016 14:51:18


Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	4-6GHz

Conducted Spurious Emissions



*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz -30.01 dBm
 *SWT 1 s 6.000000000 GHz



Date: 15.JUL.2016 14:51:51

Plot for Reference Only

Channel Frequency:	787.5000
Modulation:	CW
Frequency Range:	4-6GHz

§27.53(c) Conducted Spurious Emissions

Freq (MHz)	DUT Modulation	Fundamental Power [P] (dBm)	Out of Band Emission [P _E] (dBm)	Attenuation [dB]	Limit (W)	Margin (dB)
1576	CW	36.7	-24.8	61.5	43.0	18.52
2364	CW	36.7	-25.7	62.4	43.0	19.36

Margin = Limit - Attenuation

All Spurious Emissions were evaluated to the 10th harmonic (7.88GHz). No other emissions were observed.

Result: **Complies**

APPENDIX F - Radiated Tx Spurious Emissions

Test Conditions	
Normative Reference	FCC 47 CFR §27.53(c)
Procedure Reference	ANSI/TIA/EIA-603-D, ANSI C63.4


Limits	
FCC §27.53(c)	On all emission outside the block: 43 + 10Log(P)

Environmental Conditions (Typical)	
Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List			
Asset Number	Manufacturer	Model Number	Description
00051	HP	8566B	Spectrum Analyzer
00049	HP	85650A	Quasi-peak Adapter
00047	HP	85685A	RF Preselector
00072	EMCO	2075	Mini-mast
00073	EMCO	2080	Turn Table
00071	EMCO	2090	Multi-Device Controller
00265	Miteq	JS32-00104000-58-5P	Microwave L/N Amplifier
00241	R&S	FSU40	Spectrum Analyzer
00050	Chase	CBL-6111A	Bilog Antenna
00275	Coaxis	LMR400	25m Cable
00276	Coaxis	LMR400	4m Cable
00278	TILE	34G3	TILE Test Software
00034	ETS	3115	Double Ridged Guide Horn

CNR: Calibration Not Required
 COU: Calibrate On Use

Set-Up Drawing - DUT Measurement



Notes:

The spectrum was searched from the lowest frequency generated in the device to the 10th harmonic of the fundamental.
 All detected emissions have been reported.
 The DUT was searched on all axis for worst case performance.
 Worst case emissions are reported.

Transmitter Radiated Spurious Emissions (Tx)




*RBW 30 kHz Marker 1 [T1]
 VBW 100 kHz 32.91 dBµV
 *SWT 1 s 757.50000000 MHz

Ref 70 dBµV

*Att 0 dB

1 PK VIEW

2 PK VIEW



Start 750 MHz

25 MHz/

Stop 1 GHz

B

3DB

Date: 14.JUL.2016 13:44:31

Plot for Reference Only

Trace 1: DUT


Trace 2: Abmient

	Transmit Frequency:	757.5MHz
	Modulation:	CW
	Frequency Span:	750-1000MHz
	Polarization:	Horizontal

Transmitter Radiated Spurious Emissions (Tx)



Ref 70 dBμV *Att 0 dB *RBW 30 kHz Marker 1 [T1] VBW 100 kHz 36.55 dBμV
 *SWT 1 s 757.50000000 MHz



Date: 14.JUL.2016 13:41:50

Plot for Reference Only

Trace 1: DUT

Trace 2: Abmient

	Transmit Frequency:	757.5MHz
	Modulation:	CW
	Frequency Span:	750-1000MHz
	Polarization:	Vertical

Transmitter Radiated Spurious Emissions (Tx)




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz 12.41 dBμV
 *SWT 5 s 1.000000000 GHz

Ref 70 dBμV

*Att 0 dB

1 PK
VIEW

2 PK
VIEW



Date: 14.JUL.2016 14:03:06

Plot for Reference Only

Trace 1: DUT

Trace 2: Ambient

Transmit Frequency:	757.5MHz
Modulation:	CW
Frequency Span:	1-8GHz
Polarization:	Horizontal

Transmitter Radiated Spurious Emissions (Tx)




*RBW 100 kHz Marker 1 [T1]
 VBW 300 kHz 12.41 dBμV
 *SWT 5 s 1.000000000 GHz

Ref 70 dBμV

*Att 0 dB

1 PK
VIEW

2 PK
VIEW



Date: 14.JUL.2016 14:03:06

Plot for Reference Only

Trace 1: DUT

Trace 2: Ambient

Transmit Frequency:	757.5MHz
Modulation:	CW
Frequency Span:	1-8GHz
Polarization:	Vertical

Result:	Complies
*No emissions were detected. Ambient noise emissions shown.	
Notes	
Data presented may use a peak detector and compared to quasi-peak limit	
All detected emissions have been reported	

APPENDIX G - Receiver Radiated Emissions

Test Conditions	
Normative Reference	FCC 47 CFR §2.1053, §15.109
Procedure Reference	ANSI/TIA/EIA-603-D, ANSI C63.4

Limits	
FCC §15.109	30-88MHz: 90uV/m 88-216MHz: 150uV/m 216-960MHz: 210uV/m >960MHz: 300uV/m Measurement Distance = 10m


Environmental Conditions (Typical)	
Temperature	25°C
Humidity	<60%
Barometric Pressure	101 +/- 3kPa

Equipment List			
Asset Number	Manufacturer	Model Number	Description
00051	HP	8566B	Spectrum Analyzer
00049	HP	85650A	Quasi-peak Adapter
00047	HP	85685A	RF Preselector
00072	EMCO	2075	Mini-mast
00073	EMCO	2080	Turn Table
00071	EMCO	2090	Multi-Device Controller
00265	Miteq	JS32-00104000-58-5P	Microwave L/N Amplifier
00241	R&S	FSU40	Spectrum Analyzer
00050	Chase	CBL-6111A	Bilog Antenna
00275	Coaxis	LMR400	25m Cable
00276	Coaxis	LMR400	4m Cable
00278	TILE	34G3	TILE Test Software
00034	ETS	3115	Double Ridged Guide Horn


CNR: Calibration Not Required

COU: Calibrate On Use



Set-Up Drawing - DUT Measurement



Set-Up Drawing - Signal Substitution Measurement



Receiver Radiated Spurious Emissions (Rx)



Plot for Reference Only

Result: Complies

*No emissions were detected. Ambient noise emissions shown.

Notes

Data presented may use a peak detector and compared to quasi-peak limit
 All detected emissions have been reported

APPENDIX H - Frequency Stability

Test Conditions

Normative Reference	FCC 47 CFR §2.1055, §27.54
----------------------------	----------------------------

Limits

FCC §27.54	The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.
------------	---


Test Conditions

Temperature	-30°C to +50°C at 10°C Increments
Humidity	<100% Non Condensating
Voltage (VDC)	9.8VDC(*) - 20VDC - 34.5VDC(115%)

Equipment List

Asset Number	Manufacturer	Model Number	Description
n/a	ESPEC	ECT-2	Environmental Chamber
00003	HP	53181A	Frequency Counter
n/a	HP	E3611A	Power Supply
00234	VWR	61161-378	Temp/Humidity Meter

Set-Up Drawing




* The Aprisa SR, SR+ does not operate below 9.8VDC.

Note: The instrument setup was similar to that used for the Band Edge measurements, using 1kHz and 3kHz RBW, and applying RBW scaling (see Appendix C). The DUT was set to QPSK Modulation and the 757-758MHz frequency band as this produced the worst case configuration. The 787-788MHz band as well as the 16QAM and 64QAM modulation configurations were verified at select temperatures. The term “Deviation” and “Delta F” in the following evaluation is the difference between the measured $53 + 10\text{Log}(P)$ or $57.8 + 10\text{Log}(P)$ values and the band’s edge. The 12.5kHz Band Width configuration produced emissions closest to the band’s edge and this bandwidth was used for the Voltage, 16QAM and 64QAM frequency stability measurements.

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.48 dBm
 *VBW 10 kHz 757.000540000 MHz
 *SWT 500 ms



Date: 5.AUG.2016 12:02:22

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	540
Temp (°C):	-40

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -16.61 dBm
 *SWT 500 ms 757.998880612 MHz




Date: 5.AUG.2016 11:58:56

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1119
Temp (°C):	-40

Lower Band Edge Emissions




Date: 5.AUG.2016 12:09:04

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2336
Temp (°C):	-40

Upper Band Edge Emissions



Date: 5.AUG.2016 12:12:17

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2810
Temp (°C):	-40

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -23.36 dBm
 *SWT 500 ms 757.005799002 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW
 2 PK VIEW



Center 756.999919 MHz 2 kHz / Span 20 kHz

Date: 5.AUG.2016 12:37:27

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	5790
Temp (°C):	-40

Upper Band Edge Emissions



* RBW 1 kHz Marker 1 [T1] -23.66 dBm
 VBW 3 kHz
 * Att 30 dB * SWT 500 ms 757.993688916 MHz

Ref 50 dBm



Center 757.9999689 MHz 2 kHz / Span 20 kHz

Date: 5.AUG.2016 12:34:08

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6311
Temp (°C):	-40

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -16.53 dBm
 VBW 10 kHz 757.000810296 MHz
 *SWT 500 ms



Date: 5.AUG.2016 13:33:27

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	810
Temp (°C):	-30

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -16.57 dBm
 VBW 10 kHz 757.999079291 MHz
 *SWT 500 ms



Date: 5.AUG.2016 13:36:04

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	921
Temp (°C):	-30

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -22.25 dBm
 VBW 3 kHz 757.002475476 MHz




Date: 5.AUG.2016 13:29:00

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2475
Temp (°C):	-30

Upper Band Edge Emissions



Date: 5.AUG.2016 13:25:28

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2620
Temp (°C):	-30

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -22.50 dBm
 *SWT 500 ms 757.006006972 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Date: 5.AUG.2016 13:17:20

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6007
Temp (°C):	-30

Upper Band Edge Emissions



Ref 50 dBm * Att 30 dB * RBW 1 kHz * VBW 3 kHz * SWT 500 ms

Marker 1 [T1] -24.47 dBm 757.993875832 MHz



Date: 5.AUG.2016 13:20:43

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6125
Temp (°C):	-30

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz *SWT 500 ms
 VBW 10 kHz



Date: 5.AUG.2016 14:11:56

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	967
Temp (°C):	-20

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -16.90 dBm
 *SWT 500 ms 757.999197540 MHz



Date: 5.AUG.2016 14:09:06

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	803
Temp (°C):	-20


Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -23.80 dBm
 *SWT 500 ms 757.002608834 MHz

Ref 50 dBm

*Att 30 dB



Date: 5.AUG.2016 14:19:54

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2609
Temp (°C):	-20

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -23.68 dBm
 *Att 30 dB *SWT 500 ms 757.997528238 MHz

Ref 50 dBm

*Att 30 dB

*SWT 500 ms

757.997528238 MHz



Date: 5.AUG.2016 14:25:02

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2472
Temp (°C):	-20


Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -23.92 dBm
 *SWT 500 ms 757.006084619 MHz

Ref 50 dBm

*Att 30 dB



Date: 5.AUG.2016 14:32:49

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6085
Temp (°C):	-20

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -22.40 dBm
 *SWT 500 ms 757.993842164 MHz




Date: 5.AUG.2016 14:29:28

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6579
Temp (°C):	-20

Lower Band Edge Emissions



Date: 5.AUG.2016 15:17:28

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	701
Temp (°C):	-10

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.59 dBm
 VBW 10 kHz *SWT 500 ms 757.999014051 MHz



Date: 5.AUG.2016 15:20:04

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	986
Temp (°C):	-10

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -22.50 dBm
 *SWT 500 ms 757.002463390 MHz




Date: 5.AUG.2016 15:13:08

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2463
Temp (°C):	-10

Upper Band Edge Emissions




Date: 5.AUG.2016 15:10:21

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2683
Temp (°C):	-10

Lower Band Edge Emissions



Date: 5.AUG.2016 15:03:32

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	5932
Temp (°C):	-10

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.22 dBm
 *VBW 3 kHz 757.993937855 MHz
 *SWT 500 ms



Date: 5.AUG.2016 15:06:25

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6063
Temp (°C):	-10

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.34 dBm
 VBW 10 kHz 757.000720046 MHz
 *SWT 500 ms



Date: 5.AUG.2016 15:44:42

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	720
Temp (°C):	0

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.18 dBm
 VBW 10 kHz *SWT 500 ms 757.998980279 MHz



Date: 5.AUG.2016 15:42:16

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1018
Temp (°C):	0

Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -22.78 dBm
 *SWT 500 ms 757.002548485 MHz

Ref 50 dBm *Att 30 dB



Date: 5.AUG.2016 15:48:40

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2548
Temp (°C):	0

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -22.79 dBm
 *SWT 500 ms 757.997443886 MHz



Date: 5.AUG.2016 15:51:16

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2557
Temp (°C):	0

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -24.46 dBm
 *VBW 3 kHz *SWT 500 ms 757.005935021 MHz



Date: 5.AUG.2016 15:57:56

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	5930
Temp (°C):	0

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -24.39 dBm
 *VBW 3 kHz 757.993924335 MHz
 *SWT 500 ms



Date: 5.AUG.2016 15:55:11

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6076
Temp (°C):	0


Lower Band Edge Emissions



*RBW 3 kHz Marker 1 [T1]
 VBW 10 kHz -17.76 dBm
 *SWT 500 ms 757.000968646 MHz

Ref 50 dBm

*Att 30 dB



Date: 5.AUG.2016 16:26:28

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	968
Temp (°C):	10

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.59 dBm
 *SWT 500 ms 757.999169500 MHz



Date: 5.AUG.2016 16:28:49

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	831
Temp (°C):	10

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.22 dBm
 VBW 3 kHz *SWT 500 ms 757.002617145 MHz



Date: 5.AUG.2016 16:20:49

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2617
Temp (°C):	10

Lower Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -24.15 dBm
 *SWT 500 ms 757.005882641 MHz

Ref 50 dBm

*Att 30 dB

757.005882641 MHz



Date: 5.AUG.2016 16:11:46

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	5883
Temp (°C):	10

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.55 dBm
 *VBW 3 kHz *SWT 500 ms 757.993815651 MHz




Date: 5.AUG.2016 16:14:06

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6185
Temp (°C):	10

Lower Band Edge Emissions




Date: 7.AUG.2016 17:53:37

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	739
Temp (°C):	20

Upper Band Edge Emissions




Date: 7.AUG.2016 17:50:43

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	895
Temp (°C):	20

Lower Band Edge Emissions




Date: 7.AUG.2016 18:22:26

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2518
Temp (°C):	20

Upper Band Edge Emissions




Date: 7.AUG.2016 18:25:11

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2625
Temp (°C):	20

Lower Band Edge Emissions




Date: 7.AUG.2016 18:30:56

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6025
Temp (°C):	20

Upper Band Edge Emissions




Date: 7.AUG.2016 18:28:26

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6060
Temp (°C):	20

Lower Band Edge Emissions



Date: 8.AUG.2016 09:34:57

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	714
Temp (°C):	30

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -18.12 dBm
 *SWT 500 ms VBW 10 kHz 757.999018932 MHz




Date: 8.AUG.2016 09:40:10

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	981
Temp (°C):	30

Lower Band Edge Emissions



Date: 8.AUG.2016 09:31:15

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2428
Temp (°C):	30

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -23.71 dBm
 *SWT 500 ms 757.997271181 MHz




Date: 8.AUG.2016 09:28:32

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2729
Temp (°C):	30

Lower Band Edge Emissions



Date: 8.AUG.2016 09:21:37

Plot for Reference Only

Trace 1 RBW: 1kHz
Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6022
Temp (°C):	30

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -24.10 dBm
 *SWT 500 ms 757.993817621 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Center 757.9998576 MHz 2 kHz/ Span 20 kHz

Date: 8.AUG.2016 09:24:29

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6182
Temp (°C):	30

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -17.37 dBm
 VBW 10 kHz *SWT 500 ms 757.000657777 MHz




Date: 8.AUG.2016 10:28:32

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	657
Temp (°C):	40

Upper Band Edge Emissions



Date: 8.AUG.2016 10:26:19

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1024
Temp (°C):	40

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.31 dBm
 *SWT 500 ms 757.002518837 MHz



Date: 8.AUG.2016 10:32:45

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2519
Temp (°C):	40


Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -24.18 dBm
 *SWT 500 ms 757.997225458 MHz

Ref 50 dBm

*Att 30 dB



Date: 8.AUG.2016 10:35:11

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2775
Temp (°C):	40

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -24.38 dBm
 *VBW 3 kHz *SWT 500 ms 757.006035806 MHz



Date: 8.AUG.2016 10:41:42

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6036
Temp (°C):	40

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.82 dBm
 *VBW 3 kHz 757.993829668 MHz
 *SWT 500 ms




Date: 8.AUG.2016 10:39:16

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6171
Temp (°C):	40

Lower Band Edge Emissions



Date: 8.AUG.2016 13:14:12

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	797
Temp (°C):	50

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -18.16 dBm
 *VBW 10 kHz *SWT 500 ms 757.999034358 MHz



Date: 8.AUG.2016 13:07:21

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	966
Temp (°C):	50


Lower Band Edge Emissions



*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -22.86 dBm
 *SWT 500 ms 757.002473984 MHz

Ref 50 dBm

*Att 30 dB




Date: 8.AUG.2016 11:46:51

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2474
Temp (°C):	50

Upper Band Edge Emissions



Date: 8.AUG.2016 12:12:06

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2653
Temp (°C):	50

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.68 dBm
 *SWT 500 ms 757.005947583 MHz



Date: 8.AUG.2016 11:14:07

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	5947
Temp (°C):	50

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.82 dBm
 VBW 3 kHz *SWT 500 ms 757.994004844 MHz




Date: 8.AUG.2016 11:17:42

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	5996
Temp (°C):	50

Lower Band Edge Emissions




Date: 7.AUG.2016 18:03:19

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	865
Temp (°C):	20
Supply Voltage 10VDC:	10

Upper Band Edge Emissions




Date: 7.AUG.2016 18:05:59

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	881
Temp (°C):	20
Supply Voltage 10VDC:	10

Lower Band Edge Emissions



Date: 7.AUG.2016 18:15:11

Plot for Reference Only


Trace 1 RBW: 1kHz
Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	772
Temp (°C):	20
Supply Voltage (VDC):	34.5

Upper Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -18.17 dBm
 *VBW 10 kHz *SWT 500 ms 757.999120000 MHz



Date: 7.AUG.2016 18:10:04

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	880
Temp (°C):	20
Supply Voltage (VDC):	34.5


Upper Band Edge Emissions - 16QAM



*RBW 3 kHz Marker 1 [T1]
 VBW 10 kHz -18.41 dBm
 *SWT 500 ms 757.000975379 MHz

Ref 50 dBm

*Att 30 dB



Date: 8.AUG.2016 13:16:25

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	975
Temp (°C):	50

Upper Band Edge Emissions - 16QAM



Ref 50 dBm *Att 30 dB *RBW 3 kHz Marker 1 [T1] -19.07 dBm
 VBW 10 kHz *SWT 500 ms 757.998857814 MHz



Date: 8.AUG.2016 13:09:28

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1142
Temp (°C):	50

Upper Band Edge Emissions - 16QAM



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -23.96 dBm
 *SWT 500 ms 757.002670690 MHz




Date: 8.AUG.2016 11:42:56

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2671
Temp (°C):	50

Upper Band Edge Emissions - 16QAM




Date: 8.AUG.2016 12:08:28

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2826
Temp (°C):	50

Upper Band Edge Emissions - 16QAM



Date: 8.AUG.2016 11:27:18

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6307
Temp (°C):	50

Upper Band Edge Emissions - 16QAM



Ref 50 dBm * Att 30 dB * RBW 1 kHz * VBW 3 kHz * SWT 500 ms

Marker 1 [T1] -25.84 dBm
 757.993783882 MHz



Date: 8.AUG.2016 11:24:10

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6216
Temp (°C):	50

Upper Band Edge Emissions - 64QAM



Ref 50 dBm *Att 30 dB *RBW 3 kHz *SWT 500 ms Marker 1 [T1]
 VBW 10 kHz -19.72 dBm
 757.001096580 MHz




Date: 8.AUG.2016 13:18:26

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.0125
Bandwidth:	12.5kHz
Delta F (Hz):	1097
Temp (°C):	50

Upper Band Edge Emissions - 64QAM



Date: 8.AUG.2016 13:11:44

Plot for Reference Only


Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1232
Temp (°C):	50

Upper Band Edge Emissions - 64QAM



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -24.02 dBm
 VBW 3 kHz *SWT 500 ms 757.002677588 MHz




Date: 8.AUG.2016 12:05:38

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.01875
Bandwidth:	25kHz
Delta F (Hz):	2677
Temp (°C):	50

Upper Band Edge Emissions - 64QAM




Date: 8.AUG.2016 11:36:49

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.98125
Bandwidth:	25kHz
Delta F (Hz):	2830
Temp (°C):	50

Upper Band Edge Emissions - 64QAM



Date: 8.AUG.2016 11:29:56

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.03750
Bandwidth:	50kHz
Delta F (Hz):	6394
Temp (°C):	50

Upper Band Edge Emissions - 64QAM



Ref 50 dBm * Att 30 dB * RBW 1 kHz Marker 1 [T1] -25.71 dBm
 VBW 3 kHz 757.993423562 MHz
 * SWT 500 ms



Date: 8.AUG.2016 11:32:21

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	757.96250
Bandwidth:	50kHz
Delta F (Hz):	6577
Temp (°C):	50

Lower Band Edge Emissions




Ref 50 dBm *Att 30 dB *RBW 3 kHz *SWT 500 ms
 VBW 10 kHz

Marker 1 [T1]

-15.88 dBm

787.000589086 MHz



Date: 5.AUG.2016 11:45:22

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.0125
Bandwidth:	12.5kHz
Delta F (Hz):	589
Temp (°C):	-40

Upper Band Edge Emissions




*RBW 3 kHz Marker 1 [T1]
 VBW 10 kHz -16.38 dBm
 *SWT 500 ms 787.998788959 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW




Date: 5.AUG.2016 11:52:53

Plot for Reference Only

Trace 1 RBW: 3kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.9875
Bandwidth:	12.5kHz
Delta F (Hz):	1211
Temp (°C):	-40

Lower Band Edge Emissions



Date: 5.AUG.2016 12:20:15

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.01875
Bandwidth:	25kHz
Delta F (Hz):	2316
Temp (°C):	-40

Upper Band Edge Emissions




*RBW 1 kHz Marker 1 [T1]
 VBW 3 kHz -22.46 dBm
 *SWT 500 ms 787.997275518 MHz

Ref 50 dBm

*Att 30 dB

1 PK VIEW

2 PK VIEW



Center 788.0001355 MHz 1 kHz / Span 10 kHz

Date: 5.AUG.2016 12:16:38

Plot for Reference Only


Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.98125
Bandwidth:	25kHz
Delta F (Hz):	2725
Temp (°C):	-40

Lower Band Edge Emissions



Ref 50 dBm *Att 30 dB *RBW 1 kHz Marker 1 [T1] -22.10 dBm
 *SWT 500 ms 787.005671931 MHz



Date: 5.AUG.2016 12:25:56

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz


Channel Frequency:	787.03750
Bandwidth:	50kHz
Delta F (Hz):	5672
Temp (°C):	-40

Upper Band Edge Emissions



*RBW 1 kHz Marker 1 [T1] -23.55 dBm
 VBW 3 kHz
 *Att 30 dB *SWT 500 ms 787.993823906 MHz

Ref 50 dBm



Date: 5.AUG.2016 12:29:26

Plot for Reference Only

Trace 1 RBW: 1kHz
 Trace 2 RBW: 30kHz

Channel Frequency:	787.96250
Bandwidth:	50kHz
Delta F (Hz):	6177
Temp (°C):	-40

Frequency Stability							
Frequency Stability Measurements (Temperature)							
Temp (°C)	Assigned Frequency		Assigned Bandwidth (kHz)	Distance from Band Edge		Deviation from Assigned Frequency	
	Lower Band Edge (MHz)	Upper Band Edge (MHz)		Lower Band Edge (Hz)	Upper Band Edge (Hz)	Lower (Hz)	Upper (Hz)
-40	757.01250	757.98750	12.5	540	1119	11960	11381
-30	757.01250	757.98750	12.5	810	921	11690	11579
-20	757.01250	757.98750	12.5	967	803	11533	11697
-10	757.01250	757.98750	12.5	701	986	11799	11514
0	757.01250	757.98750	12.5	720	1018	11780	11482
10	757.01250	757.98750	12.5	968	831	11532	11669
20	757.01250	757.98750	12.5	739	895	11761	11605
30	757.01250	757.98750	12.5	714	981	11786	11519
40	757.01250	757.98750	12.5	657	1024	11843	11476
50	757.01250	757.98750	12.5	797	966	11703	11534
Maximum Deviation from Assigned Frequency (Hz):						11960	11697
Maximum Limit (Hz):						12500	12500
Result:						Complies	
-40	757.01875	757.98125	25.0	2336	2810	16414	15940
-30	757.01875	757.98125	25.0	2475	2620	16275	16130
-20	757.01875	757.98125	25.0	2609	2472	16141	16278
-10	757.01875	757.98125	25.0	2463	3683	16287	15067
0	757.01875	757.98125	25.0	2548	2557	16202	16193
10	757.01875	757.98125	25.0	2617	2579	16133	16171
20	757.01875	757.98125	25.0	2518	2625	16232	16125
30	757.01875	757.98125	25.0	2428	2729	16322	16021
40	757.01875	757.98125	25.0	2519	2775	16231	15975
50	757.01875	757.98125	25.0	2474	2653	16276	16097
Maximum Deviation from Assigned Frequency (Hz):						16414	16278
Maximum Limit (Hz):						18750	18750
Result:						Complies	
-40	757.03750	757.96250	50.0	5790	6311	31710	31189
-30	757.03750	757.96250	50.0	6007	6125	31493	31375
-20	757.03750	757.96250	50.0	6085	6579	31415	30921
-10	757.03750	757.96250	50.0	5932	6063	31568	31437
0	757.03750	757.96250	50.0	5930	6076	31570	31424
10	757.03750	757.96250	50.0	5883	6185	31617	31315
20	757.03750	757.96250	50.0	6025	6060	31475	31440
30	757.03750	757.96250	50.0	6022	6182	31478	31318
40	757.03750	757.96250	50.0	6036	6171	31464	31329
50	757.03750	757.96250	50.0	5947	5996	31553	31504
Maximum Deviation from Assigned Frequency (Hz):						31710	31504
Maximum Limit (Hz):						37500	37500
Result:						Complies	

Frequency Stability Measurements (Voltage)								
Voltage (VDC)	Temp (°C)	Assigned Frequency		Assigned Bandwidth (kHz)	Deviation from Band Edge		Deviation from Assigned Frequency	
		Lower Band Edge (MHz)	Upper Band Edge (MHz)		Lower Band Edge (Hz)	Upper Band Edge (Hz)	Lower (Hz)	Upper (Hz)
34.5(115%)	20	757.01250	757.98750	12.5	772	880	11728	11620
20(100%)	20	757.01250	757.98750	12.5	739	895	11761	11605
10(-)	20	757.01250	757.98750	12.5	865	881	11635	11619
Maximum Deviation from Assigned Frequency (Hz):							11761	11620
Maximum Limit (Hz):							12500	12500
Result:							Complies	

Frequency Stability Measurements (Verification)								
Band (MHz)	Temp (°C)	Assigned Frequency		Assigned Bandwidth (kHz)	Deviation from Band Edge		Deviation from Assigned Frequency	
		Lower Band Edge (MHz)	Upper Band Edge (MHz)		Lower Band Edge (Hz)	Upper Band Edge (Hz)	Lower (Hz)	Upper (Hz)
787	-40	787.01250	787.98750	12.5	589	1211	11911	11289
787	-40	787.01875	787.98125	25.0	2316	2725	16434	16025
787	-40	787.03750	787.96250	50.0	5672	6177	31828	31323
Maximum Deviation from Assigned Frequency (Hz):							31828	31323
Result:							Complies	

Frequency Stability Measurements (Modulation)								
Modulation	Temp (°C)	Assigned Frequency		Assigned Bandwidth (kHz)	Deviation from Band Edge		Deviation from Assigned Frequency	
		Lower Band Edge (MHz)	Upper Band Edge (MHz)		Lower Band Edge (Hz)	Upper Band Edge (Hz)	Lower (Hz)	Upper (Hz)
16QAM	50	757.01250	757.98750	12.5	975	1142	11525	11358
16QAM	50	757.01875	757.98125	25.0	2671	2826	16079	15924
16QAM	50	757.03750	757.96250	50.0	6307	6216	31193	31284
64QAM	50	757.01250	757.98750	12.5	1097	1232	11403	11268
64QAM	50	757.01875	757.98125	25.0	2677	2830	16073	15920
64QAM	50	757.03750	757.96250	50.0	6394	6577	31106	30923
Maximum Deviation from Assigned Frequency (Hz):							31106	30923
Result:							Complies	

APPENDIX I - Equipment List and Calibration

Equipment List						
Asset Number	Manufacturer	Model Number	Serial Number	Description	Last Calibrated	Calibration Interval
00003	HP	53181A	3736A05175	Frequency Counter	28 Apr 2014	Triennial
00034	ETS	3115	6267	Double Ridged Guide Horn	02 Dec 2015	Triennial
00047	HP	85685A	2837A00826	RF Preselector	30 Apr 2014	Triennial
00049	HP	85650A	2043A00162	Quasi-peak Adapter	30 Apr 2014	Triennial
00050	Chase	CBL-6111A	1607	Bilog Antenna	25 Apr 2014	Triennial
00051	HP	8566B	2747A05510	Spectrum Analyzer	30 Apr 2014	Triennial
00071	EMCO	2090	9912-1484	Multi-Device Controller	n/a	n/a
00072	EMCO	2075	0001-2277	Mini-mast	n/a	n/a
00073	EMCO	2080	0002-1002	Turn Table	n/a	n/a
00121	HP	E3611A	KR83015294	Power Supply	COU	n/a
00129	ESPEC	ECT-2	0510154-B	Environmental Chamber	CNR	n/a
00234	VWR	61161-378	140320430	Temp/Humidity Meter	New	Triennial
00241	R&S	FSU40	100500	Spectrum Analyzer	23 Apr 2015	Triennial
00265	Miteq	JS32-00104000-58-5P	1939850	Microwave L/N Amplifier	COU	n/a
00275	Coaxis	LMR400	n/a	25m Cable	COU	n/a
00276	Coaxis	LMR400	n/a	4m Cable	COU	n/a
00278	TILE	34G3	n/a	TILE Test Software	NCR	n/a

CNR: Calibration Not Required

COU: Calibrate On Use

APPENDIX J - Measurement Uncertainty

CISPR 16-4 Measurement Uncertainty (U_{LAB})	
This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence interval using a coverage factor of k=2	
30MHz - 200MHz	
$U_{LAB} = 5.14dB$ $U_{CISPR} = 6.3dB$	
200MHz - 1000MHz	
$U_{LAB} = 5.90dB$ $U_{CISPR} = 6.3dB$	
1GHz - 6GHz	
$U_{LAB} = 4.80dB$ $U_{CISPR} = 5.2dB$	
6GHz - 18GHz	
$U_{LAB} = 5.1dB$ $U_{CISPR} = 5.5dB$	
If the calculated uncertainty U_{lab} is less than U_{CISPR} then:	
1	Compliance is deemed to occur if NO measured disturbance exceeds the disturbance limit
2	Non-Compliance is deemed to occur if ANY measured disturbance EXCEEDS the disturbance limit
If the calculated uncertainty U_{lab} is greater than U_{CISPR} then:	
3	Compliance is deemed to occur if NO measured disturbance, increased by ($U_{lab} - U_{CISPR}$), exceeds the disturbance limit
4	Non-Compliance is deemed to occur if ANY measured disturbance, increased by ($U_{lab} - U_{CISPR}$), EXCEEDS the disturbance limit