



TX CH40



Date: 15.NOV.2017 14:20:52


TX CH48



Date: 15.NOV.2017 14:21:33


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.59	17.80
CH40	5200	34.30	18.10
CH48	5240	26.10	17.90

TX CH36



Date: 15.NOV.2017 14:33:07

TX CH40



Date: 15.NOV.2017 14:34:11

TX CH48




Date: 15.NOV.2017 14:35:02

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.39	36.80
CH46	5230	79.39	38.00

TX CH38



Date: 15.NOV.2017 14:44:24

TX CH46




Date: 15.NOV.2017 14:46:56

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.50	36.20	>=500
CH157	5785	16.55	37.90	>=500
CH165	5825	16.50	38.60	>=500

TX CH 149




Date: 15.NOV.2017 14:23:17

TX CH 157



Date: 15.NOV.2017 14:24:03


TX CH 165



Date: 15.NOV.2017 14:24:51


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.80	>=500
CH157	5785	17.70	18.50	>=500
CH165	5825	17.65	21.90	>=500

TX CH 149



Date: 15.NOV.2017 14:36:07

TX CH 157



Date: 15.NOV.2017 14:36:53

TX CH 165




Date: 15.NOV.2017 14:37:40

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.60	>=500
CH159	5795	36.40	39.20	>=500

TX CH 151



Date: 15.NOV.2017 14:48:11

TX CH 159




Date: 15.NOV.2017 14:49:18

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	34.09	18.10
CH40	5200	36.40	18.30
CH48	5240	34.29	18.10

TX CH36




Date: 15.NOV.2017 14:38:32

TX CH40



Date: 15.NOV.2017 14:39:47

TX CH48




Date: 15.NOV.2017 14:40:36

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.10	36.80
CH46	5230	78.21	37.60

TX CH38



Date: 15.NOV.2017 14:50:56

TX CH46




Date: 15.NOV.2017 14:52:09

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.40	75.60

TX CH42




Date: 15.NOV.2017 14:55:58

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	26.50	>=500
CH157	5785	17.70	29.20	>=500
CH165	5825	17.70	31.20	>=500

TX CH 149




Date: 15.NOV.2017 14:41:33

TX CH 157



Date: 15.NOV.2017 14:42:27

TX CH 165




Date: 15.NOV.2017 14:43:16

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	38.80	>=500
CH159	5795	36.50	46.80	>=500

TX CH 151



Date: 15.NOV.2017 14:53:28


TX CH 159



Date: 15.NOV.2017 14:54:31

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	74.80	89.20	>=500



Date: 15.NOV.2017 14:56:59

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.45	0.00	24.45	30.00	1.00
CH40	5200	24.94	0.00	24.94	30.00	1.00
CH48	5240	25.50	0.00	25.50	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.88	0.00	24.88	30.00	1.00
CH40	5200	24.29	0.00	24.29	30.00	1.00
CH48	5240	23.74	0.00	23.74	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.94	0.00	23.94	30.00	1.00
CH40	5200	24.21	0.00	24.21	30.00	1.00
CH48	5240	22.61	0.00	22.61	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	27.45	30.00	1.00
CH40	5200	27.26	30.00	1.00
CH48	5240	26.22	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.33	0.00	21.33	30.00	1.00
CH46	5230	24.56	0.00	24.56	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.70	0.00	20.70	30.00	1.00
CH46	5230	24.57	0.00	24.57	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	24.04	30.00	1.00
CH46	5230	27.58	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.27	0.00	27.27	30.00	1.00
CH157	5785	27.48	0.00	27.48	30.00	1.00
CH165	5825	27.56	0.00	27.56	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.17	0.00	24.17	30.00	1.00
CH157	5785	24.84	0.00	24.84	30.00	1.00
CH165	5825	25.01	0.00	25.01	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.95	0.00	24.95	30.00	1.00
CH157	5785	25.41	0.00	25.41	30.00	1.00
CH165	5825	25.82	0.00	25.82	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.59	30.00	1.00
CH157	5785	28.14	30.00	1.00
CH165	5825	28.44	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.82	0.00	24.82	30.00	1.00
CH159	5795	25.07	0.00	25.07	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	25.10	0.00	25.10	30.00	1.00
CH159	5795	25.86	0.00	25.86	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.97	30.00	1.00
CH159	5795	28.49	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.19	0.00	24.19	30.00	1.00
CH40	5200	23.93	0.00	23.93	30.00	1.00
CH48	5240	23.96	0.00	23.96	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.22	0.00	23.22	30.00	1.00
CH40	5200	23.48	0.00	23.48	30.00	1.00
CH48	5240	23.11	0.00	23.11	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	26.74	30.00	1.00
CH40	5200	26.72	30.00	1.00
CH48	5240	26.57	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.73	0.00	20.73	30.00	1.00
CH46	5230	24.48	0.00	24.48	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.80	0.00	19.80	30.00	1.00
CH46	5230	23.77	0.00	23.77	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	23.30	30.00	1.00
CH46	5230	27.15	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.97	0.00	19.97	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	26.28	0.00	26.28	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	27.19	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.47	0.00	26.47	30.00	1.00
CH157	5785	26.63	0.00	26.63	30.00	1.00
CH165	5825	26.42	0.00	26.42	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.48	0.00	26.48	30.00	1.00
CH157	5785	26.63	0.00	26.63	30.00	1.00
CH165	5825	26.35	0.00	26.35	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	29.49	30.00	1.00
CH157	5785	29.64	30.00	1.00
CH165	5825	29.40	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.62	0.00	26.62	30.00	1.00
CH159	5795	26.31	0.00	26.31	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.65	0.00	26.65	30.00	1.00
CH159	5795	26.54	0.00	26.54	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	29.65	30.00	1.00
CH159	5795	29.44	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.20	0.00	25.20	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.44	0.00	25.44	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	28.33	30.00	1.00

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.88	0.00	12.88	17.00
CH40	5200	13.42	0.00	13.42	17.00
CH48	5240	13.63	0.00	13.63	17.00




Date: 15.NOV.2017 14:20:27

CH40



Date: 15.NOV.2017 14:21:01


CH48



Date: 15.NOV.2017 14:21:42


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.37	0.00	13.37	17.00
CH40	5200	12.71	0.00	12.71	17.00
CH48	5240	12.18	0.00	12.18	17.00




Date: 15.NOV.2017 14:26:11

CH40



Date: 15.NOV.2017 14:29:48


CH48



Date: 15.NOV.2017 14:30:29


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.49	0.00	11.49	17.00
CH40	5200	11.86	0.00	11.86	17.00
CH48	5240	11.41	0.00	11.41	17.00




Date: 15.NOV.2017 14:59:20

CH40



Date: 15.NOV.2017 15:00:05

CH48



Date: 15.NOV.2017 15:00:59


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.54	17.00
CH40	5200	15.32	17.00
CH48	5240	14.82	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.77	0.00	6.77	17.00
CH46	5230	10.42	0.00	10.42	17.00

CH38



Date: 15.NOV.2017 14:46:04

CH46




Date: 15.NOV.2017 14:47:08

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.03	0.00	6.03	17.00
CH46	5230	10.20	0.00	10.20	17.00

CH38



Date: 15.NOV.2017 15:21:42

CH46



Date: 15.NOV.2017 15:23:16


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.43	17.00
CH46	5230	13.32	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	13.32	0.00	13.32	30.00
CH157	5785	12.99	0.00	12.99	30.00
CH165	5825	12.80	0.00	12.80	30.00

TX CH149




Date: 15.NOV.2017 14:22:49

TX CH157



Date: 15.NOV.2017 14:24:12


TX CH165



Date: 15.NOV.2017 14:25:00


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.45	0.00	9.45	30.00
CH157	5785	9.73	0.00	9.73	30.00
CH165	5825	10.06	0.00	10.06	30.00




Date: 15.NOV.2017 14:36:17

TX CH157



Date: 15.NOV.2017 14:37:02


TX CH165



Date: 15.NOV.2017 14:37:49


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.27	0.00	10.27	30.00
CH157	5785	10.58	0.00	10.58	30.00
CH165	5825	11.31	0.00	11.31	30.00




Date: 15.NOV.2017 15:01:53

TX CH157



Date: 15.NOV.2017 15:02:40

TX CH165



Date: 15.NOV.2017 15:04:10


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.89	30.00
CH157	5785	13.19	30.00
CH165	5825	13.74	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.92	0.00	6.92	30.00
CH159	5795	7.29	0.00	7.29	30.00

TX CH151



Date: 15.NOV.2017 14:48:23

TX CH159




Date: 15.NOV.2017 14:49:30

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.99	0.00	7.99	30.00
CH159	5795	8.36	0.00	8.36	30.00

TX CH151



Date: 15.NOV.2017 15:26:04

TX CH159




Date: 15.NOV.2017 15:27:07

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.50	30.00
CH159	5795	10.87	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.09	0.00	12.09	17.00
CH40	5200	12.76	0.00	12.76	17.00
CH48	5240	12.51	0.00	12.51	17.00




Date: 15.NOV.2017 14:38:41

CH40



Date: 15.NOV.2017 14:39:57


CH48



Date: 15.NOV.2017 14:40:45


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.14	0.00	11.14	17.00
CH40	5200	11.88	0.00	11.88	17.00
CH48	5240	12.24	0.00	12.24	17.00




Date: 15.NOV.2017 15:15:41

CH40



Date: 15.NOV.2017 15:16:27

CH48



Date: 15.NOV.2017 15:17:28


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.65	17.00
CH40	5200	15.35	17.00
CH48	5240	15.39	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.09	0.00	7.09	17.00
CH46	5230	10.25	0.00	10.25	17.00

CH38



Date: 15.NOV.2017 14:51:08

CH46




Date: 15.NOV.2017 14:52:21

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.20	0.00	6.20	17.00
CH46	5230	10.03	0.00	10.03	17.00

CH38



Date: 15.NOV.2017 15:28:12

CH46




Date: 15.NOV.2017 15:29:46

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.68	17.00
CH46	5230	13.15	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.95	0.00	4.95	17.00



Date: 15.NOV.2017 14:56:10

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.37	0.00	4.37	17.00



Date: 15.NOV.2017 15:33:38


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	7.68	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.22	0.00	11.22	30.00
CH157	5785	11.16	0.00	11.16	30.00
CH165	5825	11.68	0.00	11.68	30.00

TX CH149




Date: 15.NOV.2017 14:41:43

TX CH157



Date: 15.NOV.2017 14:42:37


TX CH165



Date: 15.NOV.2017 14:43:26


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.98	0.00	11.98	30.00
CH157	5785	11.95	0.00	11.95	30.00
CH165	5825	11.89	0.00	11.89	30.00




Date: 15.NOV.2017 15:18:30

TX CH157



Date: 15.NOV.2017 15:19:27

TX CH165



Date: 15.NOV.2017 15:20:35


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.63	30.00
CH157	5785	14.58	30.00
CH165	5825	14.80	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.53	0.00	7.53	30.00
CH159	5795	7.74	0.00	7.74	30.00

TX CH151



Date: 15.NOV.2017 14:53:41

TX CH159




Date: 15.NOV.2017 14:54:44

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.39	0.00	8.39	30.00
CH159	5795	8.60	0.00	8.60	30.00

TX CH151



Date: 15.NOV.2017 15:31:02

TX CH159



Date: 15.NOV.2017 15:32:13


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.99	30.00
CH159	5795	11.20	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.38	0.00	5.38	30.00

TX CH155




Date: 15.NOV.2017 14:57:12

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.07	0.00	6.07	30.00

TX CH155



Date: 15.NOV.2017 15:36:53

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	8.75	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9876
120	5179.9872
108	5179.9868
Max. Deviation (MHz)	0.0132
Max. Deviation (ppm)	2.5483

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9868
5	5179.9868
15	5179.9864
25	5179.9864
35	5179.9864
45	5179.9864
50	5179.9864
Max. Deviation (MHz)	0.0136
Max. Deviation (ppm)	2.6255

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9832
120	5744.9832
108	5744.9832
Max. Deviation (MHz)	0.0168
Max. Deviation (ppm)	2.9243

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9832
5	5744.9836
15	5744.9836
25	5744.9836
35	5744.9836
45	5744.9840
50	5744.9836
Max. Deviation (MHz)	0.0168
Max. Deviation (ppm)	2.9243