



CH60




Date: 12.MAY.2016 11:59:05

CH64




Date: 12.MAY.2016 11:59:28

CH60



Date: 12.MAY.2016 18:04:07


CH64



Date: 12.MAY.2016 18:07:38


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.66	0.71	5.37	9.50
CH60	5300	4.94	0.71	5.65	9.50
CH64	5320	4.56	0.71	5.27	9.50




Date: 12.MAY.2016 18:01:12

CH60



Date: 12.MAY.2016 18:03:33

CH64



Date: 12.MAY.2016 18:08:18


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.32	9.50
CH60	5300	8.67	9.50
CH64	5320	8.39	9.50

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.33	1.86	5.19	9.50
CH62	5310	2.89	1.86	4.75	9.50

CH54



Date: 12.MAY.2016 20:20:51

CH62




Date: 12.MAY.2016 20:24:04

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.27	1.86	5.13	9.50
CH62	5310	3.24	1.86	5.10	9.50

CH54



Date: 12.MAY.2016 20:21:25

CH62




Date: 12.MAY.2016 20:24:39

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.17	9.50
CH62	5310	7.94	9.50

CH116




Date: 12.MAY.2016 11:56:19

CH140




Date: 12.MAY.2016 11:56:43

CH116




Date: 12.MAY.2016 12:00:15

CH140




Date: 12.MAY.2016 12:00:41

CH116




Date: 12.MAY.2016 20:14:22

CH140




Date: 12.MAY.2016 20:18:15

CH116



Date: 12.MAY.2016 20:15:57

CH140




Date: 12.MAY.2016 20:16:58

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.13	8.02
CH116	5580	6.93	8.02
CH140	5700	6.82	8.02

CH110



Date: 12.MAY.2016 20:29:10


CH134



Date: 12.MAY.2016 20:33:20


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.33	1.86	4.19	8.02
CH110	5550	2.92	1.86	4.78	8.02
CH134	5670	0.22	1.86	2.08	8.02




Date: 12.MAY.2016 20:26:17

CH110



Date: 12.MAY.2016 20:30:33

CH134




Date: 12.MAY.2016 20:32:45

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.82	8.02
CH110	5550	8.02	8.02
CH134	5670	4.93	8.02

TX CH157



Date: 11.MAY.2016 17:11:24


TX CH165



Date: 11.MAY.2016 17:11:45


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.45	0.35	4.80	30.00
CH157	5785	4.01	0.35	4.36	30.00
CH165	5825	3.69	0.35	4.04	30.00




Date: 11.MAY.2016 17:13:09

TX CH157




Date: 11.MAY.2016 17:13:44

TX CH165




Date: 11.MAY.2016 17:14:16

TX CH157




Date: 11.MAY.2016 17:22:13

TX CH165




Date: 11.MAY.2016 17:22:38

TX CH157



Date: 11.MAY.2016 17:17:21

TX CH165



Date: 11.MAY.2016 17:20:18


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.54	26.97
CH157	5785	5.52	26.97
CH165	5825	5.77	26.97

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.39	1.86	1.47	26.97
CH159	5795	-3.85	1.86	-1.99	26.97

TX CH151



Date: 11.MAY.2016 17:24:52

TX CH159




Date: 11.MAY.2016 17:25:29

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.92	1.86	2.78	26.97
CH159	5795	-3.96	1.86	-2.10	26.97

TX CH151



Date: 11.MAY.2016 17:26:36

TX CH159




Date: 11.MAY.2016 17:26:59

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.18	26.97
CH159	5795	0.97	26.97


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.95	0.34	6.29	9.50
CH40	5200	5.35	0.34	5.69	9.50
CH48	5240	5.60	0.34	5.94	9.50




Date: 18.JUN.2016 15:26:25

CH40



Date: 18.JUN.2016 15:30:07


CH48



Date: 18.JUN.2016 15:31:17


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.55	0.34	5.89	9.50
CH40	5200	4.47	0.34	4.81	9.50
CH48	5240	5.69	0.34	6.03	9.50




Date: 18.JUN.2016 15:19:33

CH40



Date: 18.JUN.2016 15:51:15

CH48



Date: 18.JUN.2016 15:52:27


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.10	9.50
CH40	5200	8.28	9.50
CH48	5240	9.00	9.50

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.83	1.07	-2.76	9.50
CH46	5230	1.46	1.07	2.53	9.50

CH38



Date: 18.JUN.2016 16:42:58

CH46




Date: 18.JUN.2016 16:47:02

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.00	1.07	-1.93	9.50
CH46	5230	2.08	1.07	3.15	9.50

CH38



Date: 18.JUN.2016 16:44:16

CH46




Date: 18.JUN.2016 16:46:00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.69	9.50
CH46	5230	5.86	9.50

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.17	2.06	-0.11	9.50




Date: 12.MAY.2016 20:40:57

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.80	9.50


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.33	0.34	5.67	9.50
CH60	5300	4.82	0.34	5.16	9.50
CH64	5320	4.81	0.34	5.15	9.50




Date: 18.JUN.2016 15:32:57

CH60



Date: 18.JUN.2016 16:06:17


CH64



Date: 18.JUN.2016 16:03:56


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.68	0.34	5.02	9.50
CH60	5300	4.91	0.34	5.25	9.50
CH64	5320	5.32	0.34	5.66	9.50




Date: 18.JUN.2016 15:53:38

CH60



Date: 18.JUN.2016 16:05:34

CH64



Date: 18.JUN.2016 16:04:25


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.37	9.50
CH60	5300	8.22	9.50
CH64	5320	8.42	9.50

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.46	1.07	0.61	9.50
CH62	5310	-3.23	1.07	-2.16	9.50

CH54



Date: 18.JUN.2016 16:48:37

CH62




Date: 18.JUN.2016 16:52:12

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.39	1.07	1.46	9.50
CH62	5310	-2.82	1.07	-1.75	9.50

CH54



Date: 18.JUN.2016 16:49:37

CH62




Date: 18.JUN.2016 16:51:25

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.07	9.50
CH62	5310	1.06	9.50

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.30	2.06	1.76	9.50



Date: 12.MAY.2016 20:42:35

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.54	2.06	1.52	9.50




Date: 12.MAY.2016 20:42:00

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	4.65	9.50

CH116



Date: 18.JUN.2016 16:08:36


CH140



Date: 18.JUN.2016 16:19:45


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.44	0.34	2.78	8.02
CH116	5580	3.51	0.34	3.85	8.02
CH140	5700	1.98	0.34	2.32	8.02




Date: 18.JUN.2016 16:01:33

CH116



Date: 18.JUN.2016 16:16:01

CH140




Date: 18.JUN.2016 16:22:21

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.78	8.02
CH116	5580	7.10	8.02
CH140	5700	5.85	8.02


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.09	1.07	-1.02	8.02
CH110	5550	1.52	1.07	2.59	8.02
CH134	5670	0.18	1.07	1.25	8.02




Date: 18.JUN.2016 16:54:01

CH110



Date: 18.JUN.2016 17:02:17


CH134



Date: 18.JUN.2016 17:05:50


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.80	1.07	-0.73	8.02
CH110	5550	-0.57	1.07	0.50	8.02
CH134	5670	-1.38	1.07	-0.31	8.02




Date: 18.JUN.2016 16:57:51

CH110



Date: 18.JUN.2016 17:03:04

CH134



Date: 18.JUN.2016 17:05:02


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.14	8.02
CH110	5550	4.68	8.02
CH134	5670	3.55	8.02

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.13	2.06	2.19	8.02
CH122	5610	-0.54	2.06	1.52	8.02

CH106



Date: 12.MAY.2016 20:44:37

CH122




Date: 12.MAY.2016 20:46:35

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.46	2.06	0.60	8.02
CH122	5610	-0.85	2.06	1.21	8.02

CH106



Date: 12.MAY.2016 20:45:17

CH122




Date: 12.MAY.2016 20:46:03

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.48	8.02
CH122	5610	4.38	8.02

TX CH157




Date: 18.JUN.2016 16:26:40

TX CH165




Date: 18.JUN.2016 16:34:21

TX CH157



Date: 18.JUN.2016 16:28:43

TX CH165



Date: 18.JUN.2016 16:34:56


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.77	26.97
CH157	5785	8.94	26.97
CH165	5825	8.81	26.97

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.17	1.07	3.24	26.97
CH159	5795	1.26	1.07	2.33	26.97

TX CH151



Date: 18.JUN.2016 17:07:18

TX CH159




Date: 18.JUN.2016 17:12:22

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.57	1.07	3.64	26.97
CH159	5795	0.78	1.07	1.85	26.97

TX CH151



Date: 18.JUN.2016 17:08:25

TX CH159



Date: 18.JUN.2016 17:10:03


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.45	26.97
CH159	5795	5.11	26.97

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.50	2.06	-2.44	26.97

TX CH155




Date: 11.MAY.2016 17:34:00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.92	2.06	-1.86	26.97

TX CH155



Date: 11.MAY.2016 17:33:08

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.87	26.97

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0264
120	5180.0264
108	5180.0268
Max. Deviation (MHz)	0.0268
Max. Deviation (ppm)	5.1737

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0268
5	5180.0268
15	5180.0268
25	5180.0268
35	5180.0268
45	5180.0268
50	5180.0268
Max. Deviation (MHz)	0.0268
Max. Deviation (ppm)	5.1737

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0272
120	5260.0276
108	5260.0276
Max. Deviation (MHz)	0.0276
Max. Deviation (ppm)	5.2471

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0276
5	5260.0276
15	5260.0276
25	5260.0276
35	5260.0276
45	5260.0276
50	5260.0276
Max. Deviation (MHz)	0.0276
Max. Deviation (ppm)	5.2471

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0288
120	5500.0288
108	5500.0284
Max. Deviation (MHz)	0.0288
Max. Deviation (ppm)	5.2364

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0288
5	5500.0284
15	5500.0288
25	5500.0284
35	5500.0284
45	5500.0284
50	5500.0284
Max. Deviation (MHz)	0.0288
Max. Deviation (ppm)	5.2364

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0296
120	5745.0296
108	5745.0296
Max. Deviation (MHz)	0.0296
Max. Deviation (ppm)	5.1523

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0296
5	5745.0296
15	5745.0296
25	5745.0296
35	5745.0296
45	5745.0292
50	5745.0292
Max. Deviation (MHz)	0.0296
Max. Deviation (ppm)	5.1523