



Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.151	22.005	-13.849	74.000	38.146	PK
2	*	5502.910	98.921	60.814	N/A	N/A	38.107	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:42
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.060	75.700	37.671	-24.384	100.084	38.029	PK
2		5708.465	87.932	49.757	-19.641	107.573	38.175	PK
3		5724.195	90.735	52.542	-29.630	120.365	38.193	PK
4	*	5747.075	109.118	71.096	-13.082	122.200	38.022	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:44
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.880	72.846	34.800	-28.580	101.426	38.046	PK
2		5709.960	81.851	43.670	-26.140	107.991	38.181	PK
3		5723.675	85.359	47.166	-33.821	119.180	38.193	PK
4	*	5751.560	104.230	66.229	-17.970	122.200	38.001	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:46
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5788.817	109.192	71.114	-13.008	122.200	38.078	PK
2		5852.335	75.970	38.015	-40.905	116.875	37.955	PK
3		5862.527	72.477	34.516	-36.214	108.690	37.961	PK
4		5877.040	69.860	31.940	-33.824	103.684	37.920	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:49
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5788.143	103.861	65.782	-18.339	122.200	38.079	PK
2		5853.685	68.885	30.929	-44.913	113.797	37.956	PK
3		5858.612	68.148	30.189	-41.639	109.787	37.959	PK
4		5882.845	60.938	23.001	-38.436	99.374	37.937	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.396	15.731	-1.604	54.000	36.665	AV
2	*	5218.500	91.966	55.228	N/A	N/A	36.738	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 20:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.996	27.331	-10.004	74.000	36.665	PK
2	*	5219.250	103.079	66.342	N/A	N/A	36.737	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.404	9.739	-7.596	54.000	36.665	AV
2	*	5217.750	86.105	49.367	N/A	N/A	36.738	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.273	18.608	-18.727	74.000	36.665	PK
2	*	5197.875	94.487	57.939	N/A	N/A	36.548	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5277.720	90.149	53.421	N/A	N/A	36.728	AV
2		5350.000	50.655	13.869	-3.345	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5284.230	102.582	65.800	N/A	N/A	36.782	PK
2		5350.000	65.818	29.032	-8.182	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5274.570	85.074	48.374	N/A	N/A	36.700	AV
2		5350.000	45.482	8.696	-8.518	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5302.815	96.987	60.324	N/A	N/A	36.663	PK
2		5350.000	57.559	20.773	-16.441	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.288	14.142	-1.712	54.000	38.146	AV
2	*	5514.450	90.134	52.008	N/A	N/A	38.126	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	67.040	28.894	-6.960	74.000	38.146	PK
2	*	5527.760	103.469	65.336	N/A	N/A	38.133	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.571	8.425	-7.429	54.000	38.146	AV
2	*	5521.380	84.264	46.121	N/A	N/A	38.143	AV

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	58.725	20.579	-15.275	74.000	38.146	PK
2	*	5539.090	96.919	58.805	N/A	N/A	38.114	PK

Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:25
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5676.500	73.273	35.275	-14.578	87.851	37.998	PK
2		5709.375	76.837	38.657	-30.990	107.827	38.180	PK
3		5723.000	75.508	37.316	-42.133	117.641	38.192	PK
4		5770.000	105.703	67.655	-16.497	122.200	38.048	PK
5		5851.375	72.475	34.521	-46.589	119.064	37.954	PK
6		5869.000	68.434	30.491	-38.444	106.878	37.943	PK
7		5884.625	64.873	26.925	-33.180	98.053	37.948	PK


Engineer: Simon	
Site: AC5	Time: 2017/10/31 - 21:33
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5676.750	62.795	24.797	-25.240	88.036	37.998	PK
2		5710.000	69.326	31.145	-38.677	108.002	38.181	PK
3		5722.375	69.146	30.954	-47.070	116.216	38.192	PK
4	*	5764.625	99.259	61.257	-22.941	122.200	38.002	PK
5		5852.125	64.954	27.000	-52.399	117.354	37.954	PK
6		5866.125	62.290	24.339	-45.393	107.683	37.951	PK
7		5889.625	56.666	18.689	-37.679	94.345	37.977	PK


Ant: 2

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.970	17.305	-0.030	54.000	36.665	AV
2	*	5176.545	99.200	62.579	N/A	N/A	36.621	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	65.945	29.280	-8.055	74.000	36.665	PK
2	*	5174.475	104.179	67.538	N/A	N/A	36.641	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.211	12.546	-4.789	54.000	36.665	AV
2	*	5174.130	94.554	57.910	N/A	N/A	36.644	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.613	27.948	-9.387	74.000	36.665	PK
2	*	5182.755	103.418	66.850	N/A	N/A	36.568	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.850	98.141	61.397	N/A	N/A	36.744	AV
2		5350.000	52.535	15.749	-1.465	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.175	109.410	72.645	N/A	N/A	36.765	PK
2		5350.000	68.537	31.751	-5.463	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.550	93.496	56.755	N/A	N/A	36.741	AV
2		5350.000	47.489	10.703	-6.511	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.525	103.721	66.971	N/A	N/A	36.750	PK
2		5350.000	62.414	25.628	-11.586	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.933	14.787	-1.067	54.000	38.146	AV
2	*	5501.120	100.591	62.482	N/A	N/A	38.109	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	68.789	30.643	-5.211	74.000	38.146	PK
2	*	5501.280	110.973	72.864	N/A	N/A	38.109	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.999	9.853	-6.001	54.000	38.146	AV
2	*	5495.200	95.493	57.375	N/A	N/A	38.118	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	62.671	24.525	-11.329	74.000	38.146	PK
2	*	5503.760	106.591	68.485	N/A	N/A	38.106	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:49
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.295	67.766	29.725	-33.229	100.995	38.041	PK
2		5709.640	77.573	39.392	-30.329	107.902	38.181	PK
3		5724.215	86.501	48.308	-33.909	120.411	38.193	PK
4	*	5741.595	111.874	73.821	-10.326	122.200	38.053	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/01 - 01:56
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.590	60.316	22.291	-39.422	99.737	38.025	PK
2		5709.420	71.600	33.420	-36.240	107.840	38.180	PK
3		5723.390	79.727	41.534	-38.804	118.530	38.193	PK
4	*	5743.575	106.553	68.516	-15.647	122.200	38.037	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 10:35
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5688.998	56.468	18.453	-40.619	97.086	38.015	PK
2		5716.877	64.954	26.767	-44.973	109.927	38.187	PK
3		5724.053	68.952	30.759	-51.089	120.042	38.193	PK
4	*	5780.530	115.656	77.558	-6.544	122.200	38.098	PK
5		5852.587	65.906	27.951	-50.395	116.300	37.955	PK
6		5858.123	63.747	25.788	-46.177	109.924	37.959	PK
7		5884.465	57.582	19.635	-40.590	98.172	37.947	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 10:38
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.663	52.387	14.368	-46.667	99.053	38.019	PK
2		5710.317	55.676	17.495	-52.415	108.091	38.181	PK
3		5722.515	59.235	21.043	-57.301	116.535	38.192	PK
4	*	5790.575	107.558	69.485	-14.642	122.200	38.073	PK
5		5853.817	56.879	18.923	-56.618	113.496	37.956	PK
6		5858.020	57.313	19.354	-52.640	109.953	37.959	PK
7		5883.748	51.663	13.720	-47.041	98.704	37.943	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 11:20
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5822.280	114.057	76.033	-8.143	122.200	38.024	PK
2		5850.760	81.366	43.413	-39.100	120.467	37.953	PK
3		5864.160	76.637	38.681	-31.596	108.233	37.956	PK
4		5883.560	65.810	27.868	-33.034	98.843	37.942	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 11:22
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5826.360	106.902	68.860	-15.298	122.200	38.042	PK
2		5853.040	70.877	32.922	-44.390	115.268	37.955	PK
3		5864.000	67.494	29.538	-40.783	108.278	37.956	PK
4		5884.840	57.969	20.020	-39.925	97.894	37.949	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.903	16.238	-1.097	54.000	36.665	AV
2	*	5173.095	102.215	65.561	N/A	N/A	36.654	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	69.691	33.026	-4.309	74.000	36.665	PK
2	*	5182.755	110.605	74.037	N/A	N/A	36.568	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.872	12.207	-5.128	54.000	36.665	AV
2	*	5173.440	94.790	58.139	N/A	N/A	36.651	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.494	26.829	-10.506	74.000	36.665	PK
2	*	5174.475	104.498	67.857	N/A	N/A	36.641	PK

Engineer: Simon	
Site: AC5	Site: AC5
Limit: FCC_Part15.209_RE(3m)	Limit: FCC_Part15.209_RE(3m)
Probe: Horn_3117_00167055(1-18GHz)	Probe: Horn_3117_00167055(1-18GHz)
EUT: Wireless Access point	EUT: Wireless Access point
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.775	101.367	64.624	N/A	N/A	36.743	AV
2		5350.000	52.484	15.698	-1.516	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.250	111.406	74.640	N/A	N/A	36.766	PK
2		5350.000	70.922	34.136	-3.078	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.475	94.419	57.707	N/A	N/A	36.712	AV
2		5350.000	47.200	10.414	-6.800	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.050	105.333	68.551	N/A	N/A	36.782	PK
2		5350.000	62.811	26.025	-11.189	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.284	15.138	-0.716	54.000	38.146	AV
2	*	5494.800	102.855	64.737	N/A	N/A	38.118	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	70.247	32.101	-3.753	74.000	38.146	PK
2	*	5495.360	113.976	75.858	N/A	N/A	38.118	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	45.856	7.710	-8.144	54.000	38.146	AV
2	*	5494.960	95.086	56.968	N/A	N/A	38.118	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.893	22.747	-13.107	74.000	38.146	PK
2	*	5494.880	107.397	69.279	N/A	N/A	38.118	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:10
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.075	76.496	38.457	-24.337	100.832	38.039	PK
2		5705.075	79.714	41.571	-26.909	106.623	38.143	PK
3		5723.445	92.058	53.865	-26.598	118.656	38.193	PK
4	*	5740.440	114.957	76.894	-7.243	122.200	38.063	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:14
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.195	69.724	31.694	-30.459	100.183	38.030	PK
2		5710.245	74.293	36.112	-33.778	108.071	38.181	PK
3		5724.215	85.226	47.033	-35.184	120.411	38.193	PK
4	*	5742.640	109.086	71.043	-13.114	122.200	38.043	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:16
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.377	52.637	14.577	-49.892	102.530	38.060	PK
2		5712.060	54.032	15.849	-54.547	108.579	38.183	PK
3		5722.925	62.883	24.691	-54.587	117.470	38.192	PK
4	*	5779.812	106.867	68.767	-15.333	122.200	38.100	PK
5		5853.920	55.936	17.980	-57.326	113.262	37.956	PK
6		5858.635	55.794	17.835	-53.986	109.781	37.959	PK
7		5884.465	50.794	12.847	-47.378	98.172	37.947	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:24
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.610	51.308	13.274	-49.181	100.490	38.034	PK
2		5709.395	51.495	13.315	-56.338	107.833	38.180	PK
3		5723.437	54.106	15.913	-64.532	118.637	38.193	PK
4	*	5779.095	101.333	63.231	-20.867	122.200	38.102	PK
5		5851.050	54.417	16.463	-65.389	119.805	37.954	PK
6		5866.322	50.998	13.048	-56.629	107.627	37.950	PK
7		5882.928	50.412	12.474	-48.900	99.312	37.938	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:26
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5823.240	114.767	76.739	-7.433	122.200	38.028	PK
2		5852.880	80.614	42.659	-35.018	115.632	37.955	PK
3		5865.920	76.120	38.169	-31.620	107.740	37.951	PK
4		5881.720	68.688	30.757	-31.521	100.209	37.931	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:28
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5825.960	109.486	71.446	-12.714	122.200	38.040	PK
2		5851.200	76.458	38.504	-43.005	119.463	37.954	PK
3		5863.520	71.963	34.005	-36.449	108.412	37.958	PK
4		5884.000	61.609	23.665	-36.908	98.517	37.944	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.247	16.582	-0.753	54.000	36.665	AV
2	*	5193.670	96.911	60.358	N/A	N/A	36.553	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	66.003	29.338	-7.997	74.000	36.665	PK
2	*	5194.735	106.348	69.796	N/A	N/A	36.552	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.474	9.809	-7.526	54.000	36.665	AV
2	*	5200.060	90.412	53.854	N/A	N/A	36.558	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.502	21.837	-15.498	74.000	36.665	PK
2	*	5175.920	99.968	63.341	N/A	N/A	36.627	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.415	96.370	59.670	N/A	N/A	36.700	AV
2		5350.000	52.114	15.328	-1.886	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.670	108.598	71.897	N/A	N/A	36.701	PK
2		5350.000	68.564	31.778	-5.436	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.370	89.775	53.069	N/A	N/A	36.706	AV
2		5350.000	45.545	8.759	-8.455	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5311.335	100.925	64.237	N/A	N/A	36.688	PK
2		5350.000	62.828	26.042	-11.172	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.571	14.425	-1.429	54.000	38.146	AV
2	*	5504.980	97.210	59.106	N/A	N/A	38.104	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	64.016	25.870	-9.984	74.000	38.146	PK
2	*	5501.920	106.150	68.042	N/A	N/A	38.108	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	45.302	7.156	-8.698	54.000	38.146	AV
2	*	5504.980	90.035	51.931	N/A	N/A	38.104	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.011	22.865	-12.989	74.000	38.146	PK
2	*	5505.430	102.617	64.512	N/A	N/A	38.105	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:04
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.255	76.824	38.793	-23.404	100.228	38.031	PK
2		5709.245	87.711	49.531	-20.080	107.791	38.180	PK
3		5723.740	91.496	53.303	-27.832	119.328	38.193	PK
4	*	5750.585	112.175	74.169	-10.025	122.200	38.006	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:08
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.630	69.522	31.504	-29.506	99.029	38.018	PK
2		5714.705	81.363	43.178	-27.956	109.319	38.185	PK
3		5723.610	80.508	42.315	-38.524	119.032	38.193	PK
4	*	5750.910	104.892	66.888	-17.308	122.200	38.004	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:11
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5800.562	112.358	74.328	-9.842	122.200	38.030	PK
2		5853.348	74.417	36.462	-40.148	114.565	37.955	PK
3		5865.835	72.302	34.351	-35.461	107.764	37.951	PK
4		5880.280	67.123	29.201	-34.155	101.278	37.922	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:13
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5809.945	103.598	65.617	-18.602	122.200	37.981	PK
2		5852.470	65.534	27.579	-51.033	116.567	37.955	PK
3		5862.663	64.163	26.203	-44.489	108.652	37.960	PK
4		5882.103	56.109	18.176	-43.816	99.925	37.933	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.447	16.782	-0.553	54.000	36.665	AV
2	*	5187.930	101.839	65.278	N/A	N/A	36.561	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	67.807	31.142	-6.193	74.000	36.665	PK
2	*	5187.930	101.839	65.278	N/A	N/A	36.561	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.166	9.501	-7.834	54.000	36.665	AV
2	*	5178.615	95.320	58.719	N/A	N/A	36.601	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.684	25.019	-12.316	74.000	36.665	PK
2	*	5184.135	104.080	67.514	N/A	N/A	36.566	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.250	100.912	64.212	N/A	N/A	36.700	AV
2		5350.000	52.798	16.012	-1.202	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.200	111.225	74.441	N/A	N/A	36.784	PK
2		5350.000	69.565	32.779	-4.435	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.450	94.696	57.947	N/A	N/A	36.749	AV
2		5350.000	45.394	8.608	-8.606	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.075	104.792	68.019	N/A	N/A	36.773	PK
2		5350.000	61.280	24.494	-12.720	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.619	15.473	-0.381	54.000	38.146	AV
2	*	5497.440	102.806	64.691	N/A	N/A	38.115	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	69.931	31.785	-4.069	74.000	38.146	PK
2	*	5496.080	113.486	75.369	N/A	N/A	38.117	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	45.905	7.759	-8.095	54.000	38.146	AV
2	*	5496.800	95.668	57.552	N/A	N/A	38.116	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.465	23.319	-12.535	74.000	38.146	PK
2	*	5494.960	106.908	68.790	N/A	N/A	38.118	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:24
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.230	76.146	38.096	-25.539	101.684	38.050	PK
2		5708.540	81.126	42.950	-26.468	107.594	38.176	PK
3		5722.950	90.449	52.257	-27.078	117.527	38.192	PK
4	*	5747.535	114.222	76.203	-7.978	122.200	38.019	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:33
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.495	67.150	29.088	-35.467	102.617	38.062	PK
2		5712.390	75.469	37.286	-33.203	108.672	38.183	PK
3		5722.510	80.645	42.453	-35.879	116.524	38.192	PK
4	*	5740.220	107.945	69.880	-14.255	122.200	38.065	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:35
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.328	56.383	18.342	-44.636	101.019	38.041	PK
2		5712.572	61.899	23.716	-46.823	108.722	38.183	PK
3		5722.925	65.788	27.596	-51.682	117.470	38.192	PK
4	*	5780.325	114.511	76.412	-7.689	122.200	38.099	PK
5		5852.382	62.301	24.346	-54.467	116.768	37.955	PK
6		5862.530	61.489	23.528	-47.201	108.689	37.961	PK
7		5879.135	58.682	20.766	-43.446	102.128	37.916	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:44
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.203	51.426	13.411	-45.812	97.238	38.015	PK
2		5707.345	52.171	14.007	-55.088	107.259	38.164	PK
3		5723.437	57.657	19.464	-60.981	118.637	38.193	PK
4	*	5787.808	106.837	68.757	-15.363	122.200	38.080	PK
5		5853.305	53.828	15.873	-60.835	114.664	37.955	PK
6		5861.607	53.007	15.045	-55.941	108.948	37.962	PK
7		5880.775	50.977	13.052	-49.933	100.910	37.925	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:47
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.203	51.426	13.411	-45.812	97.238	38.015	PK
2		5852.200	81.162	43.207	-36.021	117.183	37.955	PK
3		5863.120	76.259	38.300	-32.265	108.524	37.959	PK
4	*	5882.320	68.768	30.834	-30.995	99.764	37.934	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:54
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5830.680	105.451	67.418	-16.749	122.200	38.033	PK
2		5852.040	70.453	32.499	-47.094	117.548	37.954	PK
3		5866.680	63.533	25.584	-43.994	107.527	37.949	PK
4		5878.760	58.111	20.195	-44.296	102.407	37.916	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.363	15.698	-1.637	54.000	36.665	AV
2	*	5198.995	96.897	60.351	N/A	N/A	36.546	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.049	27.384	-9.951	74.000	36.665	PK
2	*	5195.090	105.785	69.234	N/A	N/A	36.551	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.481	9.816	-7.519	54.000	36.665	AV
2	*	5195.090	90.435	53.884	N/A	N/A	36.551	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/03 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	57.298	20.633	-16.702	74.000	36.665	PK
2	*	5183.375	99.156	62.589	N/A	N/A	36.567	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5307.425	97.513	60.836	N/A	N/A	36.677	AV
2		5350.000	51.707	14.921	-2.293	54.000	36.786	AV
3		5352.985	52.247	15.479	-1.753	54.000	36.768	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 11:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5304.790	108.666	71.997	N/A	N/A	36.669	PK
2		5350.000	67.541	30.755	-6.459	74.000	36.786	PK
3		5352.220	70.168	33.394	-3.832	74.000	36.774	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.990	90.484	53.785	N/A	N/A	36.699	AV
2		5350.000	44.492	7.706	-9.508	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 11:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.285	102.184	65.478	N/A	N/A	36.706	PK
2		5350.000	58.865	22.079	-15.135	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.450	39.246	2.462	-14.754	54.000	36.784	AV
2	*	5460.000	52.721	14.575	-1.279	54.000	38.146	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	70.328	32.182	-3.672	74.000	38.146	PK
2	*	5497.420	108.387	70.272	N/A	N/A	38.115	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.127	7.981	-7.873	54.000	38.146	AV
2	*	5504.350	90.920	52.815	N/A	N/A	38.105	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	62.904	24.758	-11.096	74.000	38.146	PK
2	*	5505.250	102.286	64.181	N/A	N/A	38.105	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:19
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.045	77.690	39.672	-20.908	98.597	38.018	PK
2		5711.910	89.813	51.630	-18.725	108.537	38.183	PK
3		5723.675	90.889	52.696	-28.291	119.180	38.193	PK
4	*	5747.920	112.500	74.482	-9.700	122.200	38.018	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:22
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.345	71.112	33.090	-28.444	99.556	38.022	PK
2		5709.700	81.108	42.927	-26.811	107.918	38.181	PK
3		5724.390	83.343	45.149	-37.467	120.810	38.194	PK
4	*	5747.465	105.429	67.409	-16.771	122.200	38.020	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:26
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5798.132	111.800	73.757	-10.400	122.200	38.043	PK
2		5852.470	75.087	37.132	-41.480	116.567	37.955	PK
3		5859.895	74.396	36.436	-35.031	109.428	37.960	PK
4		5879.402	68.379	30.462	-33.551	101.930	37.917	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:27
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5799.482	104.526	66.490	-17.674	122.200	38.036	PK
2		5853.078	67.314	29.359	-47.867	115.181	37.955	PK
3		5863.540	63.882	25.924	-44.525	108.406	37.958	PK
4		5884.195	57.227	19.282	-41.145	98.372	37.945	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.672	16.007	-1.328	54.000	36.665	AV
2	*	5221.875	93.778	57.042	N/A	N/A	36.736	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.123	27.458	-9.877	74.000	36.665	PK
2	*	5226.375	103.742	67.009	N/A	N/A	36.733	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.362	10.697	-6.638	54.000	36.665	AV
2	*	5218.125	87.246	50.508	N/A	N/A	36.738	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	57.822	21.157	-16.178	74.000	36.665	PK
2	*	5195.625	96.476	59.925	N/A	N/A	36.551	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5295.045	93.740	57.038	N/A	N/A	36.702	AV
2		5350.000	52.973	16.187	-1.027	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5300.505	105.277	68.615	N/A	N/A	36.662	PK
2		5350.000	66.920	30.134	-7.080	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5300.715	85.606	48.946	N/A	N/A	36.660	AV
2		5350.000	46.300	9.514	-7.700	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.940	97.364	60.661	N/A	N/A	36.703	PK
2		5350.000	59.711	22.925	-14.289	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.295	14.149	-1.705	54.000	38.146	AV
2	*	5514.890	92.207	54.080	N/A	N/A	38.127	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	66.744	28.598	-7.256	74.000	38.146	PK
2	*	5514.780	104.574	66.447	N/A	N/A	38.127	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.265	9.119	-6.735	54.000	38.146	AV
2	*	5514.780	85.685	47.558	N/A	N/A	38.127	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.568	21.422	-14.432	74.000	38.146	PK
2	*	5515.220	97.201	59.073	N/A	N/A	38.128	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 14:03
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5682.625	74.210	36.204	-18.169	92.379	38.006	PK
2		5712.500	76.838	38.655	-31.864	108.702	38.183	PK
3		5722.375	77.136	38.944	-39.080	116.216	38.192	PK
4	*	5780.250	105.773	67.674	-16.427	122.200	38.099	PK
5		5853.000	73.091	35.136	-42.268	115.359	37.955	PK
6		5865.250	73.902	35.949	-34.026	107.928	37.953	PK
7		5881.875	70.510	32.578	-29.584	100.094	37.932	PK


Engineer: Simon	
Site: AC5	Time: 2017/11/04 - 14:16
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5680.875	65.653	27.649	-25.433	91.086	38.004	PK
2		5710.500	68.134	29.953	-40.008	108.142	38.181	PK
3		5723.000	67.871	29.679	-49.770	117.641	38.192	PK
4	*	5784.625	98.608	60.520	-23.592	122.200	38.088	PK
5		5852.125	60.555	22.601	-56.798	117.354	37.954	PK
6		5870.375	62.870	24.931	-43.623	106.493	37.939	PK
7		5894.250	55.823	17.819	-35.095	90.918	38.004	PK


Ant: 1+2

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.866	16.201	-1.134	54.000	36.665	AV
2	*	5183.100	102.933	66.365	N/A	N/A	36.568	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.201	34.536	-2.799	74.000	36.665	PK
2	*	5182.755	111.501	74.933	N/A	N/A	36.568	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.019	10.354	-6.981	54.000	36.665	AV
2	*	5181.030	95.727	59.149	N/A	N/A	36.578	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.863	28.198	-9.137	74.000	36.665	PK
2	*	5176.200	103.532	66.908	N/A	N/A	36.624	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.700	101.352	64.582	N/A	N/A	36.770	AV
2		5350.000	52.481	15.695	-1.519	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.700	112.411	75.697	N/A	N/A	36.714	PK
2		5350.000	68.174	31.388	-5.826	74.000	36.786	PK
3		5350.875	70.618	33.836	-3.382	74.000	36.782	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.550	94.713	58.000	N/A	N/A	36.713	AV
2		5350.000	45.504	8.718	-8.496	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.250	104.707	67.941	N/A	N/A	36.766	PK
2		5350.000	59.694	22.908	-14.306	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.767	14.621	-1.233	54.000	38.146	AV
2	*	5494.640	104.327	66.208	N/A	N/A	38.119	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	68.660	30.514	-5.340	74.000	38.146	PK
2	*	5494.880	114.039	75.921	N/A	N/A	38.118	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.051	7.905	-7.949	54.000	38.146	AV
2	*	5496.320	95.356	57.240	N/A	N/A	38.116	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.389	22.243	-13.611	74.000	38.146	PK
2	*	5502.320	107.257	69.149	N/A	N/A	38.108	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:50
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.010	75.291	37.243	-26.232	101.522	38.048	PK
2		5707.440	81.438	43.273	-25.847	107.285	38.165	PK
3		5723.390	89.385	51.192	-29.146	118.530	38.193	PK
4	*	5740.220	116.227	78.162	-5.973	122.200	38.065	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:52
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.120	69.441	31.392	-32.163	101.603	38.049	PK
2		5707.330	74.348	36.184	-32.906	107.255	38.164	PK
3		5717.010	77.234	39.047	-32.730	109.964	38.187	PK
4	*	5746.105	108.166	70.140	-14.034	122.200	38.026	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:55
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.095	56.942	18.875	-46.117	103.059	38.067	PK
2		5710.420	61.661	23.480	-46.459	108.120	38.181	PK
3		5723.950	65.987	27.794	-53.820	119.807	38.193	PK
4	*	5786.270	116.072	77.988	-6.128	122.200	38.084	PK
5		5853.817	63.779	25.823	-49.718	113.496	37.956	PK
6		5858.020	66.212	28.253	-43.741	109.953	37.959	PK
7		5885.080	54.755	16.805	-42.960	97.716	37.950	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 16:59
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.380	52.086	14.063	-47.497	99.582	38.023	PK
2		5712.880	55.510	17.327	-53.298	108.809	38.183	PK
3		5721.695	59.815	21.624	-54.851	114.666	38.191	PK
4	*	5786.270	108.681	70.597	-13.519	122.200	38.084	PK
5		5853.100	56.042	18.087	-59.089	115.131	37.955	PK
6		5860.480	55.630	17.669	-53.634	109.264	37.961	PK
7		5882.415	50.663	12.728	-49.030	99.693	37.935	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 17:02
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5819.400	115.083	77.071	-7.117	122.200	38.012	PK
2		5853.280	81.199	43.244	-33.521	114.721	37.955	PK
3		5863.920	78.694	40.737	-29.606	108.300	37.957	PK
4		5879.800	68.371	30.451	-33.264	101.634	37.920	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 17:08
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5820.720	107.555	69.538	-14.645	122.200	38.017	PK
2		5850.760	73.369	35.416	-47.097	120.467	37.953	PK
3		5864.160	69.619	31.663	-38.614	108.233	37.956	PK
4		5883.520	58.778	20.837	-40.095	98.873	37.941	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.349	15.684	-1.651	54.000	36.665	AV
2	*	5183.445	104.174	67.607	N/A	N/A	36.567	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	66.245	29.580	-7.755	74.000	36.665	PK
2	*	5185.515	109.674	73.110	N/A	N/A	36.564	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 19:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.944	7.279	-10.056	54.000	36.665	AV
2	*	5185.515	95.757	59.193	N/A	N/A	36.564	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/06 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.600	21.935	-15.400	74.000	36.665	PK
2	*	5182.410	103.974	67.406	N/A	N/A	36.568	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 09:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.525	101.308	64.558	N/A	N/A	36.750	AV
2		5350.000	52.248	15.462	-1.752	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC biandai	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.950	110.882	74.174	N/A	N/A	36.708	PK
2		5350.000	68.024	31.238	-5.976	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.375	93.562	56.786	N/A	N/A	36.776	AV
2		5350.000	45.235	8.449	-8.765	54.000	36.786	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 09:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.750	105.302	68.550	N/A	N/A	36.752	PK
2		5350.000	64.018	27.232	-9.982	74.000	36.786	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 10:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.415	15.269	-0.585	54.000	38.146	AV
2	*	5502.320	103.098	64.990	N/A	N/A	38.108	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	71.245	33.099	-2.755	74.000	38.146	PK
2	*	5498.080	113.540	75.426	N/A	N/A	38.114	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 10:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.945	8.799	-7.055	54.000	38.146	AV
2	*	5497.680	95.336	57.222	N/A	N/A	38.114	AV

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.869	21.723	-14.131	74.000	38.146	PK
2	*	5498.160	106.187	68.073	N/A	N/A	38.114	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/07 - 10:16
Limit: FCC 407 NEW	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5745MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.580	78.896	40.862	-21.571	100.467	38.034	PK
2		5710.190	82.853	44.672	-25.203	108.056	38.181	PK
3		5723.665	92.106	53.913	-27.051	119.157	38.193	PK
4	*	5742.310	115.595	77.549	-6.605	122.200	38.046	PK