



Profile: 1842039R	Page No.: 1
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.870	41.524	-33.130	74.000	-0.654	PK
2	*	15540.000	46.660	41.847	-27.340	74.000	4.813	PK

Profile: 1842039R	Page No.: 2
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.885	41.539	-33.115	74.000	-0.654	PK
2	*	15540.000	46.456	41.643	-27.544	74.000	4.813	PK

Profile: 1842039R	Page No.: 3
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.823	41.251	-33.177	74.000	-0.428	PK
2	*	15660.000	46.913	41.946	-27.087	74.000	4.968	PK

Profile: 1842039R	Page No.: 4
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.594	41.022	-33.406	74.000	-0.428	PK
2	*	15660.000	46.909	41.942	-27.091	74.000	4.968	PK

Profile: 1842039R	Page No.: 5
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.045	41.626	-32.955	74.000	-0.580	PK
2	*	15720.000	47.383	41.826	-26.617	74.000	5.557	PK

Profile: 1842039R	Page No.: 6
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.820	41.401	-33.180	74.000	-0.580	PK
2	*	15720.000	47.135	41.578	-26.865	74.000	5.557	PK

Profile: 1842039R	Page No.: 7
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.905	41.877	-32.095	74.000	0.028	PK
2	*	15780.000	48.624	41.793	-25.376	74.000	6.831	PK

Profile: 1842039R	Page No.: 8
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.142	41.114	-32.858	74.000	0.028	PK
2	*	15780.000	47.976	41.145	-26.024	74.000	6.831	PK

Profile: 1842039R	Page No.: 9
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.952	41.857	-32.048	74.000	0.094	PK
2	*	15900.000	48.919	41.905	-25.081	74.000	7.015	PK

Profile: 1842039R	Page No.: 10
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.857	41.762	-32.143	74.000	0.094	PK
2	*	15900.000	48.148	41.134	-25.852	74.000	7.015	PK

Profile: 1842039R	Page No.: 11
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.314	41.607	-32.686	74.000	-0.293	PK
2	*	15960.000	46.749	41.124	-27.251	74.000	5.625	PK

Profile: 1842039R	Page No.: 12
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.742	41.035	-33.258	74.000	-0.293	PK
2	*	15960.000	47.363	41.738	-26.637	74.000	5.625	PK

Profile: 1842039R	Page No.: 13
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.443	41.711	-32.557	74.000	-0.269	PK
2	*	16500.000	46.610	41.427	-27.390	74.000	5.183	PK

Profile: 1842039R	Page No.: 14
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.718	41.986	-32.282	74.000	-0.269	PK
2	*	16500.000	46.920	41.737	-27.080	74.000	5.183	PK

Profile: 1842039R	Page No.: 15
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.855	41.418	-32.145	74.000	0.437	PK
2	*	16740.000	47.711	41.996	-26.289	74.000	5.716	PK

Profile: 1842039R	Page No.: 16
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.631	41.194	-32.369	74.000	0.437	PK
2	*	16740.000	46.798	41.083	-27.202	74.000	5.716	PK

Profile: 1842039R	Page No.: 17
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.573	41.228	-32.427	74.000	0.346	PK
2	*	17100.000	48.176	41.848	-25.824	74.000	6.328	PK

Profile: 1842039R	Page No.: 18
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.888	41.543	-32.112	74.000	0.346	PK
2	*	17100.000	47.871	41.543	-26.129	74.000	6.328	PK

Profile: 1842039R	Page No.: 19
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.290	41.895	-31.710	74.000	0.394	PK
2	*	17160.000	47.732	41.471	-26.268	74.000	6.261	PK

Profile: 1842039R	Page No.: 20
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.210	41.815	-31.790	74.000	0.394	PK
2	*	17160.000	47.427	41.166	-26.573	74.000	6.261	PK

Profile: 1842039R	Page No.: 21
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.758	41.902	-32.242	74.000	-0.144	PK
2	*	17235.000	46.843	41.552	-27.157	74.000	5.291	PK

Profile: 1842039R	Page No.: 22
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.257	41.401	-32.743	74.000	-0.144	PK
2	*	17235.000	46.519	41.228	-27.481	74.000	5.291	PK

Profile: 1842039R	Page No.: 23
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.850	41.471	-32.150	74.000	0.379	PK
2	*	17355.000	47.499	41.578	-26.501	74.000	5.921	PK

Profile: 1842039R	Page No.: 24
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.018	41.639	-31.982	74.000	0.379	PK
2	*	17355.000	47.762	41.841	-26.238	74.000	5.921	PK

Profile: 1842039R	Page No.: 25
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.693	41.145	-32.307	74.000	0.549	PK
2	*	17475.000	47.939	41.114	-26.061	74.000	6.825	PK

Profile: 1842039R	Page No.: 26
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.310	41.762	-31.690	74.000	0.549	PK
2	*	17475.000	48.432	41.607	-25.568	74.000	6.825	PK

Profile: 1842039R	Page No.: 27
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.301	41.955	-32.699	74.000	-0.654	PK
2	*	15540.000	46.417	41.604	-27.583	74.000	4.813	PK

Profile: 1842039R	Page No.: 28
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.868	41.522	-33.132	74.000	-0.654	PK
2	*	15540.000	46.069	41.256	-27.931	74.000	4.813	PK

Profile: 1842039R	Page No.: 29
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.666	40.094	-34.334	74.000	-0.428	PK
2	*	15660.000	45.262	40.295	-28.738	74.000	4.968	PK

Profile: 1842039R	Page No.: 30
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.643	40.071	-34.357	74.000	-0.428	PK
2	*	15660.000	45.850	40.883	-28.150	74.000	4.968	PK

Profile: 1842039R	Page No.: 31
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.645	40.226	-34.355	74.000	-0.580	PK
2	*	15720.000	46.391	40.834	-27.609	74.000	5.557	PK

Profile: 1842039R	Page No.: 32
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.739	40.320	-34.261	74.000	-0.580	PK
2	*	15720.000	46.110	40.553	-27.890	74.000	5.557	PK

Profile: 1842039R	Page No.: 33
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.632	40.604	-33.368	74.000	0.028	PK
2	*	15780.000	47.165	40.334	-26.835	74.000	6.831	PK

Profile: 1842039R	Page No.: 34
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.670	40.642	-33.330	74.000	0.028	PK
2	*	15780.000	47.217	40.386	-26.783	74.000	6.831	PK

Profile: 1842039R	Page No.: 35
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.593	40.498	-33.407	74.000	0.094	PK
2	*	15900.000	47.712	40.698	-26.288	74.000	7.015	PK

Profile: 1842039R	Page No.: 36
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.689	40.594	-33.311	74.000	0.094	PK
2	*	15900.000	47.277	40.263	-26.723	74.000	7.015	PK

Profile: 1842039R	Page No.: 37
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.079	40.372	-33.921	74.000	-0.293	PK
2	*	15960.000	45.779	40.154	-28.221	74.000	5.625	PK

Profile: 1842039R	Page No.: 38
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.257	40.550	-33.743	74.000	-0.293	PK
2	*	15960.000	46.284	40.659	-27.716	74.000	5.625	PK

Profile: 1842039R	Page No.: 39
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.595	40.863	-33.405	74.000	-0.269	PK
2	*	16500.000	45.258	40.075	-28.742	74.000	5.183	PK

Profile: 1842039R	Page No.: 40
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.017	40.285	-33.983	74.000	-0.269	PK
2	*	16500.000	46.056	40.873	-27.944	74.000	5.183	PK

Profile: 1842039R	Page No.: 41
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.749	40.312	-33.251	74.000	0.437	PK
2	*	16740.000	46.385	40.670	-27.615	74.000	5.716	PK

Profile: 1842039R	Page No.: 42
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.936	40.499	-33.064	74.000	0.437	PK
2	*	16740.000	46.027	40.312	-27.973	74.000	5.716	PK

Profile: 1842039R	Page No.: 43
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.128	40.783	-32.872	74.000	0.346	PK
2	*	17100.000	46.877	40.549	-27.123	74.000	6.328	PK

Profile: 1842039R	Page No.: 44
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.392	40.047	-33.608	74.000	0.346	PK
2	*	17100.000	47.071	40.743	-26.929	74.000	6.328	PK

Profile: 1842039R	Page No.: 45
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.763	40.368	-33.237	74.000	0.394	PK
2	*	17160.000	46.781	40.520	-27.219	74.000	6.261	PK

Profile: 1842039R	Page No.: 46
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.695	40.300	-33.305	74.000	0.394	PK
2	*	17160.000	46.397	40.136	-27.603	74.000	6.261	PK

Profile: 1842039R	Page No.: 47
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.186	40.330	-33.814	74.000	-0.144	PK
2	*	17235.000	45.573	40.282	-28.427	74.000	5.291	PK

Profile: 1842039R	Page No.: 48
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.799	40.943	-33.201	74.000	-0.144	PK
2	*	17235.000	46.006	40.715	-27.994	74.000	5.291	PK

Profile: 1842039R	Page No.: 49
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.884	40.505	-33.116	74.000	0.379	PK
2	*	17355.000	46.555	40.634	-27.445	74.000	5.921	PK

Profile: 1842039R	Page No.: 50
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.475	40.096	-33.525	74.000	0.379	PK
2	*	17355.000	46.724	40.803	-27.276	74.000	5.921	PK

Profile: 1842039R	Page No.: 51
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.939	40.391	-33.061	74.000	0.549	PK
2	*	17475.000	47.447	40.622	-26.553	74.000	6.825	PK

Profile: 1842039R	Page No.: 52
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.373	40.825	-32.627	74.000	0.549	PK
2	*	17475.000	47.161	40.336	-26.839	74.000	6.825	PK

Profile: 1842039R	Page No.: 53
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.727	41.279	-33.273	74.000	-0.551	PK
2	*	15570.000	46.159	40.227	-27.841	74.000	5.931	PK

Profile: 1842039R	Page No.: 54
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.751	40.303	-34.249	74.000	-0.551	PK
2	*	15570.000	46.789	40.857	-27.211	74.000	5.931	PK

Profile: 1842039R	Page No.: 55
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.328	41.940	-32.672	74.000	-0.612	PK
2	*	15690.000	48.350	41.559	-25.650	74.000	6.791	PK

Profile: 1842039R	Page No.: 56
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.740	40.352	-34.260	74.000	-0.612	PK
2	*	15690.000	48.300	41.509	-25.700	74.000	6.791	PK

Profile: 1842039R	Page No.: 57
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.237	40.808	-33.763	74.000	-0.571	PK
2	*	15810.000	46.463	40.646	-27.537	74.000	5.818	PK

Profile: 1842039R	Page No.: 58
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.236	40.807	-33.764	74.000	-0.571	PK
2	*	15810.000	46.705	40.888	-27.295	74.000	5.818	PK

Profile: 1842039R	Page No.: 59
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.305	40.496	-33.695	74.000	-0.190	PK
2	*	15930.000	46.530	40.484	-27.470	74.000	6.047	PK

Profile: 1842039R	Page No.: 60
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.296	40.487	-33.704	74.000	-0.190	PK
2	*	15930.000	46.369	40.323	-27.631	74.000	6.047	PK

Profile: 1842039R	Page No.: 61
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.201	40.772	-32.799	74.000	0.429	PK
2	*	16530.000	46.899	40.850	-27.101	74.000	6.049	PK

Profile: 1842039R	Page No.: 62
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.279	40.850	-32.721	74.000	0.429	PK
2	*	16530.000	46.331	40.282	-27.669	74.000	6.049	PK

Profile: 1842039R	Page No.: 63
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.223	40.795	-32.777	74.000	0.429	PK
2	*	16650.000	47.185	40.631	-26.815	74.000	6.554	PK

Profile: 1842039R	Page No.: 64
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.970	40.542	-33.030	74.000	0.429	PK
2	*	16650.000	46.732	40.178	-27.268	74.000	6.554	PK

Profile: 1842039R	Page No.: 65
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.079	40.681	-32.921	74.000	0.397	PK
2	*	17010.000	46.041	40.019	-27.959	74.000	6.022	PK

Profile: 1842039R	Page No.: 66
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.007	40.609	-32.993	74.000	0.397	PK
2	*	17010.000	46.206	40.184	-27.794	74.000	6.022	PK

Profile: 1842039R	Page No.: 67
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.417	40.769	-32.583	74.000	0.647	PK
2	*	17130.000	45.397	40.257	-28.603	74.000	5.140	PK

Profile: 1842039R	Page No.: 68
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	40.817	40.169	-33.183	74.000	0.647	PK
2	*	17130.000	46.046	40.906	-27.954	74.000	5.140	PK

Profile: 1842039R	Page No.: 69
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.132	40.811	-32.868	74.000	0.321	PK
2	*	17265.000	47.778	40.668	-26.222	74.000	7.110	PK

Profile: 1842039R	Page No.: 70
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.681	40.360	-33.319	74.000	0.321	PK
2	*	17265.000	47.118	40.008	-26.882	74.000	7.110	PK

Profile: 1842039R	Page No.: 71
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.163	40.969	-31.837	74.000	1.193	PK
2	*	17385.000	47.626	40.602	-26.374	74.000	7.024	PK

Profile: 1842039R	Page No.: 72
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.464	40.270	-32.536	74.000	1.193	PK
2	*	17385.000	47.176	40.152	-26.824	74.000	7.024	PK

Profile: 1842039R	Page No.: 73
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.158	40.812	-33.842	74.000	-0.654	PK
2	*	15540.000	45.667	40.854	-28.333	74.000	4.813	PK

Profile: 1842039R	Page No.: 74
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.448	40.102	-34.552	74.000	-0.654	PK
2	*	15540.000	45.445	40.632	-28.555	74.000	4.813	PK

Profile: 1842039R	Page No.: 75
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.568	40.996	-33.432	74.000	-0.428	PK
2	*	15660.000	45.839	40.872	-28.161	74.000	4.968	PK

Profile: 1842039R	Page No.: 76
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.005	40.433	-33.995	74.000	-0.428	PK
2	*	15540.000	45.385	40.572	-28.615	74.000	4.813	PK

Profile: 1842039R	Page No.: 77
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.974	40.555	-34.026	74.000	-0.580	PK
2	*	15720.000	46.542	40.985	-27.458	74.000	5.557	PK

Profile: 1842039R	Page No.: 78
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.057	40.638	-33.943	74.000	-0.580	PK
2	*	15720.000	45.594	40.037	-28.406	74.000	5.557	PK

Profile: 1842039R	Page No.: 79
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.065	40.037	-33.935	74.000	0.028	PK
2	*	15780.000	47.623	40.792	-26.377	74.000	6.831	PK

Profile: 1842039R	Page No.: 80
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.758	40.730	-33.242	74.000	0.028	PK
2	*	15780.000	47.194	40.363	-26.806	74.000	6.831	PK

Profile: 1842039R	Page No.: 81
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.974	40.879	-33.026	74.000	0.094	PK
2	*	15900.000	47.050	40.036	-26.950	74.000	7.015	PK

Profile: 1842039R	Page No.: 82
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.044	40.949	-32.956	74.000	0.094	PK
2	*	15900.000	47.915	40.901	-26.085	74.000	7.015	PK

Profile: 1842039R	Page No.: 83
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.509	40.802	-33.491	74.000	-0.293	PK
2	*	15960.000	45.741	40.116	-28.259	74.000	5.625	PK

Profile: 1842039R	Page No.: 84
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.341	40.634	-33.659	74.000	-0.293	PK
2	*	15960.000	45.782	40.157	-28.218	74.000	5.625	PK

Profile: 1842039R	Page No.: 85
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.787	40.055	-34.213	74.000	-0.269	PK
2	*	16500.000	45.245	40.062	-28.755	74.000	5.183	PK

Profile: 1842039R	Page No.: 86
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.144	40.412	-33.856	74.000	-0.269	PK
2	*	16500.000	45.554	40.371	-28.446	74.000	5.183	PK

Profile: 1842039R	Page No.: 87
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.477	40.040	-33.523	74.000	0.437	PK
2	*	16740.000	46.539	40.824	-27.461	74.000	5.716	PK

Profile: 1842039R	Page No.: 88
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.833	40.396	-33.167	74.000	0.437	PK
2	*	16740.000	46.545	40.830	-27.455	74.000	5.716	PK

Profile: 1842039R	Page No.: 89
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.049	40.704	-32.951	74.000	0.346	PK
2	*	17100.000	47.233	40.905	-26.767	74.000	6.328	PK

Profile: 1842039R	Page No.: 90
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.433	40.088	-33.567	74.000	0.346	PK
2	*	17100.000	47.083	40.755	-26.917	74.000	6.328	PK

Profile: 1842039R	Page No.: 91
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.070	40.675	-32.930	74.000	0.394	PK
2	*	17160.000	47.008	40.747	-26.992	74.000	6.261	PK

Profile: 1842039R	Page No.: 92
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.244	40.849	-32.756	74.000	0.394	PK
2	*	17160.000	46.606	40.345	-27.394	74.000	6.261	PK

Profile: 1842039R	Page No.: 93
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.142	40.286	-33.858	74.000	-0.144	PK
2	*	17235.000	45.541	40.250	-28.459	74.000	5.291	PK

Profile: 1842039R	Page No.: 94
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.825	40.969	-33.175	74.000	-0.144	PK
2	*	17235.000	45.884	40.593	-28.116	74.000	5.291	PK

Profile: 1842039R	Page No.: 95
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.385	40.006	-33.615	74.000	0.379	PK
2	*	17355.000	46.061	40.140	-27.939	74.000	5.921	PK

Profile: 1842039R	Page No.: 96
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.528	40.149	-33.472	74.000	0.379	PK
2	*	17355.000	46.030	40.109	-27.970	74.000	5.921	PK

Profile: 1842039R	Page No.: 97
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.130	40.582	-32.870	74.000	0.549	PK
2	*	17475.000	47.347	40.522	-26.653	74.000	6.825	PK

Profile: 1842039R	Page No.: 98
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.813	40.265	-33.187	74.000	0.549	PK
2	*	17475.000	47.204	40.379	-26.796	74.000	6.825	PK

Profile: 1842039R	Page No.: 99
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.749	40.301	-34.251	74.000	-0.551	PK
2	*	15570.000	45.940	40.008	-28.060	74.000	5.931	PK

Profile: 1842039R	Page No.: 100
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.434	40.986	-33.566	74.000	-0.551	PK
2	*	15570.000	46.130	40.198	-27.870	74.000	5.931	PK

Profile: 1842039R	Page No.: 101
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.508	40.120	-34.492	74.000	-0.612	PK
2	*	15690.000	47.187	40.396	-26.813	74.000	6.791	PK

Profile: 1842039R	Page No.: 102
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.457	40.069	-34.543	74.000	-0.612	PK
2	*	15690.000	47.256	40.465	-26.744	74.000	6.791	PK

Profile: 1842039R	Page No.: 103
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.661	40.232	-34.339	74.000	-0.571	PK
2	*	15810.000	45.874	40.057	-28.126	74.000	5.818	PK

Profile: 1842039R	Page No.: 104
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.412	40.983	-33.588	74.000	-0.571	PK
2	*	15810.000	46.788	40.971	-27.212	74.000	5.818	PK

Profile: 1842039R	Page No.: 105
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.918	40.109	-34.082	74.000	-0.190	PK
2	*	15930.000	46.957	40.911	-27.043	74.000	6.047	PK

Profile: 1842039R	Page No.: 106
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.665	40.856	-33.335	74.000	-0.190	PK
2	*	15930.000	46.567	40.521	-27.433	74.000	6.047	PK

Profile: 1842039R	Page No.: 107
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.359	40.930	-32.641	74.000	0.429	PK
2	*	16530.000	46.545	40.496	-27.455	74.000	6.049	PK

Profile: 1842039R	Page No.: 108
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.368	40.939	-32.632	74.000	0.429	PK
2	*	16530.000	47.017	40.968	-26.983	74.000	6.049	PK

Profile: 1842039R	Page No.: 109
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.869	40.441	-33.131	74.000	0.429	PK
2	*	16650.000	46.752	40.198	-27.248	74.000	6.554	PK

Profile: 1842039R	Page No.: 110
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.649	40.221	-33.351	74.000	0.429	PK
2	*	16650.000	47.221	40.667	-26.779	74.000	6.554	PK

Profile: 1842039R	Page No.: 111
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.366	40.968	-32.634	74.000	0.397	PK
2	*	17010.000	46.289	40.267	-27.711	74.000	6.022	PK

Profile: 1842039R	Page No.: 112
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.768	40.370	-33.232	74.000	0.397	PK
2	*	17010.000	46.187	40.165	-27.813	74.000	6.022	PK

Profile: 1842039R	Page No.: 113
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.350	40.702	-32.650	74.000	0.647	PK
2	*	17130.000	45.565	40.425	-28.435	74.000	5.140	PK

Profile: 1842039R	Page No.: 114
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.589	40.941	-32.411	74.000	0.647	PK
2	*	17130.000	45.222	40.082	-28.778	74.000	5.140	PK

Profile: 1842039R	Page No.: 115
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.724	40.403	-33.276	74.000	0.321	PK
2	*	17265.000	47.260	40.150	-26.740	74.000	7.110	PK

Profile: 1842039R	Page No.: 116
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.848	40.527	-33.152	74.000	0.321	PK
2	*	17265.000	47.716	40.606	-26.284	74.000	7.110	PK

Profile: 1842039R	Page No.: 117
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.085	40.891	-31.915	74.000	1.193	PK
2	*	17385.000	47.443	40.419	-26.557	74.000	7.024	PK

Profile: 1842039R	Page No.: 118
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.226	40.032	-32.774	74.000	1.193	PK
2	*	17385.000	47.149	40.125	-26.851	74.000	7.024	PK

Profile: 1842039R	Page No.: 119
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.340	40.514	-34.660	74.000	-1.174	PK
2	*	15630.000	46.456	40.769	-27.544	74.000	5.688	PK

Profile: 1842039R	Page No.: 120
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.964	40.138	-35.036	74.000	-1.174	PK
2	*	15630.000	46.586	40.899	-27.414	74.000	5.688	PK

Profile: 1842039R	Page No.: 121
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.595	40.344	-34.405	74.000	-0.749	PK
2	*	15870.000	45.679	40.004	-28.321	74.000	5.676	PK

Profile: 1842039R	Page No.: 122
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.002	40.751	-33.998	74.000	-0.749	PK
2	*	15870.000	45.860	40.185	-28.140	74.000	5.676	PK

Profile: 1842039R	Page No.: 123
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.903	40.723	-33.097	74.000	0.180	PK
2	*	16590.000	46.352	40.346	-27.648	74.000	6.006	PK

Profile: 1842039R	Page No.: 124
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.903	40.723	-33.097	74.000	0.180	PK
2	*	16590.000	46.352	40.346	-27.648	74.000	6.006	PK

Profile: 1842039R	Page No.: 125
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	40.492	40.095	-33.508	74.000	0.397	PK
2	*	17070.000	47.285	40.769	-26.715	74.000	6.516	PK

Profile: 1842039R	Page No.: 126
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	40.552	40.155	-33.448	74.000	0.397	PK
2	*	17070.000	46.842	40.326	-27.158	74.000	6.516	PK

Profile: 1842039R	Page No.: 127
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.623	40.489	-33.377	74.000	0.134	PK
2	*	17325.000	45.951	40.406	-28.049	74.000	5.545	PK

Profile: 1842039R	Page No.: 128
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.653	40.519	-33.347	74.000	0.134	PK
2	*	17325.000	45.982	40.437	-28.018	74.000	5.545	PK

Profile: 1842039R	Page No.: 129
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.656	40.310	-34.344	74.000	-0.654	PK
2	*	15540.000	45.481	40.668	-28.519	74.000	4.813	PK

Profile: 1842039R	Page No.: 130
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.289	40.943	-33.711	74.000	-0.654	PK
2	*	15540.000	45.457	40.644	-28.543	74.000	4.813	PK

Profile: 1842039R	Page No.: 131
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.604	40.032	-34.396	74.000	-0.428	PK
2	*	15660.000	45.535	40.568	-28.465	74.000	4.968	PK

Profile: 1842039R	Page No.: 132
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.585	40.013	-34.415	74.000	-0.428	PK
2	*	15660.000	45.584	40.617	-28.416	74.000	4.968	PK

Profile: 1842039R	Page No.: 133
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.757	40.338	-34.243	74.000	-0.580	PK
2	*	15720.000	46.326	40.769	-27.674	74.000	5.557	PK

Profile: 1842039R	Page No.: 134
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.188	40.769	-33.812	74.000	-0.580	PK
2	*	15720.000	45.649	40.092	-28.351	74.000	5.557	PK

Profile: 1842039R	Page No.: 135
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.904	40.876	-33.096	74.000	0.028	PK
2	*	15780.000	47.637	40.806	-26.363	74.000	6.831	PK

Profile: 1842039R	Page No.: 136
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.537	40.509	-33.463	74.000	0.028	PK
2	*	15780.000	47.031	40.200	-26.969	74.000	6.831	PK

Profile: 1842039R	Page No.: 137
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.619	40.524	-33.381	74.000	0.094	PK
2	*	15900.000	47.092	40.078	-26.908	74.000	7.015	PK

Profile: 1842039R	Page No.: 138
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.208	40.113	-33.792	74.000	0.094	PK
2	*	15900.000	47.210	40.196	-26.790	74.000	7.015	PK

Profile: 1842039R	Page No.: 139
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.920	40.213	-34.080	74.000	-0.293	PK
2	*	15960.000	46.179	40.554	-27.821	74.000	5.625	PK

Profile: 1842039R	Page No.: 140
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.704	40.997	-33.296	74.000	-0.293	PK
2	*	15960.000	46.446	40.821	-27.554	74.000	5.625	PK

Profile: 1842039R	Page No.: 141
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.014	40.668	-33.986	74.000	-0.654	PK
2	*	15540.000	45.797	40.984	-28.203	74.000	4.813	PK

Profile: 1842039R	Page No.: 142
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5180MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.251	40.905	-33.749	74.000	-0.654	PK
2	*	15540.000	44.878	40.065	-29.122	74.000	4.813	PK

Profile: 1842039R	Page No.: 143
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5220MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.510	40.938	-33.490	74.000	-0.428	PK
2	*	15660.000	45.032	40.065	-28.968	74.000	4.968	PK

Profile: 1842039R	Page No.: 144
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5220MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.216	40.644	-33.784	74.000	-0.428	PK
2	*	15660.000	45.700	40.733	-28.300	74.000	4.968	PK

Profile: 1842039R	Page No.: 145
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5240MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.174	40.755	-33.826	74.000	-0.580	PK
2	*	15720.000	46.415	40.858	-27.585	74.000	5.557	PK

Profile: 1842039R	Page No.: 146
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5240MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.784	40.365	-34.216	74.000	-0.580	PK
2	*	15720.000	45.902	40.345	-28.098	74.000	5.557	PK

Profile: 1842039R	Page No.: 147
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5260MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.227	40.199	-33.773	74.000	0.028	PK
2	*	15780.000	47.798	40.967	-26.202	74.000	6.831	PK

Profile: 1842039R	Page No.: 148
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5260MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.696	40.668	-33.304	74.000	0.028	PK
2	*	15780.000	46.891	40.060	-27.109	74.000	6.831	PK

Profile: 1842039R	Page No.: 149
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5300MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.723	40.628	-33.277	74.000	0.094	PK
2	*	15900.000	47.693	40.679	-26.307	74.000	7.015	PK

Profile: 1842039R	Page No.: 150
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5300MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.218	40.123	-33.782	74.000	0.094	PK
2	*	15900.000	47.563	40.549	-26.437	74.000	7.015	PK

Profile: 1842039R	Page No.: 151
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.645	40.938	-33.355	74.000	-0.293	PK
2	*	15960.000	45.819	40.194	-28.181	74.000	5.625	PK

Profile: 1842039R	Page No.: 152
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11N20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.486	40.779	-33.514	74.000	-0.293	PK
2	*	15960.000	46.159	40.534	-27.841	74.000	5.625	PK

Profile: 1842039R	Page No.: 153
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5190MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.568	40.120	-34.432	74.000	-0.551	PK
2	*	15570.000	46.325	40.393	-27.675	74.000	5.931	PK

Profile: 1842039R	Page No.: 154
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5190MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.149	40.701	-33.851	74.000	-0.551	PK
2	*	15570.000	46.528	40.596	-27.472	74.000	5.931	PK

Profile: 1842039R	Page No.: 155
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5230MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.397	40.009	-34.603	74.000	-0.612	PK
2	*	15690.000	47.325	40.534	-26.675	74.000	6.791	PK

Profile: 1842039R	Page No.: 156
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5230MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.369	40.981	-33.631	74.000	-0.612	PK
2	*	15690.000	47.539	40.748	-26.461	74.000	6.791	PK

Profile: 1842039R	Page No.: 157
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5270MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.796	40.367	-34.204	74.000	-0.571	PK
2	*	15810.000	46.425	40.608	-27.575	74.000	5.818	PK

Profile: 1842039R	Page No.: 158
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5270MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.554	40.125	-34.446	74.000	-0.571	PK
2	*	15810.000	46.524	40.707	-27.476	74.000	5.818	PK

Profile: 1842039R	Page No.: 159
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5310MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.008	40.199	-33.992	74.000	-0.190	PK
2	*	15930.000	46.497	40.451	-27.503	74.000	6.047	PK

Profile: 1842039R	Page No.: 160
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5310MHz by 802.11N40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.418	40.609	-33.582	74.000	-0.190	PK
2	*	15930.000	46.652	40.606	-27.348	74.000	6.047	PK

Profile: 1842039R	Page No.: 161
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5180MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.561	40.215	-34.439	74.000	-0.654	PK
2	*	15540.000	45.724	40.911	-28.276	74.000	4.813	PK

Profile: 1842039R	Page No.: 162
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5180MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.359	40.013	-34.641	74.000	-0.654	PK
2	*	15540.000	45.039	40.226	-28.961	74.000	4.813	PK

Profile: 1842039R	Page No.: 163
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5220MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.233	40.661	-33.767	74.000	-0.428	PK
2	*	15560.000	46.369	40.768	-27.631	74.000	5.601	PK

Profile: 1842039R	Page No.: 164
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5220MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.559	40.987	-33.441	74.000	-0.428	PK
2	*	15660.000	45.171	40.204	-28.829	74.000	4.968	PK

Profile: 1842039R	Page No.: 165
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5240MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.076	40.657	-33.924	74.000	-0.580	PK
2	*	15720.000	45.800	40.243	-28.200	74.000	5.557	PK

Profile: 1842039R	Page No.: 166
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5240MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.762	40.343	-34.238	74.000	-0.580	PK
2	*	15720.000	45.698	40.141	-28.302	74.000	5.557	PK

Profile: 1842039R	Page No.: 167
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5260MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.153	40.125	-33.847	74.000	0.028	PK
2	*	15780.000	47.402	40.571	-26.598	74.000	6.831	PK

Profile: 1842039R	Page No.: 168
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5260MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.958	40.930	-33.042	74.000	0.028	PK
2	*	15780.000	46.881	40.050	-27.119	74.000	6.831	PK

Profile: 1842039R	Page No.: 169
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5300MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.855	40.760	-33.145	74.000	0.094	PK
2	*	15900.000	47.756	40.742	-26.244	74.000	7.015	PK

Profile: 1842039R	Page No.: 170
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5300MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.103	40.008	-33.897	74.000	0.094	PK
2	*	15900.000	47.203	40.189	-26.797	74.000	7.015	PK

Profile: 1842039R	Page No.: 171
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5320MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.999	40.292	-34.001	74.000	-0.293	PK
2	*	15960.000	45.801	40.176	-28.199	74.000	5.625	PK

Profile: 1842039R	Page No.: 172
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5320MHz by 802.11AC20 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.448	40.741	-33.552	74.000	-0.293	PK
2	*	15960.000	45.718	40.093	-28.282	74.000	5.625	PK

Profile: 1842039R	Page No.: 173
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5190MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.386	40.938	-33.614	74.000	-0.551	PK
2	*	15570.000	46.809	40.877	-27.191	74.000	5.931	PK

Profile: 1842039R	Page No.: 174
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5190MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.374	40.926	-33.626	74.000	-0.551	PK
2	*	15570.000	46.413	40.481	-27.587	74.000	5.931	PK

Profile: 1842039R	Page No.: 175
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5230MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.971	40.583	-34.029	74.000	-0.612	PK
2	*	15690.000	46.991	40.200	-27.009	74.000	6.791	PK

Profile: 1842039R	Page No.: 176
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5230MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.516	40.128	-34.484	74.000	-0.612	PK
2	*	15690.000	46.930	40.139	-27.070	74.000	6.791	PK

Profile: 1842039R	Page No.: 177
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5270MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.579	40.150	-34.421	74.000	-0.571	PK
2	*	15810.000	46.425	40.608	-27.575	74.000	5.818	PK

Profile: 1842039R	Page No.: 178
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5270MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.657	40.228	-34.343	74.000	-0.571	PK
2	*	15810.000	46.055	40.238	-27.945	74.000	5.818	PK

Profile: 1842039R	Page No.: 179
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5310MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.257	40.448	-33.743	74.000	-0.190	PK
2	*	15960.000	45.980	40.355	-28.020	74.000	5.625	PK

Profile: 1842039R	Page No.: 180
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5310MHz by 802.11AC40 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.712	40.903	-33.288	74.000	-0.190	PK
2	*	15930.000	46.648	40.602	-27.352	74.000	6.047	PK

Profile: 1842039R	Page No.: 181
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 12:Transmit at 5210MHz by 802.11AC80 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.081	40.255	-34.919	74.000	-1.174	PK
2	*	15630.000	46.612	40.925	-27.388	74.000	5.688	PK

Profile: 1842039R	Page No.: 182
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 12:Transmit at 5210MHz by 802.11AC80 (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.381	40.555	-34.619	74.000	-1.174	PK
2	*	15630.000	46.341	40.654	-27.659	74.000	5.688	PK

Profile: 1842039R	Page No.: 183
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 12:Transmit at 5290MHz by 802.11AC80 (eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.423	40.172	-34.577	74.000	-0.749	PK
2	*	15870.000	46.064	40.389	-27.936	74.000	5.676	PK

Profile: 1842039R	Page No.: 184
Engineer: Eric	
Site:AC5	Time: 2018/07/30 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 12:Transmit at 5290MHz by 802.11AC80 (eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.298	40.047	-34.702	74.000	-0.749	PK
2	*	15870.000	45.710	40.035	-28.290	74.000	5.676	PK