



Profile: 1842039	Page No.: 1
Engineer: Pawn	
Site: ACG	Time: 2018/07/30 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.481	40.135	-34.519	74.000	-0.654	PK
2	*	15540.000	44.999	40.186	-29.001	74.000	4.813	PK

Profile: 1842039	Page No.: 2
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.735	40.389	-34.265	74.000	-0.654	PK
2	*	15540.000	45.247	40.434	-28.753	74.000	4.813	PK

Profile: 1842039	Page No.: 3
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.268	40.696	-33.732	74.000	-0.428	PK
2	*	15660.000	45.727	40.760	-28.273	74.000	4.968	PK

Profile: 1842039	Page No.: 4
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.785	40.213	-34.215	74.000	-0.428	PK
2	*	15660.000	45.925	40.958	-28.075	74.000	4.968	PK

Profile: 1842039	Page No.: 5
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.032	40.613	-33.968	74.000	-0.580	PK
2	*	15720.000	46.003	40.446	-27.997	74.000	5.557	PK

Profile: 1842039	Page No.: 6
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.919	40.500	-34.081	74.000	-0.580	PK
2	*	15720.000	46.266	40.709	-27.734	74.000	5.557	PK

Profile: 1842039	Page No.: 7
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.041	40.013	-33.959	74.000	0.028	PK
2	*	15780.000	47.599	40.768	-26.401	74.000	6.831	PK

Profile: 1842039	Page No.: 8
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.536	40.508	-33.464	74.000	0.028	PK
2	*	15780.000	46.921	40.090	-27.079	74.000	6.831	PK

Profile: 1842039	Page No.: 9
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.805	40.710	-33.195	74.000	0.094	PK
2	*	15900.000	47.175	40.161	-26.825	74.000	7.015	PK

Profile: 1842039	Page No.: 10
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.605	40.510	-33.395	74.000	0.094	PK
2	*	15900.000	47.755	40.741	-26.245	74.000	7.015	PK

Profile: 1842039	Page No.: 11
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.610	40.903	-33.390	74.000	-0.293	PK
2	*	15960.000	46.585	40.960	-27.415	74.000	5.625	PK

Profile: 1842039	Page No.: 12
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.534	40.827	-33.466	74.000	-0.293	PK
2	*	15960.000	46.610	40.985	-27.390	74.000	5.625	PK

Profile: 1842039	Page No.: 13
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.630	40.898	-33.370	74.000	-0.269	PK
2	*	16500.000	45.454	40.271	-28.546	74.000	5.183	PK

Profile: 1842039	Page No.: 14
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.107	40.375	-33.893	74.000	-0.269	PK
2	*	16500.000	45.440	40.257	-28.560	74.000	5.183	PK

Profile: 1842039	Page No.: 15
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.978	40.541	-33.022	74.000	0.437	PK
2	*	16740.000	46.347	40.632	-27.653	74.000	5.716	PK

Profile: 1842039	Page No.: 16
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.481	40.044	-33.519	74.000	0.437	PK
2	*	16740.000	46.195	40.480	-27.805	74.000	5.716	PK

Profile: 1842039	Page No.: 17
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.865	40.520	-33.135	74.000	0.346	PK
2	*	17100.000	47.226	40.898	-26.774	74.000	6.328	PK

Profile: 1842039	Page No.: 18
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.787	40.442	-33.213	74.000	0.346	PK
2	*	17100.000	46.655	40.327	-27.345	74.000	6.328	PK

Profile: 1842039	Page No.: 19
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.771	40.376	-33.229	74.000	0.394	PK
2	*	17160.000	46.788	40.527	-27.212	74.000	6.261	PK

Profile: 1842039	Page No.: 20
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.505	40.110	-33.495	74.000	0.394	PK
2	*	17160.000	46.392	40.131	-27.608	74.000	6.261	PK

Profile: 1842039	Page No.: 21
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.233	40.377	-33.767	74.000	-0.144	PK
2	*	17235.000	45.448	40.157	-28.552	74.000	5.291	PK

Profile: 1842039	Page No.: 22
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.352	40.496	-33.648	74.000	-0.144	PK
2	*	17235.000	46.011	40.720	-27.989	74.000	5.291	PK

Profile: 1842039	Page No.: 23
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.292	40.913	-32.708	74.000	0.379	PK
2	*	17355.000	45.937	40.016	-28.063	74.000	5.921	PK

Profile: 1842039	Page No.: 24
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.653	40.274	-33.347	74.000	0.379	PK
2	*	17355.000	46.920	40.999	-27.080	74.000	5.921	PK

Profile: 1842039	Page No.: 25
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.379	40.831	-32.621	74.000	0.549	PK
2	*	17475.000	47.251	40.426	-26.749	74.000	6.825	PK

Profile: 1842039	Page No.: 26
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.919	40.371	-33.081	74.000	0.549	PK
2	*	17475.000	47.201	40.376	-26.799	74.000	6.825	PK

Profile: 1842039	Page No.: 27
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.370	40.024	-34.630	74.000	-0.654	PK
2	*	15540.000	44.895	40.082	-29.105	74.000	4.813	PK

Profile: 1842039	Page No.: 28
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.579	40.233	-34.421	74.000	-0.654	PK
2	*	15540.000	44.959	40.146	-29.041	74.000	4.813	PK

Profile: 1842039	Page No.: 29
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.114	40.542	-33.886	74.000	-0.428	PK
2	*	15660.000	45.108	40.141	-28.892	74.000	4.968	PK

Profile: 1842039	Page No.: 30
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.479	40.907	-33.521	74.000	-0.428	PK
2	*	15660.000	45.263	40.296	-28.737	74.000	4.968	PK

Profile: 1842039	Page No.: 31
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.263	40.844	-33.737	74.000	-0.580	PK
2	*	15720.000	46.057	40.500	-27.943	74.000	5.557	PK

Profile: 1842039	Page No.: 32
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.429	40.010	-34.571	74.000	-0.580	PK
2	*	15720.000	46.054	40.497	-27.946	74.000	5.557	PK

Profile: 1842039	Page No.: 33
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.596	40.568	-33.404	74.000	0.028	PK
2	*	15780.000	47.683	40.852	-26.317	74.000	6.831	PK

Profile: 1842039	Page No.: 34
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.257	40.229	-33.743	74.000	0.028	PK
2	*	15780.000	47.462	40.631	-26.538	74.000	6.831	PK

Profile: 1842039	Page No.: 35
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.403	40.308	-33.597	74.000	0.094	PK
2	*	15900.000	47.157	40.143	-26.843	74.000	7.015	PK

Profile: 1842039	Page No.: 36
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.430	40.335	-33.570	74.000	0.094	PK
2	*	15900.000	47.264	40.250	-26.736	74.000	7.015	PK

Profile: 1842039	Page No.: 37
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.551	40.844	-33.449	74.000	-0.293	PK
2	*	15960.000	46.441	40.816	-27.559	74.000	5.625	PK

Profile: 1842039	Page No.: 38
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.848	40.141	-34.152	74.000	-0.293	PK
2	*	15960.000	46.361	40.736	-27.639	74.000	5.625	PK

Profile: 1842039	Page No.: 39
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.856	40.124	-34.144	74.000	-0.269	PK
2	*	16500.000	45.718	40.535	-28.282	74.000	5.183	PK

Profile: 1842039	Page No.: 40
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.746	40.014	-34.254	74.000	-0.269	PK
2	*	16500.000	45.354	40.171	-28.646	74.000	5.183	PK

Profile: 1842039	Page No.: 41
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.337	40.900	-32.663	74.000	0.437	PK
2	*	16740.000	45.779	40.064	-28.221	74.000	5.716	PK

Profile: 1842039	Page No.: 42
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.153	40.716	-32.847	74.000	0.437	PK
2	*	16740.000	46.698	40.983	-27.302	74.000	5.716	PK

Profile: 1842039	Page No.: 43
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.163	40.818	-32.837	74.000	0.346	PK
2	*	17100.000	47.003	40.675	-26.997	74.000	6.328	PK

Profile: 1842039	Page No.: 44
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.603	40.258	-33.397	74.000	0.346	PK
2	*	17100.000	47.016	40.688	-26.984	74.000	6.328	PK

Profile: 1842039	Page No.: 45
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.593	40.198	-33.407	74.000	0.394	PK
2	*	17160.000	47.217	40.956	-26.783	74.000	6.261	PK

Profile: 1842039	Page No.: 46
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.554	40.159	-33.446	74.000	0.394	PK
2	*	17160.000	46.418	40.157	-27.582	74.000	6.261	PK

Profile: 1842039	Page No.: 47
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.204	40.348	-33.796	74.000	-0.144	PK
2	*	17235.000	46.178	40.887	-27.822	74.000	5.291	PK

Profile: 1842039	Page No.: 48
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.659	40.803	-33.341	74.000	-0.144	PK
2	*	17235.000	45.618	40.327	-28.382	74.000	5.291	PK

Profile: 1842039	Page No.: 49
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.731	40.352	-33.269	74.000	0.379	PK
2	*	17355.000	46.400	40.479	-27.600	74.000	5.921	PK

Profile: 1842039	Page No.: 50
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.027	40.648	-32.973	74.000	0.379	PK
2	*	17355.000	46.292	40.371	-27.708	74.000	5.921	PK

Profile: 1842039	Page No.: 51
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.409	40.861	-32.591	74.000	0.549	PK
2	*	17475.000	47.012	40.187	-26.988	74.000	6.825	PK

Profile: 1842039	Page No.: 52
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.517	40.969	-32.483	74.000	0.549	PK
2	*	17475.000	47.760	40.935	-26.240	74.000	6.825	PK

Profile: 1842039	Page No.: 53
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.776	40.328	-34.224	74.000	-0.551	PK
2	*	15570.000	46.156	40.224	-27.844	74.000	5.931	PK

Profile: 1842039	Page No.: 54
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.326	40.878	-33.674	74.000	-0.551	PK
2	*	15570.000	46.739	40.807	-27.261	74.000	5.931	PK

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.406	40.018	-34.594	74.000	-0.612	PK
2	*	15690.000	46.965	40.174	-27.035	74.000	6.791	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.499	40.111	-34.501	74.000	-0.612	PK
2	*	15690.000	47.310	40.519	-26.690	74.000	6.791	PK

Profile: 1842039	Page No.: 57
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.630	40.201	-34.370	74.000	-0.571	PK
2	*	15810.000	46.602	40.785	-27.398	74.000	5.818	PK

Profile: 1842039	Page No.: 58
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.556	40.127	-34.444	74.000	-0.571	PK
2	*	15690.000	46.947	40.156	-27.053	74.000	6.791	PK

Profile: 1842039	Page No.: 59
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.465	41.656	-32.535	74.000	-0.190	PK
2	*	15930.000	47.070	41.024	-26.930	74.000	6.047	PK

Profile: 1842039	Page No.: 60
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.359	41.550	-32.641	74.000	-0.190	PK
2	*	15930.000	47.341	41.295	-26.659	74.000	6.047	PK

Profile: 1842039	Page No.: 61
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.599	41.170	-32.401	74.000	0.429	PK
2	*	16530.000	47.445	41.396	-26.555	74.000	6.049	PK

Profile: 1842039	Page No.: 62
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.305	41.876	-31.695	74.000	0.429	PK
2	*	16530.000	47.410	41.361	-26.590	74.000	6.049	PK

Profile: 1842039	Page No.: 63
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.423	41.995	-31.577	74.000	0.429	PK
2	*	16650.000	48.239	41.685	-25.761	74.000	6.554	PK

Profile: 1842039	Page No.: 64
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.649	41.221	-32.351	74.000	0.429	PK
2	*	16650.000	48.320	41.766	-25.680	74.000	6.554	PK

Profile: 1842039	Page No.: 65
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.667	41.269	-32.333	74.000	0.397	PK
2	*	17010.000	47.106	41.084	-26.894	74.000	6.022	PK

Profile: 1842039	Page No.: 66
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.532	41.134	-32.468	74.000	0.397	PK
2	*	17010.000	47.550	41.528	-26.450	74.000	6.022	PK

Profile: 1842039	Page No.: 67
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.278	41.630	-31.722	74.000	0.647	PK
2	*	17130.000	46.439	41.299	-27.561	74.000	5.140	PK

Profile: 1842039	Page No.: 68
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.541	41.893	-31.459	74.000	0.647	PK
2	*	17130.000	46.195	41.055	-27.805	74.000	5.140	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.527	41.206	-32.473	74.000	0.321	PK
2	*	17265.000	48.283	41.173	-25.717	74.000	7.110	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.303	41.982	-31.697	74.000	0.321	PK
2	*	17265.000	48.206	41.096	-25.794	74.000	7.110	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.580	41.386	-31.420	74.000	1.193	PK
2	*	17385.000	48.524	41.500	-25.476	74.000	7.024	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.498	41.304	-31.502	74.000	1.193	PK
2	*	17385.000	48.558	41.534	-25.442	74.000	7.024	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.385	41.039	-33.615	74.000	-0.654	PK
2	*	15540.000	46.783	41.970	-27.217	74.000	4.813	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.442	41.096	-33.558	74.000	-0.654	PK
2	*	15540.000	46.812	41.999	-27.188	74.000	4.813	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.959	41.387	-33.041	74.000	-0.428	PK
2	*	15660.000	46.562	41.595	-27.438	74.000	4.968	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.756	41.184	-33.244	74.000	-0.428	PK
2	*	15660.000	46.363	41.396	-27.637	74.000	4.968	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.200	41.781	-32.800	74.000	-0.580	PK
2	*	15720.000	46.700	41.143	-27.300	74.000	5.557	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.017	41.598	-32.983	74.000	-0.580	PK
2	*	15720.000	47.554	41.997	-26.446	74.000	5.557	PK

Profile: 1842039	Page No.: 79
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.698	41.670	-32.302	74.000	0.028	PK
2	*	15780.000	48.380	41.549	-25.620	74.000	6.831	PK

Profile: 1842039	Page No.: 80
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.165	41.137	-32.835	74.000	0.028	PK
2	*	15780.000	48.218	41.387	-25.782	74.000	6.831	PK

Profile: 1842039	Page No.: 81
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.390	41.295	-32.610	74.000	0.094	PK
2	*	15900.000	48.801	41.787	-25.199	74.000	7.015	PK

Profile: 1842039	Page No.: 82
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.511	41.416	-32.489	74.000	0.094	PK
2	*	15900.000	48.256	41.242	-25.744	74.000	7.015	PK

Profile: 1842039	Page No.: 83
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.609	41.902	-32.391	74.000	-0.293	PK
2	*	15960.000	47.609	41.984	-26.391	74.000	5.625	PK

Profile: 1842039	Page No.: 84
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.444	41.737	-32.556	74.000	-0.293	PK
2	*	15960.000	47.357	41.732	-26.643	74.000	5.625	PK

Profile: 1842039	Page No.: 85
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.218	41.486	-32.782	74.000	-0.269	PK
2	*	16500.000	46.491	41.308	-27.509	74.000	5.183	PK

Profile: 1842039	Page No.: 86
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.297	41.565	-32.703	74.000	-0.269	PK
2	*	16500.000	46.799	41.616	-27.201	74.000	5.183	PK

Profile: 1842039	Page No.: 87
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.455	41.018	-32.545	74.000	0.437	PK
2	*	16740.000	47.261	41.546	-26.739	74.000	5.716	PK

Profile: 1842039	Page No.: 88
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.234	41.797	-31.766	74.000	0.437	PK
2	*	16740.000	46.784	41.069	-27.216	74.000	5.716	PK

Profile: 1842039	Page No.: 89
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.466	41.121	-32.534	74.000	0.346	PK
2	*	17100.000	48.257	41.929	-25.743	74.000	6.328	PK

Profile: 1842039	Page No.: 90
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.761	41.416	-32.239	74.000	0.346	PK
2	*	17100.000	48.163	41.835	-25.837	74.000	6.328	PK

Profile: 1842039	Page No.: 91
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.398	41.003	-32.602	74.000	0.394	PK
2	*	17160.000	48.231	41.970	-25.769	74.000	6.261	PK

Profile: 1842039	Page No.: 92
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.861	41.466	-32.139	74.000	0.394	PK
2	*	17160.000	47.933	41.672	-26.067	74.000	6.261	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.088	41.232	-32.912	74.000	-0.144	PK
2	*	17235.000	46.410	41.119	-27.590	74.000	5.291	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.537	41.681	-32.463	74.000	-0.144	PK
2	*	17235.000	47.017	41.726	-26.983	74.000	5.291	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.246	41.867	-31.754	74.000	0.379	PK
2	*	17355.000	46.963	41.042	-27.037	74.000	5.921	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.910	41.531	-32.090	74.000	0.379	PK
2	*	17355.000	47.538	41.617	-26.462	74.000	5.921	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.415	41.867	-31.585	74.000	0.549	PK
2	*	17475.000	47.867	41.042	-26.133	74.000	6.825	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.079	41.531	-31.921	74.000	0.549	PK
2	*	17475.000	48.442	41.617	-25.558	74.000	6.825	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.073	41.625	-32.927	74.000	-0.551	PK
2	*	15570.000	47.116	41.184	-26.884	74.000	5.931	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.838	41.390	-33.162	74.000	-0.551	PK
2	*	15570.000	47.347	41.415	-26.653	74.000	5.931	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.999	41.611	-33.001	74.000	-0.612	PK
2	*	15690.000	47.910	41.119	-26.090	74.000	6.791	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.349	41.961	-32.651	74.000	-0.612	PK
2	*	15690.000	48.415	41.624	-25.585	74.000	6.791	PK

Profile: 1842039	Page No.: 103
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.584	41.155	-33.416	74.000	-0.571	PK
2	*	15810.000	47.353	41.536	-26.647	74.000	5.818	PK

Profile: 1842039	Page No.: 104
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.438	41.009	-33.562	74.000	-0.571	PK
2	*	15810.000	47.804	41.987	-26.196	74.000	5.818	PK

Profile: 1842039	Page No.: 105
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.168	41.359	-32.832	74.000	-0.190	PK
2	*	15930.000	47.428	41.382	-26.572	74.000	6.047	PK

Profile: 1842039	Page No.: 106
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.752	41.943	-32.248	74.000	-0.190	PK
2	*	15930.000	47.358	41.312	-26.642	74.000	6.047	PK

Profile: 1842039	Page No.: 107
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.172	41.743	-31.828	74.000	0.429	PK
2	*	16530.000	47.132	41.083	-26.868	74.000	6.049	PK

Profile: 1842039	Page No.: 108
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.929	41.500	-32.071	74.000	0.429	PK
2	*	16530.000	47.681	41.632	-26.319	74.000	6.049	PK

Profile: 1842039	Page No.: 109
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.153	41.725	-31.847	74.000	0.429	PK
2	*	16650.000	47.888	41.334	-26.112	74.000	6.554	PK

Profile: 1842039	Page No.: 110
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.396	41.968	-31.604	74.000	0.429	PK
2	*	16650.000	48.219	41.665	-25.781	74.000	6.554	PK

Profile: 1842039	Page No.: 111
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.428	41.030	-32.572	74.000	0.397	PK
2	*	17010.000	47.803	41.781	-26.197	74.000	6.022	PK

Profile: 1842039	Page No.: 112
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.927	41.529	-32.073	74.000	0.397	PK
2	*	17010.000	47.488	41.466	-26.512	74.000	6.022	PK

Profile: 1842039	Page No.: 113
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.911	41.263	-32.089	74.000	0.647	PK
2	*	17130.000	46.497	41.357	-27.503	74.000	5.140	PK

Profile: 1842039	Page No.: 114
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.328	41.680	-31.672	74.000	0.647	PK
2	*	17130.000	46.498	41.358	-27.502	74.000	5.140	PK

Profile: 1842039	Page No.: 115
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.525	41.204	-32.475	74.000	0.321	PK
2	*	17265.000	48.396	41.286	-25.604	74.000	7.110	PK

Profile: 1842039	Page No.: 116
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.899	41.578	-32.101	74.000	0.321	PK
2	*	17265.000	48.475	41.365	-25.525	74.000	7.110	PK

Profile: 1842039	Page No.: 117
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.614	41.420	-31.386	74.000	1.193	PK
2	*	17385.000	48.671	41.647	-25.329	74.000	7.024	PK

Profile: 1842039	Page No.: 118
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.595	41.401	-31.405	74.000	1.193	PK
2	*	17385.000	48.129	41.105	-25.871	74.000	7.024	PK

Profile: 1842039	Page No.: 119
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.325	41.499	-33.675	74.000	-1.174	PK
2	*	15630.000	47.642	41.955	-26.358	74.000	5.688	PK

Profile: 1842039	Page No.: 120
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.609	41.783	-33.391	74.000	-1.174	PK
2	*	15630.000	47.356	41.669	-26.644	74.000	5.688	PK

Profile: 1842039	Page No.: 121
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.160	41.909	-32.840	74.000	-0.749	PK
2	*	15870.000	47.121	41.446	-26.879	74.000	5.676	PK

Profile: 1842039	Page No.: 122
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.872	41.621	-33.128	74.000	-0.749	PK
2	*	15870.000	47.393	41.718	-26.607	74.000	5.676	PK

Profile: 1842039	Page No.: 123
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.568	41.388	-32.432	74.000	0.180	PK
2	*	16590.000	47.696	41.690	-26.304	74.000	6.006	PK

Profile: 1842039	Page No.: 124
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.385	41.205	-32.615	74.000	0.180	PK
2	*	16590.000	47.499	41.493	-26.501	74.000	6.006	PK

Profile: 1842039	Page No.: 125
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	41.584	41.187	-32.416	74.000	0.397	PK
2	*	17070.000	48.254	41.738	-25.746	74.000	6.516	PK

Profile: 1842039	Page No.: 126
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.178	41.781	-31.822	74.000	0.397	PK
2	*	17070.000	48.238	41.722	-25.762	74.000	6.516	PK

Profile: 1842039	Page No.: 127
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.810	41.676	-32.190	74.000	0.134	PK
2	*	17325.000	46.977	41.432	-27.023	74.000	5.545	PK

Profile: 1842039	Page No.: 128
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.484	41.350	-32.516	74.000	0.134	PK
2	*	17325.000	47.244	41.699	-26.756	74.000	5.545	PK

Profile: 1842039	Page No.: 129
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.671	40.325	-34.329	74.000	-0.654	PK
2	*	15540.000	45.727	40.914	-28.273	74.000	4.813	PK

Profile: 1842039	Page No.: 130
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.998	40.652	-34.002	74.000	-0.654	PK
2	*	15540.000	45.445	40.632	-28.555	74.000	4.813	PK

Profile: 1842039	Page No.: 131
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.982	40.410	-34.018	74.000	-0.428	PK
2	*	15660.000	45.298	40.331	-28.702	74.000	4.968	PK

Profile: 1842039	Page No.: 132
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.655	40.083	-34.345	74.000	-0.428	PK
2	*	15660.000	45.028	40.061	-28.972	74.000	4.968	PK

Profile: 1842039	Page No.: 133
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.670	40.251	-34.330	74.000	-0.580	PK
2	*	15720.000	45.961	40.404	-28.039	74.000	5.557	PK

Profile: 1842039	Page No.: 134
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.449	40.030	-34.551	74.000	-0.580	PK
2	*	15720.000	45.575	40.018	-28.425	74.000	5.557	PK

Profile: 1842039	Page No.: 135
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.578	40.550	-33.422	74.000	0.028	PK
2	*	15780.000	47.619	40.788	-26.381	74.000	6.831	PK

Profile: 1842039	Page No.: 136
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.342	40.314	-33.658	74.000	0.028	PK
2	*	15780.000	47.274	40.443	-26.726	74.000	6.831	PK

Profile: 1842039	Page No.: 137
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.057	40.962	-32.943	74.000	0.094	PK
2	*	15900.000	47.793	40.779	-26.207	74.000	7.015	PK

Profile: 1842039	Page No.: 138
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.657	40.562	-33.343	74.000	0.094	PK
2	*	15900.000	47.166	40.152	-26.834	74.000	7.015	PK

Profile: 1842039	Page No.: 139
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.861	40.154	-34.139	74.000	-0.293	PK
2	*	15960.000	46.122	40.497	-27.878	74.000	5.625	PK

Profile: 1842039	Page No.: 140
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.340	40.633	-33.660	74.000	-0.293	PK
2	*	15960.000	46.027	40.402	-27.973	74.000	5.625	PK

Profile: 1842039	Page No.: 141
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.572	40.226	-34.428	74.000	-0.654	PK
2	*	15540.000	45.475	40.662	-28.525	74.000	4.813	PK

Profile: 1842039	Page No.: 142
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.861	40.515	-34.139	74.000	-0.654	PK
2	*	15540.000	45.622	40.809	-28.378	74.000	4.813	PK

Profile: 1842039	Page No.: 143
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.993	40.421	-34.007	74.000	-0.428	PK
2	*	15660.000	45.372	40.405	-28.628	74.000	4.968	PK

Profile: 1842039	Page No.: 144
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.229	40.657	-33.771	74.000	-0.428	PK
2	*	15660.000	45.499	40.532	-28.501	74.000	4.968	PK

Profile: 1842039	Page No.: 145
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.365	40.946	-33.635	74.000	-0.580	PK
2	*	15720.000	45.609	40.052	-28.391	74.000	5.557	PK

Profile: 1842039	Page No.: 146
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.314	40.895	-33.686	74.000	-0.580	PK
2	*	15720.000	46.284	40.727	-27.716	74.000	5.557	PK

Profile: 1842039	Page No.: 147
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.275	40.247	-33.725	74.000	0.028	PK
2	*	15780.000	47.094	40.263	-26.906	74.000	6.831	PK

Profile: 1842039	Page No.: 148
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.981	40.953	-33.019	74.000	0.028	PK
2	*	15780.000	47.541	40.710	-26.459	74.000	6.831	PK

Profile: 1842039	Page No.: 149
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.507	40.412	-33.493	74.000	0.094	PK
2	*	15900.000	47.402	40.388	-26.598	74.000	7.015	PK

Profile: 1842039	Page No.: 150
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.536	40.441	-33.464	74.000	0.094	PK
2	*	15900.000	47.142	40.128	-26.858	74.000	7.015	PK

Profile: 1842039	Page No.: 151
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.031	40.324	-33.969	74.000	-0.293	PK
2	*	15960.000	46.375	40.750	-27.625	74.000	5.625	PK

Profile: 1842039	Page No.: 152
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.194	40.487	-33.806	74.000	-0.293	PK
2	*	15960.000	46.428	40.803	-27.572	74.000	5.625	PK

Profile: 1842039	Page No.: 153
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.703	40.255	-34.297	74.000	-0.551	PK
2	*	15570.000	46.251	40.319	-27.749	74.000	5.931	PK

Profile: 1842039	Page No.: 154
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.150	40.702	-33.850	74.000	-0.551	PK
2	*	15570.000	46.916	40.984	-27.084	74.000	5.931	PK

Profile: 1842039	Page No.: 155
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.387	40.999	-33.613	74.000	-0.612	PK
2	*	15690.000	47.548	40.757	-26.452	74.000	6.791	PK

Profile: 1842039	Page No.: 156
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.253	40.865	-33.747	74.000	-0.612	PK
2	*	15690.000	46.792	40.001	-27.208	74.000	6.791	PK

Profile: 1842039	Page No.: 157
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.277	40.848	-33.723	74.000	-0.571	PK
2	*	15810.000	46.119	40.302	-27.881	74.000	5.818	PK

Profile: 1842039	Page No.: 158
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.202	40.773	-33.798	74.000	-0.571	PK
2	*	15810.000	45.909	40.092	-28.091	74.000	5.818	PK

Profile: 1842039	Page No.: 159
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.195	40.386	-33.805	74.000	-0.190	PK
2	*	15930.000	46.384	40.338	-27.616	74.000	6.047	PK

Profile: 1842039	Page No.: 160
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.883	40.074	-34.117	74.000	-0.190	PK
2	*	15930.000	46.980	40.934	-27.020	74.000	6.047	PK

Profile: 1842039	Page No.: 161
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.826	40.480	-34.174	74.000	-0.654	PK
2	*	15540.000	45.071	40.258	-28.929	74.000	4.813	PK

Profile: 1842039	Page No.: 162
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.000	40.654	-34.000	74.000	-0.654	PK
2	*	15540.000	45.331	40.518	-28.669	74.000	4.813	PK

Profile: 1842039	Page No.: 163
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.343	40.771	-33.657	74.000	-0.428	PK
2	*	15660.000	45.423	40.456	-28.577	74.000	4.968	PK

Profile: 1842039	Page No.: 164
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.927	40.355	-34.073	74.000	-0.428	PK
2	*	15660.000	45.608	40.641	-28.392	74.000	4.968	PK

Profile: 1842039	Page No.: 165
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.493	40.074	-34.507	74.000	-0.580	PK
2	*	15720.000	46.026	40.469	-27.974	74.000	5.557	PK

Profile: 1842039	Page No.: 166
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.215	40.796	-33.785	74.000	-0.580	PK
2	*	15720.000	46.366	40.809	-27.634	74.000	5.557	PK

Profile: 1842039	Page No.: 167
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.783	40.755	-33.217	74.000	0.028	PK
2	*	15780.000	47.068	40.237	-26.932	74.000	6.831	PK

Profile: 1842039	Page No.: 168
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.738	40.710	-33.262	74.000	0.028	PK
2	*	15780.000	47.542	40.711	-26.458	74.000	6.831	PK

Profile: 1842039	Page No.: 169
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.460	40.365	-33.540	74.000	0.094	PK
2	*	15900.000	47.163	40.149	-26.837	74.000	7.015	PK

Profile: 1842039	Page No.: 170
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.626	40.531	-33.374	74.000	0.094	PK
2	*	15900.000	48.005	40.991	-25.995	74.000	7.015	PK

Profile: 1842039	Page No.: 171
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.845	40.138	-34.155	74.000	-0.293	PK
2	*	15960.000	45.634	40.009	-28.366	74.000	5.625	PK

Profile: 1842039	Page No.: 172
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.498	40.791	-33.502	74.000	-0.293	PK
2	*	15960.000	46.273	40.648	-27.727	74.000	5.625	PK

Profile: 1842039	Page No.: 173
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.036	40.588	-33.964	74.000	-0.551	PK
2	*	15570.000	46.051	40.119	-27.949	74.000	5.931	PK

Profile: 1842039	Page No.: 174
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.642	40.194	-34.358	74.000	-0.551	PK
2	*	15570.000	46.465	40.533	-27.535	74.000	5.931	PK

Profile: 1842039	Page No.: 175
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.401	40.013	-34.599	74.000	-0.612	PK
2	*	15690.000	47.656	40.865	-26.344	74.000	6.791	PK

Profile: 1842039	Page No.: 176
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.873	40.485	-34.127	74.000	-0.612	PK
2	*	15690.000	47.692	40.901	-26.308	74.000	6.791	PK

Profile: 1842039	Page No.: 177
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.561	40.132	-34.439	74.000	-0.571	PK
2	*	15810.000	46.724	40.907	-27.276	74.000	5.818	PK

Profile: 1842039	Page No.: 178
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.524	40.095	-34.476	74.000	-0.571	PK
2	*	15810.000	46.549	40.732	-27.451	74.000	5.818	PK

Profile: 1842039	Page No.: 179
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.796	40.987	-33.204	74.000	-0.190	PK
2	*	15930.000	46.577	40.531	-27.423	74.000	6.047	PK

Profile: 1842039	Page No.: 180
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.962	40.153	-34.038	74.000	-0.190	PK
2	*	15930.000	46.463	40.417	-27.537	74.000	6.047	PK

Profile: 1842039	Page No.: 181
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.084	40.258	-34.916	74.000	-1.174	PK
2	*	15630.000	46.346	40.659	-27.654	74.000	5.688	PK

Profile: 1842039	Page No.: 182
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.733	40.907	-34.267	74.000	-1.174	PK
2	*	15630.000	46.337	40.650	-27.663	74.000	5.688	PK

Profile: 1842039	Page No.: 183
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC40(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.507	40.256	-34.493	74.000	-0.749	PK
2	*	15870.000	46.173	40.498	-27.827	74.000	5.676	PK

Profile: 1842039	Page No.: 184
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC40(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.679	40.428	-34.321	74.000	-0.749	PK
2	*	15870.000	46.068	40.393	-27.932	74.000	5.676	PK