



Profile: 1842039	Page No.: 1
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.405	40.059	-34.595	74.000	-0.654	PK
2	*	15540.000	45.651	40.838	-28.349	74.000	4.813	PK

Profile: 1842039	Page No.: 2
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.120	40.774	-33.880	74.000	-0.654	PK
2	*	15540.000	45.202	40.389	-28.798	74.000	4.813	PK

Profile: 1842039	Page No.: 3
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.248	40.676	-33.752	74.000	-0.428	PK
2	*	15660.000	45.250	40.283	-28.750	74.000	4.968	PK

Profile: 1842039	Page No.: 4
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.808	40.236	-34.192	74.000	-0.428	PK
2	*	15660.000	45.342	40.375	-28.658	74.000	4.968	PK

Profile: 1842039	Page No.: 5
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.141	40.722	-33.859	74.000	-0.580	PK
2	*	15720.000	46.256	40.699	-27.744	74.000	5.557	PK

Profile: 1842039	Page No.: 6
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.900	40.481	-34.100	74.000	-0.580	PK
2	*	15720.000	45.682	40.125	-28.318	74.000	5.557	PK

Profile: 1842039	Page No.: 7
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.473	40.445	-33.527	74.000	0.028	PK
2	*	15780.000	46.845	40.014	-27.155	74.000	6.831	PK

Profile: 1842039	Page No.: 8
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.737	40.709	-33.263	74.000	0.028	PK
2	*	15780.000	47.218	40.387	-26.782	74.000	6.831	PK

Profile: 1842039	Page No.: 9
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.833	40.738	-33.167	74.000	0.094	PK
2	*	15900.000	47.970	40.956	-26.030	74.000	7.015	PK

Profile: 1842039	Page No.: 10
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.096	40.001	-33.904	74.000	0.094	PK
2	*	15900.000	47.094	40.080	-26.906	74.000	7.015	PK

Profile: 1842039	Page No.: 11
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.636	40.929	-33.364	74.000	-0.293	PK
2	*	15960.000	46.126	40.501	-27.874	74.000	5.625	PK

Profile: 1842039	Page No.: 12
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.192	40.485	-33.808	74.000	-0.293	PK
2	*	15960.000	46.421	40.796	-27.579	74.000	5.625	PK

Profile: 1842039	Page No.: 13
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.499	40.767	-33.501	74.000	-0.269	PK
2	*	16500.000	45.428	40.245	-28.572	74.000	5.183	PK

Profile: 1842039	Page No.: 14
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.629	40.897	-33.371	74.000	-0.269	PK
2	*	16500.000	45.956	40.773	-28.044	74.000	5.183	PK

Profile: 1842039	Page No.: 15
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.131	40.694	-32.869	74.000	0.437	PK
2	*	16740.000	45.815	40.100	-28.185	74.000	5.716	PK

Profile: 1842039	Page No.: 16
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.268	40.831	-32.732	74.000	0.437	PK
2	*	16740.000	46.298	40.583	-27.702	74.000	5.716	PK

Profile: 1842039	Page No.: 17
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.423	40.078	-33.577	74.000	0.346	PK
2	*	17100.000	46.724	40.396	-27.276	74.000	6.328	PK

Profile: 1842039	Page No.: 18
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.265	40.920	-32.735	74.000	0.346	PK
2	*	17100.000	46.980	40.652	-27.020	74.000	6.328	PK

Profile: 1842039	Page No.: 19
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.287	40.892	-32.713	74.000	0.394	PK
2	*	17160.000	46.869	40.608	-27.131	74.000	6.261	PK

Profile: 1842039	Page No.: 20
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.407	40.012	-33.593	74.000	0.394	PK
2	*	17160.000	46.383	40.122	-27.617	74.000	6.261	PK

Profile: 1842039	Page No.: 21
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.797	40.941	-33.203	74.000	-0.144	PK
2	*	17235.000	46.271	40.980	-27.729	74.000	5.291	PK

Profile: 1842039	Page No.: 22
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.391	40.535	-33.609	74.000	-0.144	PK
2	*	17235.000	45.543	40.252	-28.457	74.000	5.291	PK

Profile: 1842039	Page No.: 23
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.713	40.334	-33.287	74.000	0.379	PK
2	*	17355.000	46.637	40.716	-27.363	74.000	5.921	PK

Profile: 1842039	Page No.: 24
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.464	40.085	-33.536	74.000	0.379	PK
2	*	17355.000	46.310	40.389	-27.690	74.000	5.921	PK

Profile: 1842039	Page No.: 25
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.720	40.172	-33.280	74.000	0.549	PK
2	*	17475.000	47.173	40.348	-26.827	74.000	6.825	PK

Profile: 1842039	Page No.: 26
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.504	40.956	-32.496	74.000	0.549	PK
2	*	17475.000	47.432	40.607	-26.568	74.000	6.825	PK

Profile: 1842039	Page No.: 27
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.093	40.747	-33.907	74.000	-0.654	PK
2	*	15540.000	45.174	40.361	-28.826	74.000	4.813	PK

Profile: 1842039	Page No.: 28
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.910	40.564	-34.090	74.000	-0.654	PK
2	*	15540.000	45.550	40.737	-28.450	74.000	4.813	PK

Profile: 1842039	Page No.: 29
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.631	40.059	-34.369	74.000	-0.428	PK
2	*	15660.000	45.500	40.533	-28.500	74.000	4.968	PK

Profile: 1842039	Page No.: 30
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.924	40.352	-34.076	74.000	-0.428	PK
2	*	15660.000	45.259	40.292	-28.741	74.000	4.968	PK

Profile: 1842039	Page No.: 31
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.234	40.815	-33.766	74.000	-0.580	PK
2	*	15720.000	46.292	40.735	-27.708	74.000	5.557	PK

Profile: 1842039	Page No.: 32
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.297	40.878	-33.703	74.000	-0.580	PK
2	*	15720.000	46.275	40.718	-27.725	74.000	5.557	PK

Profile: 1842039	Page No.: 33
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.837	40.809	-33.163	74.000	0.028	PK
2	*	15780.000	47.530	40.699	-26.470	74.000	6.831	PK

Profile: 1842039	Page No.: 34
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.100	40.072	-33.900	74.000	0.028	PK
2	*	15780.000	47.517	40.686	-26.483	74.000	6.831	PK

Profile: 1842039	Page No.: 35
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.421	40.326	-33.579	74.000	0.094	PK
2	*	15900.000	47.610	40.596	-26.390	74.000	7.015	PK

Profile: 1842039	Page No.: 36
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.336	40.241	-33.664	74.000	0.094	PK
2	*	15900.000	47.314	40.300	-26.686	74.000	7.015	PK

Profile: 1842039	Page No.: 37
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.604	40.897	-33.396	74.000	-0.293	PK
2	*	15960.000	45.821	40.196	-28.179	74.000	5.625	PK

Profile: 1842039	Page No.: 38
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.968	40.261	-34.032	74.000	-0.293	PK
2	*	15960.000	45.984	40.359	-28.016	74.000	5.625	PK

Profile: 1842039	Page No.: 39
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.017	40.285	-33.983	74.000	-0.269	PK
2	*	16500.000	45.558	40.375	-28.442	74.000	5.183	PK

Profile: 1842039	Page No.: 40
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.823	40.091	-34.177	74.000	-0.269	PK
2	*	16500.000	45.759	40.576	-28.241	74.000	5.183	PK

Profile: 1842039	Page No.: 41
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.013	40.576	-32.987	74.000	0.437	PK
2	*	16740.000	45.908	40.193	-28.092	74.000	5.716	PK

Profile: 1842039	Page No.: 42
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.263	40.826	-32.737	74.000	0.437	PK
2	*	16740.000	46.267	40.552	-27.733	74.000	5.716	PK

Profile: 1842039	Page No.: 43
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.107	40.762	-32.893	74.000	0.346	PK
2	*	17100.000	46.904	40.576	-27.096	74.000	6.328	PK

Profile: 1842039	Page No.: 44
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.456	40.111	-33.544	74.000	0.346	PK
2	*	17100.000	46.662	40.334	-27.338	74.000	6.328	PK

Profile: 1842039	Page No.: 45
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.244	40.849	-32.756	74.000	0.394	PK
2	*	17160.000	46.651	40.390	-27.349	74.000	6.261	PK

Profile: 1842039	Page No.: 46
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.325	40.930	-32.675	74.000	0.394	PK
2	*	17160.000	46.830	40.569	-27.170	74.000	6.261	PK

Profile: 1842039	Page No.: 47
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.401	40.545	-33.599	74.000	-0.144	PK
2	*	17235.000	45.386	40.095	-28.614	74.000	5.291	PK

Profile: 1842039	Page No.: 48
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.376	40.520	-33.624	74.000	-0.144	PK
2	*	17235.000	45.972	40.681	-28.028	74.000	5.291	PK

Profile: 1842039	Page No.: 49
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.334	40.955	-32.666	74.000	0.379	PK
2	*	17355.000	46.259	40.338	-27.741	74.000	5.921	PK

Profile: 1842039	Page No.: 50
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.946	40.567	-33.054	74.000	0.379	PK
2	*	17355.000	45.994	40.073	-28.006	74.000	5.921	PK

Profile: 1842039	Page No.: 51
Engineer: Pawn	
Site:AC5	Time: 2018/08/01 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.993	40.445	-33.007	74.000	0.549	PK
2	*	17475.000	47.658	40.833	-26.342	74.000	6.825	PK

Profile: 1842039	Page No.: 52
Engineer: Pawn	
Site:AC5	Time: 2018/08/01 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.506	40.958	-32.494	74.000	0.549	PK
2	*	17475.000	46.906	40.081	-27.094	74.000	6.825	PK

Profile: 1842039	Page No.: 53
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.155	40.707	-33.845	74.000	-0.551	PK
2	*	15570.000	46.164	40.232	-27.836	74.000	5.931	PK

Profile: 1842039	Page No.: 54
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.892	40.444	-34.108	74.000	-0.551	PK
2	*	15570.000	46.757	40.825	-27.243	74.000	5.931	PK

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.974	40.586	-34.026	74.000	-0.612	PK
2	*	15690.000	47.752	40.961	-26.248	74.000	6.791	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.425	40.037	-34.575	74.000	-0.612	PK
2	*	15690.000	47.757	40.966	-26.243	74.000	6.791	PK

Profile: 1842039	Page No.: 57
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.417	40.988	-33.583	74.000	-0.571	PK
2	*	15810.000	46.587	40.770	-27.413	74.000	5.818	PK

Profile: 1842039	Page No.: 58
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.664	40.235	-34.336	74.000	-0.571	PK
2	*	15810.000	46.486	40.669	-27.514	74.000	5.818	PK

Profile: 1842039	Page No.: 59
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.662	40.853	-33.338	74.000	-0.190	PK
2	*	15930.000	46.634	40.588	-27.366	74.000	6.047	PK

Profile: 1842039	Page No.: 60
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.580	40.771	-33.420	74.000	-0.190	PK
2	*	15930.000	46.783	40.737	-27.217	74.000	6.047	PK

Profile: 1842039	Page No.: 61
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.718	40.289	-33.282	74.000	0.429	PK
2	*	16530.000	46.460	40.411	-27.540	74.000	6.049	PK

Profile: 1842039	Page No.: 62
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.363	40.934	-32.637	74.000	0.429	PK
2	*	16530.000	46.567	40.518	-27.433	74.000	6.049	PK

Profile: 1842039	Page No.: 63
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.964	40.536	-33.036	74.000	0.429	PK
2	*	16650.000	47.161	40.607	-26.839	74.000	6.554	PK

Profile: 1842039	Page No.: 64
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.188	40.760	-32.812	74.000	0.429	PK
2	*	16650.000	46.654	40.100	-27.346	74.000	6.554	PK

Profile: 1842039	Page No.: 65
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.302	40.904	-32.698	74.000	0.397	PK
2	*	17010.000	46.035	40.013	-27.965	74.000	6.022	PK

Profile: 1842039	Page No.: 66
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.491	40.093	-33.509	74.000	0.397	PK
2	*	17010.000	46.197	40.175	-27.803	74.000	6.022	PK

Profile: 1842039	Page No.: 67
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.049	40.401	-32.951	74.000	0.647	PK
2	*	17130.000	45.633	40.493	-28.367	74.000	5.140	PK

Profile: 1842039	Page No.: 68
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.251	40.603	-32.749	74.000	0.647	PK
2	*	17130.000	45.791	40.651	-28.209	74.000	5.140	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.891	40.570	-33.109	74.000	0.321	PK
2	*	17265.000	47.197	40.087	-26.803	74.000	7.110	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.132	40.811	-32.868	74.000	0.321	PK
2	*	17265.000	47.227	40.117	-26.773	74.000	7.110	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.897	40.703	-32.103	74.000	1.193	PK
2	*	17385.000	47.266	40.242	-26.734	74.000	7.024	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.620	40.426	-32.380	74.000	1.193	PK
2	*	17385.000	47.776	40.752	-26.224	74.000	7.024	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.661	40.315	-34.339	74.000	-0.654	PK
2	*	15540.000	45.442	40.629	-28.558	74.000	4.813	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.722	40.376	-34.278	74.000	-0.654	PK
2	*	15540.000	45.225	40.412	-28.775	74.000	4.813	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.509	40.937	-33.491	74.000	-0.428	PK
2	*	15660.000	45.766	40.799	-28.234	74.000	4.968	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.934	40.362	-34.066	74.000	-0.428	PK
2	*	15660.000	45.534	40.567	-28.466	74.000	4.968	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.489	40.070	-34.511	74.000	-0.580	PK
2	*	15720.000	45.712	40.155	-28.288	74.000	5.557	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.833	40.414	-34.167	74.000	-0.580	PK
2	*	15720.000	45.626	40.069	-28.374	74.000	5.557	PK

Profile: 1842039	Page No.: 79
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.270	40.242	-33.730	74.000	0.028	PK
2	*	15780.000	47.673	40.842	-26.327	74.000	6.831	PK

Profile: 1842039	Page No.: 80
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.224	40.196	-33.776	74.000	0.028	PK
2	*	15780.000	47.591	40.760	-26.409	74.000	6.831	PK

Profile: 1842039	Page No.: 81
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.164	40.069	-33.836	74.000	0.094	PK
2	*	15900.000	47.764	40.750	-26.236	74.000	7.015	PK

Profile: 1842039	Page No.: 82
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.813	40.718	-33.187	74.000	0.094	PK
2	*	15900.000	47.635	40.621	-26.365	74.000	7.015	PK

Profile: 1842039	Page No.: 83
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.893	40.186	-34.107	74.000	-0.293	PK
2	*	15960.000	46.281	40.656	-27.719	74.000	5.625	PK

Profile: 1842039	Page No.: 84
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.117	40.410	-33.883	74.000	-0.293	PK
2	*	15960.000	46.606	40.981	-27.394	74.000	5.625	PK

Profile: 1842039	Page No.: 85
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.600	40.868	-33.400	74.000	-0.269	PK
2	*	16500.000	45.803	40.620	-28.197	74.000	5.183	PK

Profile: 1842039	Page No.: 86
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.335	40.603	-33.665	74.000	-0.269	PK
2	*	16500.000	45.764	40.581	-28.236	74.000	5.183	PK

Profile: 1842039	Page No.: 87
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.525	40.088	-33.475	74.000	0.437	PK
2	*	16740.000	45.855	40.140	-28.145	74.000	5.716	PK

Profile: 1842039	Page No.: 88
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.723	40.286	-33.277	74.000	0.437	PK
2	*	16740.000	46.133	40.418	-27.867	74.000	5.716	PK

Profile: 1842039	Page No.: 89
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.340	40.995	-32.660	74.000	0.346	PK
2	*	17100.000	47.047	40.719	-26.953	74.000	6.328	PK

Profile: 1842039	Page No.: 90
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.181	40.836	-32.819	74.000	0.346	PK
2	*	17100.000	47.069	40.741	-26.931	74.000	6.328	PK

Profile: 1842039	Page No.: 91
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.726	40.331	-33.274	74.000	0.394	PK
2	*	17160.000	47.065	40.804	-26.935	74.000	6.261	PK

Profile: 1842039	Page No.: 92
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.077	40.682	-32.923	74.000	0.394	PK
2	*	17160.000	46.582	40.321	-27.418	74.000	6.261	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.073	40.217	-33.927	74.000	-0.144	PK
2	*	17235.000	46.249	40.958	-27.751	74.000	5.291	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.865	40.009	-34.135	74.000	-0.144	PK
2	*	17235.000	45.986	40.695	-28.014	74.000	5.291	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.863	40.484	-33.137	74.000	0.379	PK
2	*	17355.000	46.530	40.609	-27.470	74.000	5.921	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.570	40.191	-33.430	74.000	0.379	PK
2	*	17355.000	46.440	40.519	-27.560	74.000	5.921	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.804	40.256	-33.196	74.000	0.549	PK
2	*	17475.000	47.357	40.532	-26.643	74.000	6.825	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.542	40.994	-32.458	74.000	0.549	PK
2	*	17475.000	47.510	40.685	-26.490	74.000	6.825	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.459	40.011	-34.541	74.000	-0.551	PK
2	*	15570.000	45.939	40.007	-28.061	74.000	5.931	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.989	40.541	-34.011	74.000	-0.551	PK
2	*	15570.000	46.213	40.281	-27.787	74.000	5.931	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.692	40.304	-34.308	74.000	-0.612	PK
2	*	15690.000	47.660	40.869	-26.340	74.000	6.791	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.818	40.430	-34.182	74.000	-0.612	PK
2	*	15690.000	47.102	40.311	-26.898	74.000	6.791	PK

Profile: 1842039	Page No.: 103
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.846	40.417	-34.154	74.000	-0.571	PK
2	*	15810.000	46.317	40.500	-27.683	74.000	5.818	PK

Profile: 1842039	Page No.: 104
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.258	40.829	-33.742	74.000	-0.571	PK
2	*	15810.000	46.184	40.367	-27.816	74.000	5.818	PK

Profile: 1842039	Page No.: 105
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.234	40.425	-33.766	74.000	-0.190	PK
2	*	15930.000	46.366	40.320	-27.634	74.000	6.047	PK

Profile: 1842039	Page No.: 106
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.516	40.707	-33.484	74.000	-0.190	PK
2	*	15930.000	46.332	40.286	-27.668	74.000	6.047	PK

Profile: 1842039	Page No.: 107
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.926	40.497	-33.074	74.000	0.429	PK
2	*	16530.000	46.428	40.379	-27.572	74.000	6.049	PK

Profile: 1842039	Page No.: 108
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.221	40.792	-32.779	74.000	0.429	PK
2	*	16530.000	46.680	40.631	-27.320	74.000	6.049	PK

Profile: 1842039	Page No.: 109
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.938	40.510	-33.062	74.000	0.429	PK
2	*	16650.000	46.714	40.160	-27.286	74.000	6.554	PK

Profile: 1842039	Page No.: 110
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.916	40.488	-33.084	74.000	0.429	PK
2	*	16650.000	47.405	40.851	-26.595	74.000	6.554	PK

Profile: 1842039	Page No.: 111
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.437	40.039	-33.563	74.000	0.397	PK
2	*	17010.000	46.681	40.659	-27.319	74.000	6.022	PK

Profile: 1842039	Page No.: 112
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.982	40.584	-33.018	74.000	0.397	PK
2	*	17010.000	46.675	40.653	-27.325	74.000	6.022	PK

Profile: 1842039	Page No.: 113
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.028	40.380	-32.972	74.000	0.647	PK
2	*	17130.000	46.116	40.976	-27.884	74.000	5.140	PK

Profile: 1842039	Page No.: 114
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	40.834	40.186	-33.166	74.000	0.647	PK
2	*	17130.000	46.099	40.959	-27.901	74.000	5.140	PK

Profile: 1842039	Page No.: 115
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.005	40.684	-32.995	74.000	0.321	PK
2	*	17265.000	47.926	40.816	-26.074	74.000	7.110	PK

Profile: 1842039	Page No.: 116
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.402	40.081	-33.598	74.000	0.321	PK
2	*	17265.000	47.300	40.190	-26.700	74.000	7.110	PK

Profile: 1842039	Page No.: 117
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.455	40.261	-32.545	74.000	1.193	PK
2	*	17385.000	47.624	40.600	-26.376	74.000	7.024	PK

Profile: 1842039	Page No.: 118
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.449	40.255	-32.551	74.000	1.193	PK
2	*	17385.000	47.492	40.468	-26.508	74.000	7.024	PK

Profile: 1842039	Page No.: 119
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.682	40.856	-34.318	74.000	-1.174	PK
2	*	15630.000	45.925	40.238	-28.075	74.000	5.688	PK

Profile: 1842039	Page No.: 120
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.176	40.350	-34.824	74.000	-1.174	PK
2	*	15630.000	46.584	40.897	-27.416	74.000	5.688	PK

Profile: 1842039	Page No.: 121
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.399	40.148	-34.601	74.000	-0.749	PK
2	*	15870.000	46.338	40.663	-27.662	74.000	5.676	PK

Profile: 1842039	Page No.: 122
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.884	40.633	-34.116	74.000	-0.749	PK
2	*	15870.000	46.131	40.456	-27.869	74.000	5.676	PK

Profile: 1842039	Page No.: 123
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.728	40.548	-33.272	74.000	0.180	PK
2	*	16590.000	46.013	40.007	-27.987	74.000	6.006	PK

Profile: 1842039	Page No.: 124
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.519	40.339	-33.481	74.000	0.180	PK
2	*	16590.000	46.316	40.310	-27.684	74.000	6.006	PK

Profile: 1842039	Page No.: 125
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	41.384	40.987	-32.616	74.000	0.397	PK
2	*	17070.000	46.892	40.376	-27.108	74.000	6.516	PK

Profile: 1842039	Page No.: 126
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	40.728	40.331	-33.272	74.000	0.397	PK
2	*	17070.000	47.144	40.628	-26.856	74.000	6.516	PK

Profile: 1842039	Page No.: 127
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.890	40.756	-33.110	74.000	0.134	PK
2	*	17325.000	46.234	40.689	-27.766	74.000	5.545	PK

Profile: 1842039	Page No.: 128
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.671	40.537	-33.329	74.000	0.134	PK
2	*	17325.000	46.341	40.796	-27.659	74.000	5.545	PK

Profile: 1842039	Page No.: 129
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.664	40.318	-34.336	74.000	-0.654	PK
2	*	15540.000	45.169	40.356	-28.831	74.000	4.813	PK

Profile: 1842039	Page No.: 130
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.366	40.020	-34.634	74.000	-0.654	PK
2	*	15540.000	45.238	40.425	-28.762	74.000	4.813	PK

Profile: 1842039	Page No.: 131
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.308	40.736	-33.692	74.000	-0.428	PK
2	*	15660.000	45.582	40.615	-28.418	74.000	4.968	PK

Profile: 1842039	Page No.: 132
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.297	40.725	-33.703	74.000	-0.428	PK
2	*	15660.000	45.638	40.671	-28.362	74.000	4.968	PK

Profile: 1842039	Page No.: 133
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.507	40.088	-34.493	74.000	-0.580	PK
2	*	15720.000	46.507	40.950	-27.493	74.000	5.557	PK

Profile: 1842039	Page No.: 134
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.818	40.399	-34.182	74.000	-0.580	PK
2	*	15720.000	46.167	40.610	-27.833	74.000	5.557	PK

Profile: 1842039	Page No.: 135
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.104	40.076	-33.896	74.000	0.028	PK
2	*	15780.000	47.599	40.768	-26.401	74.000	6.831	PK

Profile: 1842039	Page No.: 136
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.243	40.215	-33.757	74.000	0.028	PK
2	*	15780.000	47.293	40.462	-26.707	74.000	6.831	PK

Profile: 1842039	Page No.: 137
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.839	40.744	-33.161	74.000	0.094	PK
2	*	15900.000	47.639	40.625	-26.361	74.000	7.015	PK

Profile: 1842039	Page No.: 138
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.630	40.535	-33.370	74.000	0.094	PK
2	*	15900.000	47.561	40.547	-26.439	74.000	7.015	PK

Profile: 1842039	Page No.: 139
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.315	40.608	-33.685	74.000	-0.293	PK
2	*	15960.000	46.150	40.525	-27.850	74.000	5.625	PK

Profile: 1842039	Page No.: 140
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.712	40.005	-34.288	74.000	-0.293	PK
2	*	15960.000	46.155	40.530	-27.845	74.000	5.625	PK

Profile: 1842039	Page No.: 141
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.177	40.831	-33.823	74.000	-0.654	PK
2	*	15540.000	45.326	40.513	-28.674	74.000	4.813	PK

Profile: 1842039	Page No.: 142
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.888	40.542	-34.112	74.000	-0.654	PK
2	*	15540.000	45.484	40.671	-28.516	74.000	4.813	PK

Profile: 1842039	Page No.: 143
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.278	40.706	-33.722	74.000	-0.428	PK
2	*	15660.000	45.805	40.838	-28.195	74.000	4.968	PK

Profile: 1842039	Page No.: 144
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.959	40.387	-34.041	74.000	-0.428	PK
2	*	15660.000	45.923	40.956	-28.077	74.000	4.968	PK

Profile: 1842039	Page No.: 145
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.859	40.440	-34.141	74.000	-0.580	PK
2	*	15720.000	45.686	40.129	-28.314	74.000	5.557	PK

Profile: 1842039	Page No.: 146
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.802	40.383	-34.198	74.000	-0.580	PK
2	*	15720.000	45.775	40.218	-28.225	74.000	5.557	PK

Profile: 1842039	Page No.: 147
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.686	40.658	-33.314	74.000	0.028	PK
2	*	15780.000	47.455	40.624	-26.545	74.000	6.831	PK

Profile: 1842039	Page No.: 148
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.364	40.336	-33.636	74.000	0.028	PK
2	*	15780.000	47.673	40.842	-26.327	74.000	6.831	PK

Profile: 1842039	Page No.: 149
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.698	40.603	-33.302	74.000	0.094	PK
2	*	15900.000	47.042	40.028	-26.958	74.000	7.015	PK

Profile: 1842039	Page No.: 150
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.564	40.469	-33.436	74.000	0.094	PK
2	*	15900.000	47.944	40.930	-26.056	74.000	7.015	PK

Profile: 1842039	Page No.: 151
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.659	40.952	-33.341	74.000	-0.293	PK
2	*	15960.000	45.678	40.053	-28.322	74.000	5.625	PK

Profile: 1842039	Page No.: 152
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.597	40.890	-33.403	74.000	-0.293	PK
2	*	15960.000	45.798	40.173	-28.202	74.000	5.625	PK

Profile: 1842039	Page No.: 153
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.101	40.653	-33.899	74.000	-0.551	PK
2	*	15570.000	46.747	40.815	-27.253	74.000	5.931	PK

Profile: 1842039	Page No.: 154
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.204	40.756	-33.796	74.000	-0.551	PK
2	*	15570.000	46.451	40.519	-27.549	74.000	5.931	PK

Profile: 1842039	Page No.: 155
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.616	40.228	-34.384	74.000	-0.612	PK
2	*	15690.000	47.098	40.307	-26.902	74.000	6.791	PK

Profile: 1842039	Page No.: 156
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.212	40.824	-33.788	74.000	-0.612	PK
2	*	15690.000	47.783	40.992	-26.217	74.000	6.791	PK

Profile: 1842039	Page No.: 157
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.157	40.728	-33.843	74.000	-0.571	PK
2	*	15810.000	46.105	40.288	-27.895	74.000	5.818	PK

Profile: 1842039	Page No.: 158
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.937	40.508	-34.063	74.000	-0.571	PK
2	*	15810.000	46.261	40.444	-27.739	74.000	5.818	PK

Profile: 1842039	Page No.: 159
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.162	40.353	-33.838	74.000	-0.190	PK
2	*	15930.000	46.194	40.148	-27.806	74.000	6.047	PK

Profile: 1842039	Page No.: 160
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.474	40.665	-33.526	74.000	-0.190	PK
2	*	15930.000	46.708	40.662	-27.292	74.000	6.047	PK

Profile: 1842039	Page No.: 161
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.546	40.200	-34.454	74.000	-0.654	PK
2	*	15540.000	45.801	40.988	-28.199	74.000	4.813	PK

Profile: 1842039	Page No.: 162
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.122	40.776	-33.878	74.000	-0.654	PK
2	*	15540.000	45.430	40.617	-28.570	74.000	4.813	PK

Profile: 1842039	Page No.: 163
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.362	40.790	-33.638	74.000	-0.428	PK
2	*	15660.000	45.124	40.157	-28.876	74.000	4.968	PK

Profile: 1842039	Page No.: 164
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.771	40.199	-34.229	74.000	-0.428	PK
2	*	15660.000	45.285	40.318	-28.715	74.000	4.968	PK

Profile: 1842039	Page No.: 165
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.149	40.730	-33.851	74.000	-0.580	PK
2	*	15720.000	46.102	40.545	-27.898	74.000	5.557	PK

Profile: 1842039	Page No.: 166
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.770	40.351	-34.230	74.000	-0.580	PK
2	*	15720.000	45.793	40.236	-28.207	74.000	5.557	PK

Profile: 1842039	Page No.: 167
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.653	40.625	-33.347	74.000	0.028	PK
2	*	15780.000	47.319	40.488	-26.681	74.000	6.831	PK

Profile: 1842039	Page No.: 168
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.697	40.669	-33.303	74.000	0.028	PK
2	*	15780.000	47.023	40.192	-26.977	74.000	6.831	PK

Profile: 1842039	Page No.: 169
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.136	40.041	-33.864	74.000	0.094	PK
2	*	15900.000	47.115	40.101	-26.885	74.000	7.015	PK

Profile: 1842039	Page No.: 170
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.604	40.509	-33.396	74.000	0.094	PK
2	*	15900.000	47.088	40.074	-26.912	74.000	7.015	PK

Profile: 1842039	Page No.: 171
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.004	40.297	-33.996	74.000	-0.293	PK
2	*	15960.000	45.765	40.140	-28.235	74.000	5.625	PK

Profile: 1842039	Page No.: 172
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.533	40.826	-33.467	74.000	-0.293	PK
2	*	15960.000	46.518	40.893	-27.482	74.000	5.625	PK

Profile: 1842039	Page No.: 173
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.725	40.277	-34.275	74.000	-0.551	PK
2	*	15570.000	46.224	40.292	-27.776	74.000	5.931	PK

Profile: 1842039	Page No.: 174
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.119	40.671	-33.881	74.000	-0.551	PK
2	*	15570.000	46.105	40.173	-27.895	74.000	5.931	PK

Profile: 1842039	Page No.: 175
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.550	40.162	-34.450	74.000	-0.612	PK
2	*	15690.000	47.000	40.209	-27.000	74.000	6.791	PK

Profile: 1842039	Page No.: 176
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.455	40.067	-34.545	74.000	-0.612	PK
2	*	15690.000	46.818	40.027	-27.182	74.000	6.791	PK

Profile: 1842039	Page No.: 177
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.661	40.232	-34.339	74.000	-0.571	PK
2	*	15810.000	46.737	40.920	-27.263	74.000	5.818	PK

Profile: 1842039	Page No.: 178
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.463	40.034	-34.537	74.000	-0.571	PK
2	*	15810.000	46.708	40.891	-27.292	74.000	5.818	PK

Profile: 1842039	Page No.: 179
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.204	40.395	-33.796	74.000	-0.190	PK
2	*	15930.000	46.377	40.331	-27.623	74.000	6.047	PK

Profile: 1842039	Page No.: 180
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.651	40.842	-33.349	74.000	-0.190	PK
2	*	15930.000	46.070	40.024	-27.930	74.000	6.047	PK

Profile: 1842039	Page No.: 181
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.326	40.500	-34.674	74.000	-1.174	PK
2	*	15630.000	46.418	40.731	-27.582	74.000	5.688	PK

Profile: 1842039	Page No.: 182
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.127	40.301	-34.873	74.000	-1.174	PK
2	*	15630.000	46.247	40.560	-27.753	74.000	5.688	PK

Profile: 1842039	Page No.: 183
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.270	40.019	-34.730	74.000	-0.749	PK
2	*	15870.000	46.136	40.461	-27.864	74.000	5.676	PK

Profile: 1842039	Page No.: 184
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.856	40.605	-34.144	74.000	-0.749	PK
2	*	15870.000	45.933	40.258	-28.067	74.000	5.676	PK