

Tracker GT100 Installation and User Guide

Version 1.1



Model No.: GTR11NA11301
Publish Date: September 2010



Copyright

©2010 EU3C Company Limited Reserved® All rights reserved.

This publication is protected by federal copyright law. No part of this publication may be copied or distributed, transmitted, transcribed, stored in a retrieval system, or translated into any human or computer language in any form or by any means, electronic, mechanical, magnetic, manual or otherwise, or disclosed to third parties without the express written permission from EU3C.

EU3C makes no representation or warranties with respect to the contents hereof and specifically disclaims any implied warranties of merchantability or fitness for a particular purpose.

Trademarks

EU3C is a registered trademark of EU3C Company Limited Reserved. The EU3C logo is a trademark of EU3C Company Limited Reserved. All other registered and unregistered trademarks are the properties of their respective holders.

FCC Regulations

This GPS tracker complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This GPS tracker has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

RF Exposure Information (SAR)

This GPS tracker meets the government's requirements for exposure to radio waves.

This tracker is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6W/kg. *Tests for SAR are conducted using standard operating positions accepted by the FCC with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the tracker while operating can be well below the maximum value. This is because the tracker is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output.

The highest SAR value for the model tracker as reported to the FCC when tested for use at the ear is 1.31 W/kg and when worn on the body, as described in this user guide, is 0.323 W/kg (Body-worn measurements differ among tracker models, depending upon available accessories and FCC requirements.)

While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement.

The FCC has granted an Equipment Authorization for this model tracker with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model tracker is on file with the FCC and can be found under the Display Grant section of www.fcc.gov/oet/ea/fccid after searching on FCC ID: WFZGT100A.

For body worn operation, this tracker has been tested and meets the FCC RF exposure guidelines for use with an accessory that contains no metal and the positions the handset a minimum of 1.5 cm from the body. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. If you do not use a body-worn accessory and are not holding the phone at the ear, position the handset a minimum of 1.5 cm from your body when the tracker is switched on.

Revisions

Product features and specifications described in this manual are subject to change without notice. EU3C reserves the right to periodically revise this manual without notice. Revisions will be incorporated into new editions. EU3C shall not be liable for any damages, or for the loss of information resulting from the performance or use of the information contained herein.

EU3C Communications
Unit 7, 8/F., Austin Tower, 22-26 Austin Avenue,
Tsim Sha Tsui, Kowloon, Hong Kong

www.eu3c.com

Table of Contents

Chapter 1 Introduction	1-1
1.1 Preface	1-1
1.1.1 Technical Support	1-1
1.1.2 Privacy and Other Guidelines	1-1
1.2 Introduction	1-1
1.2.1 Key Features	1-2
1.2.2 Tracker GT100 package contents	1-5
1.2.3 Safety Notes	1-6
Chapter 2 Installing the SIM Card, Battery, and PC Tracker Tool	2-1
2.1 Installing the SIM Card and Battery	2-1
2.2 Installing the PC Tracker Tool	2-2
2.2.1 Minimum System Requirements	2-2
2.2.2 Installation	2-2
Chapter 3 Using Your Tracker GT100	3-1
3.1 Understanding the Buttons and Indicators	3-1
3.2 Charging the Tracker GT100	3-2
3.2.1 Charging the Battery Using the USB Cable	3-2
3.2.2 Charging the Battery Using the Battery Charger	3-2
3.3 Powering Up the Tracker GT100	3-3
Chapter 4 Using the PC Tracker Tool	4-1
4.1 Starting the PC Tracker Tool	4-1
4.2 Changing the Contact List Settings	4-1
4.3 Configuring the SMS Display Settings	4-3
4.4 Setting the Help Options	4-4
4.5 Configuring the Park Settings	4-5
4.6 Configuring the Surveillance/Remote Monitoring Settings	4-6
4.7 Configuring the Power Rule Settings	4-7
4.8 Changing the Direct Dial Settings	4-8
4.9 Configuring the Speed Alert Settings	4-9
4.10 Configuring the Tracking Log Settings	4-10
4.11 Changing the Password	4-11
Chapter 5 Troubleshooting	5-1
5.1 Frequently Asked Questions	5-1
Appendix A Technical Specifications	A-1
Appendix B Tracker GT100 Functions and LED Status	B-1
B.1 Functions	B-1

B.2	Status Indicators	B-2
Appendix C	Short Messages (SMS) Format for GPS Data	C-1
C.1	SMS Location Symbols and Abbreviations	C-1
C.2	SMS Remote Commands	C-1
C.2.1	Park Status	C-1
C.2.2	Ring Status	C-1
C.3	SMS Format	C-2
C.3.1	Street Number, Point of Interest (POI), and GPS Coordinates	C-2
C.3.2	Location Inside a Major POI	C-3
C.3.3	Location When Traveling on a Highway	C-4
C.4	Current Map Supported Countries	C-4

Chapter 1 Introduction

1.1 Preface

This document provides operating instructions for configuring and using the Tracker GT100 device. Note that the Tracker GT100 comes with preset settings which allows one to start using the Tracker GT100 by simply inserting a SIM card and powering up the device. To get up and running quickly, please refer to the Quick Start Guide.

1.1.1 Technical Support

For further questions, contact EU3C as follows:

- By internet: www.eu3C.com
- By email: supports@eu3c.com
- By phone: +886-2-2546-7379
- By mail: EU3C Company Limited
Unit 7, 8/F., Austin Tower, 22-26 Austin Avenue
Tsim Sha Tsui, Kowloon, Hong Kong

1.1.2 Privacy and Other Guidelines

The Tracker GT100 is designed to help support loved ones, safeguard property, and provide protection. It should not be used for any other purposes that might violate the privacy of others or for criminal purposes. EU3C assumes no liability or responsibility for behavior related to the misuse of this device.

GPS technology, although sufficiently accurate for normal tracking purposes, is still bound by actual operating environmental factors, such as signal strength and battery condition. The data acquired during normal operation are for reference only. EU3C does its best to produce an accurate device; nevertheless, do not to rely on the data for critical applications, such as pinpoint evidence for legal purposes or as a sole resource for life-saving purposes.

1.2 Introduction

The EU3C Tracker GT100 is a GSM-based GPS tracking device that is designed to be a portable multi-purpose GPS tracking device in a very small footprint. The patented technology that is built into this device allows the end user to track and monitor the remote device down to the detailed street addresses without the use of server-hosted programs.

1.2.1 Key Features

Know the whereabouts of loved ones

Use the Tracker GT100 to easily track loved ones without the need of a PC.



Call the Tracker GT100
from any mobile phone

Place the Tracker GT100 with a loved one

No. 1294 Southgate Ave & Lakeshire
Dr, 244 yds <E> EDISON ELEMENTARY;
South San Francisco, California,
W122.48353, N37.67600

Receive a text message of its location



No PC required

Press and hold the Help button for three seconds to send a "help" announcement to others

Using the one of the preset buttons, the Tracker GT100 allows you to broadcast a "help" announcement to others.

Help button




SOS Panic Button for Personal Security

Press and hold the red SOS button for three seconds and the Tracker GT100 will call 911 if the user enables this function.



Functions as a Remote Monitor

The Tracker GT100 can function as a baby monitor that allows remote voice monitoring through a cell phone.



Serves as a Child's Phone

The Tracker GT100 can serve as a child's phone with simple-to-use pre-programmed buttons for making and receiving calls.




Stolen Vehicle Recovery Device

The Tracker GT100 can help police track and recover a vehicle if it gets stolen by acting as a transmitter in the vehicle.



GPS Position Trace Log on a PC


By enabling the Trace Logging feature, the Tracker GT100 will record its position on to a flash card, allowing the user to download the device's GPS position history. The Trace Log can be used to reproduce the device's positions on your PC.



1.2.2 Tracker GT100 package contents

You should get the following items when you open your Tracker GT100 box:

- Tracker GT100
- Lithium ion battery
- Charger - power adapter with USB cable for either power outlet charging or PC-connected charging
- USB cable¹ - USB cable used for interfacing with Tracker Tool software and downloading GPS position trace log
- Micro SD memory card - used for storing map database and user settings. DO NOT use another memory card unless it is provided by EU3C and DO NOT reformat this memory card.
- Tracker Tool CD - Tracker Tool software and User manual PDF
- Quick Start Guide



¹ Attached micro USB to USB 2.0 cable complies with USB specifications for micro USB type B connector for portable devices

1.2.3 Safety Notes

The Tracker GT100 complies with Parts 15B, 22H, 24E, OET65(SAR) of the FCC Rules. Operation is subject to the following conditions:


1. The Tracker GT100 may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operations.
2. The Tracker GT100 is a GSM enabled GPS tracking device. Pay special attention to local laws and general health and safety regulations.
3. The Tracker GT100 should be turned off in hospitals and airplanes.
4. DO NOT operate the Tracker GT100 in areas where there are flammable materials such as gas stations.
5. DO NOT operate the Tracker GT100 if the device is wet. The Tracker GT100 is not waterproof. Please contact your distributor or EU3C for the availability of a waterproof model.
6. A GSM SIM card is required for proper operation.

Chapter 2 Installing the SIM Card, Battery, and PC Tracker Tool

2.1 Installing the SIM Card and Battery

Install the SIM card¹ and battery as follows:

1. Gently push down on the raised arrow of the back cover and slide off the battery cover.
2. Lift the SIM card cover.
3. Place the SIM card in its respective holder.
4. Carefully lower the cover in place and slide it down until it clicks securely.
5. Insert the battery and ensure that the battery contacts are at the top right corner.
6. Replace the battery cover and slide up to secure it in place.



¹ SIM card is purchased separately. SIM cards can be purchased through GSM mobile network operators such as Orange, Vodafone, T-Mobile, AT&T, etc. SIM cards have various service plans - see operators for details.

2.2 Installing the PC Tracker Tool


2.2.1 Minimum System Requirements

- PC running Win98/Win2000/Windows XP/Windows Vista
- CD-ROM drive
- USB 2.0 port

2.2.2 Installation


The PC Tracker Tool is a Windows program that allows you to change the setting of the Tracker GT100.

1. Make sure the Tracker GT100 is not plugged into the computer.
2. Insert the Tracker Tool CD into the CD-ROM drive
3. Wait for the installation menu screen to appear. If no menu appears, browse the CD contents and double-click on Install.exe.
4. Follow the on-screen instructions to install the PC Tracker Tool software.



Chapter 3 Using Your Tracker GT100

3.1 Understanding the Buttons and Indicators



Item	Function	Description
Answer button	Answer incoming voice call	Press the Answer button to pick up an incoming call.
Park button	Activate the motion detection alert function	Press the Park button for three seconds to activate. Press the Hangup button to deactivate.
Speaker	Used for voice calls	
Help/Assist button	Broadcast continuous help messages to all six pre-programmed numbers	Press the Help/Assist button and hold for three seconds to activate. Press the Hangup button again to release.
Power ON/OFF button	Power ON/OFF Tracker GT100	Press and hold to toggle the Power ON/OFF button.
Microphone	Used for voice calls and room monitor mode	
Preset dial keys	Three buttons for three different preset numbers enabling one-button dialing for phone calls	Press one of the preset dial buttons to place a call. Press the Power button to end the call.
LED indicator	Displays status of the Tracker GT100	See C.4 Current Map Supported Countries .
USB port	Used with USB cable included in package.	
Keylock button	Lock buttons to prevent accidentally dialing out or activating features	Slide the keylock slider to lock or unlock the buttons.
SOS button	Automatically dial the preset emergency number (e.g., 911)	Press and hold the red SOS button for three seconds to activate an SOS call.

3.2 Charging the Tracker GT100

3.2.1 Charging the Battery Using the USB Cable



3.2.2 Charging the Battery Using the Battery Charger



3.3 Powering Up the Tracker GT100

1. Press the **Power ON/OFF** button and hold for over four seconds.
2. The Tracker GT100 will power ON and enter Standby mode as it acquires a satellite signal. Longer satellite searching time may occur when powering up the Tracker GT100 for the first time or if the Tracker GT100 has been moved to another state or country since the last time it was used.
3. If there is no satellite signal or movement detected for a long period of time, the Tracker GT100 will enter power saving mode as defined by the power saving parameter set using the PC Tracker Tool.


Chapter 4 Using the PC Tracker Tool

4.1 Starting the PC Tracker Tool

The PC Tracker Tool configuration software is used to program all of the features and settings of the Tracker GT100. These settings include the preset phone numbers for emergency calls, standby time, etc.

1. Power down the Tracker GT100.
2. Connect the Tracker GT100 to a PC using the USB cable.
3. Run TrackerTool.exe on the PC.

4.2 Changing the Contact List Settings




From the Contact List Settings screen, the following settings can be configured:

- Restrict incoming calls or allow calls from anyone
Select the **Anyone** button to allow calls from anyone.
Select **Only the following numbers** to restrict incoming calls and then click the **Add** button to add numbers to the incoming call list or click the **Remove** button to remove a number from the incoming call list. Highlight a number from the incoming call list and click the **Modify** button to change the number.
- Enable or disable the Park alarm notification function
Select **Function disabled** to disable the Park alarm function.
Select **Send message to the following numbers** to send a motion detection alert the user or others and then click the **Add** button to add numbers to the alert notification call list or click the **Remove** button to remove a number from the alert notification call list. Highlight a number from the notification call list and click the **Modify** button to change the number.
- Enable or disable the Help notification function
Select **Function disabled** to disable the Help notification function.
Select **Send message to the following numbers** to send a notification to others when the **Help** button on the Tracker GT100 is pressed. Then, click the **Add** button to add numbers to the help notification call list or click the **Remove** button to remove a number from the help notification call list. Highlight a number from the notification call list and click the **Modify** button to change the number.
- Enable or disable the System monitor notification function.
Select **Function disabled** to disable the System monitor notification function
Select **Send message to the following numbers** to send a notification to others when the system encounters system errors such as battery low. Then, click the **Add** button to add numbers to the system monitor notification call list or click the **Remove** button to remove a number from the help notification call list. Highlight a number from the notification call list and click the **Modify** button to change the number.

Click the **Update** button to send the new settings to the Tracker GT100.

4.3 Configuring the SMS Display Settings




From the Display Settings screen, the following settings can be configured:

- Location message format
- Distance unit
Use the pull-down arrow button to select the distance unit (e.g., KM for kilometers)

Click the **Update** button to send the new settings to the Tracker GT100.

4.4 Setting the Help Options




From the Help Options screen, the following settings can be configured:

- **Help message period**
Click the pull-down arrow to select the desired time period in which the Help message will be broadcast.
- **Select the Help button option**
Click the **Send location message with "Help" prefixed** to send the word, "Help" before the location message. Click the **Send location message** to send the location message without the word "Help."

Click the **Update** button to send the new settings to the Tracker GT100.

4.5 Configuring the Park Settings




From the Park Settings screen, the following settings can be configured:

- Bread crumbing
Use the pull-down arrows to set the time interval the Tracker GT100 will use for its Trace Logging function to mark its position.
- Park alarm trigger
Click the **When detect motion** to trigger the park alarm when the Tracker GT100 detects motion or click **When leave safe zone** to trigger the park alarm when the device is moved from the designated safe zone.
- Safe zone location
Use the pull-down arrows to set direction and the field boxes to enter longitude and latitude for the center of the safe zone. Use the pull-down arrows to set the safe zone radius.

Click the **Update** button to send the new settings to the Tracker GT100.

4.6 Configuring the Surveillance/Remote Monitoring Settings




From the Surveillance/Remote Monitoring Settings screen, the following settings can be configured:

- Enable or disable Surveillance mode
Select **Function disabled** to disable the Surveillance function.
Select **Enable** to enable the Surveillance function.
- Restrict incoming calls or allow calls from anyone
Select the **Anyone** button to allow calls from anyone.
Select **Only the following numbers** to restrict incoming calls and then click the **Add** button to add numbers to the incoming call list or click the **Remove** button to remove a number from the incoming call list. Highlight a number from the incoming call list and click the **Modify** button to change the number.

Click the **Update** button to send the new settings to the Tracker GT100.

4.7 Configuring the Power Rule Settings




From the Power Rule Settings screen, the following settings can be configured:

- Enable or disable Auto power ON/OFF mode
Select **Function disabled** to disable the auto Power ON/OFF function.
Select **Auto power on** to enable the auto power ON/OFF function. Use the up and down arrow buttons to set the time the Tracker GT100 will be powered on and the time the device will be powered down.
- Auto power saving time trigger
Use the pull-down arrow to set the time interval in which the Tracker GT100 will automatically power itself down.
- Battery low notice trigger
Use the pull-down arrow to determine what percentage of remaining battery power will trigger a battery low notice.

Click the **Update** button to send the new settings to the Tracker GT100.

4.8 Changing the Direct Dial Settings




From the Direct Dial Settings screen, the following settings can be configured:

- Enable or disable the direct call out function
Select **Function disabled** to disable the direct call out function.
Select **Enable** to enable the direct call out function.
- Enable or disable the dial in answer function
Select **Function disabled** to disable the dial in answer function.
Select **Enable** to enable the dial in answer function. Enter a call in/out phone number in the field box assigned to buttons 1, 2, and/or 3.
- Restrict dial in calls or allow dial in calls from anyone
Select the **Anyone** button to allow calls from anyone.
Select **Only the following numbers** to restrict dial in calls and then click the **Add** button to add numbers to the dial in list or click the **Remove** button to remove a number from the dial in list. Highlight a number from the dial in list and click the **Modify** button to change the number.

Click the **Update** button to send the new settings to the Tracker GT100.

4.9 Configuring the Speed Alert Settings



From the Speed Alert Settings screen, the following settings can be configured:

- Enable or disable the speed alert function
Select **Function disabled** to disable the speed alert function.
Select **Send message to the following numbers** to send a speed alert to the user or others when the speed alert function has been triggered. Then, click the **Add** button to add numbers to the alert notification call list or click the **Remove** button to remove a number from the alert notification call list. Highlight a number from the notification call list and click the **Modify** button to change the number.
- Speed alert option
Use the pull-down arrows to set the speed that will trigger a speed alert on highways, expressways, and local roads.
Use the pull-down arrow to set the speed unit of measure (e.g., Km/h for kilometers per hour).

Click the **Update** button to send the new settings to the Tracker GT100.

4.10 Configuring the Tracking Log Settings




From the Tracking Log Settings screen, the following settings can be configured:

- Time interval for logging GPS coordinates
Use the pull-down arrow button to set the time interval in which the Tracker GT100 will log its GPS coordinates.
- Trace log storage full notice
Use the pull-down arrow button to set the capacity percentage that will trigger a notice indicating the trace log is full.
- Access trace log options
Click the **Download tracking log** from device button to download the tracking log directly from the device.
Click the **Delete tracking log from device** button to delete the current tracking log from the device.
Click the **Show tracking log in Google earth** button to display the device's tracking log in a Google earth map on a PC.

Click the **Update** button to send the new settings to the Tracker GT100.

4.11 Changing the Password



From the Administration Settings screen, the following settings can be configured:

- Password
Use the field boxes to enter the old password and new password. Re-enter the new password in the field box and then click the **Apply** button. Clicking the **show characters while typing** box will allow the characters to appear as they are typed; otherwise, dots will appear as they are typed.
- Last configuration time
This field will display the last time the password was changed.
- Configuration update path
This field will display the path to where the configuration file is stored.
- Backup options
Click the **Save the configuration as...** button to save the new configuration file.
Click the **Load saved configuration...** button to load the last saved configuration file.

Click the **Update** button to send the new settings to the Tracker GT100.

Chapter 5 Troubleshooting

5.1 Frequently Asked Questions

Tracker GT100 does not power on.

Make sure the device is fully charged with a valid SIM card. Press and hold the **Power ON/OFF** button until the device powers up.

The power light remains lit after power on.

This occurs when the Tracker GT100 cannot receive a GPS signal.

Tracker GT100 cannot receive a GPS signal.

An open view to the sky is required. If using the Tracker GT100 device for the first time, it may longer than normal.

I pressed the preset dial (#1, #2, #3) button but nothing happens

Preset numbers must be entered using the Tracker Tool program. Install the Tracker Tool from the included CD and set the preset dial number for each of the three buttons. Make sure this feature is checked as enabled.

Tracker Tool program cannot detect the device.

Make sure the Tracker GT100 is connected to the PC first. If the Tracker GT100 is powered on, then power it off first. Then, run the Tracker tool software on the CD.

GPS Tracker does not seem to get charged.

Use the charger included in the package. Certain PC or notebook USB ports may not supply enough power current for charging.

SOS button does not seem to be working.

Make sure the SOS button pre-programming is correct. Use the Tracker Tool to program the SOS button if it is not programmed correctly for the area the Tracker GT100 is located.

Remote monitoring does not work. I cannot hear anything.

The surveillance feature must be enabled using the Tracker Tool program. Make sure it is set to allow anyone or people in the contact list to receive remote monitoring calls.

I cannot use my own USB to mini USB cable.

Please use the USB cable included in the package.

I cannot dial in to get the device location.

You need to either enable dial in from anyone or numbers from the contact list using the Tracker Tool program.

I cannot use Park function.

Make sure the Park feature is enabled.

Help/Assistance key doesn't work.

Make sure Help function is enabled and the help preset phone numbers are entered correctly in the contact list.

I cannot dial in the device and use it as a phone.

Make sure the Direct Call feature is enabled.

How can I use the Track logging feature.

Make sure the track logging feature is enabled.

I cannot monitor the Tracker.

Make sure the call in feature is disabled and the surveillance feature is enabled.

I cannot use the Call in / Surveillance functions.

These two functions cannot be used at the same time. Please check to see the configuration is set properly.

#1, #2, and #3 keys are remain lit after power on.

This means the SIM card was not installed or was not installed correctly. Re-install the SIM card and ensure that it is in place correctly.

Appendix A Technical Specifications

Parameter	Specification
GSM module	GSM900/1800 or GSM850/1900
GPS module	MT3326
Tracking sensitivity	-162 dBm
Positioning accuracy	< 20m
Speed precision	0.1 m/s
Time precision	Synchronized with satellite
GPS data protocol	NMEA0183
Hot start	5 seconds
Cold start	34 seconds
Standby time	112 hours
Working time	13 hours
Highest altitude	18,270 m
Maximum speed	515 m/s
Acceleration of gravity	< 4g
Dimensions	68mm x 48mm x 18mm
Weight	60g (excluding battery)
Working temperature	-15°C ~ +65°C
Humidity	5% ~ 90%
Battery	3.7V, 850mAh rechargeable Li-ion battery
Power	5 VDC

Appendix B Tracker GT100 Functions and LED Status

B.1 Functions

Function	Setting	Description
SOS/911	Press and hold the red SOS button for three seconds	Automatically dial preset emergency number (911)
Surveillance	Enable the surveillance function in the Tracker Tool program. The caller's phone number must be pre-programmed in the "Allow calls" list. The caller dials in and waits for over 8 seconds.	Caller uses the device as a surveillance voice monitor
Tracking log	Enable the Tracking function in the Tracker Tool program and sets the recording interval.	The Tracker GT100 will record its GPS position at pre-programmed intervals and store the location on a flash card for downloading or connecting to Google Earth from a PC.
Park	Press and hold the red Park button to enter parking mode and leave the device in the vehicle.	Once the Tracker GT100 detects motion or travels outside a pre-programmed boundary, the Tracker GT100 will trigger a "Moving" SMS message with its current location.
Help	Press and hold the Help button for three seconds.	The Tracker GT100 will send out a Help message to pre-programmed numbers in the contact list.
Speed dialing	Set phone numbers for each corresponding (#1, #2, #3) buttons	Press the speed dial button to make calls to the pre-programmed number.
Battery low	Set the device to notify the user when battery reaches a low level using the Tracker Tool.	The Tracker GT100 will automatically send out a battery low SMS message to the pre-programmed number.
Speed alert	Set device to notify the user when the device is traveling at a speed higher than the preset value.	The Tracker GT100 can be programmed to send out an SMS message when the device is traveling over the preset limit.

B.2 Status Indicators

Tracker Function	Status LED (top left LED)	Function LED (LED on button)
Standby	Flashes green every three seconds	
Power Saving	Flashes green 1/10s	
SOS activated	Blue 1/1s ^a	
Surveillance mode	Blue 1/3s ^b	
Charging		
Power ON	Red 1/3s	
Power OFF	Red ON ^c	
Fully charged	Red OFF ^d	
Battery low	Red 2/3s ^e	
Park mode		
Activated		Park button blue 1/3s
Deactivated		Park button blue OFF
Help/Assistance		
Activated		Help button blue 1/3s
Deactivated		Help button blue OFF
Function keys		
Dial out call (connected)		Green ON
Dial out call (hang-up)		Green OFF
Incoming call (ringing)		Flashes green every one second
Incoming call (connected)		Green ON
Incoming call (hang-up)		Green OFF
Pager call back (missed)		Green flashes every three seconds
Invalid SIM card		All three preset button LEDs flash green every second
No GPS signal		Power ON/OFF button blue LED flashes every one second

- a. LED 1/1s means LED flashes once every one second
- b. LED 1/3s means LED flashes once every three seconds
- c. LED ON means LED remains ON
- d. LED OFF means LED remains OFF
- e. LED 2/3s means LED flashes twice every three seconds

Appendix C Short Messages (SMS) Format for GPS Data

C.1 SMS Location Symbols and Abbreviations

Symbol	Definition
<N>, <S>, <W>, <E>	North of, South of, West of, East of
<N.E>, <N.W>, <S.E>, <S.W>	Northeast of, Northwest of, Southeast of, Southwest of
yds, m	Yards, meters
&	Cross street symbol

C.2 SMS Remote Commands

C.2.1 Park Status

- Send SMS message, "park off,000000" to quit Park status
- Send SMS message, "park on,000001" to enter Park status

If setup is successful, the Tracker GT100 will return an SMS message such as "park off ok" or "park on ok."

C.2.2 Ring Status

- Send SMS "ring off,000000" to disable the Tracker GT100's ring
- Send SMS "ring on,000001" to enable the Tracker GT100's ring

If setup is successful, the Tracker GT100 will return an SMS message such as "ring off ok" or "ring on ok."

C.3 SMS Format

There are three types of SMS messages that can be sent out from the Tracker GT100.


C.3.1 Street Number, Point of Interest (POI), and GPS Coordinates

- Section 1: Location address with the house number + nearby intersection
- Section 2: Distance and direction to a nearby POI
- Section 3: City, State
- Section 4: Coordinates

For example:

No. 1294 Southgate Ave & Lakeshire Dr, 244 yds <E> EDISON ELEMENTARY; South San Francisco, California, W122.48353, N37.67600.

The GPS location is at 1294 Southgate Ave; near the intersection of Southgate Ave and Lakeshire Dr; 244 yards away from the east of EDISON (THOMAS) ELEMENTARY; South San Francisco, California, the GPS coordinates are West 122.48353, North 37.67600.




C.3.2 Location Inside a Major POI

- Section 1: Location direction of POI + nearby POI
- Section 2: Distance from an address + direction from the closest address + nearby cross street
- Section 3: City, State
- Section 4: Coordinates

For example:

<E> Portal Park; 72 yds <N> 10177 N Portal Ave, N Portal Ave & Amherst Dr; California South San Francisco, San Mateo, California; W122.02021, N37.32614

The location is at east of Portal Park; 72 yards away from north of 1294 Portal Ave, near the intersection of N Portal Ave & Amherst Dr, South San Francisco, San Mateo, California; GPS coordinates are West 122.02021, North 37.32614.



C.3.3 Location When Traveling on a Highway

- Section 1: Highway name + moving direction
- Section 2: Distance closest to an exit + closest exit name
- Section 3: City, State
- Section 4: Coordinates

For example:

I-280 SB; <S.E>; 2102m; Exit "25"; Santa Clara, California; W121.95059, N37.31666

The location is at southbound highway I-280, moving direction is Southeast; 2102 meters away from the next exit "25"; Santa Clara, California; GPS coordinates are West 121.95059, North 37.31666.



C.4 Current Map Supported Countries

North America

USA, Canada, Mexico

South America

Argentina, Brazil, Chile

Europe

Austria, Belarus, Croatia, Czech Republic, Estonia, Finland, Great Britain, Greece, Hungary, Italy, Latvia, Lithuania, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Ukraine, Albania, Andorra, Bosnia, Denmark, France, Germany, Ireland, Luxembourg, Macedonia, Malta, Moldova, Montenegro, San Marino, Sweden, Switzerland, Yugoslavia, Bulgaria, Netherlands, Russia, Spain, Turkey

Middle East

Egypt, Saudi, UAE

Asia

China, India, Taiwan, Vietnam, HK/Macao, Indonesia, Malaysia, Thailand