

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1068	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2440MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.54	18.83	52.37	74.00	-21.63	peak			
2	24950.674	20.75	18.83	39.58	54.00	-14.42	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1069	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.63	18.82	52.45	74.00	-21.55	peak			
2	24942.463	20.73	18.82	39.55	54.00	-14.45	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1070	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	32.85	18.82	51.67	74.00	-22.33	peak			
2	24942.463	20.97	18.82	39.79	54.00	-14.21	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #893	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/30
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2402MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2367.928	52.57	-7.67	44.90	74.00	-29.10	peak			
2	2367.928	40.67	-7.67	33.00	54.00	-21.00	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #894	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/30
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2402MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2322.643	49.49	-7.80	41.69	74.00	-32.31	peak			
2	2322.643	33.00	-7.80	25.20	54.00	-28.80	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #899	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/30
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	54.28	-7.37	46.91	74.00	-27.09	peak			
2	2483.500	39.47	-7.37	32.10	54.00	-21.90	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #900	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/30
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	54.53	-7.37	47.16	74.00	-26.84	peak			
2	2483.500	38.17	-7.37	30.80	54.00	-23.20	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model SCTPS-AB-CU, 802.11b operation




ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1041	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	93.15	-7.43	85.72	/	/	peak			
2	4824.157	49.00	-0.19	48.81	74.00	-25.19	peak			
3	4824.157	43.48	-0.19	43.29	54.00	-10.71	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1042	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	94.26	-7.43	86.83	/	/	peak			
2	4824.162	48.76	-0.19	48.57	74.00	-25.43	peak			
3	4824.162	43.37	-0.19	43.18	54.00	-10.82	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1101	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	95.87	-7.36	88.51	/	/	peak			
2	4874.211	48.05	0.09	48.14	74.00	-25.86	peak			
3	4874.211	42.39	0.09	42.48	54.00	-11.52	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1102	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	93.25	-7.36	85.89	/	/	peak			
2	4874.203	48.61	0.09	48.70	74.00	-25.30	peak			
3	4874.203	43.27	0.09	43.36	54.00	-10.64	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1103	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	94.94	-7.35	87.59	/	/	peak			
2	4924.158	48.00	0.34	48.34	74.00	-25.66	peak			
3	4924.158	42.49	0.34	42.83	54.00	-11.17	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1104	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	97.82	-7.35	90.47	/	/	peak			
2	4924.192	48.10	0.34	48.44	74.00	-25.56	peak			
3	4924.192	42.60	0.34	42.94	54.00	-11.06	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1059	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.16	18.87	52.03	74.00	-21.97	peak			
2	24975.325	20.67	18.87	39.54	54.00	-14.46	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1060	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24926.048	33.42	18.80	52.22	74.00	-21.78	peak			
2	24926.048	20.81	18.80	39.61	54.00	-14.39	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1061	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24926.048	33.09	18.80	51.89	74.00	-22.11	peak			
2	24926.048	20.36	18.80	39.16	54.00	-14.84	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1062	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.68	18.87	52.55	74.00	-21.45	peak			
2	24975.325	20.91	18.87	39.78	54.00	-14.22	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1063	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/08
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	33.31	18.88	52.19	74.00	-21.81	peak			
2	24983.547	20.78	18.88	39.66	54.00	-14.34	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1064	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24893.251	33.09	18.75	51.84	74.00	-22.16	peak			
2	24893.251	20.38	18.75	39.13	54.00	-14.87	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1099	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2319.713	47.76	-7.81	39.95	74.00	-34.05	peak			
2	2319.713	33.85	-7.81	26.04	54.00	-27.96	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1100	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2356.402	51.51	-7.74	43.77	74.00	-30.23	peak			
2	2356.402	38.71	-7.74	30.97	54.00	-23.03	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1105	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2495.906	47.47	-7.39	40.08	74.00	-33.92	peak			
2	2495.906	40.09	-7.39	32.70	54.00	-21.30	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1106	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.566	45.72	-7.37	38.35	74.00	-35.65	peak			
2	2483.566	33.63	-7.37	26.26	54.00	-27.74	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model SCTPS-AB-CU, 802.11g operation




ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1089	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	97.82	-7.43	90.39	/	/	peak			
2	4824.168	46.91	-0.19	46.72	74.00	-27.28	peak			
3	4824.168	41.39	-0.19	41.20	54.00	-12.80	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1090	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	92.33	-7.43	84.90	/	/	peak			
2	4824.194	47.41	-0.19	47.22	74.00	-26.78	peak			
3	4824.194	42.13	-0.19	41.94	54.00	-12.06	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1093	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	95.40	-7.36	88.04	/	/	peak			
2	4874.129	48.18	0.09	48.27	74.00	-25.73	peak			
3	4874.129	42.85	0.09	42.94	54.00	-11.06	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1094	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	92.05	-7.36	84.69	/	/	peak			
2	4874.203	48.02	0.09	48.11	74.00	-25.89	peak			
3	4874.203	42.46	0.09	42.55	54.00	-11.45	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1095	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	92.72	-7.35	85.37	/	/	peak			
2	4924.165	47.82	0.34	48.16	74.00	-25.84	peak			
3	4924.165	42.37	0.34	42.71	54.00	-11.29	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1096	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	97.41	-7.35	90.06	/	/	peak			
2	4924.174	48.25	0.34	48.59	74.00	-25.41	peak			
3	4924.174	42.71	0.34	43.05	54.00	-10.95	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1119	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24926.048	33.24	18.80	52.04	74.00	-21.96	peak			
2	24926.048	20.58	18.80	39.38	54.00	-14.62	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1120	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.17	18.83	52.00	74.00	-22.00	peak			
2	24950.674	20.18	18.83	39.01	54.00	-14.99	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1121	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	34.01	18.82	52.83	74.00	-21.17	peak			
2	24942.463	20.39	18.82	39.21	54.00	-14.79	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1122	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.07	18.87	51.94	74.00	-22.06	peak			
2	24975.325	20.44	18.87	39.31	54.00	-14.69	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1123	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	33.40	18.88	52.28	74.00	-21.72	peak			
2	24983.547	20.73	18.88	39.61	54.00	-14.39	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1124	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.77	18.82	52.59	74.00	-21.41	peak			
2	24942.463	20.62	18.82	39.44	54.00	-14.56	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1091	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.919	46.27	-7.53	38.74	74.00	-35.26	peak			
2	2389.919	34.35	-7.53	26.82	54.00	-27.18	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1092	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2317.024	55.44	-7.82	47.62	74.00	-26.38	peak			
2	2317.024	39.58	-7.82	31.76	54.00	-22.24	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1097	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	51.63	-7.37	44.26	74.00	-29.74	peak			
2	2483.500	41.17	-7.37	33.80	54.00	-20.20	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1098	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	44.76	-7.37	37.39	74.00	-36.61	peak			
2	2483.500	35.07	-7.37	27.70	54.00	-26.30	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model SCTPS-AB-CU, 802.11n HT20 operation



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1125	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	96.37	-7.43	88.94	/	/	peak			
2	4824.224	49.02	-0.19	48.83	74.00	-25.17	peak			
3	4824.224	43.74	-0.19	43.55	54.00	-10.45	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1126	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	92.94	-7.43	85.51	/	/	peak			
2	4824.183	48.38	-0.19	48.19	74.00	-25.81	peak			
3	4824.183	42.88	-0.19	42.69	54.00	-11.31	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1129	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	96.09	-7.36	88.73	/	/	peak			
2	4874.214	49.34	0.09	49.43	74.00	-24.57	peak			
3	4874.214	43.90	0.09	43.99	54.00	-10.01	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1130	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	90.84	-7.36	83.48	/	/	peak			
2	4874.186	48.13	0.09	48.22	74.00	-25.78	peak			
3	4874.186	42.47	0.09	42.56	54.00	-11.44	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1131	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	92.22	-7.35	84.87	/	/	peak			
2	4924.177	47.73	0.34	48.07	74.00	-25.93	peak			
3	4924.177	42.20	0.34	42.54	54.00	-11.46	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1132	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	96.68	-7.35	89.33	/	/	peak			
2	4924.185	47.60	0.34	47.94	74.00	-26.06	peak			
3	4924.185	42.26	0.34	42.60	54.00	-11.40	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1147	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.43	18.83	52.26	74.00	-21.74	peak			
2	24950.674	20.50	18.83	39.33	54.00	-14.67	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1148	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.59	18.82	52.41	74.00	-21.59	peak			
2	24942.463	20.73	18.82	39.55	54.00	-14.45	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1149	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24958.889	33.63	18.84	52.47	74.00	-21.53	peak			
2	24958.889	20.80	18.84	39.64	54.00	-14.36	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1150	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.60	18.82	52.42	74.00	-21.58	peak			
2	24942.463	20.52	18.82	39.34	54.00	-14.66	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1151	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24958.889	33.26	18.84	52.10	74.00	-21.90	peak			
2	24958.889	20.48	18.84	39.32	54.00	-14.68	AVG			