

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1152	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.33	18.82	52.15	74.00	-21.85	peak			
2	24942.463	20.60	18.82	39.42	54.00	-14.58	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1127	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	
Note: 802.11 n20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2332.568	48.33	-7.80	40.53	74.00	-33.47	peak			
2	2332.568	34.01	-7.80	26.21	54.00	-27.79	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1128	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2373.506	52.51	-7.64	44.87	74.00	-29.13	peak			
2	2373.506	38.82	-7.64	31.18	54.00	-22.82	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1133	Polarization: Vertical
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.846	55.85	-7.38	48.47	74.00	-25.53	peak			
2	2483.846	42.25	-7.38	34.87	54.00	-19.13	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1134	Polarization: Horizontal
Standard: FCC (BAND EDGE)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/09
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.599	45.53	-7.37	38.16	74.00	-35.84	peak			
2	2483.599	33.62	-7.37	26.25	54.00	-27.75	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model SCTPS-AB-CU, 802.11n HT40 operation



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1165	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	92.03	-7.40	84.63	/	/	peak			
2	4844.128	48.09	-0.08	48.01	74.00	-25.99	peak			
3	4844.128	42.47	-0.08	42.39	54.00	-11.61	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1166	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	88.35	-7.40	80.95	/	/	peak			
2	4844.204	43.44	-0.08	43.36	74.00	-30.64	peak			
3	4844.204	38.05	-0.08	37.97	54.00	-16.03	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1169	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	92.96	-7.35	85.61	/	/	peak			
2	4874.168	48.00	0.15	48.15	74.00	-25.85	peak			
3	4874.168	42.57	0.15	42.72	54.00	-11.28	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1170	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	
Note: 802.11 n40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	87.81	-7.35	80.46	/	/	peak			
2	4874.210	45.74	0.15	45.89	74.00	-28.11	peak			
3	4874.210	40.28	0.15	40.43	54.00	-13.57	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1171	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	91.03	-7.35	83.68	/	/	peak			
2	4904.209	47.54	0.34	47.88	74.00	-26.12	peak			
3	4904.209	42.11	0.34	42.45	54.00	-11.55	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1172	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	93.21	-7.35	85.86	/	/	peak			
2	4904.177	47.93	0.34	48.27	74.00	-25.73	peak			
3	4904.177	42.50	0.34	42.84	54.00	-11.16	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1153	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.21	18.87	52.08	74.00	-21.92	peak			
2	24975.325	20.53	18.87	39.40	54.00	-14.60	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1154	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.80	18.83	52.63	74.00	-21.37	peak			
2	24950.674	20.74	18.83	39.57	54.00	-14.43	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1155	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24934.254	33.71	18.81	52.52	74.00	-21.48	peak			
2	24934.254	20.66	18.81	39.47	54.00	-14.53	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1156	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.82	18.82	52.64	74.00	-21.36	peak			
2	24942.463	20.51	18.82	39.33	54.00	-14.67	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1157	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.66	18.83	52.49	74.00	-21.51	peak			
2	24950.674	20.84	18.83	39.67	54.00	-14.33	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1158	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/04/10
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24926.048	33.47	18.80	52.27	74.00	-21.73	peak			
2	24926.048	20.67	18.80	39.47	54.00	-14.53	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1406	Polarization: Vertical
Standard: FCC Part 15 PEAK 2.4G	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/04
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 22:37:08
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	52.08	-7.53	44.55	74.00	-29.45	peak			
2	2390.000	38.33	-7.53	30.80	54.00	-23.20	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PHY #1407	Polarization: Horizontal
Standard: FCC Part 15 PEAK 2.4G	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/04
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 22:48:05
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	53.41	-7.53	45.88	74.00	-28.12	peak			
2	2390.000	39.13	-7.53	31.60	54.00	-22.40	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1408	Polarization: Horizontal
Standard: FCC Part 15 PEAK 2.4G	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/04
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 22:59:51
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	64.59	-7.37	57.22	74.00	-16.78	peak			
2	2483.500	53.17	-7.37	45.80	54.00	-8.20	AVG			
3	2485.495	65.38	-7.38	58.00	74.00	-16.00	peak			
4	2485.495	55.78	-7.38	48.40	54.00	-5.60	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #1409	Polarization: Vertical
Standard: FCC Part 15 PEAK 2.4G	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/04
Temp.(C)/Hum.(%) 23 C / 48 %	Time: 23:10:57
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	65.46	-7.37	58.09	74.00	-15.91	peak			
2	2483.500	52.27	-7.37	44.90	54.00	-9.10	AVG			
3	2485.792	66.08	-7.38	58.70	74.00	-15.30	peak			
4	2485.792	56.48	-7.38	49.10	54.00	-4.90	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model CSC-TPSVW, Bluetooth4.0 Low Energy operation



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #13	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2402MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2402.000	94.06	-7.45	86.61	/	/	peak			
2	4804.038	47.23	-0.30	46.93	74.00	-27.07	peak			
3	4804.038	40.80	-0.30	40.50	54.00	-13.50	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #14	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2402MHZ	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.027	64.98	-12.64	52.34	74.00	-21.66	peak			
2	1080.027	64.48	-12.64	51.84	54.00	-2.16	AVG			
3	2402.000	95.89	-7.45	88.44	/	/	peak			
4	4804.040	47.48	-0.30	47.18	74.00	-26.82	peak			
5	4804.040	41.63	-0.30	41.33	54.00	-12.67	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #15	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2440MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.038	65.31	-12.64	52.67	74.00	-21.33	peak			
2	1080.038	64.73	-12.64	52.09	54.00	-1.91	AVG			
3	2440.000	96.83	-7.36	89.47	/	/	peak			
4	4860.019	47.60	0.02	47.62	74.00	-26.38	peak			
5	4860.019	41.08	0.02	41.10	54.00	-12.90	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #16	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2440MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2440.000	100.21	-7.36	92.85	/	/	peak			
2	4880.028	47.80	0.13	47.93	74.00	-26.07	peak			
3	4880.028	41.38	0.13	41.51	54.00	-12.49	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #17	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2480MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.029	63.87	-12.64	51.23	74.00	-22.77	peak			
2	1080.029	63.41	-12.64	50.77	54.00	-3.23	AVG			
3	2480.000	99.58	-7.37	92.21	/	/	peak			
4	4960.026	48.16	0.52	48.68	74.00	-25.32	peak			
5	4960.026	41.62	0.52	42.14	54.00	-11.86	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #18	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2480MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	
Note: Bluetooth 4.0	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.030	64.79	-12.64	52.15	74.00	-21.85	peak			
2	1080.030	64.32	-12.64	51.68	54.00	-2.32	AVG			
3	2480.000	98.18	-7.37	90.81	/	/	peak			
4	4960.016	48.27	0.52	48.79	74.00	-25.21	peak			
5	4960.016	41.64	0.52	42.16	54.00	-11.84	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #111	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2402MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24958.889	33.82	18.84	52.66	74.00	-21.34	peak			
2	24958.889	20.98	18.84	39.82	54.00	-14.18	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #112	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2402MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.49	18.86	52.35	74.00	-21.65	peak			
2	24975.325	20.65	18.86	39.51	54.00	-14.49	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #113	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2440MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	32.93	18.88	51.81	74.00	-22.19	peak			
2	24983.547	20.89	18.88	39.77	54.00	-14.23	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #114	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2440MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.27	18.83	52.10	74.00	-21.90	peak			
2	24950.674	20.63	18.83	39.46	54.00	-14.54	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #115	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24917.845	33.09	18.78	51.87	74.00	-22.13	peak			
2	24917.845	20.81	18.78	39.59	54.00	-14.41	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #116	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2480MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: Bluetooth 4.0



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25000.000	33.21	18.90	52.11	74.00	-21.89	peak			
2	25000.000	20.52	18.90	39.42	54.00	-14.58	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model CSC-TPSVW, 802.11b operation



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #19	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.037	66.15	-12.64	53.51	74.00	-20.49	peak			
2	1080.037	65.15	-12.64	52.51	54.00	-1.49	AVG			
3	2412.000	102.31	-7.43	94.88	/	/	peak			
4	4824.205	50.95	-0.19	50.76	74.00	-23.24	peak			
5	4824.205	45.38	-0.19	45.19	54.00	-8.81	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #20	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	103.99	-7.43	96.56	/	/	peak			
2	4824.308	52.30	-0.19	52.11	74.00	-21.89	peak			
3	4824.308	46.83	-0.19	46.64	54.00	-7.36	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #21	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	104.16	-7.36	96.80	/	/	peak			
2	4874.189	52.05	0.09	52.14	74.00	-21.86	peak			
3	4874.189	45.46	0.09	45.55	54.00	-8.45	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #22	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.46	-7.36	93.10	/	/	peak			
2	4874.324	52.10	0.09	52.19	74.00	-21.81	peak			
3	4874.324	45.81	0.09	45.90	54.00	-8.10	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #23	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	101.29	-7.35	93.94	/	/	peak			
2	4924.285	51.97	0.34	52.31	74.00	-21.69	peak			
3	4924.285	45.42	0.34	45.76	54.00	-8.24	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #24	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	103.82	-7.35	96.47	/	/	peak			
2	4924.357	51.57	0.34	51.91	74.00	-22.09	peak			
3	4924.357	45.16	0.34	45.50	54.00	-8.50	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #119	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.14	18.83	51.97	74.00	-22.03	peak			
2	24950.674	20.81	18.83	39.64	54.00	-14.36	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #120	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.16	18.83	51.99	74.00	-22.01	peak			
2	24950.674	20.82	18.83	39.65	54.00	-14.35	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #121	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.50	18.86	52.36	74.00	-21.64	peak			
2	24975.325	20.45	18.86	39.31	54.00	-14.69	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #122	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24909.644	33.65	18.77	52.42	74.00	-21.58	peak			
2	24909.644	20.46	18.77	39.23	54.00	-14.77	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #123	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.29	18.83	52.12	74.00	-21.88	peak			
2	24950.674	20.73	18.83	39.56	54.00	-14.44	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #124	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	32.97	18.88	51.85	74.00	-22.15	peak			
2	24983.547	20.60	18.88	39.48	54.00	-14.52	AVG			

Produkte
 Products

Test Results of Spurious Emissions; model CSC-TPSVW, 802.11g operation




ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #29	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	102.93	-7.43	95.50	/	/	peak			
2	4824.150	52.06	-0.19	51.87	74.00	-22.13	peak			
3	4824.150	45.47	-0.19	45.28	54.00	-8.72	AVG			

Produkte
 Products




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: PZ #30	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.039	65.94	-12.64	53.30	74.00	-20.70	peak			
2	1080.039	65.34	-12.64	52.70	54.00	-1.30	AVG			
3	2412.000	98.68	-7.43	91.25	/	/	peak			
4	4824.215	51.99	-0.19	51.80	74.00	-22.20	peak			
5	4824.215	45.20	-0.19	45.01	54.00	-8.99	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #31	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.028	65.68	-12.64	53.04	74.00	-20.96	peak			
2	1080.028	65.24	-12.64	52.60	54.00	-1.40	AVG			
3	2437.000	99.77	-7.36	92.41	/	/	peak			
4	4874.275	50.58	0.09	50.67	74.00	-23.33	peak			
5	4874.275	44.16	0.09	44.25	54.00	-9.75	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #32	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	101.14	-7.36	93.78	/	/	peak			
2	4874.285	51.50	0.09	51.59	74.00	-22.41	peak			
3	4874.285	45.15	0.09	45.24	54.00	-8.76	AVG			

Produkte
 Products



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #33	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	102.72	-7.35	95.37	/	/	peak			
2	4924.350	51.86	0.34	52.20	74.00	-21.80	peak			
3	4924.350	44.59	0.34	44.93	54.00	-9.07	AVG			