

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #34	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.026	66.08	-12.64	53.44	74.00	-20.56	peak			
2	1080.026	65.42	-12.64	52.78	54.00	-1.22	AVG			
3	2462.000	99.61	-7.35	92.26	/	/	peak			
4	4924.368	51.25	0.34	51.59	74.00	-22.41	peak			
5	4924.368	44.63	0.34	44.97	54.00	-9.03	AVG			

**Produkte**  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #127	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24926.048	33.91	18.80	52.71	74.00	-21.29	peak			
2	24926.048	21.15	18.80	39.95	54.00	-14.05	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #128	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24975.325	33.14	18.86	52.00	74.00	-22.00	peak			
2	24975.325	20.81	18.86	39.67	54.00	-14.33	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #129	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	32.91	18.88	51.79	74.00	-22.21	peak			
2	24983.547	20.97	18.88	39.85	54.00	-14.15	AVG			

**Produkte**  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #130	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.27	18.82	52.09	74.00	-21.91	peak			
2	24942.463	20.83	18.82	39.65	54.00	-14.35	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #131	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24934.254	33.39	18.81	52.20	74.00	-21.80	peak			
2	24934.254	20.64	18.81	39.45	54.00	-14.55	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #132	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24967.105	32.88	18.85	51.73	74.00	-22.27	peak			
2	24967.105	20.69	18.85	39.54	54.00	-14.46	AVG			

Produkte  
 Products

**Test Results of Spurious Emissions; model CSC-TPSVW, 802.11n HT20 operation**




**ACCURATE TECHNOLOGY CO., LTD.**  
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #35	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.033	66.08	-12.64	53.44	74.00	-20.56	peak			
2	1080.033	65.37	-12.64	52.73	54.00	-1.27	AVG			
3	2412.000	98.98	-7.43	91.55	/	/	peak			
4	4824.214	51.00	-0.19	50.81	74.00	-23.19	peak			
5	4824.214	44.17	-0.19	43.98	54.00	-10.02	AVG			



Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #36	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	99.89	-7.43	92.46	/	/	peak			
2	4824.334	51.01	-0.19	50.82	74.00	-23.18	peak			
3	4824.334	44.50	-0.19	44.31	54.00	-9.69	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #37	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	101.39	-7.36	94.03	/	/	peak			
2	4874.288	52.29	0.09	52.38	74.00	-21.62	peak			
3	4874.288	45.83	0.09	45.92	54.00	-8.08	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #38	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	
Note: 802.11n20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.040	65.76	-12.64	53.12	74.00	-20.88	peak			
2	1080.040	65.18	-12.64	52.54	54.00	-1.46	AVG			
3	2437.000	96.98	-7.36	89.62	/	/	peak			
4	4874.361	50.75	0.09	50.84	54.00	-23.16	peak			
5	4874.361	44.28	0.09	44.37	54.00	-9.63	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #39	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.027	66.26	-12.64	53.62	74.00	-20.38	peak			
2	1080.027	65.66	-12.64	53.02	54.00	-0.98	AVG			
3	2462.000	97.71	-7.35	90.36	/	/	peak			
4	4924.261	50.48	0.34	50.82	74.00	-23.18	peak			
5	4924.261	44.05	0.34	44.39	54.00	-9.61	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #40	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	101.84	-7.35	94.49	/	/	peak			
2	4924.309	51.10	0.34	51.44	74.00	-22.56	peak			
3	4924.309	44.71	0.34	45.05	54.00	-8.95	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #133	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24967.105	33.02	18.85	51.87	74.00	-22.13	peak			
2	24967.105	20.70	18.85	39.55	54.00	-14.45	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #134	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2412MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25000.000	33.00	18.90	51.90	74.00	-22.10	peak			
2	25000.000	21.00	18.90	39.90	54.00	-14.10	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #135	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24967.105	33.36	18.85	52.21	74.00	-21.79	peak			
2	24967.105	20.44	18.85	39.29	54.00	-14.71	AVG			



Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #136	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24967.105	33.33	18.85	52.18	74.00	-21.82	peak			
2	24967.105	20.53	18.85	39.38	54.00	-14.62	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #137	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.04	18.82	51.86	74.00	-22.14	peak			
2	24942.463	20.54	18.82	39.36	54.00	-14.64	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #138	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2462MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	33.31	18.88	52.19	74.00	-21.81	peak			
2	24983.547	20.63	18.88	39.51	54.00	-14.49	AVG			

Produkte  
 Products

**Test Results of Spurious Emissions; model CSC-TPSVW, 802.11n HT40 operation**




**ACCURATE TECHNOLOGY CO., LTD.**  
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #45	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2422MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	99.33	-7.40	91.93	/	/	peak			
2	4844.458	50.44	-0.07	50.37	74.00	-23.63	peak			
3	4844.458	44.24	-0.07	44.17	54.00	-9.83	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #46	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/21
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2422MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.036	65.22	-12.64	52.58	74.00	-21.42	peak			
2	1080.036	64.72	-12.64	52.08	54.00	-1.92	AVG			
3	2422.000	94.10	-7.40	86.70	/	/	peak			
4	4844.581	49.65	-0.07	49.58	74.00	-24.42	peak			
5	4844.581	42.56	-0.07	42.49	54.00	-11.51	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #65	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.023	65.04	-12.64	52.40	74.00	-21.60	peak			
2	1080.023	64.70	-12.64	52.06	54.00	-1.94	AVG			
3	2437.000	98.13	-7.35	90.78	/	/	peak			
4	4874.325	49.74	0.15	49.89	74.00	-24.11	peak			
5	4874.325	42.27	0.15	42.42	54.00	-11.58	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #66	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.024	66.15	-12.64	53.51	74.00	-20.49	peak			
2	1080.024	65.62	-12.64	52.98	54.00	-1.02	AVG			
3	2437.000	97.09	-7.35	89.74	/	/	peak			
4	4874.407	49.06	0.15	49.21	74.00	-24.79	peak			
5	4874.407	41.49	0.15	41.64	54.00	-12.36	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #67	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2452MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1080.019	65.92	-12.64	53.28	74.00	-20.72	peak			
2	1080.019	65.38	-12.64	52.74	54.00	-1.26	AVG			
3	2452.000	96.81	-7.35	89.46	/	/	peak			
4	4904.318	48.25	0.34	48.59	74.00	-25.41	peak			
5	4904.318	40.71	0.34	41.05	54.00	-12.95	AVG			



Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #68	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/21/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature:
Mode: TX 2452MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	98.10	-7.35	90.75	/	/	peak			
2	4904.295	48.66	0.34	49.00	74.00	-25.00	peak			
3	4904.295	41.27	0.34	41.61	54.00	-12.39	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #139	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24958.889	33.07	18.84	51.91	74.00	-22.09	peak			
2	24958.889	20.27	18.84	39.11	54.00	-14.89	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #140	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2422MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24942.463	33.33	18.82	52.15	74.00	-21.85	peak			
2	24942.463	20.63	18.82	39.45	54.00	-14.55	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #141	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	32.35	18.88	51.23	74.00	-22.77	peak			
2	24983.547	20.53	18.88	39.41	54.00	-14.59	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #142	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2437MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	32.90	18.88	51.78	74.00	-22.22	peak			
2	24983.547	20.59	18.88	39.47	54.00	-14.53	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PZ #143	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24950.674	33.16	18.83	51.99	74.00	-22.01	peak			
2	24950.674	20.72	18.83	39.55	54.00	-14.45	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PZ #144	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/22/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: TX 2452MHz	Distance:
Model: CSC-TPSVW	
Manufacturer: JDSU	

Note: 802.11n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24983.547	33.26	18.88	52.14	74.00	-21.86	peak			
2	24983.547	20.59	18.88	39.47	54.00	-14.53	AVG			

Produkte  
 Products

**Test Results of Radiated Emissions; model SCTPS-AB-CU**




**ACCURATE TECHNOLOGY CO., LTD.**  
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #830	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	192.0073	59.52	-12.58	46.94	53.50	-6.56	QP			
2	960.0000	46.48	2.37	48.85	56.40	-7.55	QP			



Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #831	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9952	56.38	-12.58	43.80	53.50	-9.70	QP			
2	749.9467	51.99	-1.03	50.96	56.40	-5.44	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #840	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9979	58.00	-12.58	45.42	53.50	-8.08	QP			
2	760.0035	50.03	-0.87	49.16	56.40	-7.24	QP			
3	960.0010	44.94	2.37	47.31	59.50	-12.19	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #841	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	125.0050	58.90	-13.73	45.17	53.50	-8.33	QP			
2	624.9776	52.05	-2.62	49.43	56.40	-6.97	QP			
3	960.0000	48.56	2.37	50.93	56.40	-5.47	QP			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #846	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9860	59.28	-12.58	46.70	53.50	-6.80	QP			
2	759.9976	51.49	-0.87	50.62	56.40	-5.78	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #847	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9670	60.11	-12.58	47.53	53.50	-5.97	QP			
2	960.0000	46.03	2.37	48.40	56.40	-8.00	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #848	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9886	59.09	-12.58	46.51	53.50	-6.99	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #849	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9900	59.68	-12.58	47.10	53.50	-6.40	QP			
2	679.9934	52.63	-2.02	50.61	56.40	-5.79	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #865	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	681.9729	50.79	-2.00	48.79	56.40	-7.61	QP			
2	749.9717	51.43	-1.03	50.40	56.40	-6.00	QP			



Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #866	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9940	59.49	-12.58	46.91	53.50	-6.59	QP			
2	960.0000	46.14	2.37	48.51	56.40	-7.89	QP			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2575	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1719.890	62.37	-10.34	52.03	80.00	-27.97	peak			
2	1719.890	55.78	-10.34	45.44	60.00	-14.56	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2576	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1319.403	59.26	-12.16	47.10	80.00	-32.90	peak			
2	1319.403	52.76	-12.16	40.60	60.00	-19.40	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2579	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.447	58.57	-11.08	47.49	80.00	-32.51	peak			
2	1599.447	52.68	-11.08	41.60	60.00	-18.40	AVG			

Produkte  
 Products



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2580	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1919.929	55.34	-9.56	45.78	80.00	-34.22	peak			
2	1919.929	48.97	-9.56	39.41	80.00	-40.59	QP			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2592	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1125.010	63.91	-12.55	51.36	80.00	-28.64	peak			
2	1125.010	57.64	-12.55	45.09	60.00	-14.91	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2593	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1125.210	58.38	-12.55	45.83	80.00	-34.17	peak			
2	1125.210	51.91	-12.55	39.36	60.00	-20.64	AVG			

Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2596	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.589	59.74	-11.08	48.66	80.00	-31.34	peak			
2	1599.589	52.38	-11.08	41.30	60.00	-18.70	AVG			



Produkte  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2597	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1159.469	55.85	-12.50	43.35	80.00	-36.65	peak			
2	1159.469	48.07	-12.50	35.57	60.00	-24.43	AVG			

Produkte  
 Products

**Test Results of Radiated Emissions; model CSC-TPSVW-CU**



**ACCURATE TECHNOLOGY CO., LTD.**


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #832	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9929	56.48	-12.58	43.90	53.50	-9.60	QP			
2	800.0020	52.33	0.04	52.37	56.40	-4.03	QP			
3	863.9955	53.88	1.00	54.88	56.40	-1.52	QP			