


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	6.51	41.06	47.57	68.30	-20.73	peak	
2		5715.000	-3.55	41.06	37.51	68.30	-30.79	AVG	
3		5725.000	12.64	41.10	53.74	78.30	-24.56	peak	
4		5725.000	0.41	41.10	41.51	68.30	-26.79	AVG	
5	X	5743.900	42.99	41.17	84.16	68.30	15.86	AVG	no limit
6	*	5751.400	53.34	41.21	94.55	78.30	16.25	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.30	32.49	12.91	45.40	68.30	-22.90	peak	
2	*	11490.30	25.24	12.91	38.15	54.00	-15.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5783.800	43.90	41.34	85.24	68.30	16.94	AVG	no limit
2	X	5786.400	53.39	41.35	94.74	78.30	16.44	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.30	33.76	12.89	46.65	68.30	-21.65	peak	
2	*	11570.30	26.27	12.89	39.16	54.00	-14.84	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5783.900	42.78	41.34	84.12	68.30	15.82	AVG	no limit
2	X	5787.100	52.29	41.35	93.64	78.30	15.34	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11569.60	32.81	12.89	45.70	68.30	-22.60	peak	
2	*	11569.60	25.43	12.89	38.32	54.00	-15.68	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5823.500	53.63	41.50	95.13	78.30	16.83	peak	no limit
2	*	5824.000	44.15	41.51	85.66	68.30	17.36	AVG	no limit
3		5850.000	6.05	41.62	47.67	78.30	-30.63	peak	
4		5850.000	-2.57	41.62	39.05	68.30	-29.25	AVG	
5		5860.000	2.72	41.65	44.37	68.30	-23.93	peak	
6		5860.000	-3.23	41.65	38.42	68.30	-29.88	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11649.70	34.46	12.84	47.30	68.30	-21.00	peak	
2	*	11649.70	26.97	12.84	39.81	54.00	-14.19	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5823.800	42.80	41.50	84.30	68.30	16.00	AVG	no limit
2	X	5826.000	52.60	41.51	94.11	78.30	15.81	peak	no limit
3		5850.000	5.19	41.62	46.81	78.30	-31.49	peak	
4		5850.000	-2.73	41.62	38.89	68.30	-29.41	AVG	
5		5860.000	5.21	41.65	46.86	68.30	-21.44	peak	
6		5860.000	-3.24	41.65	38.41	68.30	-29.89	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.30	33.71	12.84	46.55	68.30	-21.75	peak	
2	*	11650.30	26.29	12.84	39.13	54.00	-14.87	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	12.42	41.06	53.48	68.30	-14.82	peak	
2		5715.000	-0.31	41.06	40.75	68.30	-27.55	AVG	
3		5725.000	15.10	41.10	56.20	78.30	-22.10	peak	
4		5725.000	3.61	41.10	44.71	68.30	-23.59	AVG	
5	*	5753.200	52.02	41.21	93.23	78.30	14.93	peak	no limit
6	X	5760.000	41.98	41.24	83.22	68.30	14.92	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11509.60	33.52	12.94	46.46	68.30	-21.84	peak	
2	*	11509.60	26.13	12.94	39.07	54.00	-14.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	10.03	41.06	51.09	68.30	-17.21	peak	
2		5715.000	-0.92	41.06	40.14	68.30	-28.16	AVG	
3		5725.000	15.03	41.10	56.13	78.30	-22.17	peak	
4		5725.000	3.17	41.10	44.27	68.30	-24.03	AVG	
5	*	5748.800	51.79	41.19	92.98	78.30	14.68	peak	no limit
6	X	5750.200	39.90	41.20	81.10	68.30	12.80	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11510.40	32.12	12.94	45.06	68.30	-23.24	peak	
2	*	11510.40	25.07	12.94	38.01	54.00	-15.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5800.000	41.67	41.41	83.08	68.30	14.78	AVG	no limit
2	*	5809.000	52.31	41.45	93.76	78.30	15.46	peak	no limit
3		5850.000	6.42	41.62	48.04	78.30	-30.26	peak	
4		5850.000	-3.15	41.62	38.47	68.30	-29.83	AVG	
5		5860.000	6.91	41.65	48.56	68.30	-19.74	peak	
6		5860.000	-1.95	41.65	39.70	68.30	-28.60	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.80	34.23	12.88	47.11	68.30	-21.19	peak	
2	*	11590.80	26.74	12.88	39.62	54.00	-14.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5800.200	41.37	41.41	82.78	68.30	14.48	AVG	no limit
2	*	5801.600	51.64	41.42	93.06	78.30	14.76	peak	no limit
3		5850.000	5.20	41.62	46.82	78.30	-31.48	peak	
4		5850.000	-3.15	41.62	38.47	68.30	-29.83	AVG	
5		5860.000	9.01	41.65	50.66	68.30	-17.64	peak	
6		5860.000	-2.51	41.65	39.14	68.30	-29.16	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11589.40	33.43	12.88	46.31	68.30	-21.99	peak	
2	*	11589.40	26.17	12.88	39.05	54.00	-14.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	1.23	41.06	42.29	68.30	-26.01	peak	
2		5715.000	12.14	41.06	53.20	68.30	-15.10	peak	
3		5725.000	14.81	41.10	55.91	78.30	-22.39	peak	
4		5725.000	3.77	41.10	44.87	68.30	-23.43	AVG	
5	X	5760.200	39.03	41.24	80.27	68.30	11.97	AVG	no limit
6	*	5787.800	49.69	41.36	91.05	78.30	12.75	peak	no limit
7		5850.000	11.27	41.62	52.89	78.30	-25.41	peak	
8		5850.000	0.60	41.62	42.22	68.30	-26.08	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11549.50	34.21	12.91	47.12	68.30	-21.18	peak	
2	*	11549.50	26.63	12.91	39.54	54.00	-14.46	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	12.72	41.06	53.78	68.30	-14.52	peak	
2		5715.000	-0.37	41.06	40.69	68.30	-27.61	AVG	
3		5725.000	14.45	41.10	55.55	78.30	-22.75	peak	
4		5725.000	1.38	41.10	42.48	68.30	-25.82	AVG	
5	*	5778.200	47.30	41.31	88.61	78.30	10.31	peak	no limit
6	X	5783.800	35.87	41.34	77.21	68.30	8.91	AVG	no limit
7		5850.000	6.09	41.62	47.71	78.30	-30.59	peak	
8		5850.000	-2.40	41.62	39.22	68.30	-29.08	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.30	33.47	12.91	46.38	68.30	-21.92	peak	
2	*	11550.30	26.13	12.91	39.04	54.00	-14.96	AVG	

TX A Mode_DUTY CYCLE



Date: 14.JAN.2015 09:19:22

Duty cycle: TX 5745MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 2.127 msec

T_{Total} : 2.184 msec

Duty cycle: 0.97

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 0.11

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE



Date: 14.JAN.2015 09:32:09

Duty cycle: TX 5180MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 1.046 msec

T_{Total} : 1.103 msec

Duty cycle: 0.95

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.23

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE



Date: 14.JAN.2015 10:12:05

Duty cycle: TX 5190MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.519 msec

T_{Total} : 0.6 msec

Duty cycle: 0.87

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 0.63

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE



Date: 14.JAN.2015 09:41:38

Duty cycle: TX 5180MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.154 msec

T_{Total} : 0.16msec

Duty cycle: 0.96

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 0.17

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE



Date: 14.JAN.2015 10:21:36

Duty cycle: TX 5190MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.106 msec

T_{Total} : 0.109 msec

Duty cycle: 0.97

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 0.12

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE



Date: 14.JAN.2015 10:33:34

Duty cycle: TX 5210MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.09 msec

T_{Total} : 0.094 msec

Duty cycle: 0.96

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.19

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor


Power Spectral Density = Measured density + Duty factor

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.45	17.10
CH40	5200	20.59	17.10
CH48	5240	20.59	17.10

TX CH36




Date: 14.JAN.2015 09:12:39

TX CH40



Date: 14.JAN.2015 09:14:14

TX CH48




Date: 14.JAN.2015 09:15:16

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.60	17.90
CH40	5200	20.65	17.90
CH48	5240	20.55	17.90

TX CH36




Date: 14.JAN.2015 09:31:36

TX CH40



Date: 14.JAN.2015 09:25:15

TX CH48




Date: 14.JAN.2015 09:25:49

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.10	36.40
CH46	5230	39.11	36.20

TX CH38



Date: 14.JAN.2015 10:13:39

TX CH46




Date: 14.JAN.2015 10:14:22

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	16.55	17.10	>=500
CH157	5785	16.65	17.10	>=500
CH165	5825	16.55	17.10	>=500

TX CH 149




Date: 14.JAN.2015 09:18:33

TX CH 157



Date: 14.JAN.2015 09:20:29

TX CH 165




Date: 14.JAN.2015 09:21:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.85	17.90	>=500
CH157	5785	17.85	17.80	>=500
CH165	5825	17.79	17.90	>=500

TX CH 149




Date: 14.JAN.2015 09:33:43

TX CH 157



Date: 14.JAN.2015 09:35:33

TX CH 165




Date: 14.JAN.2015 09:36:18

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.70	36.20	>=500
CH159	5795	36.50	36.20	>=500

TX CH 151



Date: 14.JAN.2015 10:15:31

TX CH 159




Date: 14.JAN.2015 10:16:15

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.55	18.00
CH40	5200	20.60	18.10
CH48	5240	20.60	17.90

TX CH36




Date: 14.JAN.2015 09:44:57

TX CH40



Date: 14.JAN.2015 09:45:37

TX CH48




Date: 14.JAN.2015 09:46:13

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.20	36.20
CH46	5230	39.10	36.20

TX CH38



Date: 14.JAN.2015 10:25:23

TX CH46




Date: 14.JAN.2015 10:26:16

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	80.61	76.00

TX CH42




Date: 14.JAN.2015 10:33:14

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	18.00	17.85	>=500
CH157	5785	18.10	17.75	>=500
CH165	5825	18.00	17.85	>=500

TX CH 149




Date: 14.JAN.2015 09:47:55

TX CH 157



Date: 14.JAN.2015 09:48:52

TX CH 165




Date: 14.JAN.2015 09:49:33

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.60	36.20	>=500
CH159	5795	36.61	36.20	>=500

TX CH 151



Date: 14.JAN.2015 10:27:41

TX CH 159




Date: 14.JAN.2015 10:28:29

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH155	5775	76.60	75.60	>=500

TX CH 155



Date: 14.JAN.2015 10:40:24

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	7.87	0.11	7.98	24.00	0.25
CH40	5200	7.85	0.11	7.96	24.00	0.25
CH48	5240	7.81	0.11	7.92	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	4.75	0.23	4.98	24.00	0.25
CH40	5200	4.71	0.23	4.94	24.00	0.25
CH48	5240	4.68	0.23	4.91	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	4.70	0.23	4.93	24.00	0.25
CH40	5200	4.65	0.23	4.88	24.00	0.25
CH48	5240	4.61	0.23	4.84	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	7.74	0.23	7.97	24.00	0.25
CH40	5200	7.69	0.23	7.92	24.00	0.25
CH48	5240	7.66	0.23	7.89	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.31	0.63	4.94	24.00	0.25
CH46	5230	4.34	0.63	4.97	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.27	0.63	4.90	24.00	0.25
CH46	5230	4.25	0.63	4.88	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.30	0.63	7.93	24.00	0.25
CH46	5230	7.31	0.63	7.94	24.00	0.25

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.35	0.11	7.46	30.00	1.00
CH157	5785	7.31	0.11	7.42	30.00	1.00
CH165	5825	7.36	0.11	7.47	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	4.11	0.23	4.34	30.00	1.00
CH157	5785	4.17	0.23	4.40	30.00	1.00
CH165	5825	4.23	0.23	4.46	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	4.21	0.23	4.44	30.00	1.00
CH157	5785	4.16	0.23	4.39	30.00	1.00
CH165	5825	4.19	0.23	4.42	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.17	0.23	7.40	30.00	1.00
CH157	5785	7.18	0.23	7.41	30.00	1.00
CH165	5825	7.22	0.23	7.45	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	3.87	0.63	4.50	30.00	1.00
CH159	5795	3.81	0.63	4.44	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	3.72	0.63	4.35	30.00	1.00
CH159	5795	3.75	0.63	4.38	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	6.81	0.63	7.44	30.00	1.00
CH159	5795	6.79	0.63	7.42	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	4.76	0.17	4.93	24.00	0.25
CH40	5200	4.73	0.17	4.90	24.00	0.25
CH48	5240	4.75	0.17	4.92	24.00	0.25

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	4.81	0.17	4.98	24.00	0.25
CH40	5200	4.79	0.17	4.96	24.00	0.25
CH48	5240	4.76	0.17	4.93	24.00	0.25

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	7.80	0.17	7.97	24.00	0.25
CH40	5200	7.77	0.17	7.94	24.00	0.25
CH48	5240	7.77	0.17	7.93	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.71	0.12	4.83	24.00	0.25
CH46	5230	4.76	0.12	4.88	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.78	0.12	4.90	24.00	0.25
CH46	5230	4.81	0.12	4.93	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.76	0.12	7.88	24.00	0.25
CH46	5230	7.80	0.12	7.92	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	4.76	0.19	4.95	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	4.71	0.19	4.90	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	7.75	0.19	7.93	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	4.31	0.17	4.48	30.00	1.00
CH157	5785	4.35	0.17	4.52	30.00	1.00
CH165	5825	4.27	0.17	4.44	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	4.23	0.17	4.40	30.00	1.00
CH157	5785	4.17	0.17	4.34	30.00	1.00
CH165	5825	4.21	0.17	4.38	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.28	0.17	7.45	30.00	1.00
CH157	5785	7.27	0.17	7.44	30.00	1.00
CH165	5825	7.25	0.17	7.42	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	4.32	0.12	4.44	30.00	1.00
CH159	5795	4.37	0.12	4.49	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	4.28	0.12	4.40	30.00	1.00
CH159	5795	4.31	0.12	4.43	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	7.31	0.12	7.43	30.00	1.00
CH159	5795	7.35	0.12	7.47	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	4.27	0.19	4.46	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	4.18	0.19	4.37	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	7.24	0.19	7.43	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode_ANT 1

TX mode CH36



Date: 14.JAN.2015 09:12:56


TX mode CH48



Date: 14.JAN.2015 09:15:33


Test Mode:	UNII-1/TX N20 Mode_ANT 1
------------	--------------------------

TX mode CH36



Date: 14.JAN.2015 09:31:52


TX mode CH48



Date: 14.JAN.2015 09:26:06


Test Mode:	UNII-1/TX N20 Mode_ANT 2
------------	--------------------------

TX mode CH36



Date: 14.JAN.2015 09:27:55


TX mode CH48



Date: 14.JAN.2015 09:30:42


Test Mode: UNII-1/TX N40 Mode_ANT 1

TX mode CH38



Date: 14.JAN.2015 10:13:55


TX mode CH46



Date: 14.JAN.2015 10:14:38


Test Mode: UNII-1/TX N40 Mode_ANT 2

TX mode CH38



Date: 14.JAN.2015 10:11:57


TX mode CH46



Date: 14.JAN.2015 10:12:47


Test Mode: UNII-3/TX A Mode_ANT 1

TX A Mode CH149



Date: 14.JAN.2015 09:18:50


TX A Mode CH165



Date: 14.JAN.2015 09:21:52


Test Mode: UNII-3/TX N20 Mode_ANT 1

TX HT20 mode CH149



Date: 14.JAN.2015 09:33:59


TX HT20 mode CH165



Date: 14.JAN.2015 09:36:35


Test Mode: UNII-3/TX N20 Mode_ANT 2

TX HT20 mode CH149



Date: 14.JAN.2015 09:37:55


X HT20 mode CH165



Date: 14.JAN.2015 09:39:20


Test Mode: UNII-3/TX N40 Mode_ANT 1

UNII-3/TX HT40 mode CH151



Date: 14.JAN.2015 10:15:47


UNII-3/TX HT40 mode CH159



Date: 14.JAN.2015 10:16:31


Test Mode: UNII-3/TX N40 Mode_ANT 2

TX HT40 mode CH151



Date: 14.JAN.2015 10:18:24


HT40 mode CH159



Date: 14.JAN.2015 10:19:51


Test Mode: UNII-1/TX AC20 Mode_ANT 1

TX mode CH36



Date: 14.JAN.2015 09:45:14


TX mode CH48



Date: 14.JAN.2015 09:46:29


Test Mode: UNII-1/TX AC20 Mode_ANT 2

TX mode CH36



Date: 14.JAN.2015 09:41:29


TX mode CH48



Date: 14.JAN.2015 09:43:25


Test Mode:	UNII-1/TX AC40 Mode_ANT 1
-------------------	----------------------------------

TX mode CH38



Date: 14.JAN.2015 10:25:40


TX mode CH46



Date: 14.JAN.2015 10:26:32


Test Mode: UNII-1/TX AC40 Mode_ANT 2

TX mode CH38



Date: 14.JAN.2015 10:21:29


TX mode CH46



Date: 14.JAN.2015 10:22:16

Test Mode: UNII-1/TX AC80 Mode_ANT 1


TX mode CH42



Date: 14.JAN.2015 10:33:50

Test Mode: UNII-1/TX AC80 Mode_ANT 2


TX mode CH42



Date: 14.JAN.2015 10:35:48


Test Mode: UNII-3/TX AC20 Mode_ANT 1

TX AC HT20 mode CH149



Date: 14.JAN.2015 09:48:12


TX AC HT20 mode CH165



Date: 14.JAN.2015 09:49:50


Test Mode: UNII-3/TX AC20 Mode_ANT 2

TX AC HT20 mode CH149



Date: 14.JAN.2015 10:07:34


TX AC HT20 mode CH165



Date: 14.JAN.2015 10:08:48


Test Mode: UNII-3/TX AC40 Mode_ANT 1

TX AC HT40 mode CH151



Date: 14.JAN.2015 10:27:58


TX AC HT40 mode CH159



Date: 14.JAN.2015 10:28:46


Test Mode: UNII-3/TX AC40 Mode_ANT 2

TX AC HT40 mode CH151



Date: 14.JAN.2015 10:29:55


TX AC HT40 mode CH159



Date: 14.JAN.2015 10:30:36


Test Mode: UNII-3/TX AC80 Mode_ANT 1

TX AC HT80 mode CH155



Date: 14.JAN.2015 10:40:51


Test Mode: UNII-3/TX AC80 Mode_ANT 2



Date: 14.JAN.2015 10:39:10


ATTACHMENT H - POWER SPECTRAL DENSITY

CH40



Date: 14.JAN.2015 09:14:22


CH48



Date: 14.JAN.2015 09:15:25


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.72	0.23	-6.49	11.00
CH40	5200	-6.66	0.23	-6.43	11.00
CH48	5240	-7.25	0.23	-7.02	11.00




Date: 14.JAN.2015 09:31:45

CH40



Date: 14.JAN.2015 09:25:24

CH48




Date: 14.JAN.2015 09:25:58

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.72	0.23	-3.49	11.00
CH40	5200	-4.03	0.23	-3.80	11.00
CH48	5240	-4.99	0.23	-4.76	11.00

CH36




Date: 14.JAN.2015 09:27:48

CH40



Date: 14.JAN.2015 09:29:19

CH48



Date: 14.JAN.2015 09:30:35


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.96	0.23	-1.73	11.00
CH40	5200	-2.14	0.23	-1.91	11.00
CH48	5240	-2.96	0.23	-2.73	11.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.95	0.63	-8.32	11.00
CH46	5230	-9.46	0.63	-8.83	11.00

CH38



Date: 14.JAN.2015 10:13:48

CH46




Date: 14.JAN.2015 10:14:31

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.53	0.63	-5.90	11.00
CH46	5230	-7.64	0.63	-7.01	11.00

CH38



Date: 14.JAN.2015 10:11:49

CH46



Date: 14.JAN.2015 10:12:40


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.56	0.63	-3.93	11.00
CH46	5230	-5.45	0.63	-4.82	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.78	0.11	-1.67	30.00
CH157	5785	-2.38	0.11	-2.27	30.00
CH165	5825	-3.22	0.11	-3.11	30.00

TX CH149




Date: 14.JAN.2015 09:18:43

TX CH157



Date: 14.JAN.2015 09:20:38

TX CH165




Date: 14.JAN.2015 09:21:45

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.00	0.23	-4.77	30.00
CH157	5785	-5.01	0.23	-4.78	30.00
CH165	5825	-5.88	0.23	-5.65	30.00

TX CH149




Date: 14.JAN.2015 09:33:52

TX CH157



Date: 14.JAN.2015 09:35:42

TX CH165




Date: 14.JAN.2015 09:36:27

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.91	0.23	-5.68	30.00
CH157	5785	-5.74	0.23	-5.51	30.00
CH165	5825	-6.47	0.23	-6.24	30.00

TX CH149




Date: 14.JAN.2015 09:37:48

TX CH157



Date: 14.JAN.2015 09:38:33

TX CH165



Date: 14.JAN.2015 09:39:13


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.42	0.23	-2.19	30.00
CH157	5785	-2.35	0.23	-2.12	30.00
CH165	5825	-3.15	0.23	-2.92	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.93	0.63	-6.30	30.00
CH159	5795	-7.24	0.63	-6.61	30.00

TX CH151



Date: 14.JAN.2015 10:15:40

TX CH159




Date: 14.JAN.2015 10:16:24

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.04	0.63	-6.41	30.00
CH159	5795	-7.17	0.63	-6.54	30.00

TX CH151



Date: 14.JAN.2015 10:18:16

TX CH159




Date: 14.JAN.2015 10:19:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.97	0.63	-3.34	30.00
CH159	5795	-4.19	0.63	-3.56	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.54	0.17	-6.37	11.00
CH40	5200	-6.62	0.17	-6.45	11.00
CH48	5240	-6.48	0.17	-6.31	11.00




Date: 14.JAN.2015 09:45:06

CH40



Date: 14.JAN.2015 09:45:46

CH48




Date: 14.JAN.2015 09:46:22

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.85	0.17	-2.68	11.00
CH40	5200	-2.94	0.17	-2.77	11.00
CH48	5240	-4.08	0.17	-3.91	11.00

CH36




Date: 14.JAN.2015 09:41:22

CH40



Date: 14.JAN.2015 09:42:33

CH48



Date: 14.JAN.2015 09:43:17


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.30	0.17	-1.14	11.00
CH40	5200	-1.39	0.17	-1.23	11.00
CH48	5240	-2.11	0.17	-1.94	11.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-9.60	0.12	-9.48	11.00
CH46	5230	-9.79	0.12	-9.67	11.00

CH38



Date: 14.JAN.2015 10:25:32

CH46




Date: 14.JAN.2015 10:26:25

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.24	0.12	-7.12	11.00
CH46	5230	-7.88	0.12	-7.76	11.00

CH38



Date: 14.JAN.2015 10:21:22

CH46




Date: 14.JAN.2015 10:22:09

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.25	0.12	-5.13	11.00
CH46	5230	-5.72	0.12	-5.60	11.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.77	0.19	-12.58	11.00



Date: 14.JAN.2015 10:33:27

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.29	0.19	-10.10	11.00



Date: 14.JAN.2015 10:35:33


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.35	0.19	-8.16	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-4.36	0.17	-4.19	30.00
CH157	5785	-3.89	0.17	-3.72	30.00
CH165	5825	-4.97	0.17	-4.80	30.00

TX CH149




Date: 14.JAN.2015 09:48:05

TX CH157



Date: 14.JAN.2015 09:49:01


TX CH165



Date: 14.JAN.2015 09:49:42


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-3.97	0.17	-3.80	30.00
CH157	5785	-3.60	0.17	-3.43	30.00
CH165	5825	-4.43	0.17	-4.26	30.00




Date: 14.JAN.2015 10:07:27

TX CH157



Date: 14.JAN.2015 10:09:01

TX CH165



Date: 14.JAN.2015 10:09:41


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.15	0.17	-0.98	30.00
CH157	5785	-0.73	0.17	-0.57	30.00
CH165	5825	-1.68	0.17	-1.52	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.75	0.12	-6.63	30.00
CH159	5795	-6.36	0.12	-6.24	30.00

TX CH151



Date: 14.JAN.2015 10:27:51

TX CH159




Date: 14.JAN.2015 10:28:38

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.37	0.12	-6.25	30.00
CH159	5795	-6.62	0.12	-6.50	30.00

TX CH151



Date: 14.JAN.2015 10:29:48

TX CH159




Date: 14.JAN.2015 10:30:29

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.55	0.12	-3.42	30.00
CH159	5795	-3.48	0.12	-3.36	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-9.85	0.19	-9.66	30.00



Date: 14.JAN.2015 10:40:36

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-9.71	0.19	-9.52	30.00



Date: 14.JAN.2015 10:38:55

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-6.77	0.19	-6.58	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.1210
120	5180.1230
108	5180.1220
Max. Deviation (MHz)	0.1230
Max. Deviation (ppm)	23.7452

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0012
5	5180.0023
15	5180.0018
25	5180.0017
35	5180.0016
45	5180.0024
50	5180.0031
Max. Deviation (MHz)	0.0031
Max. Deviation (ppm)	0.5985

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0023
120	5745.0021
108	5745.0024
Max. Deviation (MHz)	0.0024
Max. Deviation (ppm)	0.4178

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0012
5	5745.0029
15	5745.0022
25	5745.0021
35	5745.0012
45	5745.0083
50	5745.0032
Max. Deviation (MHz)	0.0083
Max. Deviation (ppm)	1.4447