

Shenzhen Branch

Report No.: FYCR220600021101

Page: 1 of 28

TEST REPORT

Application No.: FYCR2206000211CR

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai, China 200233

Equipment Under Test (EUT):

EUT Name: 5G Sub-6 GHz M.2 Module

Model No.: Quectel
Trade mark: RM520N-GL


FCC ID: XMR2022RM520NGL Standards: 47 CFR Part 96E

Date of Receipt: 2022-05-15

Date of Test: 2022-05-22 to 2022-07-22

Date of Issue: 2022-07-24

Test Result: Pass*





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.px and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: FYCR220600021101

Page: 2 of 28

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2022-07-24		Original				

Authorized for issue by:		
	(ree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification in subject dend therein. Any holder of this document aspx is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate** (2012) **Cer



Report No.: FYCR220600021101

Page: 3 of 28

1 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP≤ 47dBm/10MHz PSD≤ 37dBm/MHz (B48)	PASS
Peak-Average Ratio	§96.41	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§96.41	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051, §96.41	0-10 MHz: -13 dBm; 10-operating band edge MHz: -25 dBm; other: -40 dBm	PASS
Spurious emissions at antenna terminals	§2.1051, §96.41	≤ -40dBm (B48)	PASS
Field strength of spurious radiation	§2.1051, §96.41	≤ -40dBm (B48)	PASS
Frequency stability	§2.1055,	Fundamental emission stays within authorized frequency block	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@sas.com



Report No.: FYCR220600021101

Page: 4 of 28

2 Contents

		Page
1	COVER PAGE	
1	TEST SUMMARY	3
2	CONTENTS	4
3	GENERAL INFORMATION	
	3.1 DETAILS OF E.U.T.	5
	3.2 DESCRIPTION OF SUPPORT UNITS	5
	3.3 Measurement Uncertainty	5
	3.4 TEST LOCATION	6
	3.5 DEVIATION FROM STANDARDS	6
	3.6 ABNORMALITIES FROM STANDARD CONDITIONS	
4	EQUIPMENT LIST	7
5	RADIO SPECTRUM MATTER TEST RESULTS	10
6	PHOTOGRAPHS	28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com



Shenzhen Branch

Report No.: FYCR220600021101

Page: 5 of 28

3 General Information

3.1 Details of E.U.T.

Power supply: DC3.7V

LTE:

Frequency Range: 3550MHz to 370MHz

Modulation Type: UL: QPSK, 16QAM, 64QAM, 256QAM

LTE Operation

48 Frequency Band:

Sample Type: Mobile production

Antenna Type: Monopole
Antenna Gain: -6.1dBi

CA:

UL CA_48C;

ENDC:

DC_48A_n5A;DC_48A_n66A; DC_48A_n25A; DC_48A_n71A;DC_48A_n12A ENDC Only test RSE, report only show worst mode

3.2 Description of Support Units

The EUT has been tested as an independent unit.

3.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
	Conducted Emission	2.4dB (9kHz to 150kHz)
1	at mains port using AMN	2.2dB (150kHz to 30MHz)
2	Radio Frequency	8.4 x 10 ⁻⁸
3	Timeout	2s
4	Occupied Bandwidth	3%
5	RF power density	2.9dB
6	RF Radiated power	4.2dB (Below 1GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are resulted for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 certificate.



Shenzhen Branch

Report No.: FYCR220600021101

Page: 6 of 28

		4.1dB (Above 1GHz)
		4.2dB (Below 30MHz)
_	Ba l'ata 10 a de la constanta de la	4.6dB (30MHz-1GHz)
7	Radiated Spurious emission test	4.8dB (1GHz-18GHz)
	Radiated Spurious emission test Temperature test Humidity test Supply voltages Time	5.5dB (Above 18GHz)
8	Temperature test	1°C
9	Humidity test	3%
10	Supply voltages	1.5%
11	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

3.5 Deviation from Standards

None

3.6 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, which is the company of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone; (85-75) 8307 1443



Report No.: FYCR220600021101

Page: 7 of 28

4 Equipment List

RF conducted test	RF conducted test							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date			
Programmable DC Source	Coroma		SEM011-09	2021/07/13	2022/07/12			
000100		Chroma 62024P-80-60 S		2022/07/12	2023/07/11			
Programmable Temperature &	Votsch Industrietechnik	VT 4002	SEM002-15	2021/07/13	2022/07/12			
Humidity Chamber	GmbH			2022/07/12	2023/07/11			
Chaptering Analysis	Dobdo 9 Cobusar	ECLIAS	CEM004 00	2021/07/13	2022/07/12			
Spectrum Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2022/07/12	2023/07/11			
Measurement Software	TST	TST PASS V2.0	N/A	N/A	N/A			
Attonuctor	Hedrand Orden an	6620_SMA-	SEM021-09	2021/07/13	2022/07/12			
Attenuator	Huber+Suhner	50-1	SEIVIUZ 1-09	2022/07/12	2023/07/11			
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28			
Radio Communication Test Station	Radio Communication Anritsu		SEM010-03	2022/03/25	2023/03/24			
	KENOLOLIT	1100047/4	0514000 45	2021/07/13	2022/07/12			
Power Sensor	KEYSIGHT	U2021XA	SEM009-15	2022/07/12	2023/07/11			

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date		
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24		
			0514004.05	2021/07/13	2022/07/12		
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/07/12	2023/07/11		
				2021/07/13	2022/07/12		
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11		
				2021/07/13	2022/07/12		
Spectrum Analyzer	Rohde & Schwarz	101288	SEM004-08	2022/07/12	2023/07/11		
		BDLNA-0118-		2021/07/13	2022/07/12		
Low Noise Amplifier	CLAVIIO	352810	SEM005-05	2022/07/12	2023/07/11		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Shenzhen Branch

Report No.: FYCR220600021101

Page: 8 of 28

		1		1	
Substitution Antenna	Schwarzbeck	VULB9168	SEM003-18	2019/08/08	2022/08/07
Signal Generator(9kHz-	NE470D	MV50070007	A - 'L 1	2021/07/13	2022/07/12
40GHz)	N5173B	MY53270267	Agilent	2022/07/12	2023/07/11
- ua		0.4.4=5	0=1400= 00	2021/07/13	2022/07/12
Pre-amplifier	HP	8447D	SEM005-02	2022/07/12	2023/07/11
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Consistence Amplican	Dalla o Oal	101288	CEM004 00	2021/07/13	2022/07/12
Spectrum Analyzer	Rohde & Schwarz		SEM004-08	2022/07/12	2023/07/11
L. Nieles Assella	01.43/110	BDLNA-0118-	0514005.05	2021/07/13	2022/07/12
Low Noise Amplifier	CLAVIIO	352810	SEM005-05	2022/07/12	2023/07/11
	Compliance			2021/07/13	2022/07/12
Pre-amplifier	Directions Systems Inc.	PAP-2640-50	SEM005-08	2022/07/12	2023/07/11
D l'C	Dalak 0 Oal	0114411050	OFMOOF 47	2021/07/13	2022/07/12
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/07/12	2023/07/11
Substitution Antenna	ETS-Lindgren	3142C	SEM003-01	2020/06/26	2023/06/25
Universal Radio	Dalada 0 Cabu a	ONAVA 500	OFM040.00	0000/00/00	0000/00/00
Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2022/03/29	2023/03/28

General used equipment									
Equipment Manufacturer Model No. Inventory No. Cal Date Cal Due Date									
Humidity/ Temperature				2021/07/13	2022/07/12				
Indicator	Mingle	TH607	SEM002-22	2022/07/12	2023/07/11				
Humidity/ Temperature			_	2021/07/13	2022/07/12				
Indicator	Mingle	TH607	SEM002-23	2022/07/12	2023/07/11				
Barometer	DUMAI	DYM3	SEM002-24	2021/07/13	2022/07/12				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



Report No.: FYCR220600021101

Compliance Certification Services (Kunshan) Inc.

Shenzhen Branch
Page: 9 of 28

		2022/07/12	2023/07/11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com



Report No.: FYCR220600021101

Page: 10 of 28

5 Radio Spectrum Matter Test Results

5.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: EIRP≤ 47dBm/10MHz, PSD≤ 37dBm/MHz (B48)

5.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents subject to Terms and Conditions sessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, and the company of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. (4 testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443




Shenzhen Branch

Report No.: FYCR220600021101


Page: 11 of 28

5.1.2 Test Setup Diagram



Ground Reference Plane

Test setup for Power measurement



Ground Reference Plane

Test setup for PSD measurement



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.



Report No.: FYCR220600021101

Page: 12 of 28

5.1.3 Measurement Data

Please refer to Appendix A-Output power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Shenzhen Branch

Report No.: FYCR220600021101

Page: 13 of 28

5.2 Peak-Average Ratio

Test Requirement: §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤13dB


5.2.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode

5.2.2 Test Setup Diagram



Ground Reference Plane

5.2.3 Measurement Data

Please refer to Appendix B- Peak-Average Ratio



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or transaction for the company sole responsibility is to its Client and the document does ne sonerate parties to a transaction for the company of the rights and obligations under the transaction documents. This document cannot be reproduced in full without pird written approval of the Company. Any unauthorized alteration, forget or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Assets shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

On the sample of the sample of the sample(s) tested and such sample(s) are retained for 30 days only.

On the sample of the sample of



Shenzhen Branch

Report No.: FYCR220600021101

Page: 14 of 28

5.3 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: OBW: No limit

EBW: No limit


5.3.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode

5.3.2 Test Setup Diagram



Ground Reference Plane

5.3.3 Measurement Data

Please refer to Appendix C- Bandwidth



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole tesponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-755)83071443



Report No.: FYCR220600021101

Page: 15 of 28

5.4 Band Edge Compliance

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all

frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel

edge, the conducted power of any CBSD emission shall not exceed −25

dBm/MHz. The upper and lower SAS assigned channel edges are the upper

and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the

combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

5.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms




Shenzhen Branch

Report No.: FYCR220600021101

Page: 16 of 28

5.4.2 Test Setup Diagram



Ground Reference Plane

5.4.3 Measurement Data

Please refer to Appendix D-Spurious emissions at antenna terminals



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.



Report No.: FYCR220600021101

Page: 17 of 28

5.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed −13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel

edge, the conducted power of any CBSD emission shall not exceed -25

dBm/MHz. The upper and lower SAS assigned channel edges are the upper

and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the

combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

5.5.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: FYCR220600021101


Compliance Certification Services (Kunshan) Inc.

Page:

18 of 28

Shenzhen Branch

5.5.2 Test Setup Diagram



Ground Reference Plane

5.5.3 Measurement Data

Please refer to Appendix D- Spurious emissions at antenna terminals



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Termitations of the content of the same contact us at telephone: (86-755) 8307 1443, **Termitations of the content of the cont



Report No.: FYCR220600021101

Page: 19 of 28

5.6 Field strength of spurious radiation

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel

and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed −13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned

channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25

dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the

case of multiple contiguous channels, the upper and lower limits of the

combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

5.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 56.3 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms





Shenzhen Branch

Report No.: FYCR220600021101

Page: 20 of 28

5.6.2 Test Setup Diagram





Substitue Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220600021101

Page: 21 of 28

5.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9)The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11)The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16)The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Documents at subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) fested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.



Report No.: FYCR220600021101

Page: 22 of 28

LTE Band 48

TDD LTE Band 48, Modulation: QPSK, Bandwidth: 5MHz, 1 RB

IDD LIL D	aria +0, Moadi	allon. Qr Six,	Danuwium. Siv	יוווב, וועט			1	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7100.5	-51.93	-40	-11.93	-55.47	8.19	11.73	Horizontal	Pass
10650.75	-47.54	-40	-7.54	-49.96	11.06	13.48	Horizontal	Pass
14201	-46.25	-40	-6.25	-49.26	11.48	14.49	Horizontal	Pass
7100.5	-51.02	-40	-11.02	-54.56	8.19	11.73	Vertical	Pass
10650.75	-48.95	-40	-8.95	-51.37	11.06	13.48	Vertical	Pass
14201	-46.49	-40	-6.49	-49.5	11.48	14.49	Vertical	Pass
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7245.5	-50.51	-40	-10.51	-54.05	8.19	11.73	Horizontal	Pass
10868.25	-47.92	-40	-7.92	-50.34	11.06	13.48	Horizontal	Pass
14491	-43.92	-40	-3.92	-46.93	11.48	14.49	Horizontal	Pass
7245.5	-52.42	-40	-12.42	-55.96	8.19	11.73	Vertical	Pass
10868.25	-47.02	-40	-7.02	-49.44	11.06	13.48	Vertical	Pass
14491	-45.22	-40	-5.22	-48.23	11.48	14.49	Vertical	Pass
	T			T		T	T	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7390.5	-51.88	-40	-11.88	-55.42	8.19	11.73	Horizontal	Pass
11085.75	-46.4	-40	-6.4	-48.69	11.36	13.65	Horizontal	Pass
14781	-44.13	-40	-4.13	-47.03	11.4	14.3	Horizontal	Pass
7390.5	-51.8	-40	-11.8	-55.34	8.19	11.73	Vertical	Pass
11085.75	-46.98	-40	-6.98	-49.27	11.36	13.65	Vertical	Pass
14781	-43.58	-40	-3.58	-46.48	11.4	14.3	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@ss.com



Report No.: FYCR220600021101

Page: 23 of 28

TDD LTE Band 48, Modulation: QPSK, Bandwidth: 10MHz, 1 RB

TDD LTE Band 48, Modulation: QPSK, Bandwidth: 10MHz, 1 RB									
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7101	-52.47	-40	-12.47	-56.01	8.19	11.73	Horizontal	Pass	
10651.5	-47.79	-40	-7.79	-50.21	11.06	13.48	Horizontal	Pass	
14202	-46.29	-40	-6.29	-49.3	11.48	14.49	Horizontal	Pass	
7101	-52.21	-40	-12.21	-55.75	8.19	11.73	Vertical	Pass	
10651.5	-48.28	-40	-8.28	-50.7	11.06	13.48	Vertical	Pass	
14202	-46.08	-40	-6.08	-49.09	11.48	14.49	Vertical	Pass	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7241	-52.17	-40	-12.17	-55.71	8.19	11.73	Horizontal	Pass	
10861.5	-47.27	-40	-7.27	-49.69	11.06	13.48	Horizontal	Pass	
14482	-44.03	-40	-4.03	-47.04	11.48	14.49	Horizontal	Pass	
7241	-52.99	-40	-12.99	-56.53	8.19	11.73	Vertical	Pass	
10861.5	-47.31	-40	-7.31	-49.73	11.06	13.48	Vertical	Pass	
14482	-45.04	-40	-5.04	-48.05	11.48	14.49	Vertical	Pass	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7381	-51.47	-40	-11.47	-55.01	8.19	11.73	Horizontal	Pass	
11071.5	-47.42	-40	-7.42	-49.71	11.36	13.65	Horizontal	Pass	
14762	-43.68	-40	-3.68	-46.58	11.4	14.3	Horizontal	Pass	
7381	-51.59	-40	-11.59	-55.13	8.19	11.73	Vertical	Pass	
11071.5	-46.98	-40	-6.98	-49.27	11.36	13.65	Vertical	Pass	
14762	-43.94	-40	-3.94	-46.84	11.4	14.3	Vertical	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com



Report No.: FYCR220600021101

Page: 24 of 28

TDD LTE Band 48. Modulation: QPSK. Bandwidth: 15MHz. 1 RB

TDD LTE Band 48, Modulation: QPSK, Bandwidth: 15MHz, 1 RB									
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7101.5	-51.97	-40	-11.97	-55.51	8.19	11.73	Horizontal	Pass	
10652.25	-48.81	-40	-8.81	-51.23	11.06	13.48	Horizontal	Pass	
14203	-45.53	-40	-5.53	-48.54	11.48	14.49	Horizontal	Pass	
7101.5	-52.35	-40	-12.35	-55.89	8.19	11.73	Vertical	Pass	
10652.25	-48.9	-40	-8.9	-51.32	11.06	13.48	Vertical	Pass	
14203	-46.03	-40	-6.03	-49.04	11.48	14.49	Vertical	Pass	
						T	T		
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7236.5	-52.7	-40	-12.7	-56.24	8.19	11.73	Horizontal	Pass	
10854.75	-48.05	-40	-8.05	-50.47	11.06	13.48	Horizontal	Pass	
14473	-44.37	-40	-4.37	-47.38	11.48	14.49	Horizontal	Pass	
7236.5	-52.25	-40	-12.25	-55.79	8.19	11.73	Vertical	Pass	
10854.75	-47.57	-40	-7.57	-49.99	11.06	13.48	Vertical	Pass	
14473	-44.22	-40	-4.22	-47.23	11.48	14.49	Vertical	Pass	
		,					,		
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result	
7371.5	-51.43	-40	-11.43	-54.97	8.19	11.73	Horizontal	Pass	
11057.25	-47.12	-40	-7.12	-49.41	11.36	13.65	Horizontal	Pass	
14743	-43.11	-40	-3.11	-46.01	11.4	14.3	Horizontal	Pass	
7371.5	-51.97	-40	-11.97	-55.51	8.19	11.73	Vertical	Pass	
11057.25	-47.27	-40	-7.27	-49.56	11.36	13.65	Vertical	Pass	
14743	-44.01	-40	-4.01	-46.91	11.4	14.3	Vertical	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Page: 25 of 28

Report No.: FYCR220600021101

TDD LTE Band 48, Modulation: QPSK, Bandwidth: 20MHz, 1 RB

TDD LTE B	and 48, Modul	ation: QPSK,	Bandwidth: 20	MHz, 1 RI	3		1	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7102	-51.67	-40	-11.67	-55.21	8.19	11.73	Horizontal	Pass
10653	-49.25	-40	-9.25	-51.67	11.06	13.48	Horizontal	Pass
14204	-45.47	-40	-5.47	-48.48	11.48	14.49	Horizontal	Pass
7102	-51.56	-40	-11.56	-55.1	8.19	11.73	Vertical	Pass
10653	-48.09	-40	-8.09	-50.51	11.06	13.48	Vertical	Pass
14204	-46.24	-40	-6.24	-49.25	11.48	14.49	Vertical	Pass
								T
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7232	-52.29	-40	-12.29	-55.83	8.19	11.73	Horizontal	Pass
10848	-48.27	-40	-8.27	-50.69	11.06	13.48	Horizontal	Pass
14464	-44.02	-40	-4.02	-47.03	11.48	14.49	Horizontal	Pass
7232	-51.97	-40	-11.97	-55.51	8.19	11.73	Vertical	Pass
10848	-47.38	-40	-7.38	-49.8	11.06	13.48	Vertical	Pass
14464	-45.13	-40	-5.13	-48.14	11.48	14.49	Vertical	Pass
						T	T	
Frequency (MHz)	EIRP(dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7362	-51.58	-40	-11.58	-55.12	8.19	11.73	Horizontal	Pass
11043	-47.7	-40	-7.7	-49.99	11.36	13.65	Horizontal	Pass
14724	-44.31	-40	-4.31	-47.21	11.4	14.3	Horizontal	Pass
7362	-51.2	-40	-11.2	-54.74	8.19	11.73	Vertical	Pass
11043	-47.1	-40	-7.1	-49.39	11.36	13.65	Vertical	Pass
14724	-43.99	-40	-3.99	-46.89	11.4	14.3	Vertical	Pass

Note: All modes have been tested and we found QPSK test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com



Shenzhen Branch

Report No.: FYCR220600021101

Page: 26 of 28

5.7 Frequency stability

Test Requirement: §2.1055

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Fundamental emission stays within authorized frequency block

5.7.1 E.U.T. Operation


Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode

01: Tx mode: Keep the EUT in transmitting mode in 5G NR mode

5.7.2 Test Setup Diagram



Ground Reference Plane

5.7.3 Measurement Data

Please refer to Appendix F- Frequency stability



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the tittp://www.sgs.com/en/Terms-and-Conditions-and-Forms-and-Conditions-and-Conditions-and-Forms-and-Conditions-and-Conditions-and-Conditions-And-Intermediate Services and the services of the



Shenzhen Branch

Report No.: FYCR220600021101

Page: 27 of 28

5.8 Modulation Characteristics

Test Requirement: §2.1047

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Digital modulation


5.8.1 E.U.T. Operation

Operating Environment:

Temperature: 23.7 °C Humidity: 56.9 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode in LTE mode

5.8.2 Test Setup Diagram



Ground Reference Plane

5.8.3 Measurement Data

Please refer to Appendix G-Modulation Characteristics



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and for electronic Documents as the subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents as the subject to Terms and Conditions for Electronic Documents and the subject to Terms and Conditions/Terms-a-Document systems and the subject of the subject of the subject and subject a



Report No.: FYCR220600021101

Page: 28 of 28

6 Photographs

6.1 Setup photo

Please refer to setup photos.

6.2 EUT Constructional Details (EUT Photos)

Please Refer to external and internal photos for details.

-End of Report-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refunded for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144.