


A.6 Conducted Spurious Emission and Band Edge (Authorized-band)

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	926.192	-51.77	-27	Pass	9700
1000	5150	0.1	Peak	5132.796	-48.8	-27	Pass	41499
5150	5350	0.1	Peak	5182.316	-0.47	24	Pass	2000
5350	10300	0.1	Peak	6899.648	-47.79	-27	Pass	49499
10300	10700	0.1	Peak	10303.601	-48.31	-27	Pass	4000
10700	25000	0.1	Peak	15506.05	-45.12	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	933.293	-51.79	-27	Pass	9700
1000	5150	0.1	Peak	4731.612	-48.99	-27	Pass	41499
5150	5350	0.1	Peak	5227.339	-1.71	24	Pass	2000
5350	10300	0.1	Peak	5840.115	-47.08	-27	Pass	49499
10300	10700	0.1	Peak	10690.198	-47.38	-27	Pass	4000
10700	25000	0.1	Peak	15827.46	-44.01	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	373.435	-52.27	-27	Pass	9700
1000	5150	0.1	Peak	4803.227	-48.65	-27	Pass	41499
5150	5350	0.1	Peak	5242.346	-1.58	24	Pass	2000
5350	10300	0.1	Peak	6911.949	-47.62	-27	Pass	49499
10300	10700	0.1	Peak	10480.645	-46.78	-27	Pass	4000
10700	25000	0.1	Peak	17661.618	-44.36	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	647.064	-51.49	-27	Pass	9700
1000	5650	1	Peak	5321.929	-37.4	-27	Pass	4650
5650	5700	1	Peak	5651.014	-37.38	-26.25	Pass	691
5700	5720	1	Peak	5703.304	-36.93	10.93	Pass	691
5720	5725	1	Peak	5722.587	-26.43	21.5	Pass	691
5725	5850	1	Peak	5746.92	9.19	30	Pass	691
5850	5855	1	Peak	5854.891	-37.08	15.85	Pass	691
5855	5875	1	Peak	5874.971	-37.69	10.01	Pass	691
5875	5925	1	Peak	5924.42	-38.13	-26.57	Pass	691
5925	25000	1	Peak	16384.548	-34.11	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	285.026	-51.82	-27	Pass	9700
1000	5650	1	Peak	5410.949	-37.89	-27	Pass	4650
5650	5700	1	Peak	5650.87	-38.07	-26.36	Pass	691
5700	5720	1	Peak	5700.145	-38.37	10.04	Pass	691
5720	5725	1	Peak	5720.232	-37.09	16.13	Pass	691
5725	5850	1	Peak	5781.884	9.47	30	Pass	691
5850	5855	1	Peak	5854.971	-36.97	15.67	Pass	691
5855	5875	1	Peak	5872.884	-36.71	10.59	Pass	691
5875	5925	1	Peak	5923.333	-37.93	-25.77	Pass	691
5925	25000	1	Peak	17028.582	-34.53	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	931.493	-52.2	-27	Pass	9700
1000	5650	1	Peak	5019.864	-38.29	-27	Pass	4650
5650	5700	1	Peak	5650	-39.14	-27	Pass	691
5700	5720	1	Peak	5700.058	-38.14	10.02	Pass	691
5720	5725	1	Peak	5720.051	-37.97	15.72	Pass	691
5725	5850	1	Peak	5827.174	7.76	30	Pass	691
5850	5855	1	Peak	5854.949	-35.18	15.72	Pass	691
5855	5875	1	Peak	5874.043	-36.56	10.27	Pass	691
5875	5925	1	Peak	5925	-38.47	-27	Pass	691
5925	25000	1	Peak	16368.547	-34.16	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.395	-51.97	-27	Pass	9700
1000	5150	0.1	Peak	5061.181	-48.55	-27	Pass	41499
5150	5350	0.1	Peak	5182.316	-1.14	24	Pass	2000
5350	10300	0.1	Peak	6904.149	-48.11	-27	Pass	49499
10300	10700	0.1	Peak	10366.517	-48.11	-27	Pass	4000
10700	25000	0.1	Peak	16906.194	-45.36	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	700.069	-50.81	-27	Pass	9700
1000	5150	0.1	Peak	5070.583	-48.92	-27	Pass	41499
5150	5350	0.1	Peak	5221.036	-3.16	24	Pass	2000
5350	10300	0.1	Peak	5443.203	-47.78	-27	Pass	49499
10300	10700	0.1	Peak	10608.877	-48.17	-27	Pass	4000
10700	25000	0.1	Peak	15793.959	-45.51	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	933.593	-52.58	-27	Pass	9700
1000	5150	0.1	Peak	5015.172	-48.99	-27	Pass	41499
5150	5350	0.1	Peak	5242.346	-1.93	24	Pass	2000
5350	10300	0.1	Peak	10290.199	-47.94	-27	Pass	49499
10300	10700	0.1	Peak	10577.869	-47.4	-27	Pass	4000
10700	25000	0.1	Peak	16349.577	-45.12	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	880.788	-51.68	-27	Pass	9700
1000	5650	1	Peak	5083.878	-38.11	-27	Pass	4650
5650	5700	1	Peak	5651.014	-38.68	-26.25	Pass	691
5700	5720	1	Peak	5718.087	-31.52	15.06	Pass	691
5720	5725	1	Peak	5720.696	-28.1	17.19	Pass	691
5725	5850	1	Peak	5742.029	8.24	30	Pass	691
5850	5855	1	Peak	5854.891	-36.63	15.85	Pass	691
5855	5875	1	Peak	5874.275	-36.62	10.2	Pass	691
5875	5925	1	Peak	5924.71	-37.79	-26.79	Pass	691
5925	25000	1	Peak	16299.544	-34.68	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	587.557	-51.76	-27	Pass	9700
1000	5650	1	Peak	5100.882	-38.42	-27	Pass	4650
5650	5700	1	Peak	5650.217	-38.9	-26.84	Pass	691
5700	5720	1	Peak	5701.275	-37.9	10.36	Pass	691
5720	5725	1	Peak	5720.022	-37.75	15.65	Pass	691
5725	5850	1	Peak	5781.703	8.47	30	Pass	691
5850	5855	1	Peak	5854.957	-37	15.7	Pass	691
5855	5875	1	Peak	5872.217	-36.39	10.78	Pass	691
5875	5925	1	Peak	5924.565	-38.28	-26.68	Pass	691
5925	25000	1	Peak	16444.551	-34.15	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	943.394	-50.95	-27	Pass	9700
1000	5650	1	Peak	5130.888	-38.45	-27	Pass	4650
5650	5700	1	Peak	5650.145	-38.72	-26.89	Pass	691
5700	5720	1	Peak	5700.087	-37.29	10.02	Pass	691
5720	5725	1	Peak	5720.181	-37.81	16.01	Pass	691
5725	5850	1	Peak	5822.101	7.45	30	Pass	691
5850	5855	1	Peak	5854.935	-28.06	15.75	Pass	691
5855	5875	1	Peak	5858.043	-28.89	14.75	Pass	691
5875	5925	1	Peak	5924.638	-38.2	-26.73	Pass	691
5925	25000	1	Peak	15394.496	-34.72	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	805.58	-51.21	-27	Pass	9700
1000	5150	0.1	Peak	5067.283	-48.62	-27	Pass	41499
5150	5350	0.1	Peak	5182.316	-1.52	24	Pass	2000
5350	10300	0.1	Peak	6922.749	-46.61	-27	Pass	49499
10300	10700	0.1	Peak	10569.067	-48.08	-27	Pass	4000
10700	25000	0.1	Peak	16360.077	-45.94	-27	Pass	142999



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	245.322	-51.53	-27	Pass	9700
1000	5150	0.1	Peak	4715.308	-48.9	-27	Pass	41499
5150	5350	0.1	Peak	5222.336	-2.6	24	Pass	2000
5350	10300	0.1	Peak	6937.35	-48.21	-27	Pass	49499
10300	10700	0.1	Peak	10450.838	-47.53	-27	Pass	4000
10700	25000	0.1	Peak	16703.688	-44.55	-27	Pass	142999



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	725.772	-51.13	-27	Pass	9700
1000	5150	0.1	Peak	4400.342	-48.63	-27	Pass	41499
5150	5350	0.1	Peak	5242.346	-2.07	24	Pass	2000
5350	10300	0.1	Peak	6187.726	-47.71	-27	Pass	49499
10300	10700	0.1	Peak	10484.346	-47.34	-27	Pass	4000
10700	25000	0.1	Peak	16314.475	-44.22	-27	Pass	142999



16. 802.11ac_20M_Band4_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	993.599	-51.95	-27	Pass	9700
1000	5650	1	Peak	5444.956	-38.45	-27	Pass	4650
5650	5700	1	Peak	5651.232	-38.53	-26.09	Pass	691
5700	5720	1	Peak	5719.681	-30.73	15.51	Pass	691
5720	5725	1	Peak	5720.667	-27.48	17.12	Pass	691
5725	5850	1	Peak	5747.283	8.07	30	Pass	691
5850	5855	1	Peak	5854.543	-36.54	16.64	Pass	691
5855	5875	1	Peak	5873.783	-36.46	10.34	Pass	691
5875	5925	1	Peak	5924.928	-37.43	-26.95	Pass	691
5925	25000	1	Peak	17012.581	-34.66	-27	Pass	19075



17. 802.11ac_20M_Band4_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	678.667	-51.9	-27	Pass	9700
1000	5650	1	Peak	5462.96	-38.34	-27	Pass	4650
5650	5700	1	Peak	5650	-39.19	-27	Pass	691
5700	5720	1	Peak	5700.696	-38.02	10.19	Pass	691
5720	5725	1	Peak	5720.391	-37.22	16.49	Pass	691
5725	5850	1	Peak	5782.246	8.58	30	Pass	691
5850	5855	1	Peak	5854.942	-36.97	15.73	Pass	691
5855	5875	1	Peak	5874.652	-37.09	10.1	Pass	691
5875	5925	1	Peak	5924.928	-38.17	-26.95	Pass	691
5925	25000	1	Peak	16395.549	-34.34	-27	Pass	19075



18. 802.11ac_20M_Band4_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	841.084	-51.69	-27	Pass	9700
1000	5650	1	Peak	5307.926	-36.72	-27	Pass	4650
5650	5700	1	Peak	5650.652	-38.95	-26.52	Pass	691
5700	5720	1	Peak	5700.812	-38.39	10.23	Pass	691
5720	5725	1	Peak	5720.072	-38.27	15.77	Pass	691
5725	5850	1	Peak	5822.101	7.39	30	Pass	691
5850	5855	1	Peak	5854.326	-34.38	17.14	Pass	691
5855	5875	1	Peak	5871.29	-36.16	11.04	Pass	691
5875	5925	1	Peak	5924.275	-38.75	-26.46	Pass	691
5925	25000	1	Peak	15300.492	-34.28	-27	Pass	19075



19. 802.11n_40M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	502.949	-51.37	-27	Pass	9700
1000	5150	0.1	Peak	5107.691	-48.92	-27	Pass	41499
5150	5350	0.1	Peak	5184.817	-6.59	24	Pass	2000
5350	10300	0.1	Peak	9320.488	-48.05	-27	Pass	49499
10300	10700	0.1	Peak	10675.994	-48.34	-27	Pass	4000
10700	25000	0.1	Peak	16355.477	-45.34	-27	Pass	142999



20. 802.11n_40M_Band1_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	902.69	-52.03	-27	Pass	9700
1000	5150	0.1	Peak	5057.08	-49.5	-27	Pass	41499
5150	5350	0.1	Peak	5234.842	-4.72	24	Pass	2000
5350	10300	0.1	Peak	6904.749	-47.63	-27	Pass	49499
10300	10700	0.1	Peak	10685.196	-48.11	-27	Pass	4000
10700	25000	0.1	Peak	15833.36	-45.59	-27	Pass	142999



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	929.093	-51.31	-27	Pass	9700
1000	5650	1	Peak	5441.955	-37.7	-27	Pass	4650
5650	5700	1	Peak	5650.217	-38.99	-26.84	Pass	691
5700	5720	1	Peak	5709.304	-30.61	12.61	Pass	691
5720	5725	1	Peak	5720.094	-27.66	15.81	Pass	691
5725	5850	1	Peak	5760.507	2.65	30	Pass	691
5850	5855	1	Peak	5854.703	-37.25	16.28	Pass	691
5855	5875	1	Peak	5874.942	-36.74	10.02	Pass	691
5875	5925	1	Peak	5924.565	-38.09	-26.68	Pass	691
5925	25000	1	Peak	15414.497	-34.81	-27	Pass	19075



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	966.297	-51.98	-27	Pass	9700
1000	5650	1	Peak	5229.91	-37.98	-27	Pass	4650
5650	5700	1	Peak	5650.072	-38.66	-26.95	Pass	691
5700	5720	1	Peak	5702.377	-38.09	10.67	Pass	691
5720	5725	1	Peak	5720.13	-36.95	15.9	Pass	691
5725	5850	1	Peak	5790.761	5.42	30	Pass	691
5850	5855	1	Peak	5854.493	-33.03	16.76	Pass	691
5855	5875	1	Peak	5862.681	-31.34	13.45	Pass	691
5875	5925	1	Peak	5924.928	-38.83	-26.95	Pass	691
5925	25000	1	Peak	15408.497	-34.35	-27	Pass	19075



23. 802.11ac_40M_Band1_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	951.095	-52.48	-27	Pass	9700
1000	5150	0.1	Peak	4784.723	-48.57	-27	Pass	41499
5150	5350	0.1	Peak	5184.817	-6.79	24	Pass	2000
5350	10300	0.1	Peak	6936.45	-47.99	-27	Pass	49499
10300	10700	0.1	Peak	10369.717	-47.93	-27	Pass	4000
10700	25000	0.1	Peak	15417.747	-45.49	-27	Pass	142999



24. 802.11ac_40M_Band1_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	974.097	-51.37	-27	Pass	9700
1000	5150	0.1	Peak	4785.423	-47.92	-27	Pass	41499
5150	5350	0.1	Peak	5233.542	-4.87	24	Pass	2000
5350	10300	0.1	Peak	6942.35	-47.42	-27	Pass	49499
10300	10700	0.1	Peak	10458.34	-45.74	-27	Pass	4000
10700	25000	0.1	Peak	15421.348	-45.67	-27	Pass	142999



25. 802.11ac_40M_Band4_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	533.152	-51.86	-27	Pass	9700
1000	5650	1	Peak	5012.863	-37.83	-27	Pass	4650
5650	5700	1	Peak	5650.217	-39.07	-26.84	Pass	691
5700	5720	1	Peak	5712.058	-23.41	13.38	Pass	691
5720	5725	1	Peak	5720.087	-24.31	15.8	Pass	691
5725	5850	1	Peak	5757.065	5.33	30	Pass	691
5850	5855	1	Peak	5854.841	-37.02	15.96	Pass	691
5855	5875	1	Peak	5874.826	-37.25	10.05	Pass	691
5875	5925	1	Peak	5923.841	-37.33	-26.14	Pass	691
5925	25000	1	Peak	15295.491	-34.32	-27	Pass	19075



26. 802.11ac_40M_Band4_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	880.988	-51.49	-27	Pass	9700
1000	5650	1	Peak	4751.807	-38.23	-27	Pass	4650
5650	5700	1	Peak	5650.29	-38.62	-26.79	Pass	691
5700	5720	1	Peak	5703.362	-37.37	10.94	Pass	691
5720	5725	1	Peak	5720.739	-36.07	17.29	Pass	691
5725	5850	1	Peak	5789.13	5.28	30	Pass	691
5850	5855	1	Peak	5854.797	-35.75	16.06	Pass	691
5855	5875	1	Peak	5874.855	-36.59	10.04	Pass	691
5875	5925	1	Peak	5924.783	-38.4	-26.84	Pass	691
5925	25000	1	Peak	16362.547	-33.87	-27	Pass	19075



27. 802.11ac_80M_Band1_M

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	704.77	-51.98	-27	Pass	9700
1000	5150	0.1	Peak	5136.097	-39.96	-27	Pass	41499
5150	5350	0.1	Peak	5173.512	-8.64	24	Pass	2000
5350	10300	0.1	Peak	6999.352	-47.05	-27	Pass	49499
10300	10700	0.1	Peak	10681.495	-48	-27	Pass	4000
10700	25000	0.1	Peak	15814.76	-44.8	-27	Pass	142999



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	887.488	-51.59	-27	Pass	9700
1000	5650	1	Peak	5325.93	-37.9	-27	Pass	4650
5650	5700	1	Peak	5650.145	-36.32	-26.89	Pass	691
5700	5720	1	Peak	5703.043	-22.69	10.85	Pass	691
5720	5725	1	Peak	5720.058	-25.93	15.73	Pass	691
5725	5850	1	Peak	5771.558	1.48	30	Pass	691
5850	5855	1	Peak	5854.638	-24.64	16.43	Pass	691
5855	5875	1	Peak	5858.565	-23.08	14.6	Pass	691
5875	5925	1	Peak	5924.13	-37.73	-26.36	Pass	691
5925	25000	1	Peak	16292.544	-34.1	-27	Pass	19075



END